

CONFIDENTIAL PRICING EFFECTIVE MARCH 1, 2014—REV B

Visit AIRLOUVERS.COM for the Most Current Terms & Conditions, Stock List and Product Information

Terms: Net 30 days in US funds for accounts that have "Open Account" status with us, and subject to approval of buyer's credit. Any other terms must be prearranged with the seller and agreed to in writing. A service charge of 1.5% per month will be applied to all accounts that are 30 days past due. If the account is placed for collection, buyer agrees to pay all legal and collection fees. This contract for the sale of goods will be governed by the laws of the state of Minnesota.

Prices & Discounts: All prices are FOB one of our factory or warehouse locations, and apply to one order for one destination shipments. All louvers, vision lite frames, door edges and astragals may be combined to qualify for quantity discount. All applicable taxes which may be required to pay or collect under any existing or future law upon or applicable to, the sale, purchase, manufacture, processing, transportation, delivery, use of, consumption of any of the materials covered hereby shall be added to the invoice of the customer unless otherwise specifically indicated or unless we have a resale exemption document on file.

Freight & Delivery: Air Louvers, Inc. will ship freight-allowed on shipments valued at \$2,500.00 net or more for destinations within the continental US. Standard freight policies are for shipments to a single destination by "Best Way" - UPS or common carrier, to be prepaid and charges added to customer's invoice. A \$7.00 handling charge for all UPS shipments which will be added to customer's invoice. Delivery is subject to Federal and State laws and regulations. Charges resulting from customer-requested re-consignment or LTL accessorial fees will be billed back to customer. Customers have the option of specifying a carrier or routing, however, when such a carrier or routing is specified, the order will be shipped freight collect or billed to a third party when relevant. Damage to third party or collect shipments are the responsibility of the customer.

Claims: Shortage or errors in shipment must be reported within 48 hours after receipt of goods. It is the responsibility of the customer to inspect and report damaged or lost merchandise to the delivering carrier at the time of delivery.

Changes/Cancellations/Additions: Please consult customer service concerning approval for cancellation of existing orders. Special fabrication and orders entered into production are not subject to cancellation. Any changes of purchase orders must be confirmed by fax or Email.

Special Crating Charge: \$50 for all glass shipments of less than 15 ft².

QUICK SHIP - 24-48 HOURS: See [Online Stock List](#) for Models & Sizes. (quantities under 25)

2 MFG LOCATIONS: Commerce CA, Bloomington MN.

6 WAREHOUSES: Renton WA, Doraville GA, Lancaster PA, Wood Dale IL, Fort Myers FL, Grand Prairie TX

Ordering: Minimum order \$50.00 net.

Returns: No merchandise may be returned for credit without a Returned Goods Authorization. A 50% handling and restocking plus shipping both ways, will be assessed for material returned in usable condition. Freight collect returns will not be accepted. Due to the custom design and specifications for many of our products, certain materials are not subject to return.

Liability: Seller shall be notified promptly of any material claimed to be defective and such material shall be subject to seller's inspection. No back charge for field corrections of any item will be honored unless agreed upon prior to field correction in writing by Sales Manager. The company reserves the right to make changes in design, or to make additions to, or improvements in its products without incurring any obligation to incorporate or install such design changes, additions or improvements in or on products previously manufactured or sold. Information and advice furnished by Air Louvers, Inc. is without warranty as to correctness thereof for liability of any kind for use of material furnished by seller, whether used singly or in combination with other products and/or materials. Seller assumes no risk or warranty, express or implied, as to the performance of these materials in the preparation or application by buyer. Customer assumes responsibility to verify and determine that color, gloss and quality of materials will meet requirements of buyer (or customer's contractee) specifications.

Warranty: All products are warranted to be free of defects in material and workmanship for the period of 5 years from date of shipment. We reserve the right to replace or repair any product found defective within this period. Seller will not be subject to any other or future liability and no claims for labor or for consequential damages will be allowed. In no case will the seller's responsibility exceed the value of the defective material. No statement or recommendation made or assistance given by seller to the customer in connection with the use of any material by the customer shall constitute a waiver by the seller. No other warranty expressed or implied is valid. Manufacturer's warranty, terms and conditions apply in all cases.

Prices & Stocked Product Subject to Change Without Notice. Stocked items and quantities are subject to change according to market needs.

Discount Schedule	
Quantity Per Order	Decimal Factor
1-19 Pieces	
20-99 Pieces	
100-249 Pieces	Contact Customer Service
250 Units & Over	Contact Customer Service

**FOR FASTER RESPONSE USE OUR NEW
QUOTE AND ORDER EMAILS BELOW**

QUOTES@ACTIVARCPG.COM

800-554-6077

ORDERS@ACTIVARCPG.COM

WWW.AIRLOUVERS.COM

TABLE OF CONTENTS

Air Louvers List Prices 3/1/2014

GLAZING

ContraShield (CONTRA) - CAT II & Fire-rated & Heat Barrier
 KeraShield FRF (KFRF) - CAT II & Fire-rated
 KeraShield FRL (KFRL)- CAT II & Fire-rated &
 KeraShield FRU (KFRU) - CAT II & Fire-rated & Heat Barrier
 Pyran® Platinum F- (PPF) CAT II & Fire-rated
 PyroGlasShield (PYRO) CAT II & Fire-Rated
 SwissShield (SWISS) - CAT II & Fire-rated & Heat Barrier
 Tempered Glass (TEMP) - CAT II-rated
 Wire Glass (UL) - Fire-rated
 WireShield GLASS (WS) - CAT II & Fire-rated
 HURR, LAMI, INSU, LEXAN

PAK - VISION LITE PACKAGED W/ GLASS

Kerashield KFRF PAK
 Pyran® PPF PAK
 Tempered Glass TEMP PAK
 Wire Glass UL PAK
 WireShield WS PAK

VISION LITES

FRM: MULLIONS - For Transoms, Sidelites & Vision Frames
 SLIMLINE (VSL) - Low Profile Kit in Steel or Stainless Steel
 VSIG-MB Slimline Low Profile Kit with Miniblid
 VLF Custom Shapes
 VLF - Standard Kit
 VLFDG - Standard Kit for Double Glazing
 VLFEZ - Standard Kit - Easy Install
 VLFEZHRC - Hurricane-rated Kit
 VLFEZIG - Standard Kit for > 1/4" Glazing - Easy Install
 VLFEZIGMB - Kit with Miniblid
 VLFIG - Standard Kit for > 1/4" Glazing
 VLFIGHRC - Hurricane-rated Kit with Glazing
 VLFPVC - Kit with Metal Privacy Cover
 VLFR - Standard Round Shape Kit
 VLFRC - Std Kit with Radius Corners
 VLFRD - Std Kit - Half Circle
 VLFRI - Std Kit with Radius Top & Bottom
 VLFS10 - Security Kit
 VLFS10-SP - Security Kit with Speaker Port
 VLFSG - Security Grille
 VSIG - Low Profile Kit for >1/4" Glazing
 VSL (SLIMLINE) - Low Profile Kit in Steel or Stainless Steel
 VSLR - Low Profile Round Kit
 VWL - WOODLITE - Low Profile Kit with Wood Veneer
 VISTAMATIC—Privacy Panel

LOUVERS

Call 600-A,600-A1,600-C,600-CORE - Inverted "V" **17**
4 700-A,700-TL - Inverted, Split "Y" **18**
Call 800 A, 800-A1,800-R,800-CORE - Inverted "Y" **19**
Call 900-A,900-A1,900-C,900-CORE - Standard "Z" **17**
5 900 FPL - Standard "Z" with Bird Screen **17**
Call 1000-A,1000-C,1000-CORE - Overlapping Channel Blade **19**
Call 1100-A,1100-C,1100-CORE - Adjustable "Z" **21**
6 1200-A - Fixed & Adjustable "Z" **21**
7 1300-A,1300-A1,1300-C,1300-CORE - Aluminum w/Inverted "V" **17**
3 1400-A,1400-C,1400-CORE - Stormproof Aluminum w/"Z" **22**
Call 1500A - "Y" Blade Louver with Security Grille **23**
 1500A-HRC - Hurricane-rated **23**
9 1900-A - Fire-rated w/Fusible Link **20**
9 1900-ASG - Fire-rated w/ Fusible Link & Security Grille **20**
11

DOOR EDGES & ASTRAGALS

8 HGSS - Hinge Edge Guards **24**
 Kickplates **24**
 ME,ME-DE,MEA,MEA-DE - Metal Door Edges & Astragals **24**

14

12 **QUICK SHIP - 48 HOURS:** Our Best-Selling Products are
Call **Stocked in 8 Warehouses.** See stock list for models and sizes. Ware-
Call houses: Lancaster PA, Doraville GA, Renton WA, Bloomington MN,
12 Commerce CA, Wood Dale IL, Fort Myers FL, Grand Prairie TX. Quanti-
12 ties greater than 25 may not be available for quick ship.

12 **FIVE OR TEN DAY EXPEDITED ORDERS:** On certain non-
15 stock items, we offer a five working day ship program for an additional
13 charge of 20% or \$20.00, whichever is greater. The order must be re-
Call ceived by 10 am Pacific Time for that day to count as day one. If the
13 order is received after 10 am Pacific Time, the following day will be
16 counted as day one. If the order does not ship within the five working
14 day period, but ships within a 10 working day period, the charge will be
14 10% or \$10.00, whichever is greater.

14 **CUSTOM COLOR CHARGE:** Call for quotation and provide paint
Call chip with order. We offer 12 standard colors at no additional charge.

ACCESSORIES & GLAZING TAPE:

Call (GTAPE 150) White or (GTAPE150B) Black Glazing tape:
14 1/16" x 3/8" x 150': \$44.00 list each
14 (FGS3000S45) Intumescent Tape:
 20-45 minute wood doors 16' - \$ 35.00 list each.
14 (FGS3000S90) Intumescent Tape:
13 60-90 minute wood doors 16' \$ 58.00 list each.
12 Intumescent Tape for Positive Pressure-listed Doors: 20-45 min.
14 wood doors - FGS4590-7: 7' - \$17.00, FGS4590-8: 8' - \$ 18.00 (list)
12 Security Screws: Torx \$.80 ea (thru-bolt requires 2 ea) Bit \$10.40 (list)
Call Touch Up Paint: White, Gray, AMS Beige, Black, Red, Gloss Black,
 Bronze, Red, Silver : \$20.00 (net).

QUOTES@ACTIVARCPG.COM

ORDERS@ACTIVARCPG.COM

Air Louvers List Prices 3/1/2014



WIRESHIELD 1/4" Glass: WS

Fire-Rated
Safety-Rated

	Width - Actual Glass Size is Order Size																					
	4"	5"	6"	7"	8"	11"	12"	14"	16"	17"	18"	20"	22"	23"	24"	26"	28"	30"	32"	34"	36"	
Height	4"	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
	6"	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	109	117	125	133	142	150
	8"	100	100	100	100	100	100	100	100	106	113	125	138	144	150	163	175	187	200	212	225	
	11"	100	100	100	100	100	97	100	107	122	130	138	153	168	176	183	199	214	229	244	260	275
	12"	100	100	100	100	100	100	100	117	133	142	150	167	183	192	200	217	233	250	266	283	300
	14"	100	100	100	100	100	107	117	136	156	165	175	194	214	224	233	253	272	291	311	330	350
	16"	100	100	100	100	100	122	133	156	178	189	200	222	244	255	266	289	311	333	355	377	399
	17"	100	100	100	97	106	130	142	165	189	201	212	236	260	271	283	307	330	354	377	401	424
	19"	100	100	100	100	119	145	158	185	211	224	237	264	290	303	316	343	369	395	422	448	474
	21"	100	100	97	102	131	160	175	204	233	248	262	291	320	335	350	379	408	437	466	495	524
	23"	100	100	100	112	144	176	192	224	255	271	287	319	351	356	383	415	447	478	510	542	574
	24"	100	100	100	117	150	183	200	233	266	283	300	333	366	383	399	433	466	499	532	566	599
	26"	100	97	109	127	163	199	217	253	289	307	325	361	397	415	433	469	505	541	577	613	649
	27"	100	100	113	131	169	206	225	262	300	318	337	374	412	431	449	487	524	561	599	636	674
	29"	100	101	121	141	181	221	242	282	322	342	362	402	442	448	483	523	563	603	643	683	724
	31"	100	108	129	151	194	237	258	301	344	365	387	430	473	494	516	559	602	645	688	730	773
	32"	100	111	133	156	200	244	266	311	355	377	399	444	488	510	532	577	621	665	710	754	798
	34"	97	118	142	165	212	260	283	330	377	401	424	471	519	542	566	613	660	707	754	801	848
	35"	100	122	146	165	219	267	291	340	388	413	437	485	534	558	582	631	679	728	776	825	873
	36"	100	125	150	175	225	275	300	350	399	424	449	499	549	574	599	649	699	748	798	848	898
	38"	106	132	158	185	237	290	316	369	422	448	474	527	579	606	632	685	737	790	843	895	948
	40"	111	139	167	194	250	305	333	388	444	471	499	555	610	638	665	721	776	832	887	942	998
	42"	117	146	175	204	262	320	350	408	466	495	524	582	640	670	699	757	815	873	931	989	1048
	44"	122	153	183	214	275	336	366	427	488	519	549	610	671	701	732	793	854	915	976	1037	1098
	46"	128	160	192	224	287	351	383	447	510	542	574	638	701	733	765	829	893	956	1020	1084	1147
	48"	133	167	200	233	300	366	399	466	532	566	599	665	732	765	798	865	931	998	1064	1131	1197
	50"	139	174	208	243	312	381	416	485	555	589	624	693	762	797	832	901	970	1039	1109	1178	1247
	52"	145	181	217	253	325	397	433	505	577	613	649	721	793	829	865	937	1009	1081	1153	1225	1297
	53"	147	184	221	257	331	404	441	514	588	625	661	735	808	845	881	955	1028	1102	1175	1249	1322
	54"	150	187	225	262	337	412	449	524	599	636	674	748	823	861	898	973	1048	1122	1197	1272	1347
56"	156	194	233	272	350	427	466	543	621	660	699	776	854	893	931	1009	1086	1164	1242	1319	1397	
58"	161	201	242	282	362	442	483	563	643	683	724	804	884	924	965	1045	1125	1206	1286	1366	1447	
59"	164	205	246	287	368	450	491	573	654	695	736	818	899	940	981	1063	1145	1226	1308	1390	1472	
60"	167	208	250	291	374	458	499	582	665	707	748	832	915	956	998	1081	1164	1247	1330	1413	1496	
62"	172	215	258	301	387	473	516	602	688	730	773	859	945	988	1031	1117	1203	1289	1375	1460	1546	
63"	175	219	262	306	393	480	524	611	699	742	786	873	960	1004	1048	1135	1222	1309	1397	1484	1571	
64"	178	222	266	311	399	488	532	621	710	754	798	887	976	1020	1064	1153	1242	1330	1419	1508	1596	
66"	183	229	275	320	412	503	549	640	732	778	823	915	1006	1052	1098	1189	1280	1372	1463	1555	1646	
68"	189	236	283	330	424	519	566	660	754	801	848	942	1037	1084	1131	1225	1319	1413	1508	1602	1696	
70"	194	243	291	340	437	534	582	679	776	825	873	970	1067	1116	1164	1261	1358	1455	1552	1649	1746	
Unlisted Sizes: Use next Largest - We can Custom Cut to Fit any Glass Kit or Sidelite																						
Bold		= 48 Hour Shipment for Many of these Sizes from MN or CA																				

Minimum Size: 4" x 4", Max Rated Size: 36" x 84"

Fire rating: 20 minutes to 90 minutes

Impact rating: CPSC 16 CFR 1201 CAT I and II

Install in fire listed and labeled vision frames. We recommend use of glazing compound or glazing tape on both sides of glass, to minimize breakage. See Page 2 for pricing.

See individual product data sheets for detailed information.

\$50 crating charge on all glass shipments less than 15 square feet.

Round Cut Glass:
11-3/4" or 11"Dia. \$527
17-3/4" or 17"Dia. \$596
23-3/4" or 23" Dia. \$1054

**ORDER THIS GLAZING COMPLETE WITH
VISION LITE AS A "PAK" ON PAGE 8**

Glass is UL labeled standard. WHI labeling by request only.

QUOTES@ACTIVARCPG.COM

800-554-6077

ORDERS@ACTIVARCPG.COM

WWW.AIRLOUVERS.COM

KeraShield FRF (KFRF) 3/16" GLASS

Air Louvers List Prices 3/1/2014

Fire-Rated
Safety-Rated



Width - Actual Glass Size is Order Size																						
	4"	5"	6"	7"	8"	11"	12"	14"	16"	17"	18"	20"	22"	23"	24"	26"	28"	30"	32"	34"	36"	
H e i g h t	4"	--	163	163	163	163	163	163	163	163	163	163	163	163	163	163	163	163	163	165	174	
	6"	163	163	163	163	163	163	163	163	163	163	163	163	167	174	189	203	218	232	247	261	
	8"	163	163	163	163	163	163	163	163	174	185	196	218	240	251	261	283	305	327	348	370	
	10"	163	163	163	163	163	158	163	187	213	226	240	266	293	306	319	346	373	399	426	452	
	12"	163	163	163	163	163	163	174	203	232	247	261	290	319	334	348	377	406	435	464	493	
	14"	163	163	163	163	163	187	203	237	271	288	305	339	373	390	406	440	474	508	542	576	
	16"	163	163	163	163	174	213	232	271	310	329	348	387	426	445	464	503	542	580	619	658	
	17"	163	163	163	163	185	226	247	288	329	350	370	411	452	473	493	535	576	617	658	699	
	18"	163	163	163	163	207	253	276	322	368	391	414	460	506	529	551	597	643	689	735	781	
	20"	163	163	158	178	229	280	305	356	406	432	457	508	559	584	609	660	711	762	812	863	
	23"	163	163	167	195	251	306	334	390	445	473	501	556	612	640	667	723	779	834	890	945	
	24"	163	163	174	203	261	319	348	406	464	493	522	580	638	667	696	754	812	870	928	986	
	26"	163	158	189	220	283	346	377	440	503	535	566	629	692	723	754	817	880	943	1006	1069	
	27"	163	163	196	229	294	359	392	457	522	555	588	653	718	751	783	849	914	979	1044	1110	
	29"	163	176	211	246	316	386	421	491	561	596	631	701	771	806	841	912	982	1052	1122	1192	
	31"	163	188	225	263	338	413	450	525	600	637	675	750	825	862	899	974	1049	1124	1199	1274	
	32"	163	194	232	271	348	426	464	542	619	658	696	774	851	890	928	1006	1083	1160	1238	1315	
	34"	160	206	247	288	370	452	493	576	658	699	740	822	904	945	986	1069	1151	1233	1315	1397	
	35"	170	212	254	297	381	466	508	593	677	719	762	846	931	973	1015	1100	1185	1269	1354	1438	
	36"	174	218	261	305	392	479	522	609	696	740	783	870	957	1001	1044	1131	1218	1305	1392	1479	
	38"	184	230	276	322	414	506	551	643	735	781	827	919	1011	1057	1102	1194	1286	1378	1470	1562	
	40"	194	242	290	339	435	532	580	677	774	822	870	967	1064	1112	1160	1257	1354	1450	1547	1644	
	42"	203	254	305	356	457	559	609	711	812	863	914	1015	1117	1168	1218	1320	1421	1523	1624	1726	
	44"	213	266	319	373	479	585	638	745	851	904	957	1064	1170	1223	1276	1383	1489	1595	1702	1808	
	46"	223	278	334	390	501	612	667	779	890	945	1001	1112	1223	1279	1334	1446	1557	1668	1779	1890	
	48"	232	290	348	406	522	638	696	812	928	986	1044	1160	1276	1334	1392	1508	1624	1740	1856	1972	
	50"	242	303	363	423	544	665	725	846	967	1028	1088	1209	1330	1390	1450	1571	1692	1813	1934	2055	
	52"	252	315	377	440	566	692	754	880	1006	1069	1131	1257	1383	1446	1508	1634	1760	1885	2011	2137	
	53"	257	321	385	449	577	705	769	897	1025	1089	1153	1281	1409	1473	1537	1666	1794	1922	2050	2178	
	54"	261	327	392	457	588	718	783	914	1044	1110	1175	1305	1436	1501	1566	1697	1827	1958	2088	2219	
	56"	271	339	406	474	609	745	812	948	1083	1151	1218	1354	1489	1557	1624	1760	1895	2030	2166	2301	
	58"	281	351	421	491	631	771	841	982	1122	1192	1262	1402	1542	1612	1682	1823	1963	2103	2243	2383	
59"	286	357	428	500	642	785	856	999	1141	1212	1284	1426	1569	1640	1711	1854	1997	2139	2282	2424		
60"	290	363	435	508	653	798	870	1015	1160	1233	1305	1450	1595	1668	1740	1885	2030	2175	2320	2465		
62"	300	375	450	525	675	825	899	1049	1199	1274	1349	1499	1649	1724	1798	1948	2098	2248	2398	2548		
63"	305	381	457	533	686	838	914	1066	1218	1295	1371	1523	1675	1751	1827	1980	2132	2284	2436	2589		
64"	310	387	464	542	696	851	928	1083	1238	1315	1392	1547	1702	1779	1856	2011	2166	2320	2475	2630		
Unlisted Sizes: Use next Largest. Contact Cust. Service for Larger Sizes - We can Custom Cut to Fit any Glass Kit or Sidelite																						

Unlisted Sizes: Use next Largest. Contact Cust. Service for Larger Sizes - We can Custom Cut to Fit any Glass Kit or Sidelite

BOLD = Sizes are Available for 48 Hour Shipping from CA Warehouse

View Stock List

Size: Minimum 4" x 4", max sheet size 46-1/2" x 78"

Impact rating: CPSC 15CFR 1201 CAT. I and II

Fire rating: 20 minutes to 3 hours

Install in fire listed and labeled vision frames. We recommend use of glazing compound or glazing tape on both sides of glass, to minimize breakage. See Page 2.

See individual product data sheets for detailed information.

Glass is UL labeled standard. WHI labeling by request only.

\$50 crating charge on all glass shipments less than 15 square feet.

Round Cut Glass:
11-3/4" or 11"Dia. \$447
17-3/4" or 17"Dia. \$660
23-3/4" or 23" Dia. \$1171

ORDER THIS GLAZING COMPLETE WITH VISION LITE AS A "PAK" ON PAGE 9

QUOTES@ACTIVARCPG.COM

ORDERS@ACTIVARCPG.COM

Air Louvers List Prices 3/1/2014



Environmentally Preferred
Purchasing Product (EPP)

PYRAN® Platinum F
By SaftiFirst 3/16" GLASS: PPF
Fire-Rated
Safety-Rated

Width - Actual Glass Size is Order Size

	4"	5"	6"	7"	8"	10"	12"	14"	16"	17"	18"	20"	22"	23"	24"	26"	28"	30"	32"	34"	36"
4"	--	--	163	163	163	163	163	163	163	163	163	163	163	163	163	163	163	163	163	163	174
6"	--	163	163	163	163	163	163	163	163	163	163	163	163	167	174	189	203	218	232	247	261
9"	163	163	163	163	163	163	163	163	174	185	196	218	240	251	261	283	305	327	348	370	392
11"	163	163	163	163	163	158	163	187	213	226	240	266	293	306	319	346	373	399	426	452	479
12"	163	163	163	163	163	163	174	203	232	247	261	290	319	334	348	377	406	435	464	493	522
14"	163	163	163	163	163	187	203	237	271	288	305	339	373	390	406	440	474	508	542	576	609
16"	163	163	163	163	174	213	232	271	310	329	348	387	426	445	464	503	542	580	619	658	696
17"	163	163	163	163	185	226	247	288	329	350	370	411	452	473	493	535	576	617	658	699	740
19"	163	163	163	163	207	253	276	322	368	391	414	460	506	529	551	597	643	689	735	781	827
21"	163	163	158	178	229	280	305	356	406	432	457	508	559	584	609	660	711	762	812	863	914
23"	163	163	167	195	251	306	334	390	445	473	501	556	612	640	667	723	779	834	890	945	1001
24"	163	163	174	203	261	319	348	406	464	493	522	580	638	667	696	754	812	870	928	986	1044
26"	163	158	189	220	283	346	377	440	503	535	566	629	692	723	754	817	880	943	1006	1069	1131
27"	163	163	196	229	294	359	392	457	522	555	588	653	718	751	783	849	914	979	1044	1110	1175
29"	163	176	211	246	316	386	421	491	561	596	631	701	771	784	841	912	982	1052	1122	1192	1262
31"	163	188	225	263	338	413	450	525	600	637	675	750	825	862	899	974	1049	1124	1199	1274	1349
32"	163	194	232	271	348	426	464	542	619	658	696	774	851	890	928	1006	1083	1160	1238	1315	1392
34"	160	206	247	288	370	452	493	576	658	699	740	822	904	945	986	1069	1151	1233	1315	1397	1479
35"	170	212	254	297	381	466	508	593	677	719	762	846	931	973	1015	1100	1185	1269	1354	1438	1523
36"	174	218	261	305	392	479	522	609	696	740	783	870	957	1001	1044	1131	1218	1305	1392	1479	1566
38"	184	230	276	322	414	506	551	643	735	781	827	919	1011	1057	1102	1194	1286	1378	1470	1562	1653
40"	194	242	290	339	435	532	580	677	774	822	870	967	1064	1112	1160	1257	1354	1450	1547	1644	1740
42"	203	254	305	356	457	559	609	711	812	863	914	1015	1117	1168	1218	1320	1421	1523	1624	1726	1827
44"	213	266	319	373	479	585	638	745	851	904	957	1064	1170	1223	1276	1383	1489	1595	1702	1808	1914
46"	223	278	334	390	501	612	667	779	890	945	1001	1112	1223	1279	1334	1446	1557	1668	1779	1890	2001
48"	232	290	348	406	522	638	696	812	928	986	1044	1160	1276	1334	1392	1508	1624	1740	1856	1972	2088
50"	242	303	363	423	544	665	725	846	967	1028	1088	1209	1330	1390	1450	1571	1692	1813	1934	2055	2175
52"	252	315	377	440	566	692	754	880	1006	1069	1131	1257	1383	1446	1508	1634	1760	1885	2011	2137	2262
53"	257	321	385	449	577	705	769	897	1025	1089	1153	1281	1409	1473	1537	1666	1794	1922	2050	2178	2306
54"	261	327	392	457	588	718	783	914	1044	1110	1175	1305	1436	1501	1566	1697	1827	1958	2088	2219	2349
56"	271	339	406	474	609	745	812	948	1083	1151	1218	1354	1489	1557	1624	1760	1895	2030	2166	2301	2436
58"	281	351	421	491	631	771	841	982	1122	1192	1262	1402	1542	1612	1682	1823	1963	2103	2243	2383	2523
59"	286	357	428	500	642	785	856	999	1141	1212	1284	1426	1569	1640	1711	1854	1997	2139	2282	2424	2567
60"	290	363	435	508	653	798	870	1015	1160	1233	1305	1450	1595	1668	1740	1885	2030	2175	2320	2465	2610
62"	300	375	450	525	675	825	899	1049	1199	1274	1349	1499	1649	1724	1798	1948	2098	2248	2398	2548	2697
63"	305	381	457	533	686	838	914	1066	1218	1295	1371	1523	1675	1751	1827	1980	2132	2284	2436	2589	2741
64"	310	387	464	542	696	851	928	1083	1238	1315	1392	1547	1702	1779	1856	2011	2166	2320	2475	2630	2784

Unlisted Sizes: Use next Largest. Contact Customer Service for Larger Sizes - We can Custom Cut to Fit any Glass Kit or Sidelite

Bold = 48 Hour MN Warehouse Stock. (5 x 28 and 6 x 21 Available from CA)

Size: Minimum size 4" x 6", max sheet size 43" x 77"

Impact rating: CPSC 15CFR 1201 CAT. I and II

Fire rating: 20 minute to 3 hours

Install in fire listed and labeled vision frames. We recommend use of glazing compound or glazing tape on both sides of glass, to minimize breakage. See Page 2.

See individual product data sheets for detailed information.

Glass is UL labeled standard. WHI labeling by request only.

[View Stock List](#)

\$50 crating charge on all glass shipments less than 15 square feet.

ORDER THIS GLAZING COMPLETE WITH
VISION LITE AS A "PAK" ON PAGE 9

QUOTES@ACTIVARCPG.COM

800-554-6077

ORDERS@ACTIVARCPG.COM

WWW.AIRLOUVERS.COM

Width - Actual Glass Size is Order Size																					
	4"	5"	6"	7"	8"	10"	12"	14"	16"	17"	18"	20"	22"	23"	24"	26"	28"	30"	32"	34"	36"
1"	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
5"	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
9"	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	31	33	35
11"	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	31	33	35	38	40	42
12"	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	31	33	36	38	41	43
14"	30	30	30	30	30	30	30	30	30	30	30	30	33	34	36	39	42	45	48	51	54
16"	30	30	30	30	30	30	30	30	30	30	31	34	38	39	41	44	48	51	54	58	61
17"	30	30	30	30	30	30	30	30	30	31	33	36	40	42	43	47	51	54	58	61	65
18"	30	30	30	30	30	30	30	30	32	34	36	40	44	46	48	52	56	60	64	68	72
21"	30	30	30	30	30	30	30	31	36	38	40	45	49	51	54	58	62	67	71	76	80
23"	30	30	30	30	30	30	30	34	39	42	44	49	54	54	59	63	68	73	78	83	88
24"	30	30	30	30	30	30	31	36	41	43	46	51	56	59	61	66	71	76	81	86	91
26"	30	30	30	30	30	31	33	39	44	47	50	55	61	63	66	72	77	83	88	94	99
27"	30	30	30	30	30	32	35	40	46	49	52	57	63	66	69	74	80	86	91	97	103
29"	30	30	30	30	30	34	37	43	49	52	55	62	68	69	74	80	86	92	98	104	110
31"	30	30	30	30	30	36	40	46	53	56	59	66	72	73	79	85	92	98	105	111	118
32"	30	30	30	30	31	38	41	48	54	58	61	68	75	78	81	88	95	101	108	115	122
34"	30	30	30	30	33	40	43	51	58	61	65	72	79	83	86	94	101	108	115	122	129
35"	30	30	30	30	34	41	45	52	59	63	67	74	82	83	89	96	104	111	118	126	133
36"	30	30	30	30	35	42	46	54	61	65	69	76	84	88	91	99	107	114	122	129	137
38"	30	30	30	30	36	44	48	56	64	68	72	80	88	92	96	104	112	120	128	136	144
40"	30	30	30	30	38	47	51	59	68	72	76	85	93	97	101	110	118	127	135	144	152
42"	30	30	30	31	40	49	54	62	71	76	80	89	98	102	107	115	124	133	142	151	160
44"	30	30	30	33	42	51	56	65	75	79	84	93	102	107	112	121	130	139	149	158	167
46"	30	30	30	34	44	54	59	68	78	83	88	97	107	112	117	126	136	146	155	165	175
48"	30	30	31	36	46	56	61	71	81	86	91	101	112	117	122	132	142	152	162	172	182
50"	30	30	32	37	48	58	64	74	85	90	95	106	116	121	127	137	148	158	169	179	190
52"	30	30	33	39	50	61	66	77	88	94	99	110	121	126	132	143	154	165	176	187	197
53"	30	30	34	40	51	62	67	79	90	95	101	112	123	129	134	145	157	168	179	190	201
54"	30	30	35	40	52	63	69	80	91	97	103	114	125	131	137	148	160	171	182	194	205
56"	30	30	36	42	54	65	71	83	95	101	107	118	130	136	142	154	165	177	189	201	213
58"	30	31	37	43	55	68	74	86	98	104	110	123	135	141	147	159	171	184	196	208	220
59"	30	32	38	44	56	69	75	87	100	106	112	125	137	139	149	162	174	187	199	212	224
60"	30	32	38	45	57	70	76	89	101	108	114	127	139	146	152	165	177	190	202	215	228
62"	30	33	40	46	59	72	79	92	105	111	118	131	144	151	157	170	183	196	209	222	235
63"	30	34	40	47	60	73	80	93	107	113	120	133	146	148	160	173	186	199	213	226	239
64"	30	34	41	48	61	75	81	95	108	115	122	135	149	155	162	176	189	202	216	229	243
66"	30	35	42	49	63	77	84	98	112	119	125	139	153	160	167	181	195	209	223	237	250
68"	30	36	43	51	65	79	86	101	115	122	129	144	158	165	172	187	201	215	229	244	258
70"	30	37	45	52	67	82	89	104	118	126	133	148	163	170	177	192	207	221	236	251	266
72"	31	38	46	54	69	84	91	107	122	129	137	152	167	175	182	197	213	228	243	258	273
Tempered glass is a heat-strengthened glass and cannot be cut after manufacturing.																					
Unlisted Sizes: Use next Largest - We can Custom Cut to Fit any Glass Kit or Sidelite																					

Bold = 48 Hour Warehouse Stock in Several Locations

View Stock List

Size: Minimum 2" x 2", max sheet size 88" x 118"

Fire rating: None

Impact rating: CPSC 16CFR 1201 CAT. I and II

Install in fire listed and labeled vision frames. We recommend use of glazing compound or glazing tape on both sides of glass, to minimize breakage. See Page 2.

See individual product data sheets for detailed information.

QUOTES@ACTIVARCPG.COM

ORDERS@ACTIVARCPG.COM

Round Cut Glass:

11-3/4" or 11"Dia. \$123

17-3/4" or 17"Dia. \$171

23-3/4" or 23" Dia. \$288

\$50 crating charge on all glass shipments less than 15 square feet.

Air Louvers List Prices 3/1/2014

1/4" Traditional Wire Glass: UL Fire-Rated



Width - Actual Glass Size is Order Size																								
	4"	5"	6"	7"	8"	11"	12"	14"	16"	17"	18"	20"	22"	23"	24"	26"	28"	30"	32"	34"	36"			
H e i g h t	4"	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33			
	6"	33	33	33	33	33	33	33	33	33	33	33	33	33	34	36	39	42	45	48	50			
	9"	33	33	33	33	33	33	33	33	34	36	38	42	46	48	50	54	59	63	67	71	75		
	11"	33	33	33	33	33	33	33	36	41	44	46	51	56	59	61	66	71	77	82	87	92		
	12"	33	33	33	33	33	33	34	39	45	48	50	56	61	64	67	72	78	83	89	95	100		
	14"	33	33	33	33	33	36	39	46	52	55	59	65	71	75	78	84	91	97	104	110	117		
	16"	33	33	33	33	34	41	45	52	60	63	67	74	82	85	89	96	104	111	119	126	133		
	17"	33	33	33	33	36	44	48	55	63	67	71	79	87	91	95	102	110	118	126	134	142		
	19"	33	33	33	33	40	49	53	62	71	75	79	88	97	101	106	114	123	132	141	149	158		
	21"	33	33	33	34	44	54	59	68	78	83	88	97	107	112	117	126	136	146	155	165	175		
	23"	33	33	33	38	48	59	64	75	85	91	96	107	117	119	128	138	149	160	170	181	191		
	24"	33	33	34	39	50	61	67	78	89	95	100	111	122	128	133	144	155	166	178	189	200		
	26"	33	33	36	42	54	66	72	84	96	102	108	120	132	138	144	156	168	180	192	204	216		
	27"	33	33	38	44	57	69	75	88	100	106	113	125	137	144	150	162	175	187	200	212	225		
	29"	33	34	41	46	61	74	81	94	107	114	121	134	148	149	161	174	188	201	214	228	241		
	31"	33	36	43	49	65	79	86	101	115	122	129	143	158	160	172	186	201	215	229	243	258		
	32"	33	37	45	52	67	82	89	104	119	126	133	148	163	170	178	192	207	222	237	251	266		
	34"	33	40	48	55	71	87	95	110	126	134	142	157	173	181	189	204	220	236	251	267	283		
	35"	33	41	49	55	73	89	97	113	130	138	146	162	178	186	194	210	226	243	259	275	291		
	36"	34	42	50	59	75	92	100	117	133	142	150	166	183	191	200	216	233	249	266	283	299		
	38"	36	44	53	62	79	97	106	123	141	149	158	176	193	202	211	228	246	263	281	298	—		
	40"	37	47	56	65	83	102	111	130	148	157	166	185	203	213	222	240	259	277	296	—	—		
	42"	39	49	59	68	88	107	117	136	155	165	175	194	213	223	233	252	272	291	—	—	—		
	44"	41	51	61	71	92	112	122	142	163	173	183	203	224	234	244	264	284	—	—	—	—		
	46"	43	54	64	75	96	117	128	149	170	181	191	213	234	244	255	276	297	—	—	—	—		
48"	45	56	67	78	100	122	133	155	178	189	200	222	244	255	266	288	—	—	—	—	—			
50"	47	58	70	81	104	127	139	162	185	196	208	231	254	266	277	—	—	—	—	—	—			
52"	48	60	72	84	108	132	144	168	192	204	216	240	264	276	288	—	—	—	—	—	—			
53"	49	62	74	86	110	135	147	172	196	208	220	245	269	281	294	—	—	—	—	—	—			
54"	50	63	75	88	113	137	150	175	200	212	225	249	274	287	299	—	—	—	—	—	—			
Unlisted Sizes: Use next Largest - We can Custom Cut to Fit any Glass Kit or Sidelite																								

Unlisted Sizes: Use next Largest - We can Custom Cut to Fit any Glass Kit or Sidelite

Bold = 48 Hour Stock from One or More of our Locations

[View Stock List](#)

Size: Minimum 4" x 4", Max Sheet Size: 60" x 100"

Fire rating: 20-90 minute, classified B4. **MAXIMUM FIRE-RATED SIZE UP TO 1296 in²**

Impact rating: CPSC 16 CRF 1201 CAT I

Install in fire listed and labeled vision frames. We recommend use of glazing compound or glazing tape on both sides of glass, to minimize breakage. See Page 2.

See individual product data sheets for detailed information.

Round Cut Glass:

11-3/4" or 11"Dia. \$123

17-3/4" or 17"Dia. \$171

23-3/4" or 23" Dia. \$256

\$50 crating charge on all glass shipments less than 15 square feet.

THIS IS NOT A CATEGORY II - RATED PRODUCT: Swinging Doors are considered "Hazardous Locations" according to SECTION 2406.3 of the International Building Code, and require CAT II-rated glazing. Locations other than doors may not be required to have CAT II rating. Please consult your local (AHJ) Authority Having Jurisdiction to determine appropriate standards. See the Glass Selection Chart for others.

QUOTES@ACTIVARCPG.COM

800-554-6077

ORDERS@ACTIVARCPG.COM

WWW.AIRLOUVERS.COM

WS PAK For Fire & Safety-Rated 1 3/4" Doors
Vision Lite, WireShield Glass & Glazing Tape Combination
SLIMLINE (VSL) or VLFEZ Vision Frames

Air Louvers List Prices 3/1/2014



		Width of Rough Opening - Visible Light is 2" Under this Size																			
		6"	8"	10"	12"	14"	16"	18"	20"	22"	24"	26"	28"	30"	32"	34"	36"				
H e i g h t o f R o u n d g O p e n i n g	4"	162	162	162	162	162	162	162	169	171	174	177	179	183	187	189	194	196	198		
	6"	162	162	162	162	162	162	169	171	174	177	179	183	187	189	193	202	215	224		
	8"	162	162	162	162	162	162	171	174	177	179	186	198	214	228	239	250	263	274		
	10"	162	162	162	162	161	162	174	171	186	207	222	237	253	266	281	296	310	326		
	12"	162	162	162	162	162	156	177	194	218	236	254	272	289	306	324	341	359	377		
	14"	169	169	171	171	174	177	196	224	244	264	286	305	326	346	365	387	416	437		
	16"	171	171	174	174	177	194	224	246	270	294	316	340	363	385	409	441	464	489		
	18"	174	174	174	169	186	218	244	270	295	322	348	374	398	435	460	487	513	538		
	20"	177	177	179	179	207	236	264	294	322	350	379	407	445	474	503	532	560	589		
	22"	179	179	174	181	222	254	286	316	348	379	410	450	482	514	546	577	608	639		
	24"	183	183	187	198	237	272	305	340	374	407	450	466	520	555	588	623	656	689		
	26"	187	187	193	214	253	289	326	363	398	445	482	520	558	593	630	666	703	770		
	27"	187	181	200	223	260	298	337	374	423	461	499	539	576	614	652	689	727	798		
	28"	187	187	205	228	266	306	346	385	435	474	514	555	593	633	672	711	780	823		
	30"	192	193	216	237	281	324	365	409	460	503	546	565	630	672	713	786	830	872		
	32"	194	202	226	247	296	341	387	441	482	532	577	618	666	711	786	833	878	923		
	34"	196	215	240	263	310	359	408	464	513	560	608	656	703	780	830	878	926	974		
	36"	189	218	242	265	320	370	427	478	526	576	624	669	722	804	853	902	952	999		
	38"	195	221	246	262	326	377	437	489	538	589	639	663	770	823	872	923	974	1024		
	40"	206	236	265	291	343	413	475	530	585	641	696	778	839	894	946	1002	1061	1115		
	42"	220	246	275	302	374	430	496	555	613	671	726	820	877	932	990	1053	1110	1166		
44"	226	255	302	329	389	458	519	580	640	698	794	855	913	974	1039	1099	1158	1240			
46"	250	280	312	342	405	477	541	605	665	735	827	888	952	1020	1082	1144	1228	1293			
48"	258	289	324	355	421	497	563	626	698	794	858	924	994	1060	1125	1212	1279	1348			
50"	268	299	336	369	439	515	582	660	726	822	890	964	1032	1100	1190	1260	1332	1399			
52"	276	310	348	383	463	532	610	688	750	852	928	999	1070	1162	1235	1310	1380	1453			
54"	290	326	362	397	479	562	637	708	815	888	964	1039	1128	1204	1282	1355	1430	1507			
56"	297	333	373	410	504	580	656	736	841	920	997	1082	1169	1248	1325	1403	1482	1585			
58"	305	343	393	431	520	597	680	758	870	949	1045	1120	1210	1289	1370	1452	1531	1641			
60"	323	362	406	445	533	620	699	814	897	995	1079	1165	1247	1331	1415	1498	1610	1695			
62"	332	373	415	456	554	637	724	839	940	1027	1115	*1153	1287	1374	1460	1548	1662	1748			
64"	339	381	430	473	566	658	745	879	969	1060	1147	1237	1327	1415	1507	1623	1712	1805			
66"	352	395	440	492	586	676	783	905	999	1089	1181	1265	1365	1460	1554	1671	1765	1859			
68"	358	404	455	508	602	711	836	933	1025	1121	1216	1300	1408	1504	1624	1722	1818	1919			
70"	370	416	466	521	633	731	861	956	1054	1153	1249	1349	1448	1546	1672	1771	1874	1974			
72"	379	427	494	550	650	754	881	981	1083	1182	1286	1387	1488	1591	1718	1824	1927	2030			
74"	404	454	515	565	671	772	905	1009	1111	1216	1321	1424	1529	1659	1769	1874	1980	2086			
		Sizes Not Shown: Use Next Larger Size on Chart										* 36 x 60 only stocked in VSL Frame									

BOLD = 48 Hour Shipping from One or More of Our Warehouses.

See Stock List for More VSL Frame Choices

Material: 20 ga CRS beveled vision lite, 1/4" wired glass w/film

Impact Rating: CPSC 16 CFR 1201 CAT 1 & 11

Finish: Mineral bronze powder coat

Fire Rating: 20-90 minutes

Glazing Tape: Standard 1/16" x 3/8" applied to both sides of glass - UL10B **See individual product data sheets for detailed information**

Listing: UL labeled standard. WHI labeling by request only.

Order Format: ___ (VSL or VLFEZ) ___ (W) x ___ (H) B (color) WS PAK— Example: VSL 1212B WS PAK

QUOTES@ACTIVARCPG.COM

ORDERS@ACTIVARCPG.COM

Air Louvers List Prices 3/1/2014



KFRF & PYRAN® PAK For Fire & Safety-Rated 1-3/4" Doors Vision Lite, KERASHIELD and Glazing Tape Combination SLIMLINE (VSL) or VLFEZ Vision Frames

		Width of Rough Opening - Visible Light is 2" Under this Size														
Height of Rough Opening		5"	6"	7"	8"	10"	12"	14"	16"	18"	20"	22"	24"	26"	28"	30"
	4"	--	--	--	--	--	219	219	225	227	231	233	236	241	243	245
	6"	--	--	--	--	--	219	225	227	231	233	236	241	243	246	262
	8"	--	--	--	--	--	219	227	231	233	235	256	275	300	321	339
	10"	--	--	--	219	218	219	231	233	258	290	314	339	364	388	411
	12"	219	219	219	219	219	211	244	273	310	339	368	398	426	455	485
	14"	225	225	227	227	231	233	278	320	354	388	423	455	489	523	556
	16"	227	227	231	231	235	273	320	358	397	437	475	513	552	590	629
	18"	231	231	231	231	264	310	354	397	440	485	528	572	614	673	716
	20"	233	233	236	235	290	339	388	437	485	532	581	628	692	740	789
	22"	236	236	228	252	314	368	423	475	528	581	633	702	755	808	862
	24"	241	241	243	275	339	398	455	513	572	628	702	756	818	877	935
	26"	243	243	264	300	364	426	489	552	614	692	755	818	882	944	1007
	27"	243	236	275	312	376	442	507	572	652	718	782	849	913	979	1043
	28"	243	243	282	321	388	455	523	590	673	740	808	877	944	1012	1078
	30"	249	262	302	337	411	485	556	629	716	789	862	900	1007	1078	1149
	32"	250	275	318	355	436	512	591	682	756	839	914	988	1069	1145	1253
	34"	253	295	338	377	459	542	625	721	805	886	969	1049	1130	1243	1327
	35"	244	300	342	383	473	558	657	743	826	911	995	1075	1163	1280	1364
	36"	252	306	349	392	485	572	673	761	847	935	1021	1103	1223	1313	1399
	38"	276	327	375	420	511	619	725	818	911	1006	1099	1220	1319	1412	1504
	40"	295	342	391	438	550	647	760	858	957	1056	1152	1286	1383	1479	1577
	42"	306	356	424	473	575	692	795	899	1002	1103	1242	1344	1445	1548	1656
	44"	333	386	441	493	600	722	831	939	1044	1158	1296	1402	1509	1622	1730
	46"	346	400	459	513	626	754	866	977	1095	1238	1348	1461	1578	1691	1803
	48"	359	416	477	533	653	783	899	1026	1140	1286	1403	1525	1643	1759	1897
	50"	373	432	495	556	692	812	940	1069	1182	1335	1462	1585	1706	1848	1972
	52"	391	453	515	577	718	853	980	1105	1265	1391	1520	1647	1790	1919	2049
	54"	402	466	532	597	752	883	1013	1148	1308	1443	1575	1715	1856	1992	2123
	56"	414	480	559	626	777	911	1052	1187	1356	1492	1645	1776	1924	2059	2197
	58"	436	505	577	646	799	945	1085	1258	1400	1558	1700	1846	1987	2129	2274
	60"	449	521	593	664	829	973	1122	1298	1461	1609	1759	1894	2052	2202	2347
	62"	460	533	615	689	852	1006	1157	1354	1507	1662	1812	1964	2119	2270	2425
	64"	477	554	631	721	879	1036	1208	1395	1556	1710	1868	2016	2182	2343	2502

Sizes Not Shown: Use Next Larger Size on Chart

BOLD = Sizes Available for 48 Hour Shipping from One or More of our Warehouses. See Stock List for More VSL Frame Choices

Size: KFRF Minimum 5" x 5", PPF Minimum 5" x 7"

Material: 20 ga CRS beveled vision lite, 3/16" Ceramic Glass

Finish: Mineral Bronze powder coat

Glazing Tape: Standard 1/16" x 3/8" applied to both sides of glass - UL10B

Listing: UL labeled standard. WHI labeling by request only.

Impact rating: CPSC 16 CFR 1201 CAT 1 & 11

Fire rating: 20 minute - 3 hours

See individual product data sheets for more information.

Order Format: __ (VSL or VLFEZ) __ (W) x __ (H) B (color) PPF OR KFRF PAK

Example: VSL 1212B PPF PAK OR VLFEZ 2424B KFRF PAK

QUOTES@ACTIVARCPG.COM

800-554-6077

ORDERS@ACTIVARCPG.COM

WWW.AIRLOUVERS.COM

UL PAK For Fire-Rated 1 3/4" Doors
Vision Lite, Wired Glass and Glazing Tape Combination
SLIMLINE (VSL) or VLFEZ Vision Frames

Air Louvers List Prices 3/1/2014



Width of Rough Opening - Visible Light is 2" Under this Size																				
		5"	6"	7"	8"	10"	12"	14"	16"	18"	20"	22"	24"	26"	28"	30"	32"	34"	36"	
Height of Rough Opening	4"	95	95	95	95	95	95	95	102	104	108	110	112	118	120	122	127	129	131	
	6"	95	95	95	95	95	95	102	104	108	110	112	118	120	122	126	129	139	143	
	8"	95	95	95	95	95	95	104	108	110	112	118	124	133	141	145	150	156	161	
	10"	95	95	95	95	94	95	108	110	114	128	135	141	148	154	161	168	173	180	
	12"	95	95	95	95	95	91	110	118	131	139	146	155	161	169	176	182	192	199	
	14"	102	102	104	104	108	110	119	133	142	150	160	168	176	183	191	200	218	226	
	16"	104	104	108	108	110	118	133	143	152	162	171	180	190	197	208	226	236	246	
	18"	108	108	108	105	114	131	142	152	161	173	182	193	203	222	232	243	254	263	
	20"	110	110	112	112	128	139	150	162	173	183	195	205	226	237	248	261	271	281	
	22"	112	112	109	112	135	146	160	171	182	195	206	228	240	252	265	276	288	299	
	24"	118	118	120	124	141	155	168	180	193	205	228	229	254	268	280	293	305	316	
	26"	120	120	122	133	148	161	176	190	203	226	240	254	269	281	295	308	321	364	
	27"	120	116	128	139	153	166	181	194	219	232	247	262	276	290	304	316	331	378	
	28"	120	120	130	141	154	169	183	197	222	237	252	268	281	296	310	324	369	386	
	30"	126	126	136	139	161	176	191	208	232	248	265	266	295	310	325	371	389	403	
	32"	127	129	140	147	168	182	200	226	239	261	276	279	308	324	371	390	405	422	
	34"	129	139	148	156	173	192	209	236	254	271	288	305	321	369	389	405	423	440	
	35"	128	140	149	157	180	199	226	246	263	281	299	313	335	386	403	422	440	458	
	36"	128	140	149	152	180	199	226	246	263	281	299	313	364	386	403	422	440	458	
	38"	139	150	162	171	190	225	253	274	294	316	337	385	411	432	450	471	496	518	
	40"	147	157	166	176	212	232	262	283	307	328	347	405	427	446	468	494	515	536	
	42"	150	160	188	197	219	249	272	296	319	339	396	420	440	462	490	512	533	—	
	44"	171	180	193	203	226	258	282	306	327	357	410	431	455	482	506	528	—	—	
	46"	175	186	199	210	233	269	292	314	345	399	421	445	475	499	522	—	—	—	
	48"	180	191	206	216	243	277	299	335	356	409	435	464	490	514	560	—	—	—	
	50"	186	197	212	225	259	283	315	347	365	422	453	478	504	550	—	—	—	—	
	52"	196	208	221	232	268	303	330	355	415	440	470	496	540	—	—	—	—	—	
	54"	199	211	226	238	283	311	337	369	424	455	482	520	556	—	—	—	—	—	
Sizes Not Shown: Use Next Larger Size on Chart—VSL PAK Offers More Stock Sizes—See Stock List																				
NOTE—MAXIMUM FIRE-RATED SIZE 1296 SQUARE INCHES OF GLASS EXPOSED (2" UNDER OPENING)																				

BOLD = Sizes Available for 48 Hour Shipping from Several of our Warehouses. See Stock List for More VSL Frame Choices.

Material: 20 ga CRS beveled vision lite, 1/4" wired glass

Finish: Mineral bronze powder coat

Glazing Tape: Standard 1/16" x 3/8" applied to both sides of glass - UL10B

Impact rating: CPSC 16 CFR 1201 CAT I

Fire Rating: 20-90 minutes. Classified B4. Maximum of 1296 sq in

See individual product data sheets for detailed information.

THIS IS NOT A CATEGORY II - RATED PRODUCT: Swinging Doors are considered "Hazardous Locations" according to SECTION 2406.3 of the International Building Code, and require CAT II-rated glazing. Locations other than doors may not be required to have CAT II rating. Please consult your local (AHJ) Authority Having Jurisdiction to determine appropriate standards. See the Glass Selection Chart for others.

Order Format: ____ (VSL or VLFEZ) ____ (W) x ____ (H) B (color) UL PAK

Example: VSL 1212B UL PAK OR VLFEZ 2424B UL PAK

QUOTES@ACTIVARCPG.COM

ORDERS@ACTIVARCPG.COM

Air Louvers List Prices 3/1/2014

TEMP PAK For Safety-Rated 1-3/4" Doors Vision Lite, Tempered Glass & Glazing Tape Combination SLIMLINE (VSL) or VLFEZ Vision Frames

		Width of Rough Opening - Visible Light is 2" Under this Size																	
		5"	6"	7"	8"	10"	12"	14"	16"	18"	20"	22"	24"	26"	28"	30"	32"	34"	36"
Height of Rough Opening	4"	92	92	92	92	92	92	92	98	100	105	107	109	114	116	119	124	126	128
	6"	92	92	92	92	92	92	98	100	105	107	109	114	116	119	123	124	130	132
	8"	92	92	92	92	92	92	100	105	107	109	114	116	123	127	128	130	132	135
	10"	92	92	92	92	91	92	105	107	109	119	121	123	127	128	130	132	136	141
	12"	92	92	92	92	92	88	107	109	119	121	123	127	128	131	137	140	146	150
	14"	98	98	100	100	105	107	109	119	121	123	127	129	135	140	144	150	164	170
	16"	100	100	105	105	107	109	119	121	123	127	131	137	142	147	154	168	173	180
	18"	105	105	105	105	109	119	121	123	125	132	138	144	149	164	171	177	183	189
	20"	107	107	109	109	119	121	123	127	132	139	145	150	166	173	179	187	192	198
	22"	109	109	106	109	121	123	127	131	138	145	150	168	174	181	189	194	202	207
	24"	114	114	116	116	123	127	129	137	144	150	168	165	181	190	196	204	210	215
	26"	116	116	119	123	127	128	135	142	149	166	174	181	191	197	205	211	218	255
	27"	116	113	123	127	128	130	139	145	163	171	179	188	194	203	209	215	224	263
	28"	116	116	123	127	128	131	140	147	164	173	181	190	197	205	212	219	257	268
	30"	123	123	126	126	130	137	144	154	171	179	189	185	205	212	220	258	269	276
	32"	124	124	127	123	132	140	150	168	173	187	194	192	211	219	258	270	277	286
	34"	126	130	132	132	136	146	156	173	183	192	202	210	218	257	269	277	287	295
	35"	121	129	130	130	140	149	168	178	187	196	205	210	223	264	273	282	292	300
	36"	125	129	130	126	141	150	170	180	189	198	207	206	255	268	276	286	295	305
	38"	133	138	141	141	147	174	192	204	215	228	240	278	295	307	316	327	344	355
	40"	141	141	142	142	168	178	198	211	224	236	245	293	305	314	326	343	355	365
Opening	42"	142	142	161	161	172	193	205	219	231	241	289	302	311	323	341	353	363	396
	44"	161	161	163	165	178	199	213	226	236	255	297	307	320	338	350	362	395	409
	46"	163	163	166	170	183	206	220	230	249	292	303	315	333	347	359	392	407	424
	48"	166	166	171	175	190	212	223	246	256	297	311	329	343	355	389	404	421	433
	50"	171	171	175	181	204	215	236	256	261	305	324	338	350	385	400	418	430	445
	52"	179	179	182	188	210	232	247	259	307	319	336	349	380	395	413	427	442	459
	54"	180	180	187	192	224	239	250	270	311	328	343	366	390	408	422	438	455	495
	56"	182	182	199	206	229	242	261	274	321	337	368	376	403	416	432	450	465	510
	58"	194	195	205	210	232	252	264	312	328	360	376	396	410	427	445	461	506	524
	60"	198	199	207	213	241	255	274	320	352	369	388	381	421	439	455	475	519	536
	62"	199	202	215	222	244	263	280	342	360	379	395	412	431	448	469	512	530	550
	64"	207	210	218	233	253	270	302	349	371	387	405	414	441	461	480	524	544	564
66"	208	212	225	241	258	291	340	360	376	395	414	423	453	473	516	538	558	582	
68"	214	220	230	246	279	298	349	366	385	405	423	444	464	483	530	550	575	597	
70"	218	224	250	266	286	308	355	374	394	412	435	455	475	496	542	568	590	611	
72"	237	245	265	273	295	312	362	383	402	424	445	464	487	533	559	581	604	626	
		Sizes Not Shown: Use Next Larger Size on Chart																	



BOLD

= Sizes are Available for 48 Hour Shipping from One or More of our Warehouses. See Stock List for More VSL Frame Choices.

Material: 20 ga CRS beveled vision lite, 1/4" heat tempered glass

Finish: Mineral bronze powder coat

Glazing Tape: Standard 1/16" x 3/8" applied to both sides of glass

NOTE: This is Not a Fire-Rated Product - Please refer to Glass Selection Chart to Find Other Products

See individual product data sheets for detailed information.

Order Format: ____ (VSL or VLFEZ) ____ (W) x ____ (H) B (color) TEMP PAK

Example: VSL 1212B TEMP PAK OR VLFEZ 2424B TEMP PAK

QUOTES@ACTIVARCPG.COM

ORDERS@ACTIVARCPG.COM


800-554-6077

WWW.AIRLOUVERS.COM


11




VSL



VLF



VLFDG



VLFEZ

Width Rough Opening - See Note At Left

Height of Rough Opening		5"	6"	7"	8"	10"	12"	14"	16"	18"	20"	22"	24"	26"	28"	30"	32"	34"	36"
		45	45	45	45	45	45	52	54	58	60	62	68	70	72	76	77	79	81
	4"	45	45	45	45	45	45	52	54	58	60	62	68	70	72	76	77	79	81
	6"	45	45	45	45	45	45	52	54	58	60	62	68	70	72	76	77	79	81
	8"	45	45	45	45	45	45	54	58	60	62	68	70	72	76	77	79	81	83
	10"	45	45	45	45	43	45	58	60	62	68	70	72	76	77	79	81	83	87
	12"	45	45	45	45	45	43	60	62	68	70	72	76	77	79	81	83	87	89
	14"	52	50	54	54	58	60	60	68	70	72	76	77	79	81	83	87	89	91
	16"	54	54	58	58	60	62	68	70	72	76	77	79	81	83	87	89	91	95
	18"	58	58	58	56	62	68	70	72	71	77	79	81	83	87	89	91	95	96
	20"	58	60	62	62	68	70	72	76	77	77	81	83	87	89	91	95	96	98
	22"	62	62	60	62	70	72	76	77	79	81	83	87	89	91	95	96	98	99
	24"	68	65	70	70	72	76	77	79	81	83	87	83	91	95	96	98	99	102
	26"	70	68	72	72	76	77	79	81	83	87	89	91	95	96	98	99	102	104
	27"	70	68	76	76	77	79	81	83	87	89	91	95	96	98	99	102	104	108
	28"	70	70	76	76	77	79	81	83	87	89	91	95	96	98	99	102	104	108
	30"	76	74	75	73	79	81	83	87	86	88	95	88	98	99	102	104	108	110
	32"	77	77	76	74	81	83	87	89	85	95	96	91	99	102	104	108	110	112
	34"	79	79	81	81	83	87	89	91	95	96	98	96	102	104	108	110	112	114
	35"	76	78	79	79	87	89	91	95	96	98	99	97	104	108	110	112	114	115
	36"	78	76	79	77	87	89	91	95	96	98	96	94	104	108	107	112	114	115
	38"	87	87	90	87	91	110	112	115	120	124	128	129	139	142	143	147	156	159
	40"	90	90	91	91	110	112	115	120	124	128	129	139	142	143	147	156	159	162
	42"	91	91	110	110	112	115	120	124	128	129	139	142	143	147	156	159	162	186
	44"	110	110	112	112	115	120	124	128	129	139	142	143	147	156	159	162	186	191
	46"	112	112	115	115	120	124	128	129	139	142	143	147	156	159	162	186	191	198
	48"	115	115	120	120	124	128	129	142	142	143	147	156	159	162	186	191	198	200
	50"	120	120	123	124	128	129	139	148	143	147	156	159	162	186	191	198	200	206
	52"	128	128	129	129	131	143	147	148	156	157	163	166	186	191	198	200	206	211
	54"	129	129	131	131	143	147	148	156	157	163	166	174	191	198	200	206	211	215
	56"	131	131	143	143	147	148	156	157	163	166	186	178	198	200	206	211	215	223
	58"	143	143	147	147	148	156	157	163	166	186	191	198	200	206	211	215	223	228
	60"	147	147	148	148	156	157	163	166	186	191	198	185	206	211	215	223	228	233
	62"	148	148	156	156	157	163	166	186	191	198	200	206	211	215	223	228	233	241
	64"	156	156	157	157	163	166	186	191	198	200	206	195	215	223	228	233	241	246
	66"	157	157	163	163	166	186	191	198	200	206	211	206	223	228	233	241	246	258
	68"	163	163	166	166	186	191	198	200	206	211	215	223	228	233	241	246	258	264
	70"	166	166	186	186	191	198	200	206	211	215	223	228	233	241	246	258	264	272
	72"	186	186	191	191	198	200	206	211	215	223	228	233	241	246	258	264	272	279
Standard Finish is "Mineral Bronze" baked on powder coat. Some stock items also available in gray.																			
Odd Inch Sizes: Use next largest even inch Sizes Larger than Above: List Plus 1.10 per perimeter inch																			

BOLD = 48 Hour Shipping from One or More of our Warehouse Locations: **VSL & VLFEZ**

Size: Minimum 3" x 3", Maximum 60" x 104" See Stock List for More VLFEZ & VSL Choices

(S) Stainless Steel: #4 Finish: List x 4

(G) Galvanneal Sheet for Exterior Applications: List x 1.2

(E) Electro Zinc Plating for Maximum Corrosion Resistance: List x 1.2

Glazing: 1/4" or less: WS, UL, TEMP, PYRO, KFRF, PPF

Glazing Tape 150': GTAPE150 (White) or GTAPE150B (Black) \$44.00

Mullions: See Pg 14

Lead Lined: Consult Customer Service N/A VSL

VLFDG (Double Glass): List above x 2

VWL (Woodlite): List above x 4

Finishes—Maple

View Wood Selection Online

Powdercoat Finishes: (B) Mineral Bronze (G) Gray Primer (most common stock colors) (BK) Black (FBK) Flat Black (W) White (SB) SC Beige (SI) Silver (R) Red (S) Sand (AB) AMS Beige (GH) Gray Hammetone (WH) White Hammetone (O) Orange (BRA) Brass (RH) Red HT Color Samples Online.

Order Format: (VSL, VLFEZ or VLF)

Option S,G,E W H Color

Example: VSL 1818B

QUOTES@ACTIVARCPG.COM


ORDERS@ACTIVARCPG.COM

Air Louvers List Prices 3/1/2014




Vision Lite: VSIG, VLFIG & VLFEZIG IG Kits for > 5/16" Glazing & Thicker Doors


Width of Rough Opening - Visible Light is 2" Under This Size for VLFEZIG																			
	5"	6"	7"	8"	10"	12"	14"	16"	18"	20"	22"	24"	26"	28"	30"	32"	34"	36"	
Height of Rough Opening	4"	68	68	68	68	68	68	77	80	86	90	93	100	104	108	115	119	123	
	6"	68	68	68	68	68	68	77	80	86	90	93	100	104	108	113	115	119	123
	8"	68	68	68	68	68	68	80	86	90	93	100	104	108	113	115	119	123	124
	10"	68	68	68	68	66	68	86	90	93	100	104	108	113	115	119	123	124	129
	12"	68	68	68	68	68	64	90	93	100	104	108	113	115	119	123	124	129	133
	14"	77	77	80	80	86	90	93	100	104	108	113	115	119	123	124	129	133	137
	16"	80	80	86	86	90	93	100	104	108	113	115	119	123	124	129	133	137	142
	18"	86	86	86	86	93	100	104	108	110	115	119	123	124	129	133	137	142	144
	20"	90	90	93	93	100	104	108	113	115	119	123	124	129	133	137	142	144	147
	22"	93	93	90	93	104	108	113	115	119	123	124	129	133	137	142	144	147	149
Rough Opening	24"	100	100	104	104	108	113	115	119	123	124	129	124	137	142	144	147	149	152
	26"	104	104	108	108	113	115	119	123	124	129	133	137	142	144	147	149	152	155
	27"	104	100	113	113	115	119	123	124	129	133	137	142	144	147	149	152	155	162
	28"	104	104	113	113	115	119	123	124	129	133	137	142	144	147	149	152	155	162
	30"	113	113	111	111	119	123	124	129	133	137	142	132	147	149	152	155	162	164
	32"	115	115	113	*110	123	124	129	133	131	142	144	137	149	152	155	162	164	168
	34"	119	119	123	123	124	129	133	137	142	144	147	149	152	155	162	164	168	172
	35"	116	116	119	119	129	133	137	142	144	147	149	146	155	162	164	168	172	173
	36"	116	116	119	119	129	133	137	142	144	147	149	142	155	162	164	168	172	173
	38"	129	129	136	136	137	164	168	173	179	186	192	193	208	213	215	221	233	239
Opening	40"	136	136	137	137	164	168	173	179	186	192	193	208	213	215	221	233	239	242
	42"	137	137	164	164	168	173	179	186	192	193	208	213	215	221	233	239	242	279
	44"	164	164	168	168	173	179	186	192	193	208	213	215	221	233	239	242	279	286
	46"	168	168	173	173	179	186	192	193	208	213	215	221	233	239	242	279	286	297
	48"	173	173	179	179	186	192	193	213	213	215	221	233	239	242	279	286	297	300
	50"	179	179	185	186	192	193	208	223	215	221	233	239	242	279	286	297	300	308
	52"	192	192	193	193	197	215	221	223	233	236	244	249	279	286	297	300	308	316
	54"	193	193	197	197	215	221	223	233	236	244	249	268	286	297	300	308	316	323
	56"	197	197	215	215	221	223	233	236	244	249	279	*266	297	300	308	316	323	333
	58"	215	215	221	221	223	233	236	244	249	279	286	297	300	308	316	323	333	342
60"	221	221	223	223	233	236	244	249	279	286	297	277	308	316	323	333	342	349	
62"	223	223	233	233	236	244	249	279	286	297	300	308	316	323	333	342	349	361	
64"	233	233	236	236	244	249	279	286	297	300	308	293	323	333	342	349	361	370	
66"	236	236	244	244	249	279	286	297	300	308	316	308	333	342	349	361	370	386	
68"	244	244	249	249	279	286	297	300	308	316	323	333	342	349	361	370	386	397	
70"	249	249	279	279	286	297	300	308	316	323	333	342	349	361	370	386	397	408	
72"	279	279	286	286	297	300	308	316	323	333	342	349	361	370	386	397	408	419	
Standard finish is "Mineral Bronze" powder coat. Items marked with asterisk * standard in Gray.																			
Odd Inch Sizes: Use next largest even inch Sizes Larger than Above: List Plus 1.10 per perimeter inch																			



VSIG



VLFIG



VLFEZIG

Standard finish is "Mineral Bronze" powder coat. Items marked with asterisk * standard in Gray.

Odd Inch Sizes: Use next largest even inch Sizes Larger than Above: List Plus 1.10 per perimeter inch

BOLD = Sizes of Model VSIG are Available for 48 Hour Shipping from Several of our Warehouses See Stock List for More Choices

Size: Minimum 3" x 3", Maximum 60" x 104"

(S) Stainless Steel: #4 Finish: List x 4

(G) Galvanneal Sheet for Exterior Applications: List x 1.2

(E) Electro Zinc Plating for Maximum Corrosion Resistance: List x 1.2

Select Glazing: KFRL, KFRFU, SWISS45 CONTRA60, ARMRSHIELD, LGSHIELD, CONTRA 90

Glazing Tape 150: GTAPE150 (White) or GTAPE150B (Black) \$44.00

Mullions: See Pg 14 TORX Screws: .80 ea (thru-bolt requires 2 ea) Lead Lined: Consult Customer Service

If Glazing is being provided by a supplier other than Air Louvers, coordinate with the supplier to ensure compatibility with IG Kits.

Powdercoat Finishes: (B) Mineral Bronze (G) Gray Primer (most common stock colors) (BK) Black (FBK) Flat Black (W) White (SB) SC Beige (SI) Silver (R) Red (S) Sand (AB) AMSBeige (GH) Gray Hammetone (WH) White Hammetone (O) Orange (BRA) Brass (RH) Red HT Color Samples Online For Custom colors, provide paint chip w/order.

Order Format: (VSIG, VLFIG or VLFIG)

Option S,G,E W H Color Glass Thickness

Example: VSIG 1818B 01

QUOTES@ACTIVARCPG.COM

ORDERS@ACTIVARCPG.COM

800-554-6077

WWW.AIRLOUVERS.COM

13

Round Vision Lites: VLFR, VSLR
Security Vision Lites: VLFS10, VLFSG
Specialty: VLFPO, VLFPVC
Framed Mullions & Vision Lites

Air Louvers List Prices 3/1/2014



Round Vision Lites Glazing Choices

Round Vision Lites		Wire Shield Glazing: Add	Wire Glass: Add	Tempered Glass: Add	KeraShield Glass: Add	PyroGlasShield Glazing: Add
VLFR 12	214	527	123	123	447	192
VLFR 18	485	596	171	171	660	426
VLFR 24	532	1054	256	288	1171	750
VSLR 12	214	527	123	123	447	192
VSLR 18	485	596	171	171	660	426




Security & Specialty Vision Lites

VLFS10	10 ga Steel Frame Security Vision Lite	List Price on VLF x 3
VLFS10SP	10 ga Steel Frame with Speaker Port Security Vision Lite	List Price on VLF x 3
VLFSG Grille	Vision Frame with Security Grille	List Price on VLF x 5
VLFPVC	Vision Lite with Metal Privacy Cover (see dwg below)	List Price on VLF x 3


See Pages 14 & 15 for Hurricane-Rated Vision Lite Models

Framed Mullions

Transoms & Sidelites - 1 Side			Vision Frames with Welded-on Mullions 2 Sides				
# Mullions	Model	Add to Lite Price	# Mullions	VSL Model	VLF Model	VLFEZ Model	Add to Lite Price
1	FRMA2	110	1	VSLA2	VLFA2	VLFEZA2	121
2	FRMA3	163	2	VSLA3	VLFA3	VLFEZA3	241
2	FRMB2	163	2	VSLB2	VLFB2	VLFEZB2	241
3	FRMB3	219	3	VSLB3	VLFB3	VLFEZB3	361
4	FRMB4	368	4	VSLB4	VLFB4	VLFEZB4	481
4	FRMC3	368	4	VSLC3	VLFC3	VLFEZC3	481
3	FRMA4	219	3	VSLA4	VLFA4	VLFEZA4	361
4	FRMA5	272	4	VSLA5	VLFA5	VLFEZA5	481
5	FRMB5	409	5	VSLB5	VLFB5	VLFEZB5	602
5	FRMC4	463	5	VSLC4	VLFC4	VLFEZC4	602
6	FRMC5	504	6	VSLC5	VLFC5	VLFEZC5	721
Mullions are Constructed of 3/4" x 3/4" Steel Tubes			Mullions are Constructed of 1" W x 5/8" Formed Steel				
Use VSL Price as a Base and Add Above Price. Sizes that Exceed 8 sq ft & Custom Configurations Priced on Application.			Add Above Price to the Price of the Vision Frame Which the Mullions will be Added to Sizes that Exceed 8 sq ft & Custom Configurations Priced on Application. Mullions Now Available for VSIG, VSLIG & VLFEZIG Frames!				



Note: New Mullion Codes Shown Here!



VLFPVC

Bold = 48 Hour CA Stock, Some Sizes Available in MN or PA Warehouses

(S) Stainless Steel: #4 Finish: List x 4: Not all Models Above Available in Stainless

(G) Galvanneal Sheet for Exterior Applications: List x 1.2

(E) Electro Zinc Plating for Maximum Corrosion Resistance: List x 1.2

Other Options: 1/2" x 1/2", 1/2" x 3/4" or Other Size Mullions for Vision Lites - Contact Customer Service

Orders of More Than 5 Pieces: Contact Customer Service

TORX Screws: .80 ea (thru-bolt requires 2 ea)

Powdercoat Finishes: (B) Mineral Bronze (G) Gray Primer (most common stock colors) (BK) Black (FBK) Flat Black (W) White (SB) SC Beige (SI) Silver (R) Red (S) Sand (AB) AMSBeige (GH) Gray Hammertone (WH) White Hammertone (O) Orange (BRA) Brass (RH) Red HT **Color Samples Online**

QUOTES@ACTIVARCPG.COM

ORDERS@ACTIVARCPG.COM


Air Louvers List Prices 3/1/2014



Vision Lite: VLFEZHRC Hurricane-Rated Vision Frame with Glazing

Florida Building Code Approval: FL13187

Width of Rough Opening - Visible Light is 2" Under This Size										
	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
4"	186	186	186	186	190	190	193	198	202	205
6"	186	186	186	186	190	193	198	202	205	209
8"	186	186	186	186	193	198	202	205	209	237
10"	186	186	186	186	198	202	205	209	237	241
12"	186	186	186	186	202	205	209	237	241	247
14"	190	193	198	202	205	209	237	241	247	249
16"	193	198	202	205	209	237	241	247	249	294
18"	198	202	205	209	237	241	247	249	294	322
20"	202	205	209	237	241	247	249	294	322	348
22"	205	209	237	241	247	249	294	322	348	374
24"	209	237	241	247	249	294	322	348	374	402
26"	237	241	247	249	294	322	348	374	402	430
28"	241	247	249	294	322	348	374	402	430	458
30"	247	249	294	322	348	374	402	430	458	486
32"	249	294	322	348	374	402	430	458	486	513
34"	294	322	347	374	402	429	458	486	513	540
36"	301	328	357	385	416	446	473	501	532	558
38"	307	339	369	413	446	475	506	538	569	598
40"	315	346	390	424	455	490	522	556	587	630
42"	323	368	402	436	470	505	539	572	615	647
44"	340	378	413	448	483	519	553	597	633	666
46"	347	386	422	459	498	533	578	615	649	686
48"	356	397	433	471	511	556	592	632	667	858
50"	363	403	446	482	530	570	608	647	841	881
52"	374	415	455	505	545	586	632	820	865	904
54"	381	422	475	516	557	604	796	841	882	926
56"	386	439	482	528	574	764	812	855	903	949
58"	403	448	492	540	734	784	829	876	922	971
60"	407	454	505	700	750	800	847	895	943	990
62"	416	467	664	715	762	812	865	915	962	1012
Odd Inch Sizes: Use next largest even inch Maximum Size: 24" x 64"										
Standard Finish is "Mineral Bronze" baked on powder coat										



Size: Minimum 3" x 3", Maximum 24" x 62"

OPTIONS AT ADDITIONAL COST:

(S) 20 ga Stainless Steel: #4 Finish: List x 4

(E) Electro Zinc Plating for Maximum Corrosion Resistance: List x 1.2

1/4" POLYCARBONATE GLAZING INCLUDED:
Approved for Use in Hurricane Zones

Powdercoat Finishes: (B) Mineral Bronze (G) Gray Primer (most common stock colors) (BK) Black (FBK) Flat Black (W) White (SB) SC Beige (SI) Silver (R) Red (S) Sand (AB) AMSBeige (GH) Gray Hammetone (WH) White Hammetone (O) Orange (BRA) Brass (RH) Red HT **Color Samples Online**

Order Format : VLFEZHRC

Option S,E W H Color


Example: VLFEZHRC 1212S

QUOTES@ACTIVARCPG.COM

800-554-6077

ORDERS@ACTIVARCPG.COM

WWW.AIRLOUVERS.COM



Width of Rough Opening - Visible Light is 1-1/2" Under This Size																
		5"	6"	7"	8"	10"	12"	14"	16"	18"	20"	22"	24"	26"	28"	30"
Height of Rough Opening	4"	116	120	124	127	136	143	150	171	183	199	212	225	243	256	269
	6"	126	131	137	143	154	165	190	207	226	243	259	281	298	314	333
	8"	136	143	150	158	173	189	222	245	265	286	312	332	353	376	393
	10"	144	154	163	173	190	211	257	280	305	335	359	383	410	431	456
	12"	154	165	177	189	211	231	289	316	349	378	406	437	462	490	519
	14"	177	190	209	222	257	289	321	358	390	422	456	485	516	548	578
	16"	192	207	230	245	280	316	358	393	429	468	500	536	572	605	643
	18"	209	226	243	260	305	349	390	429	465	508	547	587	624	666	706
	20"	224	243	266	286	335	378	422	468	508	552	594	636	681	725	768
	22"	239	259	280	302	359	406	456	500	547	594	639	689	736	783	833
Rough Opening	24"	258	281	309	332	383	437	485	536	587	636	689	732	791	844	893
	26"	273	298	328	353	410	462	516	572	624	681	736	791	848	900	955
	28"	282	309	349	376	431	490	548	605	666	725	783	844	900	959	1015
	30"	305	333	360	389	456	519	578	643	706	768	833	882	955	1015	1075
	32"	318	347	376	406	480	544	612	679	738	814	877	933	1008	1071	1138
	34"	332	364	402	435	502	575	644	714	788	855	925	992	1060	1129	1205
	36"	339	373	410	444	529	603	676	753	824	898	970	1032	1114	1193	1264
	38"	366	403	447	483	558	670	747	828	908	991	1071	1146	1240	1320	1395
	40"	385	422	463	502	616	698	782	866	953	1037	1115	1213	1297	1376	1460
	42"	396	437	515	556	641	728	816	907	995	1078	1178	1266	1349	1437	1536
Opening	44"	445	487	533	576	668	759	854	945	1031	1137	1228	1314	1407	1509	1600
	46"	460	504	555	599	694	793	888	978	1087	1182	1273	1369	1474	1570	1663
	48"	477	523	576	622	724	823	918	1038	1129	1223	1323	1432	1531	1628	1772
	50"	494	542	597	647	750	848	965	1081	1166	1270	1382	1486	1587	1735	1840
	52"	522	572	624	674	778	903	1010	1112	1226	1328	1441	1547	1688	1797	1912
	54"	535	586	642	694	823	933	1039	1158	1263	1379	1490	1620	1748	1866	1975
	56"	549	603	681	736	849	959	1081	1191	1311	1425	1574	1675	1813	1925	2043
	58"	585	640	703	758	872	997	1111	1235	1353	1505	1626	1753	1869	1989	2113
	60"	602	659	719	776	906	1023	1150	1273	1429	1554	1683	1782	1928	2056	2178
	Standard Finish is "Mineral Bronze" baked on powder coat															
Odd Inch Sizes: Use next largest even inch Maximum Size 30" x 60"																
Price Above Includes Vision Frame and Reinforced Glazing with Approved Caulking																

Severe Windstorm Approved Vision Frame by WHI
This is a Complete Assembly that Includes
2 Lites of Hurricane-Rated, Heat Strengthened Glass
See Catalog for full Description and Information

Size: Minimum 3" x 3", Maximum 30" x 60-1/2"

TORX Screws: .80 ea

Severe Windstorm Approved Vision Frame
Tested in Accordance with
ASTM E330, ASTM E1886, ASTM E1996
ANSI A250.13
Impact (ft lb) 350
Missile Level D Structural (PSF) +/- 70

Order Format: VLFIGHRC

W H Color

Example: VLFIGHRC 1212B


QUOTES@ACTIVARCPG.COM

ORDERS@ACTIVARCPG.COM

Air Louvers List Prices 3/1/2014

Louvers: 600
600A1, 600 Core

		Width of Rough Opening															
		6"	8"	10"	12"	14"	16"	18"	20"	22"	24"	26"	28"	30"	32"	34"	36"
Height of Rough Opening	4"	79	88	91	95	97	106	112	114	116	127	128	142	145	156	161	171
	6"	88	91	95	97	106	112	114	116	127	128	142	145	156	161	171	186
	8"	91	95	97	106	112	114	116	127	128	142	145	156	161	171	186	194
	10"	95	97	106	112	114	116	127	128	142	145	156	161	171	186	194	212
	12"	97	106	112	114	116	127	128	142	145	156	161	171	186	194	212	236
	14"	106	112	114	116	127	128	142	145	156	161	171	186	194	212	236	238
	16"	112	114	116	127	128	142	145	156	161	171	186	194	212	236	238	269
	18"	114	116	127	128	142	145	156	161	171	186	194	212	236	238	269	286
	20"	116	127	128	142	145	156	161	171	186	194	212	236	238	269	286	304
	22"	127	128	142	145	156	161	171	186	194	212	236	238	269	286	304	320
	24"	128	142	145	156	161	171	186	194	212	236	238	269	286	304	320	349
	26"	142	145	156	161	171	186	194	212	236	238	269	286	304	320	349	369
	28"	145	156	161	171	186	194	212	236	238	269	286	304	320	349	369	393
	30"	156	161	171	186	194	212	236	238	269	286	304	320	349	369	393	414
	32"	161	171	186	194	212	236	238	269	286	304	320	349	369	393	414	438
	34"	171	186	194	212	236	238	269	286	304	320	349	369	393	414	438	465
	36"	186	194	212	236	238	269	286	304	320	349	369	393	414	438	465	488
	38"	194	212	236	238	269	286	304	320	349	369	393	414	438	465	488	510
	40"	212	236	238	269	286	304	320	349	369	393	414	438	465	488	510	528
	42"	236	238	269	286	304	320	349	369	393	414	438	465	488	510	528	543
	44"	238	269	286	304	320	349	369	393	414	438	465	488	510	528	543	562
	46"	269	286	304	320	349	369	393	414	438	465	488	510	528	543	562	579
	48"	286	304	320	349	369	393	414	438	465	488	510	528	543	562	579	593
	50"	304	320	349	369	393	414	438	465	488	510	528	543	562	579	593	610
	52"	320	349	369	393	414	438	465	488	510	528	543	562	579	593	610	632
	54"	349	369	393	414	438	465	488	510	528	543	562	579	593	610	632	646
	56"	369	393	414	438	465	488	510	528	543	562	579	593	610	632	646	662
	58"	393	414	438	465	488	510	528	543	562	579	593	610	632	646	662	678
	60"	414	438	465	488	510	528	543	562	579	593	610	632	646	662	678	692
	62"	438	465	488	510	528	543	562	579	593	610	632	646	662	678	692	791
	64"	465	488	510	528	543	562	579	593	610	632	646	662	678	692	791	819
	66"	488	510	528	543	562	579	593	610	632	646	662	678	692	791	819	862
	68"	510	528	543	562	579	593	610	632	646	662	678	692	791	819	862	904
	70"	528	543	562	579	593	610	632	646	662	678	692	791	819	862	904	1008
	72"	543	562	579	593	610	632	646	662	678	692	791	819	862	904	1008	1080
Odd Inch Sizes: Use next largest even inch. Unlisted Sizes: Use multiples of sizes shown + 10%																	
Standard finish is "Mineral Bronze" baked on powder coat except for Model 1300																	



1300
&
600



900

600 SERIES Min 6 x 4, Max 24 x 80 Multiple sections can be combined

OPTIONAL FEATURES AT ADDITIONAL COST:

- 16ga. CRS: List x 1.5. (n/a 1300 Series)
- (S) Stainless Steel #4 Finish: List x 4. (n/a 1300 Series)
- (J) Galvanneal Sheet for Exterior Applications: List x 1.2 (n/a 1300 Series)
- (E) Electro Zinc Plating for Max. Corrosion Resistance: List x 1.2 (n/a 1300)
- TORX Screws: .80 ea Bird Screen: Contact Customer Service

Powdercoat Finishes: (B) Mineral Bronze (G) Gray Primer (most common stock colors) (BK) Black (FBK) Flat Black (W) White (SB) SC Beige (SI) Silver (R) Red (S) Sanc (AB) AMS-Beige (GH) Gray Hammetone (WH) White Hammetone (O) Orange (BRA) Brass (RH) Red HT Color Samples Online

Insect Screen: (\$20.00 minimum order ea)
Framed Standard - Fiberglass 10.00/sq. ft. Aluminum 12.00/sq. ft. Bronze 20.00/sq. ft.

Order Format: ____ (Model#) ____ (S, J or E) ____ (W) x ____ (H) ____ (Color)

QUOTES@ACTIVARCPG.COM

800-554-6077

WWW.AIRLOUVERS.COM

900 SERIES - LIST X 1.1

Min 6 x 4, Max 48 x 80 Multiple sections can be combined

1300 SERIES - LIST X 2


Aluminum: Standard finish is silver or gray, galvanizing n/a
Min 6 x 4, Max 24 x 80 Multiple sections can be combined

900FPL PRICES: Incl. Exterior Finish & Birdscreen


Size	Price	Size	Price	Size	Price
12 x 12	250	20 x 64	599	36 x 60	720
12 x 18	285	20 x 80	702	36 x 64	754
18 x 12	261	24 x 24	361	36 x 72	824
15 x 80	658	24 x 60	621	36 x 76	858
18 x 60	559	24 x 64	649	36 x 84	927
18 x 64	583	24 x 72	724	--	--
18 x 72	633	24 x 80	763	--	--

Galvanized sheet metal with gray primer

ORDERS@ACTIVARCPG.COM



700



700TL

		Width of Rough Opening															
		6" ^u	8" ^u	10" ^u	12" ^u	14" ^u	16" ^u	18" ^u	20" ^u	22" ^u	24" ^u	26" ^u	28" ^u	30" ^u	32" ^u	34" ^u	36" ^u
Height Of Rough Opening	4" ^u	58	60	63	66	72	74	81	83	87	90	95	102	109	112	124	132
	6" ^u	60	63	66	72	74	81	83	87	90	95	102	109	112	124	132	139
	8" ^u	63	66	72	74	81	83	87	90	95	102	109	112	124	132	139	148
	10" ^u	66	72	74	81	83	87	90	95	102	109	112	124	132	139	148	160
	12" ^u	72	74	81	81	87	90	92	102	109	109	124	132	139	148	160	176
	14" ^u	74	81	83	87	90	95	102	109	112	124	132	139	148	160	176	186
	16" ^u	81	83	87	90	95	102	109	112	124	132	139	148	160	176	186	191
	18" ^u	83	87	90	95	102	109	109	124	132	139	148	160	176	186	191	196
	20" ^u	87	90	95	102	109	112	124	132	139	148	160	176	186	191	196	213
	22" ^u	90	95	102	109	112	124	132	139	148	160	176	186	191	196	213	230
	24" ^u	95	102	109	112	124	132	139	148	160	171	186	191	196	213	230	246
	26" ^u	102	109	112	124	132	139	148	160	176	186	191	196	213	230	246	268
	28" ^u	109	112	124	132	139	148	160	176	186	191	196	213	230	246	268	279
	30" ^u	112	124	132	139	148	160	176	186	191	196	213	230	246	268	279	296
	32" ^u	124	132	139	148	160	176	186	191	196	213	230	246	268	279	296	315
	34" ^u	132	139	148	160	176	186	191	196	213	230	246	268	279	296	315	329
	36" ^u	139	148	160	176	186	191	196	213	230	246	268	279	296	315	329	350
	38" ^u	148	160	176	186	191	196	213	230	246	268	279	296	315	329	350	363
	40" ^u	160	176	186	191	196	213	230	246	268	279	296	315	329	350	363	382
	42" ^u	176	186	191	196	213	230	246	268	279	296	315	329	350	363	382	388
	44" ^u	186	191	196	213	230	246	268	279	296	315	329	350	363	382	388	406
	46" ^u	191	196	213	230	246	268	279	296	315	329	350	363	382	388	406	413
	48" ^u	196	213	230	246	268	279	296	315	329	350	363	382	388	406	413	425
	50" ^u	213	230	246	268	279	296	315	329	350	363	382	388	406	413	425	464
52" ^u	230	246	268	279	296	315	329	350	363	382	388	406	413	425	440	464	
54" ^u	246	268	279	296	315	329	350	363	382	388	406	413	425	440	464	522	
56" ^u	268	279	296	315	329	350	363	382	388	406	413	425	440	464	522	550	
58" ^u	279	296	315	329	350	363	382	388	406	413	425	440	464	522	550	579	
60" ^u	296	315	329	350	363	382	388	406	413	425	440	464	522	550	579	608	
62" ^u	315	329	350	363	382	388	406	413	425	440	464	522	550	579	608	636	
64" ^u	329	350	363	382	388	406	413	425	440	464	522	550	579	608	636	665	
66" ^u	350	363	382	388	406	413	425	440	464	522	550	579	608	636	665	693	
68" ^u	363	382	388	406	413	425	440	464	522	550	579	608	636	665	693	722	
70" ^u	382	388	406	413	425	440	464	522	550	579	608	636	665	693	722	750	
72" ^u	388	406	413	429	442	464	522	550	579	608	636	665	693	722	750	779	
Odd Inch Sizes: Use next largest even inch Unlisted Sizes: Use multiples of sizes shown + 10%																	
Standard finish is "Mineral Bronze" baked on powder coat.																	

Bold = Model 700A Only: 48 Hour Shipping from Several of our Warehouses**See Stock List for More Choices****700A** - Min 6" x 4", Max 48" x 80", Multiple sections can be combined for larger sizes. See pg. 21

Heavy Gauge 16ga. CRS: List x 1.5

(S) Stainless Steel: #4 Finish: List x 4

(J) Galvanneal Sheet for Exterior Applications: List x 1.2

(E) Electro Zinc Plating for Maximum Corrosion Resistance: List x 1.2

TORX Screws: .80 ea

Bird Screen: Contact Customer Service

700TL: LIST X 1.5

Min 6" x 04", Max 36" x 36".

Multiple sections can be combined for larger sizes

Powdercoat Finishes: (B) Mineral Bronze (G) Gray Primer (most common stock colors) (BK) Black (FBK) Flat Black (W) White (SB) SC Beige (SI) Silver (R) Red (S) Sanc (AB) AMSBeige (GH) Gray Hammetone (WH) White Hammer-tone (O) Orange (BRA) Brass (RH) Red HT Color Samples Online

Order Format: ____ (Model#) ____ (S, J or E) ____ (W) x ____ (H) ____ (Color) Ex: 700AJ 2412 FBK

Insect Screen: (\$20.00 minimum order ea)

1500 Series - Unframed Standard

Fiberglass 8.00/sq. ft.

Aluminum 10.00/sq. ft.


Bronze 14.00/sq. ft.

QUOTES@ACTIVARCPG.COM**ORDERS@ACTIVARCPG.COM**


Air Louvers List Prices 3/1/2014

Louvers: 800A
800A1, 800 Core

		Width of Rough Opening															
		6"	8"	10"	12"	14"	16"	18"	20"	22"	24"	26"	28"	30"	32"	34"	36"
Height of Rough Opening	4"	58	59	62	63	65	71	74	77	81	82	95	98	104	109	112	116
	6"	59	62	63	65	71	74	77	81	82	95	98	104	109	112	116	121
	8"	62	63	65	71	74	77	81	82	95	98	104	109	112	116	121	137
	10"	63	65	66	74	77	81	82	95	98	104	109	112	116	121	137	146
	12"	65	71	74	72	81	82	87	98	104	102	112	116	121	137	146	155
	14"	71	74	77	81	82	95	98	104	109	112	116	121	137	146	155	156
	16"	74	77	81	82	95	98	104	109	112	116	121	137	146	155	156	161
	18"	77	81	82	92	98	104	102	112	116	111	137	146	155	156	161	195
	20"	81	82	95	98	104	109	112	116	121	137	146	155	156	161	195	214
	22"	82	95	98	104	109	112	116	121	137	146	155	156	161	195	214	226
	24"	95	98	104	109	112	116	117	137	146	143	156	161	195	214	226	252
	26"	98	104	109	112	116	121	137	146	155	156	161	195	214	226	252	265
	28"	104	109	112	116	121	137	146	155	156	161	195	214	226	252	265	282
	30"	109	112	116	121	137	146	155	156	161	195	214	226	252	265	282	295
	32"	112	116	121	137	146	155	156	161	195	214	226	252	265	282	295	316
	34"	116	121	137	146	155	156	161	195	214	226	252	265	282	295	316	329
	36"	121	137	146	155	156	161	195	214	226	252	265	282	295	316	329	348
	38"	137	146	155	156	161	195	214	226	252	265	282	295	316	329	348	363
	40"	146	155	156	161	195	214	226	252	265	282	295	316	329	348	363	380
	42"	155	156	161	195	214	226	252	265	282	295	316	329	348	363	380	386
	44"	156	161	195	214	226	252	265	282	295	316	329	348	363	380	386	402
	46"	161	195	214	226	252	265	282	295	316	329	348	363	380	386	402	399
	48"	195	214	226	252	265	282	295	316	329	348	363	380	386	402	399	442
	50"	214	226	252	265	282	295	316	329	348	363	380	386	402	399	442	450
	52"	226	252	265	282	295	316	329	348	363	380	386	402	399	442	450	457
	54"	252	265	282	295	316	329	348	363	380	386	402	399	442	450	457	464
	56"	265	282	295	316	329	348	363	380	386	402	399	442	450	457	464	472
	58"	282	295	316	329	348	363	380	386	402	399	442	450	457	464	472	479
	60"	295	316	329	348	363	380	386	402	399	411	450	457	464	472	479	494
	62"	316	329	348	363	380	386	402	399	442	450	457	464	472	479	494	514
	64"	329	348	363	380	386	402	371	442	450	423	464	472	479	494	514	550
	66"	348	363	380	386	402	399	424	450	457	442	472	479	494	514	543	571
	68"	363	380	386	402	399	442	450	457	464	472	479	494	514	550	571	600
	70"	380	386	402	399	442	450	457	464	472	479	494	514	543	571	600	686
	72"	386	402	399	442	450	457	464	472	479	494	514	550	571	600	686	714
Odd Inch Sizes: Use next largest even inch Unlisted Sizes: Use multiples of sizes shown + 10%																	
Standard Finish is "Mineral Bronze" baked on powder coat.																	



1000



800

Bold = Model 800A1: 48 Hour Shipping from Several of our Warehouses

See Stock List for More Choices

800- Min 6" x 4", Max 48" x 80"

Multiple sections can be combined for larger sizes. See page 21 for photo.

16ga. CRS: List x 1.5

(S) Stainless Steel: #4 Finish: List x 4 (n/a round louvers)

(J) Galvanneal Sheet for Exterior Applications: List x 1.2

(E) Electro Zinc Plating for Max. Corrosion Resistance: List x 1.2

1000 Series: Standard finish is Flat Black

TORX Screws: .80 ea Bird Screen: Contact Customer Service

Powdercoat Finishes: (B) Mineral Bronze (G) Gray Primer (most common stock colors) (BK) Black (FBK) Flat Black (W) White (SB) SC Beige (SI) Silver (R) Rec (S) Sand (AB) AMSBeige (GH) Gray Hammetone (WH) White Hammetone (O) Orange (BRA) Brass (RH) Red HT Color Samples Online

800 Round Louvers 800R:

12" \$444 18" \$565 24" \$681

1000A, 1000C, 1000 CORE - List above x 2

Min 8" x 6", Max 24" x 30".

Insect Screen: (\$20.00 minimum order ea)
800A,A1 - Framed Standard, 800R - Unframed Std,
1000 - n/a

Material	Unframed	Framed
Fiberglass	8.00/sq. ft	10.00/sq. ft.
Aluminum	10.00/sq. ft	12.00/sq. ft.
Bronze	14.00/sq. ft	20.00/sq. ft.

Order Format: ____ (Model#) ____ (S, J or E) ____ (W) x ____ (H) ____ (Color) Ex: 800A1E 1212W

QUOTES@ACTIVARCPG.COM

ORDERS@ACTIVARCPG.COM


800-554-6077

WWW.AIRLOUVERS.COM

19

Louvers: 1900A Fire-Rated Louvers

Air Louvers List Prices 3/1/2014



1900A

H e i g h t o f R o u g h O p e n i n g	Width of Rough Opening							
	10" ^a	12" ^a	14" ^a	16" ^a	18" ^a	20" ^a	22" ^a	24" ^a
4" ^a	-	181	181	190	195	197	213	215
6" ^a	181	181	190	195	197	213	215	220
8" ^a	181	190	195	197	213	215	220	229
10" ^a	190	195	197	213	215	220	229	237
12" ^a	195	187	213	215	208	229	237	238
14" ^a	197	213	215	220	229	237	245	253
16" ^a	213	215	220	229	237	245	253	270
18" ^a	215	220	229	237	231	253	270	266
20" ^a	220	229	237	245	253	270	282	285
22" ^a	229	237	245	253	270	282	285	294
24" ^a	237	245	253	270	282	285	294	269
Odd Inch Sizes: Use next largest even inch Unlisted Sizes: Use multiples of sizes shown + 10%								
Standard Finish is "Mineral Bronze" baked on powder coat. Some stock items also available in gray at no charge.								

Bold = Model 1900A: Available for 48 Hour Shipping from Several of our Warehouses

[View Stock List](#)

Size: Minimum Size 10" x 6", Maximum Size 24" x 24"


(S) Stainless Steel: #4 Finish: List x 4

(E) Electro Zinc Plating for Max. Corrosion Resistance: List x 1.2

TORX Screws: .80 ea

Bird Screen: Contact Customer Service

Powdercoat Finishes: (B) Mineral Bronze (G) Gray Primer (most common stock colors) (BK) Black (FBK) Flat Black (W) White (SB) SC Beige (SI) Silver (R) Rec (S) Sand (AB) AMS-Beige (GH) Gray Hammetone (WH) White Hammetone (O) Orange (BRA) Brass (RH) Rec Hammetone [Color Samples Online](#)



**Fire-Rated Louver
with Security Grille -
1900ASG: LIST X 3**

Insect Screen: (\$20.00 minimum order ea)

1900 & 1100 - Framed Standard, 1200A -
Unframed Std


Material	Unframed	Framed
Fiberglass	8.00/sq. ft	10.00/sq. ft.
Aluminum	10.00/sq. ft	12.00/sq. ft.
Bronze	14.00/sq. ft	20.00/sq. ft.

Order Format: ____ (Model#) ____ (S or E) ____ (W) x ____ (H) ____ (Color) Example 1900A 1212B


QUOTES@ACTIVARCPG.COM

ORDERS@ACTIVARCPG.COM

Width of Rough Opening—Sizes Wider than 24" Will be in Multiple Sections																
H	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"	26"	28"	30"	32"	34"	36"
4"	181	181	181	181	181	190	195	197	213	215	220	229	237	245	253	270
6"	181	181	181	181	190	195	197	213	215	220	229	237	245	253	270	282
8"	181	181	181	190	195	197	213	215	220	229	237	245	253	270	282	285
10"	181	181	190	195	197	213	215	220	229	237	245	253	270	282	285	294
12"	181	190	195	193	213	215	214	229	237	245	253	270	282	285	294	296
14"	190	195	197	213	215	220	229	237	245	253	270	282	285	294	296	304
16"	195	197	213	215	220	229	237	245	253	270	282	285	294	296	304	311
18"	197	213	215	220	229	237	239	253	270	275	285	294	296	304	311	320
20"	213	215	220	229	237	245	253	270	282	285	294	296	304	311	320	333
22"	215	220	229	237	245	253	270	282	285	294	296	304	311	320	333	359
24"	220	229	237	245	253	270	282	285	294	277	304	311	320	333	359	374
26"	229	237	245	253	270	282	285	294	296	304	311	320	333	359	374	397
28"	237	245	253	270	282	285	294	296	304	311	320	333	359	374	397	416
30"	245	253	270	282	285	294	296	304	311	320	333	359	374	397	416	432
32"	253	270	282	285	294	296	304	311	320	333	359	374	397	416	432	458
34"	270	282	285	294	296	304	311	320	333	359	374	397	416	432	458	482
36"	282	285	294	296	304	311	320	333	359	374	397	416	432	458	482	499
38"	285	294	296	304	311	320	333	359	374	397	416	432	458	482	499	522
40"	294	296	304	311	320	333	359	374	397	416	432	458	482	499	522	543
42"	296	304	311	320	333	359	374	397	416	432	458	482	499	522	543	561
44"	304	311	320	333	359	374	397	416	432	458	482	499	522	543	561	577
46"	311	320	333	359	374	397	416	432	458	482	499	522	543	561	577	587
48"	320	333	359	374	397	416	432	458	482	499	522	543	561	577	587	600
50"	333	359	374	397	416	432	458	482	499	522	543	561	577	587	600	611
52"	359	374	397	416	432	458	482	499	522	543	561	577	587	600	611	626
54"	374	397	416	432	458	482	499	522	543	561	577	587	600	611	626	642
56"	397	416	432	458	482	499	522	543	561	577	587	600	611	626	642	650
58"	416	432	458	482	499	522	543	561	577	587	600	611	626	642	650	668
60"	432	458	482	499	522	543	561	577	587	600	611	626	642	650	668	675
62"	458	482	499	522	543	561	577	587	600	611	626	642	650	668	675	693
64"	482	499	522	543	561	577	587	600	611	626	642	650	668	675	693	714
Odd Inch Sizes: Use next largest even inch Unlisted Sizes: Use multiples of sizes shown + 10%																
Standard Finish is "Mineral Bronze" baked on powder coat. Some stock items also available in gray.																
Note: Sizes Shown Outside of Bold Lines Indicating Maximum Size Noted Below Will Be Made in Multiple Sections																



1200A



1100

Multiple sections can be combined for larger sizes—See Examples Below.

(S) Stainless Steel: #4 Finish: List x 4

(E) Electro Zinc Plating for Max. Corrosion Resistance: List x 1.2

TORX Screws: .80 ea

Bird Screen: Contact Customer Service

Powdercoat Finishes: (B) Mineral Bronze (G) Gray Primer (most common stock colors)
(BK) Black (FBK) Flat Black (W) White (SB) SC Beige (SI) Silver (R) Rec (S) Sand (AB)
AMS Beige (GH) Gray Hammettone (WH) White Hammettone (O) Orange (BRA) Brass
(RH) Red HT Color Samples Online

Multiple Sections for Oversize Horizontal or Vertical Louvers on Many Louver Models



Order Format: ____ (Model#) ____ (S or E) ____ (W) x ____ (H) ____ (Color) Example: 1100A 2424G

1100 SERIES:

Minimum Size 8 x 6, Maximum 24 x 30.
Larger Sizes will be Made in Multiple Sections

1200 SERIES:

Minimum Size 10 x 6, Maximum 24 x 36.
Larger Sizes will be Made in Multiple Sections

Insect Screen: (\$20.00 minimum order ea)

1900 & 1100 - Framed Standard

1200A - Unframed Standard

Material Unframed Framed

Fiberglass 8.00/sq. ft 10.00/sq. ft.


Aluminum 10.00/sq. ft 12.00/sq. ft.

Bronze 14.00/sq. ft 20.00/sq. ft.

Louvers: 1400-A, 1400-C, 1400-CORE

Storm-Proof Aluminum Louver

Air Louvers List Prices 3/1/2014



		Width of Rough Opening															
		6" 0	8" 0	10" 220	12" 220	14" 223	16" 228	18" 235	20" 241	22" 255	24" 263	26" 266	28" 279	30" 280	32" 298	34" 302	36" 327
Height of Rough Opening	1"	0	0	220	220	223	228	235	241	255	263	266	279	280	298	302	327
	6"	0	0	220	223	228	235	241	255	263	266	279	280	298	302	327	336
	8"	0	220	223	228	235	241	255	263	266	279	280	298	302	327	336	343
	10"	220	223	228	235	241	255	263	266	279	280	298	302	327	336	343	353
	12"	223	228	235	241	255	263	266	279	280	298	302	327	336	343	353	357
	14"	245	253	260	275	285	287	302	303	320	325	352	361	369	380	383	392
	16"	253	260	275	285	287	302	303	320	325	352	361	369	380	383	392	407
	18"	260	275	285	287	302	303	320	325	352	361	369	380	383	392	407	414
	20"	293	305	308	324	325	343	348	377	389	396	408	412	421	437	443	473
	22"	305	308	324	325	343	348	377	389	396	408	412	421	437	443	473	499
	24"	308	324	325	343	348	377	389	396	408	412	421	437	443	473	499	515
	26"	324	325	343	348	377	389	396	408	412	421	437	443	473	499	515	550
	28"	325	343	348	377	389	396	408	412	421	437	443	473	499	515	550	575
	30"	343	348	377	389	396	408	412	421	437	443	473	499	515	550	575	602
	32"	348	377	389	396	408	412	421	437	443	473	499	515	550	575	602	632
	34"	377	389	396	408	412	421	437	443	473	499	515	550	575	602	632	662
	36"	389	396	408	412	421	437	443	473	499	515	550	575	602	632	662	700
	38"	396	408	412	421	437	443	473	499	515	550	575	602	632	662	700	725
	40"	408	412	421	437	443	473	499	515	550	575	602	632	662	700	725	752
	42"	412	421	437	443	473	499	515	550	575	602	632	662	700	725	752	782
	44"	421	437	443	473	499	515	550	575	602	632	662	700	725	752	782	800
	46"	437	443	473	499	515	550	575	602	632	662	700	725	752	782	800	822
	48"	443	473	499	515	550	575	602	632	662	700	725	752	782	800	822	837
	50"	473	499	515	550	575	602	632	662	700	725	752	782	800	822	837	852
	52"	499	515	550	575	602	632	662	700	725	752	782	800	822	837	852	863
	54"	515	550	575	602	632	662	700	725	752	782	800	822	837	852	863	890
	56"	550	575	602	632	662	700	725	752	782	800	822	837	852	863	890	906
	58"	575	602	632	662	700	725	752	782	800	822	837	852	863	890	906	922
	60"	602	632	662	700	725	752	782	800	822	837	852	863	890	906	922	942
	62"	632	662	700	725	752	782	800	822	837	852	863	890	906	922	942	1076
	64"	662	700	725	752	782	800	822	837	852	863	890	906	922	942	1076	1226
	66"	700	725	752	782	800	822	837	852	863	890	906	922	942	1076	1226	1360
	68"	725	752	782	800	822	837	852	863	890	906	922	942	1076	1226	1360	1499
	70"	752	782	800	822	837	852	863	890	906	922	942	1076	1226	1360	1499	1646
	72"	782	800	822	837	852	863	890	906	922	942	1076	1226	1360	1499	1646	1778
Odd Inch Sizes: Use next largest even inch Unlisted Sizes: Use multiples of sizes shown + 10%																	
Standard Finish is Mill Aluminum																	

Size: Minimum 8" x 8", Maximum 36" x 80"

Multiple sections can be combined for larger sizes—see page 21 for example

OPTIONS AT ADDITIONAL COST:

Anodized - Consult Customer Service

TORX Screws: .80 ea

Bird Screen: Contact Customer Service


Insect Screen: (\$20.00 minimum order ea)	
1500 Series - Unframed Standard	
Fiberglass	8.00/sq. ft.
Aluminum	10.00/sq. ft.
Bronze	14.00/sq. ft.

Order Format: ____ (Model#) ____ (W) x ____ (H) ____ Example: 1400CORE 2424

QUOTES@ACTIVARCPG.COM

ORDERS@ACTIVARCPG.COM

		Width of Rough Opening															
		6"	8"	10"	12"	14"	16"	18"	20"	22"	24"	26"	28"	30"	32"	34"	36"
Height of Rough Opening	4"		121	125	132	142	147	162	166	172	179	189	204	219	223	247	265
	6"	121	125	132	142	147	162	166	172	179	189	204	219	223	247	265	277
	8"	125	132	142	147	162	166	172	179	189	204	219	223	247	265	277	296
	10"	132	142	147	162	166	172	179	189	204	219	223	247	265	277	296	319
	12"	142	147	162	166	172	179	189	204	219	223	247	265	277	296	319	350
	14"	147	162	166	172	179	189	204	219	223	247	265	277	296	319	350	370
	16"	162	166	172	179	189	204	219	223	247	265	277	296	319	350	370	382
	18"	166	172	179	189	204	219	223	247	265	277	296	319	350	370	382	392
	20"	172	179	189	204	219	223	247	265	277	296	319	350	370	382	392	426
	22"	179	189	204	219	223	247	265	277	296	319	350	370	382	392	426	461
	24"	189	204	219	223	247	265	277	296	319	350	370	382	392	426	461	493
	26"	204	219	223	247	265	277	296	319	350	370	382	392	426	461	493	535
	28"	219	223	247	265	277	296	319	350	370	382	392	426	461	493	535	559
	30"	223	247	265	277	296	319	350	370	382	392	426	461	493	535	559	593
	32"	247	265	277	296	319	350	370	382	392	426	461	493	535	559	593	629
	34"	265	277	296	319	350	370	382	392	426	461	493	535	559	593	629	659
	36"	277	296	319	350	370	382	392	426	461	493	535	559	593	629	659	700
	38"	296	319	350	370	382	392	426	461	493	535	559	593	629	659	700	725
	40"	319	350	370	382	392	426	461	493	535	559	593	629	659	700	725	764
	42"	350	370	382	392	426	461	493	535	559	593	629	659	700	725	764	774
	44"	370	382	392	426	461	493	535	559	593	629	659	700	725	764	774	811
	46"	382	392	426	461	493	535	559	593	629	659	700	725	764	774	811	825
	48"	392	426	461	493	535	559	593	629	659	700	725	764	774	811	825	849
	50"	426	461	493	535	559	593	629	659	700	725	764	774	811	825	849	928
52"	461	493	535	559	593	629	659	700	725	764	774	811	825	849	879	928	
54"	493	535	559	593	629	659	700	725	764	774	811	825	849	879	928	1043	
56"	535	559	593	629	659	700	725	764	774	811	825	849	879	928	1043	1099	
58"	559	593	629	659	700	725	764	774	811	825	849	879	928	1043	1099	1158	
60"	593	629	659	700	725	764	774	811	825	849	879	928	1043	1099	1158	1214	
62"	629	659	700	725	764	774	811	825	849	879	928	1043	1099	1158	1214	1271	
64"	659	700	725	764	774	811	825	849	879	928	1043	1099	1158	1214	1271	1329	
66"	700	725	764	774	811	825	849	879	928	1043	1099	1158	1214	1271	1329	1386	
68"	725	764	774	811	825	849	879	928	1043	1099	1158	1214	1271	1329	1386	1442	
70"	764	774	811	825	849	879	928	1043	1099	1158	1214	1271	1329	1386	1442	1502	
72"	774	811	825	857	885	928	1043	1099	1158	1214	1271	1329	1386	1442	1502	1557	
Odd Inch Sizes: Use next largest even inch Unlisted Sizes: Use multiples of sizes shown + 10%																	
Standard Finish is "Mineral Bronze" baked on powder coat.																	
**Note: Maximum size for 1500AHRC is 24" x 64" Shown in Boxed Shaded Area Above																	



1500A

1500A: Min size 6" x 6", Max 36" x 80"

Select Exterior Finish for 1500A, Only Below:

(E) Electro Zinc Plating for Max. Corrosion Resistance: List x 1.2

(S) Stainless Steel: #4 Finish : List x 4. (available for 15000A-HRC) TORX Screws: .80 ea

(J) Galvanneal Sheet for Exterior Applications: List x 1.2

16 Gauge Frame and Blades, 12 Gauge Grille—Call for Pricing or Option for 1500A-HRC

Powdercoat Finishes: (B) Mineral Bronze (G) Gray Primer (most common stock colors) (BK) Black (FBK) Flat Black (W) White (SB) SC Beige (SI) Silver (R) Rec (S) Sand (AB) AMSBeige (GH) Gray Hammetone (WH) White Hammer-tone (O) Orange (BRA) Brass (RH) Red HT Color Samples Online

Order Format: ____ (Model#) ____ (S, or E) ____ (W) x ____ (H) ____ (Color) Example: 1500A 3212SB

1500A-HRC Hurricane-Rated: LIST X 1.2

Standard Finish is CRS w/ Powder Coat Paint

Minimum Size: 6" x 6", Maximum Size 24" x 64"

Florida Building Code Approval #FL1334

**Insect Screen: (\$20.00 minimum order ea)**

1500 Series - Unframed Standard

Fiberglass 8.00/sq. ft.

Aluminum 10.00/sq. ft.

Bronze 14.00/sq. ft.

QUOTES@ACTIVARCPG.COM

800-554-6077


ORDERS@ACTIVARCPG.COM

WWW.AIRLOUVERS.COM

Edges & Astragals Hinge Edge Guards Kickplates

Air Louvers List Prices 3/1/2014

Door Edges and Astragals - 1-1/2 Hour Rating			
HEIGHT (Up to)	Price Per Pair	Price Each	Price Per Pair
	ME 90 (90°)	MEA905 (90°)	MEA (87°/93°)
	ME (87°/93°)	MEA5 (87°/93°)	MEA90 (90°)
	MEDE (87°/93°)	MEADE5 (87°/93°)	MEADE (87°/93°)
6' - 8" (80")	83	64	100
7' - 0" (84")	87	69	102
8' - 0" (96")	98	76	111
9' - 0" (108")	106	78	121
Price Per Cutout:*	17	17	17



Material: 20 gauge CRS Channel, 18 gauge Astragal

Finish: Baked-on Powder coat. Colors below:

Stainless Steel: 18 or 20 gauge #4 Finish List x 4

(G) Galvanneal Sheet for Maximum Corrosion Resistance: List x 1.2

Leadlined for x-ray protection - Contact Customer Service

Fire-Rated WH Marking By Request Only.

***Please Complete Order Sheet from
Catalog or Website**



Powdercoat Finishes: (B) Mineral Bronze (G) Gray Primer (most common stock colors) (BK) Black (FBK) Flat Black (W) White (SB) SC Beige (SI) Silver (R) Rec (S) Sand (AB) AMS Beige (GH) Gray Hammetone (WH) White Hammer-tone (O) Orange (BRA) Brass (RH) Red HT **Color Samples Online**


Stainless Steel Hinge Edge Guards		
Length (Up to)	Price Ea. HGSS	Material: 18 gauge, # 304 Stainless Steel with # 4 Finish Construction: 3° Bevel, Countersunk Mounting Holes Other Gauges: Priced on Application Painted Steel: Priced on Application Full Wrap Around or 90° Bends: Priced on Application
4' - 0" (48")	79	Please Complete Order Sheet from Catalog with Dimensions for Cutouts. Price Includes Hinge Cut Outs
6' - 8" (80")	113	
7' - 0" (84")	117	
8' - 0" (96")	120	
9' - 0" (108")	150	



AIR LOUVERS IS NOW MANUFACTURING IN 2 LOCATIONS: Commerce California & Bloomington Minnesota

IN ADDITION, WE HAVE 6 WAREHOUSES THAT STOCK OUR MOST POPULAR PRODUCTS :

Renton Washington
Doraville Georgia
Lancaster Pennsylvania
Wood Dale Illinois
Fort Myers Florida
Grand Prairie Texas



**NO MANUFACTURER OFFERS SHIPPING
FROM MORE LOCATIONS!!**

QUOTES@ACTIVARCPG.COM

ORDERS@ACTIVARCPG.COM

24

800-554-6077

WWW.AIRLOUVERS.COM