

Hiawatha, Inc. List Prices Effective 3/15/2012



CONFIDENTIAL LIST PRICE SCHEDULE REV H—Printed 5/30/14

Visit WWW.HIAWATHAINC.COM for the Most Current Terms & Conditions, Pricing and Product Information!

TERMS: Net 30 days in US funds for accounts that have "Open Account" status with us, and subject to approval of customer's credit. Any other terms must be prearranged with the seller and agreed to in writing. A service charge of 1.5% per month will be applied to all accounts that are 30 days past due. If the account is placed for collection, customer agrees to pay all legal and collection fees. This contract for the sale of goods will be governed by the laws of the state of Minnesota.

PRICES AND DISCOUNTS: All prices are FOB one of our factory or warehouse locations, and apply to one order for one destination shipments. All applicable taxes will be added to the invoice unless we have a resale exemption document on file.

ORDERING: Minimum order \$50.00 net.

FREIGHT: Hiawatha, Inc. will ship freight-allowed on shipments valued at \$1250.00 net or more for customers within the continental US. Standard freight policies are for shipments to a single destination by "Best Way" - UPS or common carrier, to be prepaid and charges added to customer's invoice. A \$8.00 handling charge for all UPS shipments which will be added to customer's invoice. Delivery is subject to Federal and State laws and regulations. Charges resulting from customer-requested re-consignment or LTL accessorial fees will be billed back to customer. Customers have the option of specifying a carrier or routing, however, when such a carrier or routing is specified, the order will be shipped freight collect or billed to a third party when relevant. Damage to third party or collect shipments are the responsibility of the customer.

CLAIMS: Shortages or errors in shipment must be reported within 48 hours after receipt of goods. It is the responsibility of the customer to inspect and report damaged or lost merchandise to the delivering carrier at the time of delivery.

Prices & Stocked Product Subject to Change Without Notice.

RETURNS: No merchandise may be returned for credit without a Returned Goods Authorization. A 50% handling and restocking plus shipping both ways, will be assessed for material returned in usable condition. Freight collect returns will not be accepted. Due to the custom design and specifications for many of our products, certain materials are not subject to return.

WARRANTY: All products are warranted to be free of defects in material and workmanship for the period of one (1) year from date of shipment. We reserve the right to replace or repair any product found defective within this period. No other warranty expressed or implied is valid. Manufacturer's warranty, terms and conditions apply in all cases.

LIABILITY: Hiawatha will not accept liability for cost of field labor or materials to adjust, change or correct any products except what we specifically authorized in writing by Sales Manager. The company reserves the right to make changes in design, or to make additions to, or improvements in its products without incurring any obligation to incorporate or install such design changes, additions or improvements in or on products previously manufactured or sold.

CHANGES/CANCELLATIONS/ADDITIONS: Please consult customer service concerning approval for cancellation of existing orders. Special fabrication and orders entered into production are not subject to cancellation. Any changes of purchase orders must be confirmed by fax or Email.

ORDERING INFORMATION:

TEMPLATES: Will be furnished without charge upon request. Such drawings are for use of door manufacturer only as a guide in locating necessary reinforcements. Actual hardware will be shipped to the door manufacturer if your order so specifies. Kick plates and hand-formed items are not to template. Specify all pertinent information such as: center to center dimension, hand of door (if handed item), type of fastening, catalog number and complete finish designation.

Table of Contents

Push Plates	2	Full Height Pulls, Door Viewers, Wall Guards	7
Plate/Pull Combinations	3	Automatic, Manual & Self Latching Flush Bolts	8
Plate & Solid Pull Combinations	3	Coordinators, Surface Bolts, Roller Latches	9
Pull Sets	5	Mounting Hardware, Fasteners	9
Solid Door Pulls	4	Corner Guards, Door Edges, Trim Protectors	10
Push Bars, Push & Pull Sets	3, 5	Door Stops & Bumpers	11
Designer Pulls, Tubular, Flush Pulls	6	Overhead Holders, Standard Finishes	12
Kickplates, Armor Plates, Mop Plates - Call for Pricing			

Existing Customer Email: ORDERS@ACTIVARCPG.COM
SALES@ACTIVARCPG.COM



QUOTES@ACTIVARCPG.COM ORDERS@ACTIVARCPG.COM

800-554-6077

SALES@HIAWATHAINC.COM

WWW.HIAWATHAINC.COM

Hiawatha, Inc. List Prices Effective 3/15/2012

Push Plates - Series 200: 16 Gauge (.050 Thick) Metal Push Plates with Beveled Edges

Example: PP200A.US10	US3	US4	US10	US10B	US26D	US26	US28	US32D	US32	US32DMS	
PP200A	3" x 12"	21	21	23	23	22	22	9	10	15	22
PP200B	3" x 15"	24	24	28	--	--	--	9	11	15	--
PP200C	3-1/2" x 14"	24	24	28	--	--	--	9	11	15	--
PP200D	3-1/2" x 15"	26	26	28	28	27	27	11	13	15	23
PP200E	3-1/2" x 16"	28	28	32	--	--	--	10	12	18	--
PP200F	4" x 16"	31	31	32	32	31	31	11	13	18	24
PP200G	4" x 20"	43	43	49	46	46	46	12	16	27	33
PP200H	6" x 16"	44	44	49	49	46	46	15	19	27	42
PP200J	7-1/2" x 15"	55	55	62	--	--	--	15	23	33	--
2PP00K	8" x 16"	58	58	62	62	60	60	18	26	33	46

Metal Push Plates 16 Gauge (.050" Thick) with Round Corners & Beveled Edges

Example: PP210A.US3	US3	US4	US10	US10B	US26D	US26	US28	US32D	US32	US32DMS	
PP210A	3" x 12"	31	31	33	33	33	33	16	19	23	26
PP210D	3-1/2" x 15"	34	34	39	39	39	39	18	23	29	27
PP210F	4" x 16"	38	38	44	44	44	44	18	26	31	29
PP210G	4" x 20"	44	44	50	50	50	50	20	29	35	37
PP210H	6" x 16"	54	54	63	63	63	63	24	39	49	46
PP210K	8" x 16"	64	64	75	75	75	75	27	44	54	50

Cold Forged Metal Push Plates - 16 Gauge (.050" Thick) with Formed Edges - 7/32" Projection

PP220D	3-1/2" x 15"	56	56	57	57	57	57	26	39	--	49
PP220F	4" X 16"	65	65	68	68	68	68	38	48	--	57

Half Circle Metal Push Plates - 16 Gauge (.050" Thick) with Beveled Edges

PP230L	6" x 12"	76	76	84	84	84	84	41	49	63	58
PP230J	7-1/2" x 15"	80	80	87	87	87	87	44	54	68	63
PP230K	8" x 16"	86	86	94	94	94	94	45	58	72	68

Radius End Metal Push Plates - 16 Gauge (.050" Thick) with Beveled Edges

PP240A	3" x 12"	38	38	41	41	41	41	23	27	31	33
PP240D	3-1/2" x 15"	41	41	46	46	46	46	24	30	35	34
PP240F	4" X 16"	45	45	50	50	50	50	26	33	38	37

Half Heart Metal Push Plates - 16 Gauge (.050" Thick) with Beveled Edges

PP280M	10" x 20"	136	136	146	146	146	146	71	99	113	107
--------	-----------	-----	-----	-----	-----	-----	-----	----	----	-----	-----

Metal Push Plates - (.125" Thick) with Beveled Edges

PP300A	3" x 12"	86	86	101	101	101	101	29	53	76	--
PP300D	3-1/2"x15"	205	205	239	239	239	239	73	129	79	--
PP300F	4" x 16"	226	226	254	254	254	254	77	141	87	--
PP300G	4" x 20"	121	121	136	136	136	136	37	71	99	--
PP300H	6" x 16"	136	136	148	148	148	148	42	87	110	--
PP300K	8" x 16"	170	170	182	182	182	182	49	106	125	--

Engraving on Push Plates - Net

Engraving on Plate (3/4" letters w/black enamel fill) This Net Price is Per Letter

3

Hiawatha, Inc. List Prices Effective 3/15/2012

Plate & Solid Pull Combinations											
3-1/2" x 15" Plate		US3	US4	US10	US10B	US26D	US26	US28	US32D	US32	US32DMS
200DX523B	3/4" x 5-1/2" CTC	69	69	77	77	71	71	29	43	53	65
200DX523E	3/4" x 6" CTC	70	70	79	81	73	73	29	43	54	67
200DX523A	3/4" x 8" CTC	75	75	86	87	78	78	29	44	58	69
200DX535B	1" x 8" CTC	110	110	127	130	113	113	37	72	85	116
200DX536B	1" x 10" CTC	119	119	140	143	122	122	38	78	91	126
200DX559A	3/8" x 1-1/4" Bar 6" CTC	67	69	73	74	73	73	31	54	--	--
200DX559	3/8" x 1-1/4" Bar 8" CTC	--	--	--	--	--	--	32	60	--	--
200DX580	1" Half Round x 6" CTC	74	74	76	76	75	78	32	64	--	--
200DX581	1" Half Round x 8" CTC	81	81	83	83	81	84	33	72	--	--
200DX5-1/2P	5-1/2" Cast CTC	54	55	58	59	56	63	27	52	--	--
200DX5	5-1/2" Cast CTC	64	66	67	69	66	66	--	64	--	--

4" x 16" Plate		US3	US4	US10	US10B	US26D	US26	US28	US32D	US32	US32DMS
200FX523B	3/4" x 5-1/2" CTC	73	73	81	81	76	76	30	43	56	68
200FX523E	3/4" x 6" CTC	74	74	83	85	77	77	30	43	57	69
200FX523A	3/4" x 8" CTC	80	80	91	91	83	83	30	44	61	72
200FX535B	1" x 8" CTC	114	114	131	134	118	118	38	73	88	117
200FX536B	1" x 10" CTC	124	124	144	147	126	126	39	79	94	129
200FX559A	3/8" x 1-1/4" Bar x 6" CTC	71	74	77	79	77	77	32	55	--	--
200FX559	3/8" x 1-1/4" Bar x 8" CTC	--	--	--	--	--	--	33	60	--	--
200FX580	1" Half Round x 6" CTC	79	79	81	81	80	83	33	64	--	--
200FX581	1" Half Round x 8" CTC	85	85	87	87	86	89	34	73	--	--
200FX5-1/2 P	5-1/2" Cast CTC	58	60	62	64	60	68	28	53	--	83
200FX5	5-1/2" Cast CTC	68	70	72	73	71	71	--	65	--	--

Pulls supplied with 1/4-20 Thru-Bolt Mounting "E" for 1-3/4" Doors, BTB Pg. 5 Other Pull/Plate Combinations Can be Made to Order - Call for Pricing

Push & Pull Sets - 3/8" Flat Bar Stock											
		US3	US4	US10	US10B	US26D	US26	US28	US32D		
1002	Single Push Bar: 2 Brackets	403	403	403	403	403	403	--	--		
1032	Single Push Bar: Low Profile	355	355	424	424	424	424	155	171		
1042A	Single Push Bar: Angled Bend	378	378	424	424	424	424	155	207		
1052	Single Push Bar: Double Bend	378	378	424	424	424	424	155	207		
1062	Single Push Bar: Double Bend w Plates	330	330	378	378	378	378	155	189		
1072	Single Push Bar: Single Bend w Plate	378	378	424	424	424	424	155	207		
1072A	Single Push Bar: Single Bend	330	330	378	378	378	378	155	189		
1072D	Double Push Bar: 2 Bars with Plates	745	745	835	835	835	835	328	443		
1075A	Single Push Bar: Angled Bend w Plate	378	378	424	424	424	424	155	207		

Pulls - Aluminum Extrusion - 663 Series											
		US3	US4	US10	US10B	US28	313/315	US32D			
663	6" x 12", 10" CTC 2-1/4" Projection	457	500	457	328	357	386	343			
663D	6" x 12", 10" CTC 2-1/4" Projection	414	471	414	243	271	314	257			

Hiawatha, Inc. List Prices Effective 3/15/2012

Solid Door Pulls - Series 5, 500 & 1458

Example: 523D.US10B		US3	US4	US10	US10B	US26D	US26	US28	313/315	US32D	US32	US32DMS
5	5-1/2" Cast CTC	52	52	57	57	57	57	--	--	57	--	--
5-1/2P	5-1/2" Cast CTC	44	44	48	48	48	48	27	--	54	--	60
523B	3/4" x 5-1/2"	43	43	49	49	45	45	18	22	30	38	44
523E	3/4" x 6"	44	44	51	53	46	46	18	22	30	39	45
523A	3/4" x 8"	49	49	58	59	51	51	19	23	31	42	48
523C	3/4" x 10"	56	56	66	67	58	58	20	26	38	49	60
535B	1" x 8"	84	84	99	102	86	86	26	33	59	70	94
509B	1" X 9"	93	93	112	115	95	95	28	34	66	76	97
536B	1" x 10"	93	93	112	115	95	95	28	34	66	76	105
537B	1" x 12"	103	103	125	128	105	105	29	35	73	83	113
518B	1" X 18"	180	180	224	224	180	180	46	53	137	151	146
559A	3/8" x 1-1/4" Bar 6" CTC	67	67	90	90	90	90	31	--	42	--	--
559	3/8" x 1-1/4" Bar 8" CTC	--	--	--	--	--	--	31	--	50	--	--
580	Cast Crv. Profile Half Rd x 6"	72	72	78	78	78	78	31	--	56	--	--
564G	Cast Sq. Profile Half Rd x 7"	196	196	196	196	196	196	--	--	--	--	--
581	Cast Crv. Profile Half Rd x 8"	86	86	94	94	94	94	34	--	63	--	--
565G	Cast Sq. Profile Half Rd x 12"	226	226	226	226	226	226	--	--	--	--	--
592	1" Tapered Grip x 8" CTC 16" L	340	340	381	381	381	381	228	243	276	--	--
593	1-1/4" Tapered x 12" CTC 28" L	615	628	672	672	672	672	307	322	472	543	486
1458A	Hospital Pull 5-5/16" CTC 9-1/4" L	63	63	67	67	67	67	--	--	67	--	75

Pulls supplied with 1/4-20 Thru-Bolt Mounting "E" for 1-3/4" Doors Except for 1458A. BTB Pg. 5 Concealed & Glass Mounting Options Available

Solid Offset Door Pulls - Series 600 & 700

Example: 658.US32D		US3	US4	US10	US10B	US26D	US26	US28	313/315	US32D	US32	US32DMS
658	1" x 8" 90°	122	122	154	154	128	128	41	47	83	97	291
609	1" x 9" 90°	131	131	167	167	137	137	42	48	92	107	303
658A	1" x 10" 90°	131	131	167	167	137	137	42	48	92	107	303
658B	1" x 12" 90°	141	141	180	180	147	147	43	50	98	113	315
615	1" X 15" 90°	187	187	221	221	196	196	65	74	137	157	--
618	1" x 18" 90°	187	187	221	221	196	196	65	74	137	157	184
750S	1" x 9" Semi Circular 90°	360	360	390	390	360	360	196	211	226	256	--
751S	1" x 12" Semi Circular 90°	360	360	390	390	360	360	196	211	226	256	--
708	1" x 8" 45°	152	184	184	152	152	50	60	146	155	156	389
709	1" x 9" 45°	162	193	193	162	162	56	67	151	160	161	403
710	1" x 10" 45°	162	193	193	162	162	56	67	156	165	167	418
712	1" x 12" 45°	171	204	204	171	171	64	73	166	177	178	443
718	1" x 18" 45°	208	237	237	208	208	80	91	200	208	212	528

Pulls supplied with 1/4-20 Thru-Bolt Mounting "E" for 1-3/4" Doors. BTB Pg. 5 Concealed & Glass Mounting Options Available

Shower Door/Towel Bar & Pull Bars Prepped for Glass Installation with "A5" Mounting		US3/4	US10	US10B	US26D	US26	US28	313/315	US32D	US32	US32DMS
7518	Push Bar 3/4" Dia Double Bend 18"	218	258	258	218	218	79	93	156	196	165
7512	Push Bar 3/4" Dia Double Bend 20"	218	258	258	218	218	79	93	156	196	165
7524	Push Bar 3/4" Dia Double Bend 24"	218	258	258	218	218	79	93	156	196	165

Hiawatha, Inc. List Prices Effective 3/15/2012

Push Bars & Push & Pull Sets

Single Solid Push Bars - Straight		US3/4	US10	US10B	US26D	US26	US28	313/315	US32D	US32	US32DMS
1081LBP	Push Bar Double Bend " to 36"	222	291	291	227	227	54	60	168	183	588
1081LBP28	Push Bar Double Bend 28"	222	291	291	227	227	54	60	168	183	588
1081LBP31	Push Bar Double Bend 31"	222	291	291	227	227	54	60	168	183	588
1081LBP33	Push Bar Double Bend 33"	222	291	291	227	227	54	60	168	183	588
1081LBP36	Push Bar Double Bend 36"	222	291	291	227	227	54	60	168	183	588
1081LBP39	Push Bar Double Bend 39"	241	316	316	246	246	61	69	181	199	--
1081 OP	Push Bar-Single Bend/Flat	271	340	340	271	271	86	102	265	286	282
Add per inch over 36"		6	8	8	6	6	2	3	4	5	--

All Push Bars except Model OP Supplied with Mounting E. Optional Mountings: A, A5, SM, SW [View Mounting Options Available](#)

Single Solid Push Bar - Curved		US3/4	US10	US10B	US26D	US26	US28	313/315	US32D	US32
1600 LH	Push Bar Single Curve Left Hand	661	691	691	661	661	375	390	525	570
1601 RH	Push Bar Single Curve Right Hand	661	691	691	661	661	375	390	525	570
1700 LH	Push Bar Double Curve Left Hand	945	990	990	945	945	751	796	826	870
1701 RH	Push Bar Double Curve Right Hand	945	990	990	945	945	751	796	826	870

Supplied with Mounting E. Optional Mountings: A, A5, SM [View Mounting Options Available](#)

Single 1-1/4" Tubular Push Bar		US3/4	US10	US10B	US28 (solid)	US32D	US32	313/315 (solid)
HG113	1-1/4" x 27-3/4" - Straight	286	301	301	186	222	237	208
HG114	1-1/4" x 33"-36" - Straight: Specify Up to 36"	286	301	301	186	222	237	208

Add \$5.25 per inch per bar for extra length over 36" [View Mounting Options Available](#)

Solid 1" Push & Pull Sets		US3/4	US10	US10B	US26D	US26	US28	313/315	US32D	US32	US32DMS
1081LBP33 x 1081LBP33	Push Bar Double Bend Back T Back 33"	448	587	587	458	458	113	125	342	371	524
535BX1081LBP33	8" Straight Pull Bar & 33" Push Bar	311	396	399	319	319	86	99	234	258	354
536BX1081LBP33	10" Straight Pull Bar & 33" Push Bar	321	409	412	328	328	87	100	240	265	364
537BX1081LBP33	12" Straight Pull Bar & 33" Push Bar	330	422	425	337	337	89	102	247	272	374
518BX1081LBP33	18" Straight Pull Bar & 33" Push Bar	435	480	480	435	435	118	140	381	408	405
658X1081LBP33	8" Offset Pull Bar & 33" Push Bar	348	449	449	360	360	100	113	257	285	389
609X1081LBP33	9" Offset Pull Bar & 33" Push Bar	357	462	462	369	369	101	114	265	294	394
658AX1081LBP33	10" Offset Pull Bar & 33" Push Bar	357	462	462	369	369	101	114	265	294	400
658BX1081LBP33	12" Offset Pull Bar & 33" Push Bar	367	475	475	378	378	103	115	271	301	411

Push Pull Sets are Standard with Thru Bolts Both Free Ends for 1-3/4" doors (WD)
Optional Mountings: GD5, WDA, WDS [View Mounting Options Available](#)

Solid Door Pull Sets - Back to Back

Example: 523BX523B.10B		US3	US4	US10	US10B	US26D	US26	US28	313	US32D	US32	US32DMS
523BX523B	3/4" X 5-1/2"	95	95	108	108	99	99	46	53	69	85	--
523EX523E	3/4" x 6"	97	97	111	115	101	101	46	54	70	87	--
523AX523A	3/4" x 8"	110	110	128	130	115	115	49	58	74	97	106
523CX523C	3/4" x 10"	123	123	144	145	128	128	52	63	88	109	129
535BX535B	1" x 8"	179	179	209	216	185	185	64	77	130	151	197
536BX536B	1" x 10"	198	198	235	242	202	202	67	80	143	164	220
537BX537B	1" x 12"	217	217	262	268	222	222	70	83	157	178	238

Supplied with Mounting WS for 1-3/4" Doors. Optional Mountings: GS5 [View Mounting Options Available](#)

Offset Door Pull Sets - Solid Back to Back

Example: 523BX523B.10B		US3	US4	US10	US10B	US26D	US26	US28	313	US32D	US32	US32DMS
658X658	1" x 8"	255	255	319	319	268	268	92	105	179	206	275
609X609	1" x 9"	273	273	345	345	286	286	94	107	196	225	286
658AX658A	1" x 10"	273	273	345	345	286	286	94	107	196	225	298
658BX658B	1" x 12"	293	293	371	371	306	306	97	110	209	238	318
618X618	1" x 18"	383	383	451	451	403	403	141	158	286	325	384

Supplied with Mounting WCD for 1-3/4" Doors. Optional Mountings: WS5 [View Mounting Options Available](#)

Other Pull Combinations can be Made to Order - Call for Pricing on Sets Not Shown

PAGE 5

QUOTES@ACTIVARCPG.COM ORDERS@ACTIVARCPG.COM

800-554-6077

SALES@HIAWATHAINC.COM

WWW.HIAWATHAINC.COM

Hiawatha, Inc. List Prices Effective 3/15/2012

Designer Pulls - Curved

Example 2312L.US32		US 3/4	US 10/10B	US26/26D	US28	US32D	US32	313/315
2312 L/R	1" x 12" Double Curve	480	525	480	345	375	405	360
2512	1" x 12" Straight Curve	435	495	435	256	286	330	271
2612	1" x 12" Offset Curve	495	555	495	316	345	390	330
2112	1" x 12" Bowed Offset "D"	435	495	435	301	330	360	316
2220	1" x 20" Bowed Offset "D"	480	525	480	301	345	375	316

Supplied with Mounting "E". Optional Mounting: A, SM. BTB Mounting: WS (all models) or GS5 (except 2612) [View Mounting Options Available](#)

Designer Pulls- Semi-Circular

750S	1" x 9" Semi Circular 90° Return	360	390	360	196	226	256	211
751S	1" x 12" Semi Circular 90° Return	360	390	360	196	226	256	211
812	3/4" Casting on Post Mt.- 12" CTC	1,005	1,005	1,005	-	-	-	-
814	Cast 1-1/4" x 14" CTC Offset	811	811	811	-	-	-	-
HG151	1-1/4" x 12" - 90° Spherical Offset	See Below for Pricing:						

Supplied with Mounting "EH". Optional Mountings: All- AH. 750 & 751-A5H & SDH. 812 & 814—SMH. 151—A5H & SMH. BTB Available.

Tubular 1-1/4" Door Pulls - Series HG

Example: HG111.US10		US3/4	US10/10B	US28 (Solid)	US32D	US32	313 (Solid)	315 (Solid)
HG111	1-1/4" x 12" - Straight	200	222	94	165	180	107	107
HG112	1-1/4" x 18" - Straight	228	250	101	180	193	114	114
HG113	1-1/4" x 27-3/4" - Straight	286	301	186	222	237	208	208
HG114	1-1/4" x 33" (up to 36") - Straight	286	301	186	222	237	208	208
HG121	1-1/4" x 12" - 90° Offset	257	272	143	193	228	165	165
HG122	1-1/4" x 18" - 90° Offset	286	301	158	215	250	180	180
HG123	1-1/4" x 24" - 90° Offset	314	329	171	237	272	193	193

Supplied with Mounting "EX". Optional Mountings: BTB- K or WSK. Single Pull—AX, SMH, A5X [View Mounting Options Available](#)

HG141	1-1/4" x 18 x 9-1/2" LH or RH 90° "L" (indicate Up or Down leg position, use order form)	612	666	360	477	522	415	415
HG142	1-1/4" x 24" x 9-1/2" LH or RH 90° "L" (indicate Up or Down leg position, use order form)	612	666	360	477	522	415	415
HG143	1-1/4" x 30" x 9-1/2" LH or RH 90° (indicate Up or Down leg position, use order form)	691	918	612	612	702	702	702
HG144	1-1/4" X 15" X 15" 90° Angle "L"	286	301	173	211	241	196	196

Supplied with Mounting "EX". Aluminum Models "EH".

Optional Mountings: BTB- K 1.25 or WSK. BTB Aluminum—WSH or GS5H. Single Pull—AX, SMH, A5X. Single Aluminum AH, SMH, A5H.

HG151	1-1/4" x 2"- 90° Semi Circle Offset	390	495	301	316	345	316	--
HG161	1-1/4" x 12" Curve Segment Offset	450	495	330	375	405	360	360
HG170	1-1/4" x _ Curve Segment Straight-Specify Length	Priced on application						

Supplied with Mounting "EH". BTB—WSH or GS5H. Optional Single Pull Mountings—SMH or A5H.

Endcaps or Push/Pull Engraving - Call for Quote

Modifications of 1-1/4" pull available upon request

[View Mounting Options Available](#)

US28, 313 & 315 Fabricated with 1-1/4" diameter solid aluminum

Flush Pulls, Barrier Free, Combo Plates & Hospital Pulls

		US3	US4	US10	US10B	US26D	US26	US28	US32D	US32DMS
D251	Cylinder Pull 2"x 3-3/4"	43	43	46	46	40	48	36	42	62
1456	Combo Plate 3-1/4"x15-3/4"	76	76	81	81	76	79	37	49	77
1457	Combo Plate 4"x 15-3/4"	99	99	105	105	105	105	52	71	81
1460	Combo Plate 8" x 15-3/4"	177	177	188	188	188	188	79	131	145
1459	Flush Pull; 3-1/2" x 5"	67	67	67	67	67	67	--	30	51
1459X1459	Flush Pulls; 3-1/2" x 5" (Back to Back)	137	137	137	137	137	137	--	63	110
1459C	Flush Pull Concealed Mt; 3-1/2" x 5"	73	73	73	73	73	73	--	33	54
1453	Flush Pull; 2-3/16"x3-1/4"	21	28	22	23	23	28	--	--	--
1454	Flush Pull 2-11/16"x4-3/16"	23	29	24	24	24	29	--	--	--
1450	Barrier Free Pull - 5" x 5" x 7/8"	--	--	--	--	--	--	--	97	126
1451	Barrier Free Pull Concealed Mt.- 5"x5"x7/8"	181	181	190	190	190	190	--	125	154
1458A	Hospital Pull: Cast 9-1/4"x5-5/16" CTC	63	63	67	67	67	67	--	67	75

Hiawatha, Inc. List Prices Effective 3/15/2012

Full Height Pulls - 1", 1-1/4", 1-1/2"

Straight "D" Pulls		US3/4	US10/10B	US28 (Solid)	US32D	US32	313/315 (Solid)
1010	1" x 36-48" Radius Ends	420	435	211	314	343	256
1010	1" x 49-72" Radius Ends	495	510	465	358	386	510
1010	1" x 73-96" Radius Ends	676	691	495	443	500	540
1020	1-1/4" x 36-48" Radius Ends	480	495	286	329	358	316
1020	1-1/4" x 49-72" Radius Ends	555	570	420	371	400	465
1020	1-1/4" x 73-96" Radius Ends	751	766	540	457	514	600
1030	1-1/2" x 36-48" Radius Ends	555	570	--	371	400	--
1030	1-1/2" x 49-72" Radius Ends	631	646	--	400	443	--
1030	1-1/2" x 73-96" Radius Ends	811	826	--	486	571	--

Straight Pulls on Post with Rounded Ends

1110	1" x 36-48" Stand-offs Round Ends	563	563	277	371	400	324
1110	1" x 49-72" Stand-offs Round Ends	638	638	384	415	443	428
1110	1" x 73-96" Stand-offs Round Ends	832	832	473	486	543	518
1120	1-1/4" x 36-48" Stand-offs Round Ends	578	578	324	386	415	369
1120	1-1/4" x 49-72" Stand-offs Round Ends	638	638	428	415	443	473
1120	1-1/4" x 73-96" Stand-offs Round Ends	847	847	563	500	558	608
1130	1-1/2" x 36-48" Stand-offs Round Ends	600	600	--	415	443	--
1130	1-1/2" x 49-72" Stand-offs Round Ends	706	706	--	457	500	--
1130	1-1/2" x 73-96" Stand-offs Round Ends	885	885	--	543	628	--

Offset Pulls for 1100 Series - Add 25.00 per pull - Available in US3/4, US10/10B, US32D, US32

Straight Pulls on Post with Square Ends

1210	1" x 36-48" Stand-offs Square Ends	480	480	241	329	358	286
1210	1" x 49-72" Stand-offs Square Ends	555	555	345	383	402	390
1210	1" x 73-96" Stand-offs Square Ends	751	751	435	422	464	480
1220	1-1/4" x 36-48" Stand-offs Square Ends	495	495	286	343	371	330
1220	1-1/4" x 49-72" Stand-offs Square Ends	555	555	390	383	402	435
1220	1-1/4" x 73-96" Stand-offs Square Ends	766	766	525	422	464	570
1230	1-1/2" x 36-48" Stand-offs Square Ends	510	510	-	358	386	-
1230	1-1/2" x 49-72" Stand-offs Square Ends	616	616	-	409	432	-
1230	1-1/2" x 73-96" Stand-offs Square Ends	796	796	-	437	460	-

Offset Pulls for 1200 Series- Add 25.00 per pull - Available in US3/4, US10/10B, US32D, US32

Mounting: Mid Post: Recommended for Lengths 80" or longer - add \$63.00 to each pull. Additional Length: Add \$63.00/ft over 8'

1010, 1110OS & 1210OS Pulls Supplied with Mounting E. Optional Mountings: A, SM, A5, WS, GS5

All Other Pulls Supplied with EH. Optional Mountings: AH, SMH, A5H, GS5H, WSH

[View Mounting Options Available](#)

Engraving on 1" Door Pulls - Net

4 Letters	20
-----------	----

Door Viewers - UL-Listed

		Satin Nickel	Satin Chrome	US10B Ant. Bronze	Brass	Chrome
620DV	160 degree Viewer 1/2" for 1-3/8-2" Door	7	-		6	6
621DV	160 degree Viewer 2-2-5/8" Door	-	-		8	8
622DV	190 degree Viewer 9/16" for 1-3/8-2" Door	11	11		10	10
VC620	Viewer Cover for 620 & 621 (1/2") 10/pk	-	-		49	49
VC622	Viewer Cover for 622 (9/16") 10/pk	-	-		58	58

Door & Wall Guards

	Description	US3	US4	US10/10B	US26D	US26	Description	US26
605	Door Guard: Solid Brass	31	29	32	28	31	607 Wall Guard: 1" x 1" Clear, Self Adhesive	3
606	Edge Guard for 605 Guard	7	7	7	8	8	608 Clear Plastic Shim for Above 55/Sheet	49
							604 Door Guard: Aluminum with Antique Brass, Bright Brass, Bright Chrome or Dull Chrome Finish:	14

Hiawatha, Inc. List Prices Effective 3/15/2012

Automatic & Combination Flush Bolts (UL Listed)

Fire-Rated Metal Doors:		US3/4	US10	US10B	US26	US26D	US32	US32D
3142	Set of Top & Bottom Bolts -	174	174	174	174	174	174	174
3142-TP	Trim PAK (bolt cover plates, screws & strikes)	33	33	33	33	33	33	33
3140	Single Top Bolt	91	91	91	91	91	91	91
3140-BFBM	Single Top Bolt & BFBM Bottom Fire Bolt	174	174	174	174	174	174	174
BFBM	Bottom Fire Bolt for Metal Doors	--	--	--	--	93	--	--
-TP	Trim PAK (bolt cover plates, screws & strikes)	19	19	19	19	19	19	19
Fire-Rated Wood Doors								
3242	Set of Top & Bottom Bolts	189	189	189	189	189	189	189
3242-TP	Trim PAK (bolt cover plates, screws & strikes)	33	33	33	33	33	33	33
3240	Single Top Bolt	98	98	98	98	98	98	98
3240-BFBW	Single Top Bolt & BFBW Bottom Fire Bolt	189	189	189	189	189	189	189
3240-TP	Trim PAK (bolt cover plates, screws & strikes)	19	19	19	19	19	19	19
3662	Set of Top & Bottom Bolts	211	211	211	211	211	211	211
3662-TP	Trim PAK (bolt cover plates, screws & strikes)	28	28	28	28	28	28	28
3660	Single Top Bolt	109	109	109	109	109	109	109
3660-BFBW	Single Top Bolt & BFBW Bottom Fire Bolt	211	211	211	211	211	211	211
BFBW	Bottom Fire Bolt for Wood Doors	-	-	-	-	93	-	-
-TP	Trim PAK (bolt cover plates, screws & strikes)	17	17	17	17	17	17	17

Manual & Self Latching Flush Bolts (UL Listed)

Manual Flush Bolt for Wood & Metal Doors		US3/4	US10	US10B	US26	US26D	US32/32D
3780F	Manual Flush Bolt for Metal Door - 3 Hour Rating	22	22	22	22	22	-
3790F	Manual Flush Bolt for Wood Door - 1-1/2 Hour Rating	33	33	33	33	33	-
Self-Latching for Fire-Rated Metal Doors							
3845	Set of Top & Bottom Bolts - 3 Hr Rating	182	182	182	182	182	182
3845-TP	Trim PAK (bolt cover plates, screws & strikes)	33	33	33	33	33	33
3805	Single Top Bolt - 3 Hr Rating	95	95	95	95	95	95
3840	Single Bottom Bolt - 3 Hr Rating	91	91	91	91	91	91
3805-BFBM	Single Top Bolt & BFBM Bottom Fire Bolt	182	182	182	182	182	182
-TP	Trim PAK (bolt cover plates, screws & strikes)	19	19	19	19	19	19
Self-Latching for Fire-Rated Wood Doors							
3945	Set of Top & Bottom Bolts - 1-1/2 Hr. Rating	197	197	197	197	197	197
3945-TP	Trim PAK (bolt cover plates, screws & strikes)	33	33	33	33	33	33
3905	Single Top Bolt - 1-1/2 Hr. Rating	102	102	102	102	102	102
3940	Single Bottom Bolt - 1-1/2 Hr Rating	98	98	98	98	98	98
3905-BFBW	Single Top Bolt & BFBW Bottom Fire Bolt	197	197	197	197	197	197
-TP	Trim PAK (bolt cover plates, screws & strikes)	19	19	19	19	19	19

Strikes

	US3/4	US10	US10B	US26D	US26	US32D/32
382	Universal Dust-proof Strike; Concrete, Carpet, Threshold	20	20	20	20	-
381	Dust-proof Strike Without Plate	-	-	-	-	13
380	Dust-proof Strike; Concrete	-	-	-	-	16

Door Silencers

601	Metal Door: Grey Rubber (pks of 100)					13
602	Clear Adhesive: (pks of 300)					130
603	Wood Door: Grey Rubber (pks of 100)					19

Hiawatha, Inc. List Prices Effective 3/15/2012

Door Coordinators

	Description	Black	Gray
3632	32" Coordinator for 35" - 54" Opening: For active doors with up to 28" maximum width.	119	126
3642	42" Coordinator for 44" 54" Opening: For active doors with up to 38" maximum width.	119	126
3652-72	52" Coordinator for 55" - 72" Opening: For active doors with up to 48" maximum width.	119	126
3652-84	52" Coordinator for 73"-84" Opening: For active doors with up to 48" maximum width.	119	126
3652-95	52" Coordinator for 85-95" Opening: For active doors with up to 48" maximum width.	137	145
3660	60" Coordinator for 96" - 112" Opening: For active doors with up to 56" maximum width.	152	160
3666	66 Coordinator for 113" - 120" Opening: For active doors with up to 62" maximum width	174	182

Filler bar for above are cut to dimensions provided. Black or grey prime coat finish. See submittal Sheet to Order.

3700	Universal Door Coordinator: Non Handed.	85	-
MB37	Mounting Bracket: For soffits 7/8" to 2-1/4" Wide. Order one 5" long bracket for each soffit-applied hardware. Prime coat	20	28
MB38	Mounting Bracket: For soffits over 2-1/4" Wide. Order one 5" long bracket for each soffit-applied hardware. Prime coat	20	28

	Description	US3	US4	US10	US10B	US26D	US26	US32	US32D
600	Gravity Door Coordinator: 1" x 5-7/16" 7" Projection.	85	85	85	85	82	85	-	-
CB36	Carry Bar for mounting on the inactive door. Black or gray primer.	28	43	49	49	43	43	43	43

Surface Bolts

		US3	US10	US10B Painted	US26D	US32D
3008P	Surface Bolt: 8" UL Listed	31	29	33	26	57
3012P	Surface Bolt: 12" UL Listed	--	31	--	30	--
5008P	Surface Door Bolt for Padlock: 8"	--	--	--	--	118
5012P	Surface Door Bolt for Padlock: 12"	--	--	--	--	144

Roller Latches

		US3	US4	US10	US15	US10B	US26D	US26
1041	Roller Latch: 2-1/4" Cast Strike	36	50	50	39	42	32	37
1042	Roller Latch: ASA Strike	39	53	53	41	53	35	50
1043	Roller Latch: 2-3/4" Strike	36	50	50	38	50	32	37
1044	Roller Latch/Angle Stop	74	74	74	74	84	57	81

Mounting & Fasteners Listed Below are Net Prices—Do not Discount

Screws for Push & Kick Plates - Net Price

6 x 5/8" Truss head sheet metal screw for kick plates.	.11 ea
6 x 5/8" Oval head sheet metal screw for push plates & countersunk kick plates.	.11 ea
Torx Security Screws US32D \$22/100 (# 12028 ea)	.31 ea
TEK Self Tapping Screws US32D \$7/100	.10 ea
TEK Self Tapping Screws US3 \$15/100	.21 ea

Individual Hardware for Mounting- Net Price

HTB: 1/4-20 Thru Bolt	0.89
H-1: 1/4 -20 x 2-13/16" Shoulder bolt for back to back 1-3/4" door	1.78
H-1DC: 3/8" - 24 x 3- 1/4" Double cone shoulder bolt for back to back 1 3/4"	2.66
H-1A: 1/4-20 x 3-1/4" Shoulder bolt for back to back 2" door	2.78
H-2 :1/4-20 x 1-1/2" Shoulder bolt for BTB 1/2" glass door & for concealed Mtg.	1.67
H-2DC: 1/4-20 x 1-13/16" Double Cone shoulder bolt for concealed mounting	2.00
H-10: 1/4-20 x 1-3/4" Shoulder bolt for back to back 3/4" glass door	2.33
H-6,P-set: 1/4-20 x 1-1/2" Shoulder bolt for 3/4" diameter back to back pulls	1.78
H-29, Insert: 1/4-20 Insert to convert shoulder bolt to thru bolt mounting	1.78

Optional Mounting Kits for Pulls - Net Price

NOTE—MOST MOUNTING KITS HAVE CHANGED EFFECTIVE 1-1-2013

A	11.79	WSK	15.75	WDCH	6.44
E	1.74	WD	5.24	A5H	16.48
SM	3.49	GD5	19.10	GS5H	8.19
SW	5.65	WDA	15.28	WS5H	10.10
SD	5.24	WDS	5.24	EX	5.05
WS	3.49	EH	3.49	AX1.25	16.75
WCD	5.24	AH	14.07	AX1.5	16.75
A5	14.07	SMH	5.24	A5X1.25	17.65
GS5	6.44	SWH	6.30	A5X1.5	20.20
WS5	8.85	SDH	6.44		
K	13.25	WSH	5.24		

See Our New Mounting Options online at:
<http://www.activarcpg.com/sites/default/files/products/TechnicalInformation/Mounting%20Options.jpg>

Hiawatha, Inc. List Prices Effective 3/15/2012

Stainless Steel US32D Corner Guards

EASED EDGES & ROUNDED CORNERS 1 END	No Holes or Tape	Countersunk Holes & Screws (H)	Applied Tape	Approx. Wt in Lbs.	EASED EDGES & ROUNDED CORNERS 1 END	No Holes or Tape	Countersunk Holes & Screws (H)	Applied Tape	Approx. Wt in Lbs.
18 Gauge Stainless Steel									
CGSS90-1.5E-48	◆ 55	64	69	2	CGSS135-1.5E-48	56	64	69	2.1
CGSS90-2E-48	◆ 66	75	79	2.8	CGSS135-2E-48	66	75	79	2.8
CGSS90-2.5E-48	◆ 75	84	89	3.5	CGSS135-2.5E-48	75	84	89	3.5
CGSS90-3E-48	◆ 85	94	99	4.2	CGSS135-3E-48	85	94	99	4.2
CGSS90-3.5E-48	◆ 95	104	108	4.9	CGSS135-3.5E-48	95	104	108	4.9

16 Gauge Stainless Steel - Heavy Duty Corner Guards

CGSH90-1.5E-48	63	72	76	2.5	CGSH90-3E-48	100	109	113	5.2
CGSH90-2E-48	75	84	89	3.5	CGSH90-3.5E-48	112	121	126	6.1
CGSH90-2.5E-48	88	97	101	4.4	CGSSU AND CGSH135: Call for Pricing				

◆ QUICK SHIP FROM MN AND CA - EASED EDGES, ROUNDED CORNERS 1 END, NO HOLES
 Orders of 25 or More - Call for Pricing & Delivery
 Corner Guards Available in Any Length up to 90 Inches, and in Custom Angles & Wings

Example: CGSS90-2.5E-48-H
 Example Custom: GGSS135-4.25-72-H
 Example Tape: CGSS90-1.5E-48
 GTAPPLY

US3, US4, US10 & US10B Corner Guards

EASED EDGES & ROUNDED CORNERS 1 END	Countersunk Holes & Screws (H)	Applied Tape	Call for Pricing on Other Sizes, Angles & Wings
CGSS90-2E-48.US3 or US4	122	137	
CGSS90-2E-48.US10 or 10B	136	153	
CGSS90-3E-48.US3 or US 4	166	180	
CGSS90-3E-48.US10 or 10B	184	198	

Door Edges - UL Listed

Mortise		US3 *	US4 *	US10 *	US10B *	US32D	US32DMS*
DE-1A 90° DE-2A 93°	1-42" Height	101	101	107	107	61	72
	43-66" Height	155	155	169	169	92	106
	67-96" Height	228	228	243	243	132	150
DE-3C 90° DE-5C 93°	1-42" Height	114	114	122	122	72	83
	43-66" Height	169	169	184	184	109	124
	67-96" Height	250	250	265	265	155	171
Non-Mortise							
DES-1A 90° DES-2A 93°	1-42" Height	101	101	107	107	61	72
	43-66" Height	155	155	169	169	92	106
	67-96" Height	228	228	243	243	132	150
DES-3C 90° DES-5C 93°	1-42" Height	114	114	122	122	72	83
	43-66" Height	169	169	184	184	109	124
	67-96" Height	250	250	265	265	155	171
DES-4C 90°	1-42" Height	132	132	139	139	90	101
	43-66" Height	197	197	212	212	137	152
	67-96" Height	294	294	307	307	197	226
Mortise - Overlapping							
DE-1AJ 90° DE-2AJ 93°	1-42" Height	114	114	122	122	72	83
	DE-3CJ 90° DE-5CJ 93°	129	129	136	136	86	98

Cutouts: Add \$11.00 for Each Cutout UL Rating Option: Add \$12.00 per edge and specify
 * Minimum Order Applies to These - Add 30% for orders of fewer than 10 pc.

Trim Protectors: US32D

TP1020	Trim Protector 3/8"x1-1/2"x 3-1/4" projection 12" L	103	TP1025	Exit Device Protector 3/8" x 1-1/2" x 3-1/4" projection 8-1/2" L	262
TP1021	Lever Handle Protector: 3/8"x1-1/2"x 3-1/4" projection 12" L	107	TP1026	Exit Device Protector. 3/8" x 1-1/2" x 4-1/2" projection 8-1/2" L	262
TP1023	Long Lever Protector 3/8"x1-1/2"x 3-1/4" projection 14" L	117			

Hiawatha, Inc. List Prices Effective 3/15/2012

Door Stops & Bumpers

		US3	US4	US10	US10B	US26D	US26	US32D	
9212T	Cast 2-1/2" x 1" Convex Wall Bumper	10	10	10	12	8	15	--	
9213T	Cast 2-1/2" x 1" Concave Wall Bumper	10	10	10	12	8	15	--	
9210T	Wrought 2-1/2" x 1" Convex Wall Bumper	4	4	5	4	4	4	3	
9211T	Wrought 2-1/2" x 1" Concave Wall Bumper	4	4	4	4	4	4	3	
9214	Wrought Concave Beveled Mt:	5	--	--	--	--	--	5	
9215	Cast Convex Beveled Mount	8	9	8	9	7	8	--	
Above Door Stops Include SMS & Plastic Toggle, WS & Plastic Anchor									
		US3	US4	US10	US10B	US26D	US26		
9105	4" Kick Down Door Stop (Zinc) 1-5/8" x 1-7/8"	Bright Brass, Bright Chrome or Dull Bronze - 8.00							
9120	5-3/8" Spring Loaded Plunger Stop 1-3/8" x 1-7/8"	39	39	39	39	30		41	
9113	4" Kick Down Door Stop Aluminum 2-1/16 x 1-3/8"	Painted Finishes 13.00							
9114	3-5/8" Decorative Kick Down Door Stop 2-1/4" x 1-1/4"	29	32	32	29	28		42	
9115	4-5/8" Decorative Kick Down Door Stop 2-1/4" x 1-1/4"	42	41	41	41	33		49	
9260	3-3/4" Stem 2-1/4" dia. with Plastic Anchor	31	31	31	32	24		35	
9260X	3-3/4" Stem w/1-3/4" Stud, Lead Anchor, SMS, Plastic Anchor	31	31	31	32	24		35	
9267	3-3/4" Stem 2-1/4" dia w/ Keeper 1" W x 1-3/4" H	55	44	44	48	32		55	
9267X	3-3/4" Stem 2-1/4" dia w/ Keeper 1" W x 1-3/4" H & 1-3/4", Stud, Lead Anchor, SMS, Plastic Anchor	56	44	44	48	32		56	

Door Stops - Solid Cast Brass - Floor

		US3	US4	US10	US10B	US15	US26D	US26
9310	1-1/8" Low Dome - 2" dia.	6	7	8	7	10	6	7
9310X	1-1/8" Low Dome - 2" dia. MS & Lead Anchor	7	7	8	7	9	7	7
9310XR	1-1/8" Low Dome with 3/8" Riser - 2" dia.	11	11	12	11	--	10	11
9320	1-1/2" High Dome Stop - 2" dia.	8	8	8	9	11	7	8
9320X	1-1/2" High Dome - 2" dia. MS & Lead Anchor	8	8	9	8	10	7	8
9300	Cast 3/8" x 2" Riser for Low Dome Stops	4	4	4	4	--	3	4
9360	3" Stem: 2-12" Base	25	30	30	32	--	25	35
9360X	3" Stem: 2-12" Base, SMS, Lead Anchor	25	30	30	32	--	25	35
9367	3-3/4" Stem: 2-12" Base w/Keeper 1"x1-3/4"	60	51	51	55	--	34	60
9367X	3-3/4" Stem: 2-12" Base w/Keeper, SMS, Lead Anchor	60	51	51	55	--	34	60
9380	1-5/8" Heavy Duty - Base 2-1/2" x 1-3/4"	28	27	27	28	--	24	34
9380X	1-5/8" Heavy Duty - Base 2-1/2" x 1-3/4" Lead Anchor	32	32	32	33	--	25	35
9390	2-1/4" Heavy Duty - Base 2-1/2" x 1-3/4"	32	31	31	32	--	27	39
9390X	2-1/4" Heavy Duty - Base 2-1/2" x 1-3/4" Lead Anchor	33	32	32	34	--	28	39
9330	2-1/8" Heavy Duty, - Base 1-1/2" x 2-1/2", Lead Anchor	23	27	27	25	--	23	31
9340	2-3/4" Heavy Duty - Base 1-5/8" x 2-5/8", Lead Anchor	26	28	28	27	--	25	32
9347	3" Heavy Duty Base 1-5/8" x 2-5/8" w/Keeper, Stud & Lead Anchor	43	39	39	40	--	33	44
Above Door Stops Supplied with Wood Screw & Plastic Anchor Unless Otherwise Noted. Exterior Mounting Optional								
9118	3" x 3" Heavy Duty - Cast brass w/Holder.	--	--	--	--	--	82	--
9119	3-3/16 D x 2" Heavy Duty - Stop, Screw Mounted	--	--	--	--	--	53	--

Door Stops - Flame Resistant, Heavy Duty

		US2C	US26/26D	US32D	Rubber	US3/4	US10/10B
9116	High Impact Bumper: Floor-Anchored W/grout	32	-	-	-	-	-
9117	High Impact Stop w/Replaceable Bumper: Floor-Anchored W/grout	-	52	42	-	52	52
9121	Heavy Duty Stop with Holder: Floor-Anchored W/Grout	-	-	-	29	-	-
9122	Heavy Duty Stop with Holder: Floor-Anchored W/Grout	-	-	-	22	-	-

PAGE 11

QUOTES@ACTIVARCPG.COM ORDERS@ACTIVARCPG.COM

800-554-6077

SALES@HIAWATHAINC.COM

WWW.HIAWATHAINC.COM

Hiawatha, Inc. List Prices Effective 3/15/2012

Overhead Holders & Stops - All New Product Line!!

Stop Only Models are UL Listed for Fire Doors Example: OH4103H.US32D		Door Opening		US32D
		Butts/Offsets	Pivots	
OH4103H	Heavy Duty Conc. - Hold Open	33-1/16"- 38"	36-1/16"- 41"	360
OH4104H	Heavy Duty Conc. - Hold Open	38-1/16"- 43"	41-1/16"- 46"	360
OH4103S	Heavy Duty Conc. - Stop Only	33-1/16"- 38"	36-1/16"- 41"	360
OH4104S	Heavy Duty Conc. - Stop Only	38-1/16"- 43"	41-1/16"- 46"	360
OH4203	Med. Duty Conc. - Multi-Function	30-1/16"- 36"	32-1/16"- 38-1/2"	150
OH4204	Med. Duty Conc. - Multi-Function	36-1/16"- 42"	38-9/16"- 45"	150
OH4003	Med. Duty Surface - Multi-Function	30-1/16"- 36"	32-1/16"- 38"	159
OH4004	Med. Duty Surface - Multi-Function	36-1/16"- 42"	38-1/16"- 45"	159
OH4903H	Heavy Duty Surface - Hold Open	33-1/16"- 38"	36-1/16"- 41"	321
OH4904H	Heavy Duty Surface - Hold Open	38-1/16"- 43"	41-1/16"- 46"	321
OH4903S	Heavy Duty Surface - Stop Only	33-1/16"- 38"	36-1/16"- 41"	321
OH4904S	Heavy Duty Surface - Stop Only	38-1/16"- 43"	41-1/16"- 46"	321

Other Finishes & Sizes Available Upon Request

Standard Architectural Finishes

Base Metal	Description	Hiawatha Code	BHMA
Brass	Polished Clear Coated	US3	605
Brass	Satin Clear Coated	US4	606
Brass	Satin Oxidized Relieved	US5	609
Brass	Satin Nickel Plated Clear Coated	US15	619
Brass	Satin Nickel Blackened Relieved Clear Coated	US15A	620
Brass	Polished Chrome Plated	US26	625
Brass	Satin Chrome Plated	US26D	626
Aluminum	Satin	US27	627
Aluminum	Clear Anodized	US28	628
Aluminum	Light Bronze Anodized	311	—
Aluminum	Medium Bronze Anodized	312	—
Aluminum	Dark Bronze Anodized	313	710
Aluminum	Extra Dark Bronze Anodized	314	—
Aluminum	Black Anodized	315	711
Bronze*	Polished Clear Coated	US9	611
Bronze	Satin Clear Coated	US10	612
Bronze	Satin Oxidized Oil Rubbed	US10B	613
Bronze	Satin Dark Statuary	US20A	624
Stainless Steel	Polished	US32	629
Stainless Steel	Satin	US32D	630
Special Finishes			
Stainless Steel	Satin Antimicrobial Coated	US32DMS	—
Stainless Steel	Polished Type 316 Alloy	US323SS	—
Stainless Steel	Satin Type 316 Alloy (High Performance)	US32DSS	—
Stainless Steel	PVD Polished Brass (High Performance)	LIFETIME SS	—
Brass	PVD Polished Brass (High Performance)	LIFETIME	—

* Solid bronze material, however, brass material may be used when bronze not available.

Dual texture finishes available for some pulls in US3/US4 or US32/US32D.