

ALARM CONTROLS CORPORATION MSRP PRICING 2014

MAGNETIC LOCK WITH U.S. 28 CLEAR ANODIZED FINISH

MODEL	
300S	300 POUND SINGLE DOOR MAGNETIC LOCK, 12 OR 24 VDC
600S	600 POUND SINGLE DOOR MAGNETIC LOCK, 12 OR 24 VDC, U.L. & U.LC
600D	600 POUND DOUBLE DOOR MAGNETIC LOCK, 12 OR 24 VDC, U.L. & U.L.C
600DLB	600 POUND DOUBLE DOOR MAGNETIC LOCK WITH INDICATIONG LED, BOND SENSOR & DOOR STATUS, 12 OR 24 VDC, U.L. & U.L.C
600L	600 POUND SINGLE DOOR MAGNETIC LOCK WITH INDICATING LED, 12 OR 24 VDC, UL & U.L.C
600LB	600 POUND SINGLE DOOR MAGNETIC LOCK WITH INDICATING LED AND BOND SENSOR, 12 OR 24 VDC, U.L. & U.L.C
600WP	600 POUND WEATHER-PROOF MAGNETIC LOCK, 12 OR 24 VDC
1200S	1200 POUND SINGLE DOOR MAGNETIC LOCK, 12 OR 24 VDC, U.L. & U.L.C
1200D	1200 POUND DOUBLE DOOR MAGNETIC LOCK WITH INDICATING LED, BOND SENSOR & DOOR STATUS SENSOR, 12 OR 24 VDC, U.L. & U.L.C
1200L	1200 POUND SINGLE DOOR MAGNETIC LOCK WITH INDICATING LED, 12 OR 24 VDC, UL & U.L.C
1200LB	1200 POUND SINGLE DOOR MAGNETIC LOCK WITH INDICATING LED, BOND SENSOR & DOOR STATUS SENSOR, 12 OR 24 VDC, U.L. & U.L.C
1200WP	1200 POUND WEATHER-PROOF MAGNETIC LOCK, 12 OR 24 VDC
600S - MASTER CARTON OF 10	
1200S - MASTER CARTON OF 4	

MAGNETIC LOCKS WITH US 40 DURONIC FINISH (DARK BRONZE)

MODEL	
600S DURO	600 POUND SINGLE DOOR MAGNETIC LOCK, 12 OR 24 VDC, US 40 DURONIC FINISH, UL & U.L.C
600D DURO	600 POUND DOUBLE DOOR MAGNETIC LOCK, 12 OR 24 VDC US 40 DURONIC FINISH UL & U.L.C
600DLB DURO	600 POUND DOUBLE LOCK W/BOND & DOOR STATUS SENSOR LED STATUS,DURONIC FINISH U.L. & U.L.C
600L DURO	600 POUND SINGLE DOOR MAGNETIC LOCK WITH INDICATING LED, 12 OR 24 VDC, US 40 DURONIC FINISH, U.L. & C.U.L.
600LB DURO	600 POUND SINGLE DOOR MAGNETIC LOCK WITH INDICATING LED & BOND SENSOR, & DOOR STATUS SENSOR 12 OR 24 VDC, US 40 DURONIC FINISH, U.L. & U.L.C
1200S DURO	1200 POUND SINGLE DOOR MAGNETIC LOCK, 12 OR 24 VDC, U.L. & U.L.C
1200D DURO	1200 POUND DOUBLE DOOR MAGNETIC LOCK, WITH INDICATING LED, BOND SENSOR & DOOR STATUS SENSOR, 12 OR 24 VDC, US 40 DURONIC FINISH, U.L. & U.L.C
1200L DURO	1200 POUND SINGLE DOOR MAGNETIC LOCK WITH INDICATING LED, 12 OR 24 VDC, US 40 DURONIC FINISH, U.L. & U.L.C
1200LB DURO	1200 POUND SINGLE DOOR MAGNETIC LOCK WITH INDICATING LED, BOND SENSOR & DOOR STATUS SENSOR, 12 OR 24 VDC, US 40 DURONIC FINISH, U.L. & U.L.C

LOCK N' BOX

MODEL	
LNB-6	600 POUND LOCK IN A BOX WITH DIGITAL KEYPAD, POWER SUPPLY AND TS-2
LNB-12	1200 POUND LOCK IN A BOX WITH DIGITAL KEYPAD POWER SUPPLY AND TS-2

MAGNETIC LOCK DRESS-UP COVERS

MODEL	
DUC-1B	600S MAGNETIC LOCK DRESS -UP COVER, POLISHED BRASS
DUC-1C	600S MAGNETIC LOCK DRESS -UP COVER, POLISHED CHROME
DUC-2B	600L MAGNETIC LOCK DRESS -UP COVER, POLISHED BRASS
DUC-2C	600L MAGNETIC LOCK DRESS -UP COVER, POLISHED CHROME
DUC-3B	600LB MAGNETIC LOCK DRESS -UP COVER, POLISHED BRASS
DUC-3C	600LB MAGNETIC LOCK DRESS -UP COVER, POLISHED CHROME
DUC-4B	600D MAGNETIC LOCK DRESS -UP COVER, POLISHED BRASS
DUC-4C	600D MAGNETIC LOCK DRESS -UP COVER, POLISHED CHROME
DUC-5B	600DLB MAGNETIC LOCK DRESS -UP COVER, POLISHED BRASS
DUC-5C	600DLB MAGNETIC LOCK DRESS -UP COVER, POLISHED CHROME
DUC-6B	1200S MAGNETIC LOCK DRESS -UP COVER, POLISHED BRASS
DUC-6C	1200S MAGNETIC LOCK DRESS -UP COVER, POLISHED CHROME
DUC-7B	1200L MAGNETIC LOCK DRESS -UP COVER, POLISHED BRASS
DUC-7C	1200L MAGNETIC LOCK DRESS -UP COVER, POLISHED CHROME
DUC-8B	1200LB MAGNETIC LOCK DRESS -UP COVER, POLISHED BRASS
DUC-8C	1200LB MAGNETIC LOCK DRESS -UP COVER, POLISHED CHROME
DUC-9B	1200D MAGNETIC LOCK DRESS -UP COVER, POLISHED BRASS
DUC-9C	1200D MAGNETIC LOCK DRESS -UP COVER, POLISHED CHROME

MOUNTING BRACKETS FOR MAGNETIC LOCKS

MODEL	
AM1500	ADDITIONAL HEADER PLATE FOR 300 SERIES MAGNETIC LOCK
AM2370	THREE PIECE Z BRACKET FOR 300S MAGNETIC LOCK
AM3300	1/2" MOUNTING PLATE FOR 600 SERIES SINGLE MAGNETIC LOCK
AM3301	1/2" x 1-1/8" x 8-1/4" SPACER FOR 600WP MAGNETIC LOCK
AM3305	5/8" MOUNTING PLATE FOR 600 SERIES SINGLE MAGNETIC LOCK
AM3310	ARMATURE HOUSING FOR ALL 600 SERIES MAGNETIC LOCKS FOR USE ON FREEZER AND THICK DOORS
AM3315	1/4" THICK ARMATURE SPACER FOR 600 SERIES DOUBLE MAGNETIC LOCKS
AM3320	L BRACKET FOR 600S, 600LB AND 600L 1" X 1.5"
AM3325	ADJUSTABLE ANGLE BRACKET FOR 600 SERIES SINGLE MAGNETIC LOCKS
AM3326	L BRACKET FOR 600D AND 600DLB MAGNETIC LOCK
AM3330	ADDITIONAL HEADER PLATE FOR ALL 600 SERIES SINGLE MAGNETIC LOCKS
AM3331	ADDITIONAL HEADER PLATE FOR ALL 600 SERIES DOUBLE MAGNETIC LOCKS
AM3332	1/2" MOUNTING PLATE FOR 600 SERIES DOUBLE MAGNETIC LOCKS
AM3333	COMPLETE HARDWARE KIT FOR 600S MAGNETIC LOCKS
AM3334	5/8" MOUNTING PLATE FOR 600 SERIES DOUBLE MAGNETIC LOCKS
AM3335	ARMATURE PLATE FOR 600 SERIES MAGNETIC LOCKS
AM3336	OFFSET ARMATURE PLATES FOR 600D DOUBLE MAGNETIC LOCK
AM3338	OFFSET ARMATURE PLATE FOR 600 SERIES MAGNETIC LOCK
AM3339	SPLIT ARMATURE PLATE, SET OF TWO WITH HARDWARE FOR 600 SERIES MAGNETIC LOCKS
AM3370	THREE PIECE Z BRACKET FOR ALL 600 SERIES SINGLE MAGNETIC LOCKS
AM3375	THREE PIECE Z BRACKET FOR ALL 600 SERIES DOUBLE MAGNETIC LOCKS
AM6300	1/2" MOUNTING PLATE FOR 1200 SERIES SINGLE MAGNETIC LOCK
AM6305	5/8" MOUNTING PLATE FOR 1200 SERIES SINGLE MAGNETIC LOCK
AM6310	ARMATURE HOUSING FOR ALL 1200 SERIES MAGNETIC LOCKS FOR USE ON FREEZER AND THICK DOORS
AM6320	ANGLE BRACKET FOR ALL 600 AND 1200 SERIES MAGNETIC LOCKS, 1 1/2" x 1"

AM6325	ADJUSTABLE ANGLE BRACKET FOR 1200 SERIES SINGLE MAGNETIC LOCKS
AM6326	L BRACKET FOR 1200D 1" X 1.5"
AM6330	ADDITIONAL HEADER PLATE FOR ALL 1200 SERIES SINGLE MAGNETIC LOCKS
AM6331	ADDITIONAL HEADER PLATE FOR ALL 1200D DOUBLE MAGNETIC LOCKS
AM6332	1/2" MOUNTING PLATE FOR 1200 SERIES DOUBLE MAGNETIC LOCKS
AM6333	COMPLETE HARDWARE KIT FOR 1200S MAGNETIC LOCK
AM6334	5/8" MOUNTING PLATE 1200 SERIES DOUBLE MAGNETIC LOCKS
AM6335	ARMATURE PLATE FOR 1200 SERIES MAGNETIC LOCKS
AM6336	OFFSET ARMATURE PLATES FOR 1200D DOUBLE MAGNETIC LOCK
AM6338	OFFSET ARMATURE PLATE FOR 1200 SERIES MAGNETIC LOCK
AM6339	SPLIT ARMATURE PLATE, SET OF TWO WITH HARDWARE FOR 1200 SERIES MAGNETIC LOCKS
AM6340	LONG ARMATURE BOLT FOR 600 AND 1200 SERIES MAGNETIC LOCKS, 8 x 50 MM, PKG. OF 5 EA.
AM6360	FILLER PLATE FOR ALL 600 AND 1200 SERIES MAGNETIC LOCKS, 10-1/2" x 3/4" x 5/8"
AM6361	FILLER PLATE FOR ALL 600 AND 1200 SERIES MAGNETIC LOCKS, 10.5" x 3/4" x .5/8"
AM6370	THREE PIECE Z BRACKET FOR ALL 1200 SERIES SINGLE MAGNETIC LOCKS
AM6375	THREE PIECE Z BRACKET FOR ALL 1200 SERIES DOUBLE MAGNETIC LOCKS
GDH	GLASS DOOR HOLDER FOR 600 AND 1200 POUND MAGNETIC LOCKS

MAGNETIC LOCK MOUNTING BRACKETS WITH U.S 40 DURONIC ANODIZED FINISH, (DARK BRONZE)

MODEL	
AM3300 DURO	1/2" MOUNTING PLATE FOR 600 SERIES SINGLE MAGNETIC LOCKS
AM3305 DURO	5/8" MOUNTING PLATE FOR 600 SERIES SINGLE MAGNETIC LOCKS
AM3320 DURO	L BRACKET FOR 600S, 600LB AND 600L 1" X 1.5"
AM3325 DURO	ADJUSTABLE ANGLE BRACKET FOR 600 SERIES SINGLE MAGNETIC LOCKS
AM3326 DURO	L BRACKET FOR 600D AND 600DLB MAGNETIC LOCK
AM3330 DURO	ADDITIONAL HEADER PLATE FOR ALL 600 SERIES SINGLE MAGNETIC LOCKS
AM3331 DURO	ADDITIONAL HEADER PLATE FOR ALL 600 SERIES DOUBLE MAGNETIC LOCKS
AM3332 DURO	1/2" MOUNTING PLATE FOR 600 SERIES DOUBLE MAGNETIC LOCKS
AM3334 DURO	5/8" MOUNTING PLATE FOR 600 SERIES DOUBLE MAGNETIC LOCKS
AM3370 DURO	THREE PIECE Z BRACKET FOR ALL 600 SERIES SINGLE MAGNETIC LOCKS
AM3375 DURO	THREE PIECE Z BRACKET FOR ALL 600 SERIES DOUBLE MAGNETIC LOCKS
AM6300 DURO	1/2" MOUNTING PLATE FOR 1200 SERIES SINGLE MAGNETIC LOCKS
AM6305 DURO	5/8" MOUNTING PLATE FOR 1200 SERIES SINGLE MAGNETIC LOCKS
AM6320 DURO	ANGLE BRACKET FOR ALL 600 & 1200 SERIES MAGNETIC LOCKS , 1-1/2" x 1"
AM6325 DURO	ADJUSTABLE ANGLE BRACKET FOR 1200 SERIES MAGNETIC LOCKS
AM6326 DURO	L BRACKET FOR 1200D 1" X 1.5"
AM6330 DURO	ADDITIONAL HEADER PLATE FOR ALL 1200 SERIES SINGLE MAGNETIC LOCKS
AM6331 DURO	ADDITIONAL HEADER PLATE FOR ALL 1200 SERIES DOUBLE MAGNETIC LOCKS
AM6332 DURO	1/2" MOUNTING PLATE FOR 1200 SERIES DOUBLE MAGNETIC LOCK
AM6360 DURO	FILLER PLATE FOR 600 & 1200 SERIES MAGNETIC LOCKS, 10-1/2" x 3/4" x 5/8"
AM6361 DURO	FILLER PLATE FOR 600 &1200 SERIES MAGNETIC LOCKS, 10-1/2" x 3/4" x 1/2"
AM6370 DURO	THREE PIECE Z BRACKET FOR 1200 SERIES SINGLE MAGNETIC LOCKS
AM6375 DURO	THREE PIECE Z BRACKET FOR 1200 SERIES DOUBLE MAGNETIC LOCKS

MAGNETIC LOCK AUDIO INDICATORS

MODEL	
JBS-1	AUDIO INDICATOR FOR 1200 SERIES MAGNETIC LOCKS
JBS-2	AUDIO INDICATOR FOR 600 SERIES MAGNETIC LOCKS

MAGNETIC LOCK INSTALLATION TOOLS

MODEL	
DJ-1	DESIGNED FOR ACCURATE INSTALLATION OF 600S & 1200S MAGNETIC LOCKS, 6" DRILL BIT INCLUDED
JN-1	JACKNUT TOOL KIT, ONE JACKNUT TOOL, ONE 25/64" DRILL BIT, FIFTY JACKNUTS AND SCREWS
JN-50	50 5MM JACKNUTS AND 50 5MM x .75" FLATEHEAD PHILLPS HEAD MACHINE SCREWS
DB-1	8.9 MM DRILL BIT FOR INSTALLING BRASS RIVET NUTS WHEN MOUNTING WEATHER-PROOF LOCKS

DOOR LOOPS

MODEL	
DL-1	18 INCHES LONG, .250 I.D., PLASTIC END CAPS, MOUNTING HARDWARE INCLUDED
DL-2	18 INCHES LONG, .375 I.D., METAL END CAPS, MOUNTING HARDWARE INCLUDED

REQUEST TO EXIT PUSH BAR

MODEL	
REB-1	35" LONG SATIN ALUMINUM PUSH BAR, TWO D.P.D.T. SWITCHES, DOOR LOOP INCLUDED
REB-1 DURO	35" LONG DARK BRONZE ALUMINUM PUSH BAR, TWO D.P.D.T. SWITCHES, DOOR LOOP INCLUDED

REQUEST TO EXIT INFRARED

MODEL	
SREX-100	ACTIVE FOCUSED INFRARED REQUEST TO EXIT

DIGITAL KEY PADS

MODEL	
KP-100	SELF-CONTAINED BACKLIT DIGITAL KEYPAD
KP-200	FLUSH MOUNT WEATHERPROOF DIGITAL KEYPAD
KP-300	MULLION MOUNT KEYPAD WITH CARD READER
KP-400	DIGITAL KEYPAD WEATHER-PROOF VANDAL RESISTANT WITH METAL BACK BOX

ELECTRIC STRIKES

MODEL	
AES-100	ELECTRIC STRIKE
AES-200	ELECTRIC STRIKE WITH MONITORING

POWER SUPPLIES

MODEL	
APS-300	POWER SUPPLY 12/24V 3/1.5 AMP W/CABINET 14X9X3.5 SUPERVISED BATTERY CHARGE
APS-300FT	APS-300 POWER SUPPLY IN 14X9 ENCLOSURE WITH EOL F FIRE RELAY
APS-3004C	APS-300 POWER SUPPLY IN 14X9 ENCLOSURE WITH 4 OUTPUTS
PDFT	FIRE RELAY MODULE
PD4C	POWER DISTRIBUTION MODULE 4 OUTPUT .75A PER CHANNEL

EGRESS STATIONS

MODEL

EB-1	LARGE 1½” RED MUSHROOM BUTTON, MOUNTED ON S.G.S.S. PLATE, “ <b>EXIT</b> ”,N/O, N/C MOM.10 AMP. CONTACTS
EB-2	LARGE 1½” RED MUSHROOM BUTTON, MOUNTED ON S.G.S.S. PLATE, “ <b>EXIT</b> ”, TWO N/O MOM.10 AMP. CONTACTS
EB-3	LARGE 1½” RED MUSHROOM BUTTON, MOUNTED ON S.G.S.S. PLATE, “ <b>EXIT</b> ”, TWO N/C MOM.10 AMP. CONTACTS
EB-4	LARGE 1½” RED MUSHROOM BUTTON, MOUNTED ON S.G.S.S. PLATE, “ <b>EXIT</b> ”, ONE N/C MOM.10 AMP. CONTACTS
EB-5	LARGE 1½” RED MUSHROOM BUTTON, MOUNTED ON S.G.S.S. PLATE, “ <b>EXIT</b> ”, ONE N/O MOM.10 AMP. CONTACTS

MOMENTARY PANIC STATIONS

MODEL	
PBM-1	LARGE 1½” RED MUSHROOM BUTTON, MOUNTED ON S.G.S.S. PLATE “ <b>EMERGENCY PUSH FOR HELP</b> ” MOMENTARY 10 AMP., N/O & N/C CONTACTS
PBM-2	LARGE 1½” RED MUSHROOM BUTTON, MOUNTED ON S.G.S.S. PLATE, “ <b>EMERGENCY PUSH FOR HELP</b> ” MOMENTARY 10 AMP., TWO N/O CONTACTS
PBM-3	LARGE 1½” RED MUSHROOM BUTTON, MOUNTED ON S.G.S.S. PLATE “ <b>EMERGENCY PUSH FOR HELP</b> ” MOMENTARY 10 AMP., TWO N/C CONTACTS
PBM-4	LARGE 1½” RED MUSHROOM BUTTON, MOUNTED ON S.G.S.S. PLATE “ <b>EMERGENCY PUSH FOR HELP</b> ” MOMENTARY 10 AMP.ONE N/C CONTACT
PBM-5	LARGE 1½” RED MUSHROOM BUTTON, MOUNTED ON S.G.S.S. PLATE, “ <b>EMERGENCY PUSH FOR HELP</b> ” MOMENTARY 10 AMP.ONE N/O CONTACT

LATCHING PANIC STATIONS

MODEL	
PBL-1	LARGE 1½” RED MUSHROOM BUTTON MOUNTED ON S.G.S.S. PLATE, “ <b>EMERGENCY PUSH FOR HELP</b> ” LATCHING 10 AMP. N/O, N/C CONTACTS
PBL-2	LARGE 1½” RED MUSHROOM BUTTON MOUNTED ON S.G.S.S. PLATE, “ <b>EMERGENCY PUSH FOR HELP</b> ” LATCHING 10 AMP. TWO N/O CONTACTS
PBL-3	LARGE 1½” RED MUSHROOM BUTTON MOUNTED ON S.G.S.S. PLATE, “ <b>EMERGENCY PUSH FOR HELP</b> ” LATCHING 10 AMP. TWO N/C CONTACTS
PBL-4	LARGE 1½” RED MUSHROOM BUTTON MOUNTED ON S.G.S.S. PLATE, “ <b>EMERGENCY PUSH FOR HELP</b> ” LATCHING 10 AMP.ONE N/C CONTACTS
PBL-5	LARGE 1½” RED MUSHROOM BUTTON MOUNTED ON S.G.S.S. PLATE, “ <b>EMERGENCY PUSH FOR HELP</b> ” LATCHING 10 AMP.ONE N/O CONTACTS

LATCHING KEY RESET PANIC STATIONS

MODEL	
KR-1	LARGE 1½” RED LATCHING MUSHROOM BUTTON W/ KEY RESET, “ <b>EMERGENCY PUSH FOR HELP</b> ” 10 AMP. N/O, N/C CONTACTS, MOUNTED ON STAINLESS STEEL SINGLE GANG PLATE
KR-2	LARGE 1½” RED LATCHING MUSHROOM BUTTON W/ KEY RESET, “ <b>EMERGENCY PUSH FOR HELP</b> ” LATCHING 10 AMP,TWO N/O CONTACTS, MOUNTED ON STAINLESS STEEL SINGLE GANG PLATE
KR-3	LARGE 1½” RED LATCHING MUSHROOM BUTTON W/ KEY RESET, “ <b>EMERGENCY PUSH FOR HELP</b> ” LATCHING 10 AMP,TWO N/C CONTACTS, MOUNTED ON STAINLESS STEEL SINGLE GANG PLATE
KR-4	LARGE 1½” RED LATCHING MUSHROOM BUTTON W/ KEY RESET, “ <b>EMERGENCY PUSH FOR HELP</b> ” LATCHING 10 AMP,ONE N/O CONTACT MOUNTED ON STAINLESS STEEL PLATE
KR-5	LARGE 1½” RED LATCHING MUSHROOM BUTTON W/ KEY RESET, “ <b>EMERGENCY PUSH FOR HELP</b> ” LATCHING 10 AMP, ONE N/C CONTACT MOUNTED ON STAINLESS STEEL PLATE
KR-1 KEY	REPLACEMENT KEY FOR KR-1

OPTIONS (ADD APPROPRIATE SUFFIX TO PART NUMBER FOR OPTION REQUIRED)

PLATE MATERIAL	SUFFIX
302 STAINLESS STEEL (WEATHER-PROOF)	1
WHITE SINGLE GANG	2
IVORY SINGLE GANG	3
RED SINGLE GANG	4
POLISHED BRASS SINGLE GANG	5
SATIN BRASS SINGLE GANG	6
SATIN BRONZE SINGLE GANG	7
1.75" NARROW 302 STAINLESS STEEL	8
1.75" NARROW RED	9
1.75" NARROW BRASS	10

ILLUMINATION	SUFFIX
6 VOLT AC/ DC, LONG LIFE LED	L1
12 VOLT AC/ DC, LONG LIFE LED	L2
24 VOLT AC/ DC, LONG LIFE LED	L3
120 VOLT AC, LONG LIFE	L4

PUSHBUTTON ACCESSORIES

GR	CHROME PLATE BRASS SHROUD
LUC	CLEAR LEXAN COVER FOR 1½" MUSHROOM BUTTON

VANDAL RESISTANT PUSH PLATES NARROW STYLE (1.75" WIDE)

MODEL	
PN1-111	S.P.D.T., MOMENTARY ACTION, <b><i>"PUSH TO EXIT"</i></b> , BLACK FILL, SATIN ALUMINUM
PN2-111	D.P.D.T., MOMENTARY ACTION, <b><i>"PUSH TO EXIT"</i></b> , BLACK FILL, SATIN ALUMINUM
PN5-111	PNEUMATIC TIME DELAY, ONE N/O AND ONE N/C CONTACT, <b><i>"PUSH TO EXIT"</i></b> , BLACK FILL, SATIN ALUMINUM

VANDAL RESISTANT PUSH PLATES T STYLE

MODEL	
PT1-111	S.P.D.T., MOMENTARY ACTION, <b><i>"PUSH TO EXIT"</i></b> , BLACK FILL, SATIN ALUMINUM
PT2-111	D.P.D.T., MOMENTARY ACTION, <b><i>"PUSH TO EXIT"</i></b> , BLACK FILL, SATIN ALUMINUM
PT5-111	PNEUMATIC TIME DELAY, ONE N/O AND ONE N/C CONTACT, <b><i>"PUSH TO EXIT"</i></b> , BLACK FILL, SATIN ALUMINUM

VANDAL RESISTANT PUSH PLATES SINGLE GANG STYLE

MODEL	
PS1-111	S.P.D.T., <b>MOMENTARY ACTION</b> , <b><i>"PUSH TO EXIT"</i></b> , BLACK FILL, SATIN ALUMINUM
PS2-111	D.P.D.T., <b>MOMENTARY ACTION</b> , <b><i>"PUSH TO EXIT"</i></b> , BLACK FILL, SATIN ALUMINUM
PS5-111	PNEUMATIC TIME DELAY, ONE N/O AND ONE N/C CONTACT, <b><i>"PUSH TO EXIT"</i></b> , BLACK FILL, SATIN ALUMINUM

OPTIONAL RED LED OPERATES ON 12 OR 24 VOLTS DC

1/4" RED LED WITH LEADS FOR PS, PN AND PT	MODELS OF VANDAL RESISTANT PUSH PLATES
---	--

OPTIONAL FINISHES FOR VANDAL RESISTANT PUSH PLATES MODELS PN1, PT1, PS1

1ST DIGIT AFTER MODEL NUMBER PN1-X	
1	CLEAR
2	BRONZE
3	BRASS
4	BLUE
5	BLACK
6	RED

OPTIONAL ENGRAVING FOR VANDAL RESISTANT PUSH PLATES MODELS PN1, PT1, PS1

2ND DIGIT AFTER MODEL NUMBER PN1-*X	
1	PUSH TO EXIT
2	PUSH TO OPERATE
3	PUSH TO OPEN
4	ADA SYMBOL
5	EMERGENCY DOOR RELEASE

OPTIONAL FILL FOR VANDAL RESISTANT PUSH PLATES MODELS PN1, PT1, PS1

3RD DIGIT AFTER MODEL NUMBER PN1-**X	
1	BLACK
2	RED
3	WHITE
4	BLUE

MOUNTING BOXES FOR VANDAL RESISTANT PUSH PLATES

MODEL	
SMB-1	SURFACE MOUNT BOX WITH TWO NORMALLY-OPEN TAMPER SWITCHES
SMB-1A	SURFACE MOUNT BOX WITH TWO NORMALLY-CLOSED TAMPER SWITCHES
SMB-3	NARROW SURFACE MOUNT BOX FOR 1-3/4" WIDE PLATES, US 28 CLEAR ANODIZED FINISH
SMB-3D	NARROW SURFACE MOUNT BOX FOR 1-3/4" WIDE PLATES, US 40 DURONIC FINISH, (DARK BRONZE)

EXIT RELEASE TIMER FOR VANDAL RESISTANT PUSH PLATES

MODEL	
MT-1	ADJUSTABLE TIME SETTING 2 TO 45 SECONDS, N/O TRIGGER, 12/24 VOLTS AC/DC

VANDAL RESISTANT PUSH PLATES DOUBLE GANG STYLE

MODEL	
PD1-111	S.P.D.T., MOMENTARY ACTION, <b><i>"PUSH TO EXIT"</i></b> , BLACK FILL, SATIN ALUMINUM
PD2-111	D.P.D.T., MOMENTARY ACTION, <b><i>"PUSH TO EXIT"</i></b> , BLACK FILL, SATIN ALUMINUM
PD5-111	PNEUMATIC TIME DELAY, ONE N/O & ONE N/C CONTACT, <b><i>"PUSH TO EXIT"</i></b> , SATIN ALUMINUM

OPTIONAL FINISHES FOR VANDAL RESISTANT DOUBLE GANG PUSH PLATES MODELS PD1, PD2, PD3, PD4, PD5  
1ST DIGIT AFTER MODEL NUMBER PD1-X

1	CLEAR
2	BRONZE
3	BRASS
4	BLUE
5	BLACK
6	RED

OPTIONAL ENGRAVING FOR VANDAL RESISTANT DOUBLE GANG PUSH PLATES MODELS PD1, PD2, PD3, PD4, PD5  
2ND DIGIT AFTER MODEL NUMBER PD1-\*X

1	PUSH TO EXIT
2	PUSH TO OPERATE
3	PUSH TO OPEN

OPTIONAL FILL FOR VANDAL RESISTANT DOUBLE GANG PUSH PLATES MODELS PD1, PD2, PD3, PD4, PD5  
3RD DIGIT AFTER MODEL NUMBER PD1-\*\*X

1	BLACK
2	RED
3	WHITE
4	BLUE

REQUEST TO EXIT STATIONS  
MODEL

TS-1	N/O, N/C 10 A. CONTACTS, 1-1/2" GREEN BUTTON, <b><i>"PUSH TO EXIT"</i></b> , RED, & GREEN LEDS, S.G., S.S PLATE
TS-2	U.L. 2" SQ.GREEN ILLUMINATED PUSHBUTTON, <b><i>"PUSH TO EXIT"</i></b> , S.P.D.T. 10 A. CONTACTS, S.G., S.S PLATE
TS-2SP	U.L. 2" SQ. GREEN ILLUMNATED PUSHBUTTON, <b><i>"PRESIONE PARA SALIR"</i></b> , 10A. CONTACTS, S.G, S.S PLATE
TS-3	U.L. 2" SQ.GREEN ILLUMINATED PUSHBUTTON, WITH ½" RED LED, S.P.D.T. 10 A.CONTACTS, <b><i>"PUSH TO EXIT"</i></b> , S.G. PLATE
TS-4	U.L. 2" SQ. BLUE ILLUMINATED PUSHBUTTON, ADA SYMBOL, S.P.D.T.10 A. CONTACTS, S.G., S.S PLATE
TS-5	U.L. 2" SQ. BLUE ILLUMINATED PUSHBUTTON, ADA SYMBOL, ½" RED LED, S.P.D.T.10 A. CONTACTS, S .G., S.S PL.
TS-6	U.L. 5/8" X 7/8" GREEN ILLUMINATED PUSHBUTTON, D.P.D.T. 3 A. CONTACTS, RED, GREEN LEDS, <b><i>"PUSH TO EXIT"</i></b> , <b><i>S.G</i></b>
TS-7	U.L. 5/8" " X 7/8" GREEN ILLUMINATED PUSHBUTTON, D.P.D.T. 3 A. CONTACTS, <b><i>"PUSH TO EXIT"</i></b> S.G., S.S PLATE
TS-8	U.L. 5/8" X 7/8" GREEN ILLUMINATED PUSHBUTTON, D.P.D.T. 3 A. CONTACTS, RED, GREEN LEDS, <b><i>"PUSH TO EXIT"</i></b> , 1¾" PL.
TS-9	U.L. 5/8 " X 7/8" GREEN ILLUMINATED PUSHBUTTON, D.P.D.T. 3 A. CONTACTS, <b><i>"PUSH TO EXIT"</i></b> , 1 ¾" S.S. PLATE
TS-27	1.5" DIA. GREEN PUSHBUTTON, 1 N/O, 1 N/C MOMENTARY SW., CONTACTS RATED 10 AMP <b><i>"PUSH TO EXIT"</i></b> , 1 ¾"S.S. PLATE
TS-27B	1.5" DIA BLACK PUSHBUTTON, 1 N/O, 1 N/C MOMENTARY SW., CONTACTS RATED 10A., <b><i>"PUSH TO EXIT", 1-3/4"S.S PLATE</i></b>
TS-27R	1.5" DIA RED PUSHBUTTON, 1 N/O, 1 N/C MOMENTARY SW., CONTACTS RATED 10A., <b><i>"PUSH TO EXIT"</i></b> , 1-3/4"S.S PLATE
TS-30	2" SQ. GREEN ILLUMINATED PUSHBUTTON, <b><i>"PUSH TO OPEN"</i></b> , S.P.D.T. 10 A. CONTACTS, S.G. PLATE
TS-36	1 1/2" DIA. RED MUSHROOM BUTTON, ENGRAVED <b><i>"EXIT"</i></b> , WHITE FILL, 1 N/O 1 N/C 10A. CONT. S.G. S.S.
TS-40	MEETS BOCA CODE, 2 TO 45 SECONDS. TIMED S.P.D.T. MOMENTARY CONTACTS, <b><i>"PUSH TO EXIT"</i></b> , S.G. PL.

VANDAL RESISTANT REQUEST TO EXIT STATIONS  
MODEL

TS-10	U.L. ¾" DIA.METAL PUSHBUTTON, D.P.D.T. 4 A. MOMENTARY CONTACTS, <b><i>"PUSH TO EXIT"</i></b> , RED, GREEN LEDS, S.G. S.S. PLA
TS-11	U.L. ¾" DIA.METAL PUSHBUTTON, D.P.D.T. 4 A. MOMENTARY CONTACTS, <b><i>"PUSH TO EXIT"</i></b> , RED, GREEN LEDS, 1 ¾" S.S. PLA
TS-12	U.L.¾" DIA.METAL PUSHBUTTON, D.P.D.T. 4 A. MOMENTARY CONTACTS, <b><i>"PUSH TO EXIT"</i></b> , S.G. S.S. PLATE
TS-13	U.L. ¾" DIA.METAL PUSHBUTTON, D.P.D.T. 4 A. MOMENTARY CONTACTS, <b><i>"PUSH TO EXIT"</i></b> , 1¾" S.S. PLATE
TS-23	WEATHER-PROOF, STATION, D.P.D.T. 4 A. MOMENTARY CONTACTS, <b><i>" PUSH TO ENTER"</i></b> , RATED TO IP65, S.G.S.S.

TWO SWITCH REQUEST TO EXIT STATIONS  
MODEL

TS-2-2	U.L. 2" SQ. GREEN ILLUMINATED PUSHBUTTON, <b><i>"PUSH TO EXIT"</i></b> , 2 S.P.D.T. 10 A. CONTACTS, S.G., S.S PLATE
TS-3-2	U.L. 2" SQ.GREEN ILLUMINATED PUSHBUTTON, WITH ½" RED LED, <b><i>"PUSH TO EXIT"</i></b> , 2 S.P.D.T. 10 A.CONTACTS, S.G., S.S PL
TS-4-2	U.L. 2" SQ. BLUE ILLUMINATED PUSHBUTTON, <b><i>"ADA SYMBOL"</i></b> , 2 S.P.D.T.10 A. CONTACTS, S.G., S.S PLATE
TS-5-2	U.L. 2" SQ. BLUE ILLUMINATED PUSHBUTTON., 1/2" RED LED, <b><i>"ADA SYMBOL"</i></b> TWO S.P.D.T 10A. CONTACTS, S.G, S.S PLATE

REQUEST TO EXIT STATIONS WITH BUILT-IN ADJUSTABLE 2 TO 45 SECOND TIMER  
MODEL

TS-2T	U.L. 2" SQ. GREEN ILLUMINATED P.B. WITH TIMER, S.P.D.T., 2 A. CONTACTS, <b><i>"PUSH TO EXIT"</i></b> SINGLE GANG STAINLESS STEEL WALLPLATE, 12/24 VOLTS AC/DC
TS-2TD	U.L. 2" SQ. GREEN ILLUMINATED P.B. WITH TIMER, D.P.D.T., 2A. CONTACTS, DUAL TIMED OUTPUT "PUSH TO EXIT" SINGLE GANG STAINLESS STEEL WALLPLATE, 12/24 VOLTS AC/DC
TS-3T	U.L. 2"SQ. GREEN ILLUMINATED P.B. WITH TIMER, S.P.D.T., 2 A. CONTACTS, <b><i>"PUSH TO EXIT"</i></b> , ½" RED LED SINGLE GANG STAINLESS STEEL WALLPLATE, 12/24 VOLTS AC/DC
TS-4T	U.L. 2" SQ. BLUE ILLUMINATED P.B. WITH TIMER, S.P.D.T., 2 A. CONTACTS, <b><i>"ADA SYMBOL"</i></b> , SINGLE GANG STAINLESS STEEL WALLPLATE, 12/24 VOLTS AC/DC
TS-5T	U.L. 2" SQ. BLUE ILLUMINATED P.B. WITH TIMER, S.P.D.T., 2 A. CONTACTS, <b><i>"ADA SYMBOL"</i></b> , ½" RED LED SINGLE GANG STAINLESS STEEL WALLPLATE, 12/24 VOLTS AC/DC
TS-7T	5/8" X 7/8" GREEN ILLUMINATED P.B. WITH S.P.D.T., 2A. CONTACTS, ADDITIONAL S.P.D.T. MOM. SWITCH

TS-9T	3 A. CONTACTS, <b>“PUSH TO EXIT”</b> , SINGLE GANG, STAINLESS STEEL WALLPLATE 5/8” X 7/8” GREEN ILLUMINATED P.B. WITH S.P.D.T., 2 A.CONTACTS, ADDITIONAL S.P.D.T. MOM. SWITCH, 3 A. CONTACTS, <b>“PUSH TO EXIT”</b> , 1¾”, STAINLESS STEEL WALLPLATE
-------	--

REQUEST TO EXIT STATIONS WITH TIMER AND ADDITIONAL MOMENTARY SWITCH

MODEL	
TS-2-2T	U.L. LISTED, SAME AS <b>TS-2T</b> WITH ADDITIONAL S.P.D.T. 10A CONT. MOMENTARY ACTION SWITCH
TS-3-2T	U.L. LISTED, SAME AS <b>TS-3T</b> WITH ADDITIONAL S.P.D.T. 10A CONT. MOMENTARY ACTION SWITCH
TS-4-2T	U.L. LISTED, SAME AS <b>TS-4T</b> WITH ADDITIONAL S.P.D.T. 10A. CONT MOMENTARY ACTION SWITCH
TS-5-2T	U.L. LISTED, SAME AS <b>TS-5T</b> WITH ADDITIONAL S.P.D.T. 10A CONT. MOMENTARY ACTION SWITCH

PNEUMATIC TIME DELAY STATIONS

MODEL	
TS-14	PNEUMATIC T.D., 1 N/O & 1 N/C CONTACT, 1-1/2" DIA. GREEN PUSHBUTTON, <b>"PUSH TO EXIT"</b> , S.G., S.S PL
TS-14R	PNEUMATIC T.D., 1 N/O & 1 N/C CONTACT, 1-1/2" DIA. RED PUSHBUTTON, <b>"PUSH TO EXIT"</b> , S.G., S.S PL
TS-14N	SAME AS TS-14 EXCEPT MOUNTED ON 1-3/4" SATINLESS STEEL PLATE
TS-14NR	SAME AS TS-14N EXCEPT RED PUSHBUTTON
TS-15	U.L. PNEUMATIC T.D., 1 N/O & 1 N/C CONTACT, 5/16" DIA. P.B., GUARD RING, <b>"PUSH TO EXIT"</b> , 1-3/4" S.S PL
TS-16	U.L. PNEUMATIC T.D., 1 N/O & 1 N/C CONTACT, 5/16" DIA. P.B., GUARD RING, <b>"PUSH TO EXIT"</b> , S.G., S.S PL
TS-21RPN	PNEUMATIC T.D., 1 N/O & 1N/C CONT., 2.5". RED P.B., "PUSH TO EXIT, S.G. S.S. PLATE

REMOTE AUDIBLE INDICATORS

MODEL	
TS-34	85 DB BUZZER, 3 TO 28 VDC, MOUNTED ON SINGLE GANG STAINLESS STEEL WALLPLATE
TS-34N	SAME AS TS-34 EXCEPT MOUNTED ON 1¾” STAINLESS STEEL WALLPLATE

LARGE 2-1/2" DIAMETER COLORED BUTTON STATIONS

MODEL	
TS-21R	1 N/O & 1 N/C 10A. MOMENTARY SWITCH, RED MUSHROOM, <b>"PUSH TO EXIT"</b> , S.G., S.S PLATE
TS-21G	SAME AS TS-21R EXCEPT GREEN MUSHROOM BUTTON
TS-21B	SAME AS TS-21R EXCEPT BLACK MUSHROOM BUTTON
TS-50	1 N/O & 1 N/C 10A. MOMENTARY SWITCH, RED MUSHROOM, <b>"EXIT"</b> , D.G., S.S PLATE
TS-50B	1 N/O & 1 N/C 10A. MOMENTARY SWITCH, BLACK MUSHROOM, <b>"EXIT"</b> , D.G., S.S PLATE
TS-50G	1 N/O & 1 N/C 10A. MOMENTARY SWITCH, GREEN MUSHROOM, <b>"EXIT"</b> , D.G., S.S PLATE

MORTISE CYLINDER STATIONS

MODEL	SINGLE POLE MOMENTARY ACTION (CYLINDER NOT SUPPLIED)
MCK-1	1-3/4" NARROW 302 S.S.PLATE, 4 AMP. <b>S.P.D.T. MOMENTARY</b> ACTION SW
MCK-2	1-3/4" NARROW 302 S.S. PLATE 4 AMP. <b>S.P.D.T. MOMENTARY</b> ACTION SW., GREEN LED
MCK-3	1-3/4" NARROW 302 S.S.PLATE 4 AMP. <b>S.P.D.T. MOMENTARY</b> ACTION SW., RED, GREEN LEDS
MCK-4 ♦	SINGLE GANG STAINLESS STEEL PLATE 4 AMP. <b>S.P.D.T. MOMENTARY</b> ACTION SW
MCK-5 ♦	SINGLE GANG STAINLESS STEEL PLATE 4 AMP. <b>S.P.D.T. MOMENTARY</b> ACTION SW, GREEN LED
MCK-6 ♦	SINGLE GANG STAINLESS STEEL PLATE 4 AMP. <b>S.P.D.T. MOMENTARY</b> ACTION SW, RED, GREEN LEDS

MORTISE CYLINDER STATIONS

MODEL	SINGLE POLE ALTERNATE ACTION (CYLINDER NOT SUPPLIED)
MCK-1-2	1-3/4" NARROW 302 S.S.PLATE 4 AMP. <b>S.P.D.T. ALTERNATE</b> ACTION SW
MCK-2-2	1-3/4" NARROW 302 S.S.PLATE 4 AMP. <b>S.P.D.T. ALTERNATE</b> ACTION SW, GREEN LED
MCK-3-2	1-3/4" NARROW 302 S.S.PLATE 4 AMP. <b>S.P.D.T. ALTERNATE</b> ACTION SW, RED, GREEN LEDS
MCK-4-2 ♦	SINGLE GANG STAINLESS STEEL PLATE 4 AMP. <b>S.P.D.T. ALTERNATE</b> ACTION SW
MCK-5-2 ♦	SINGLE GANG STAINLESS STEEL PLATE 4 AMP. <b>S.P.D.T. ALTERNATE</b> ACTION SW., GREEN LED
MCK-6-2 ♦	SINGLE GANG STAINLESS STEEL PLATE 4 AMP. <b>S.P.D.T. ALTERNATE</b> ACTION SW, RED, GREEN LEDS

MORTISE CYLINDER STATIONS

MODEL	DOUBLE POLE MOMENTARY ACTION (CYLINDER NOT SUPPLIED)
MCK-1-3	1-3/4" NARROW 302 S.S. PLATE 4 AMP. <b>D.P.D.T. MOMENTARY</b> ACTION SW
MCK-2-3	1-3/4" NARROW 302 S.S.PLATE 4 AMP. <b>D.P.D.T. MOMENTARY</b> ACTION SW, GREEN LED
MCK-3-3	1-3/4" NARROW 302 S.S.PLATE 4 AMP. <b>D.P.D.T. MOMENTARY</b> ACTION SW, RED, GREEN LEDS
MCK-4-3 ♦	SINGLE GANG STAINLESS STEEL PLATE 4 AMP. <b>D.P.D.T. MOMENTARY</b> ACTION SW
MCK-5-3 ♦	SINGLE GANG STAINLESS STEEL PLATE 4 AMP. <b>D.P.D.T. MOMENTARY</b> ACTION SW, GREEN LED
MCK-6-3 ♦	SINGLE GANG STAINLESS STEEL PLATE 4 AMP. <b>D.P.D.T. MOMENTARY</b> ACTION SW, RED, GREEN LEDS

MORTISE CYLINDER STATIONS

MODEL	DOUBLE POLE ALTERNATE ACTION (CYLINDER NOT SUPPLIED)
MCK-1-4	1-3/4" NARROW 302 S.S. PLATE 4 AMP. <b>D.P.D.T. ALTERNATE</b> ACTION SW
MCK-2-4	1-3/4" NARROW 302 S.S. PLATE 4 AMP. <b>D.P.D.T. ALTERNATE</b> ACTION SW, GREEN LED
MCK-3-4	1-3/4" NARROW 302 S.S.PLATE 4 AMP. <b>D.P.D.T. ALTERNATE</b> ACTION SW, RED, GREEN LEDS
MCK-4-4 ♦	SINGLE GANG STAINLESS STEEL PLATE 4 AMP. <b>D.P.D.T. ALTERNATE</b> ACTION SW
MCK-5-4 ♦	SINGLE GANG STAINLESS STEEL PLATE 4 AMP. <b>D.P.D.T. ALTERNATE</b> ACTION SW, GREEN LED
MCK-6-4 ♦	SINGLE GANG STAINLESS STEEL PLATE 4 AMP. <b>D.P.D.T. ALTERNATE</b> ACTION SW, RED, GREEN LEDS

PNEUMATIC TIME DELAY MORTISE CYLINDER STATION (CYLINDER NOT SUPPLIED)

MODEL	
MCK-4-5 ♦	SINGLE GANG STAINLESS STEEL PLATE WITH ADJUSTABLE <b>PNEUMATIC TIME DELAY</b> , 2 SEC. TO 60 SEC., NO POWER REQUIRED, N/O, N/C CONTACTS RATED 10 AMP.
MCK-5-5 ♦	SINGLE GANG STAINLESS STEEL PLATE WITH ADJUSTABLE <b>PNEUMATIC TIME DELAY</b> , 2 SEC. TO 60 SEC., NO POWER REQUIRED, N/O AND N/C CONTACTS RATED 10 AMP., GREEN LED
MCK-6-5 ♦	SINGLE GANG STAINLESS STEEL PLATE WITH ADJUSTABLE <b>PNEUMATIC TIME DELAY</b> , 2 SEC. TO 60 SEC., NO POWER REQUIRED, N/O AND N/C CONTACTS RATED 10 AMP., RED, GREEN LEDS



WEATHER- PROOF MORTISE CYLINDER STATION

◆ ADD SUFFIX WP TO MODEL NUMBER, INCLUDES WEATHER-PROOF COVER & SURFACE MOUNT BACK BOX, PRICE ADDER

MORTISE CYLINDERS

MODEL	
CY-1	MORTISE CYLINDER, KEYED DIFFERENT, WITH TWO KEYS
CY-1A	MORTISE CYLINDER, KEYED ALIKE, WITH TWO KEYS
ADDITIONAL KEYS 3.65 EACH MASTER KEYING AVAILABLE	

ADDITIONAL SWITCHES FOR MORTISE CYLINDER KEYSWITCH STATIONS

MODEL	
SW-1	S.P.D.T. MOMENTARY ACTION, RATED 4 AMP. @ 28VDC
SW-2	S.P.D.T. ALTERNATE ACTION, RATED 4 AMP. @ 28VDC
SW-3	D.P.D.T. MOMENTARY ACTION, RATED 4 AMP. @ 28VDC
SW-4	D.P.D.T. ALTERNATE ACTION SWITCH, RATED 4 AMP. @ 28 VDC

5.5 INCH SQUARE JUMBO PUSH PLATES “PRESS TO EXIT”

MODEL	
JP1-1	S.P.D.T., MOMENTARY ACTION, RATED 4A. @ 30 VDC, 302 SATIN STAINLESS STEEL PLATE
JP1-2	D.P.D.T., MOMENTARY ACTION, RATED 4A. @ 30 VDC, 302 SATIN STAINLESS STEEL PLATE
JP1-3	S.P.D.T., LATCHING ACTION, RATED 4A. @ 30 VDC, 302 SATIN STAINLESS STEEL PLATE
JP1-4	D.P.D.T., LATCHING ACTION, RATED 4A. @ 30 VDC, 302 SATIN STAINLESS STEEL PLATE
JP1-5	PNEUMATIC TIME DELAY, ONE N/O & ONE N/C CONTACT, RATED 10A. @ 120 VOLTS, 302 S.S PLATE

5.5 INCH SQUARE JUMBO PUSH PLATES “PRESS TO OPEN” ADA SYMBOL

MODEL	
JP2-1	S.P.D.T., MOMENTARY ACTION, RATED 4A. @ 30 VDC, BLUE PLATE
JP2-2	D.P.D.T., MOMENTARY ACTION, RATED 4A. @ 30 VDC, BLUE PLATE
JP2-3	S.P.D.T., LATCHING ACTION, RATED 4A. @ 30 VDC, BLUE PLATE
JP2-4	D.P.D.T., LATCHING ACTION, RATED 4A. @ 30 VDC, BLUE PLATE
JP2-5	PNEUMATIC TIME DELAY, ONE N/O & ONE N/C CONTACT, RATED 10A. @ 120 VOLTS, BLUE PLATE

5.5 INCH SQUARE JUMBO PUSH PLATES “PRESS TO OPERATE DOOR”

MODEL	
JP3-1	S.P.D.T., MOMENTARY ACTION, RATED 4A. @ 30 VDC, 302 SATIN STAINLESS STEEL PLATE
JP3-2	D.P.D.T., MOMENTARY ACTION, RATED 4A. @ 30 VDC, 302 SATIN STAINLESS STEEL PLATE
JP3-3	S.P.D.T., LATCHING ACTION, RATED 4A. @ 30 VDC, 302 SATIN STAINLESS STEEL PLATE
JP3-4	D.P.D.T., LATCHING ACTION, RATED 4A. @ 30 VDC, 302 SATIN STAINLESS STEEL PLATE
JP3-5	PNEUMATIC TIME DELAY, ONE N/O & ONE N/C CONTACT, RATED 10A. @ 120 VOLTS, 302 S.S PLATE

TIMERS

MODEL	
MT-1	MINI ONE SHOT, ADJUSTABLE TIME SETTINGS FROM 2 TO 45 SEC., N/O TRIGGER, 12 OR 24 VOLTS AC/DC
T-7P	7 DAY PROGRAMMABLE DIGITAL MULTI-EVENT TIMER, 12 TO 24 VOLTS AC/DC
UT-1	PROGRAMMABLE DIGITAL TIMER, 12 VOLTS DC
UT-1 24 V	PROGRAMMABLE DIGITAL TIMER, 24 VOLTS DC

EXPLOSION-PROOF REQUEST TO EXIT STATIONS FOR HAZORDOUS LOCATIONS

MODEL	
EXP-1	N/O & N/C MOMENTARY SWITCH, CLASS I & II, DIVISION I & II, GROUP B, C, D, E, F & G, NEMA 7 & 8
EXP-2	N/O & N/C LATCHING SWITCH, CLASS I & II, DIVISION I & II, GROUP B, C, D, E, F & G, NEMA 7 & 8

ZONE ANNUNCIATOR

MODEL	
ZA-8N	EIGHT ZONE ANNUNCIATOR
ZP-8AN	EIGHT ZONE ANNUNCIATOR PLATE FOR ZA-8

ZONE ANNUNICATOR/CONTROLLER

MODEL	
ZAC-32	ZONE ANNUNICATOR/CONTROLLER W/ REMOTE DESKTOP ANNUNCIATOR, BATTERY & TRANSFORMER
ZAC-32S	SAME AS ABOVE EXCEPT WITH SUPERVISED ZONES
ZAC-32R	ZONE ANNUNCIATOR/CONTROLLER WITH RACK MOUNTED ANNUNCIATOR, BATTERY & TRANSFORMER
ZAC-32RS	SAME AS ABOVE EXCEPT WITH SUPERVISED ZONES
ZAR-32	ADDITIONAL 32 ZONE DESK TOP ANNUNCIATOR
ZAR-32R	ADDITIONAL 32 ZONE RACK MONTED ANNUNCIATOR

UNDER COUNTER/DESK DOOR RELEASES

MODEL	
TS-17	SURFACE MOUNTED PUSHBUTTON SWITCH, KEY CONTROLLED, ONE N/O & ONE N/C 10A. CONTACT
TS-18	SURFACE MOUNTED MOMENTARY PUSHBUTTON WITH GUARD RING, S.P.D.T. 4A. CONTACTS
TS-20	2" x 3" x 2" SURFACE MOUNTED BOX WITH S.P.D.T. 4A. CONTACTS, ALTERNATE ACTION SWITCH

DELAYED EGRESS STATION

MODEL	
DE-1	TWO SEC. NUISANCE DELAY, S.P.D.T. TIMED CONTACTS, KEYSWITCH RESET & RE-LOCK, 12 OR 24 VDC, COUNTDOWN BUZZER & FLASHING LAMP DURING TIMING MODE, MOUNTED ON TWO GANG S.S PLATE

EMERGENCY DOOR RELEASES

MODEL	
TS-25	S.P.D.T. 3 A. ILLUMINATED ALTERNATE ACTION PUSHBUTTON, W/ BUZZER, “EMERGENCY DOOR RELEASE ALARM WILL SOUND”, MOUNTED ON SINGLE GANG STAINLESS STEEL PLATE
TS-26	S.P.D.T. 3 A. ILLUMINATED ALTERNATE ACTION PUSHBUTTON, W/ BUZZER, “EMERGENCY DOOR RELEASE ALARM WILL SOUND”, MOUNTED ON 1½” STAINLESS STEEL PLATE
TS-32	ONE N/O & ONE N/C LATCHING CONTACT, “EMERGENCY DOOR RELEASE”, 1.2“ RED MUSHROOM BUTTON
TS-32B	SAME AS TS-32 EXCEPT BLUE MUSHROOM BUTTON
TS-32G	SAME AS TS-32 EXCEPT GREEN MUSHROOM BUTTON

DOOR CONTROL PANELS, 19 INCH RACK MOUNT

MODEL	
R-2	1-3/4" WIDE RACK PANEL, BLACK SATIN FINISH, MAX 18 SWITCHES, ADD SWITCH PRICE TO PANEL
R-3	3-1/2" WIDE RACK PANEL, BLACK SATIN FINISH, MAX. 36 SWITCHES, ADD SWITCH PRICE TO PANEL
R-6	5-1/2" WIDE RACK PANEL, BLACK SATIN FINISH, MAX. 72 SWITCHES, ADD SWITCH PRICE TO PANEL

DESKTOP CONSOLES (BEIGE COLOR)

MODEL	
M-1	SMALL CONSOLE ACCEPTS FROM 1 TO 4 SWITCHES, ADD PRICE OF EACH SWITCH TO PRICE OF CONSOLE
M-2	MEDIUM CONSOLE ACCEPTS FROM 4 TO 15 SWITCHES, ADD PRICE OF EACH SWITCH TO PRICE OF CONSOLE
M-3	LARGE CONSOLE ACCEPTS UP TO 40 SWITCHES, ADD PRICE OF EACH SWITCH TO PRICE OF CONSOLE
WALLPLATE	PRICE PER GANG, (ADD PRICE OF EACH SWITCH TO PRICE OF WALLPLATE)

DOOR CONTROL SWITCHES

MODEL	
DSW-1	S.P.D.T. ,MOMENTARY CONTACT, RATED 3A. @ 35 VDC, WITH COLORED PUSHBUTTON
DSW-2	S.P.D.T., ALTERNATE ACTION, RATED 3A. @ 35 VDC, WITH COLORED PUSHBUTTON
DSW-3	D.P.D.T., MOMENTARY CONTACT, RATED 3A. @ 35 VDC, WITH COLORED PUSHBUTTON
DSW-4	D.P.D.T., ALTERNATE ACTION, RATED 3A. @ 35 VDC, WITH COLORED PUSHBUTTON
	<b>DSW-3 &amp; DSW-4 SWITCHES LIMITED TO TWO SWITCHES PER M-1 CONSOLE</b>
	<b>SPECIFY CHOICE OF TOP COLOR RED, GREEN, YELLOW, BLUE, WHITE</b>
	<b>PRICE ADDER FOR ILLUMINATION IS 5.75 PER SWITCH</b>
	<b>PRICE ADDER FOR KEYSWITCH LOCKOUT IS 57.25</b>
	<b>CUSTOM LEGENDS AVAILABLE FOR 5.00 EACH</b>
	<b>PRICE ADDER FOR BUZZER IS 38.50</b>

CONTROL PANELS

MODEL	
6131NT	BURGLARY ONLY, ENTRY/EXIT DELAY, REMOTE ARMING, BATTERY AND TRANSFORMER NOT INCLUDED

CONTROL PANEL ACCESSORIES

MODEL	
4152KS	KILLSWITCH, 10 A. D.P.S.T. TOGGLE SWITCH, WIRE LEADS, CABINET MOUNTING BRACKET
CL-3	CAMLOCK WITH 2 KEYS
CL-3 (50)	CAMLOCK 2 KEYS PKG. OF 50

TERMINAL EXPANDERS

MODEL	
TX - 6	EXPANDS TWO TERMINALS TO SIX TERMINALS
TX-12	EXPANDS TWO TERMINALS TO TWELVE TERMINALS

SWITCHES

MODEL	
K-5 (25)	NORMALLY-CLOSED PUSHBUTTON FOR OPEN CIRCUIT, <b>PACKAGE OF 25</b>
K-13 (25)	NORMALLY-OPEN PUSHBUTTON FOR CLOSED CIRCUIT, <b>PACKAGE OF 25</b>
10C (25)	GUARD RING FOR K-5 AND K-13 SWITCHES, <b>PACKAGE OF 25</b>
450 (25)	NORMALLY-OPEN FLUSH IVORY PUSHBUTTON, <b>PACKAGE OF 25</b>
FA-200 (50)	D.P.D.T. INDICATING SHUNT SWITCH, <b>PACKAGE OF 50</b>

KEYSWITCHES

MODEL	
KA-105	ON/OFF KEYSWITCH, KEY REMOVABLE IN ON POSITION ONLY, ACE LOCK, ROUND KEY
KA-105A	ON/OFF KEYSWITCH, KEY REMOVABLE IN ON POSITION ONLY, ACE LOCK, ROUND KEY, KEYED ALIKE
KA-106	ON/OFF KEYSWITCH, KEY REMOVABLE IN OFF POSITION ONLY, ACE LOCK, ROUND KEY
KA-106A	ON/OFF KEYSWITCH, KEY REMOVABLE IN OFF POSITION ONLY, ACE LOCK, ROUND KEY, KEYED ALIKE
KA-107	MOMENTARY KEYSWITCH, KEYED DIFFERENT, TWO KEYS, ACE LOCK, ROUND KEY
KA-107A	MOMENTARY KEYSWITCH, KEYED ALIKE, TWO KEYS, ACE LOCK, ROUND KEY
KA-107C	ON/OFF KEYSWITCH, KEY REMOVABLE IN OFF POSITION ONLY, ACE LOCK, ROUND KEY
KA-108	ON/OFF KEYSWITCH, KEY DIFFERENT, TWO KEYS, ACE LOCK, ROUND KEY
KA-108A	ON/OFF KEYSWITCH, KEYED ALIKE, TWO KEYS, ACE LOCK, ROUND KEY
KA-109	ON/OFF KEYSWITCH, KEYED DIFFERENT, SINGLE BITTED FLAT KEY, TWO KEYS
KA-109A	ON/OFF KEYSWITCH, KEYED ALIKE, SINGLE BITTED FLAT KEY, TWO KEYS (MINIMUM 25 PCS.)
KA-110	MOMENTARY KEYSWITCH, KEYED DIFFERENT, SINGLE BITTED FLAT KEY, TWO KEYS
KA-110A	MOMENTARY KEYSWITCH, KEYED ALIKE, SINGLE BITTED FLAT KEY, TWO KEYS
KA-111	S.P.D.T. KEYSWITCH, KEYED DIFFERENT, DOUBLE BITTED FLAT KEY, TWO KEYS
KA-111A	S.P.D.T. KEYSWITCH, KEYED ALIKE, DOUBLE BITTED FLAT KEY, TWO KEYS

RELAY BASES

MODEL	
8007	RELAY BASE, ACCEPTS 8012 & 8024 RELAYS
8007S	SENSITIVE RELAY BASE, OPERATES ON 1 MA., ACCEPTS 8012 & 8024 RELAYS

HI CURRENT RELAYS



MODEL	
3012	HIGH CURRENT RELAY, 30A. CONTACTS, S.P.D.T., 12 VOLT AC/DC COIL
3024	HIGH CURRENT RELAY, 30 A. CONTACTS, S.P.D.T., 24 VOLT AC/DC COIL

SNAP-A-PART RELAY MODULES

MODEL	
7006	QUAD SNAP-A-PART RELAY MODULE, D.P.D.T. 5A. @ 28 VDC CONTACTS, 6 VOLT DC COIL
7012	QUAD SNAP-A-PART RELAY MODULE, D.P.D.T. 5A. @ 28 VDC CONTACTS, 12 VOLT DC COIL
7024	QUAD SNAP-A-PART RELAY MODULE, D.P.D.T. 5A. @ 28 VDC CONTACTS, 24 VOLT DC COIL

PLUG-IN RELAYS

MODEL	
8006	PLUG-IN RELAY, D.P.D.T. 2A. @ 28 VDC CONTACTS, 6 VOLT DC COIL
8012	PLUG-IN RELAY, D.P.D.T. 2A. @ 28 VDC CONTACTS, 12 VOLT DC COIL
8024	PLUG-IN RELAY, D.P.D.T. 2A. @ 28 VDC CONTACTS, 24 COLTS DC COIL

COMBINATION RELAY PACKAGE

MODEL	
9006	COMBINATION PKG., 8006 RELAY, 6 VOLT DC COIL, RELAY BASE, FOAM TAPE, SNAPTRACK
9012	COMBINATION PKG., 8012 RELAY, 12 VOLT DC COIL, RELAY BASE, FOAM TAPE, SNAPTRACK
9024	COMBINATION PKG., 8024 RELAY, 24 VOLT DC COIL, RELAY BASE, FOAM TAPE, SNAPTRACK

RELAY ACCESSORIES

MODEL	
SNAP	SNAPTRACK FOR 3000, 7000, 8000 MODELS, PACKAGE OF 12 PIECES
RLC	RELAY HOLD DOWN CLIP FOR 8006, 8012, 8024 RELAY, <b>25 PER PACKAGE</b>

REMOTE STATION PLATES

MODEL	
RP-1	
RP-2	
RP-3	
RP-3M	
RP-4	
RP-5	
RP-6	
RP-7	
RP-8	
RP-9	
RP-9L	1/2" LED
RP-20	PKG OF 5
RP-21	PKG OF 5
RP-22	PKG OF 5
RP-23	PKG OF 5
RP-24	
RP-25	
RP-26	
RP-26SL	SLIM
RP-26A	N/C P.B.
RP-26ASL	SLIM N/C P.B.
RP-27	
RP-28	
RP-28B	BI-COLOR
RP-28F	FLASHING
RP-28L	1/2" LED
RP-29	
RP-29L	1/2" LED
RP-30	
RP-30L	1/2" LED
RP-33	
RP-35	
RP-44	
RP-44SL	SLIM
RP-45	
RP-46	
RP-46P/F/M	
RP-47	
RP-48	
RP-49	
RP-50	
RP-100	

MINI REMOTE PLATES

MODEL	
MP-20	“D” HOLE FOR KEYSWITCH, CHROME PLATED BRASS MINI-PLATE
MP-21	KEYSWITCH PLATE FOR MEDICO LOCK, CHROME PLATED BRASS MINI- PLATE
MP-26	N/O MOMENTARY PUSHBUTTON WITH GUARD RING, CHROME PLATED BRASS MINI-PLATE PLATE
MP-26A	N/C MOMENTARY PUSHBUTTON WITH GUARD RING, CHROME PLATED BRASS MINI-PLATE
MP-28	RED LED, 12/24 VDC, CHROME PLATED BRASS MINI-PLATE PLATE
MP-28L	LARGE ½” RED LED, 12/24 VDC, CHROME PLATED BRASS MINI-PLATE PLATE
MP-29	GREEN LED, 12/24 VDC, CHROME PLATED BRASS MINI-PLATE PLATE
MP-29L	LARGE ½” GREEN LED, 12/24 VDC, CHROME PLATED BRASS MINI-PLATE PLATE
MP-44	FA-200 INDICATING SHUNT SWITCH, CHROME PLATED BRASS MINI-PLATE PLATE

WEATHER-PROOF REMOTE PLATES

MODEL	
WP-4	RED, GREEN LEDS, 12/24 VOLT DC, “D” HOLE FOR KEYSWITCH, METAL COVER
WP-6	RED, GREEN LEDS, 12/24 VOLT DC, MEDICO LOCK HOLE FOR KEYSWITCH, METAL COVER

BUZZERS

MODEL	
PA-100	PIEZOALERT, 85Db @ 3 FEET, 3 TO 24 VDC, MOUNTS IN RP-23 PLATE
PA-200	CHIME TONE, 85Db @ 3 FEET, 12 OR 24 VDC, MOUNTS IN 1" HOLE

<b>PA-300</b>	TWO TONE PEIZO BUZZER 3-28VDC
<b>LA32</b>	PULSING OR STEADY SOUND, 80DB SOUND LEVEL, 12 OR 24 AC/DC, MOUNTS IN 5/8" HOLE
<b>SC628</b>	SONALERT 72 Db SOUND LEVEL, 6 TO 28 VDC,MOUNTS IN RP-22 PLATE
<b>TS-41</b>	SOLALERT MOUNTED ON SINGLE GANG STAINLESS STEEL WALLPLACE
<b>TS-42</b>	LA32 THREE TONE BUZZER MOUNTED ON SINGLE GANG STAINLESS STEEL WALLPLATE

**LEDS**  
**MODEL**

<b>LDR</b>	RED LED, BUILT-IN RESISTOR, 6" LEADS, 12/24 VOLTS DC, PACKAGE OF 10 EACH
<b>LDG</b>	GREEN LED, BUILT-IN RESISTOR, 6" LEADS, 12 /24 VOLTS DC, PACKAGE OF 10 EACH
<b>LDY</b>	YELLOW LED, BUILT-IN RESISTOR, 6" LEADS, 12/24 VOLTS DC, PACKAGE OF 10 EACH
<b>LDRB</b>	RED BI-COLOR LED. BUILT-IN RESISTOR, 6" LEADS, 12/24 VOLTS DC, PACKAGE OF 10 EACH
<b>LDRF</b>	RED FLASHING LED. BUILT-IN RESISTOR, 6" LEADS, 12/24 VOLTS DC, PACKAGE OF 10 EACH
<b>LDR-L</b>	LARGE ½" RED LED, BUILT-IN RESISTOR, 6" LEADS, 12/24 VOLTS DC, PACKAGE OF 10 EACH
<b>LDG-L</b>	LARGE ½" GREEN LED, BUILT-IN RESISTOR, 6" LEADS, 12/24 VOLTS DC, PACKAGE OF 10 EACH
<b>LDY-L</b>	LARGE ½" YELLOW LED, BUILT-IN RESISTOR, 6" LEADS, 12/24 VOLTS DC, PACKAGE OF 10 EACH

**WALLPLATE MOUNTING BOXES**  
**MODEL**

<b>426</b>	RECESSED BACK BOX FOR RP-1 & RP-3 REMOTE PLATES
<b>30203</b>	SINGLE GANG WEATHER-PROOF SURFACE MOUNT BACK BOX
<b>SMB-1</b>	SINGLE GANG SURFACE MOUNT BOX WITH TWO N/O TAMPER SWITCHES

SMB-1A	SINGLE GANG SURFACE MOUNT BOX WITH TWO N/C TAMPER SWITCHES
SMB-3	NARROW SURFACE MOUNT BOX FOR 1-3/4" WIDE PLATES, US 28 CLEAR ANODIZED FINISH
SMB-3D	NARROW SURFACE MOUNT BOX FOR 1-3/4" WIDE PLATES, US 40 DURONIC FINISH, DARK BRONZE
WPC	SINGLE GANG WEATHER-PROOF COVER, FITS 30203 BACK BOX