

Service Parts

Pricelist 27
January 3, 2017

Table of Contents


Locks	M9000 Series	P3
	D900	P10
	C800 Series	P11
	D800 Series	P17
	CL700/CK700 Series	P21
	C500 Series	P27
	DB600 Series	P29
	C300/J300 Series	P31
Exit Devices	9000 Series	P35
	8000 Series	P39
Surface Closers	Closer Bodies	P41
	Backplates and Drop Plates	P41
	Conversion Plates	P42
	Brackets and Spacers	P43
	Fastener Packs	P44
	Covers and Accessories	P45
	Arms	P45
	Carry Bars and Extension Kits	P49
	Touch-Up Paint	P50
Fire/Life Safety	EMR/EMF Series	P51
	1800 Series	P53
	EM Series	P55
Concealed Closers/Pivot Sets	BTS Series	P57
	ITS Series	P63
	RTS Series	P65
	LM Series	P67
Stops/Holders	900/700 Series	P71

M9000 Series

LR, LC, LF, LG, LT, LV, L118
(Specify Rose A, B, or D)

605 PVD, 606 PVD, 612 PVD, 619 PVD, 625, 626	613 PVD, 622 PVD, 630
--	--------------------------

Standard Lever Trim




Part #	Description	List \$	
Lever and Rose (specify design/finish and handing)			
79003	Lever and rose, outside dummy	135	151
79001	Lever and rose, outside	135	151
79002	Lever and rose, inside	135	151
79004	Lever and rose, inside dummy	135	151

Example: 79001 LRA 626 RH

LRH, LCH, LFH, LGH, LTH, LVH, L118H

605 PVD, 606 PVD, 612 PVD, 619 PVD, 625, 626	613 PVD, 622 PVD, 630
--	--------------------------




Part #	Description	List \$	
Outside Lever and Escutcheon (specify design/finish and handing)			
79011	Lever and escutcheon, outside dummy, blank	188	203
79101	Lever and escutcheon, outside blank	188	203
79211	Lever and escutcheon, outside cylinder	188	203
79221	Lever and escutcheon, outside emergency	188	203
79231	Lever and escutcheon, outside cointurn	188	203
Inside Lever and Escutcheon (specify design/finish and handing)			
79012	Lever and escutcheon, inside dummy, blank	188	203
79102	Lever and escutcheon, inside blank	188	203
79202	Lever and escutcheon, inside cylinder	188	203
79292	Lever and escutcheon, inside thumbturn	188	203

Example: 79101 LCH 626 RH

LRM, LCM, LFM, LGM, LTM, LVM, L118M

605 PVD, 606 PVD, 612 PVD, 619 PVD, 625, 626	613 PVD, 622 PVD, 630
--	--------------------------



Part #	Description	List \$	
Outside Lever and Escutcheon (specify design/finish and handing)			
79011	Lever and escutcheon, outside dummy, blank	177	193
79101	Lever and escutcheon, outside blank	177	193
79211	Lever and escutcheon, outside cylinder	177	193
79221	Lever and escutcheon, outside emergency	177	193
79231	Lever and escutcheon, outside cointurn	177	193
Inside Lever and Escutcheon (specify design/finish and handing)			
79012	Lever and escutcheon, inside dummy, blank	177	193
79102	Lever and escutcheon, inside blank	177	193
79202	Lever and escutcheon, inside cylinder	177	193
79292	Lever and escutcheon, inside thumbturn	177	193

Example: 79101 LRM 626 RH


NOTE: All lever lock trim includes a spindle and spindle spring.

Locks
Cylinders, Keys & Keying
Exit Devices
Electronic Access Control Components
Low Energy Operators
Surface Closers
Fire/Life Safety
Concealed Closers/Pivots
Stops/Holders
Sliding Systems
Architectural Pulls & Handles
Service Parts

LA, LD, LN, L109, L110, L112, L114, L117, KB
(Specify Rose A, B, or D)

605 PVD, 606 PVD, 612 PVD, 619 PVD, 625, 626	613 PVD, 622 PVD, 630
---	------------------------------

Premium Lever Trim




Part #	Description	List \$	
Lever and Rose (specify design/finish and handing)			
79003	Lever and rose, outside dummy	151	167
79001	Lever and rose, outside	151	167
79002	Lever and rose, inside	151	167
79004	Lever and rose, inside dummy	151	167

Example: 79001 L110B 626 RH

LAH, LDH, LNH, L109H, L110H, L112H, L114H, L117H, KBH

605 PVD, 606 PVD, 612 PVD, 619 PVD, 625, 626	613 PVD, 622 PVD, 630
---	------------------------------




Part #	Description	List \$	
Outside Lever and Escutcheon (specify design/finish and handing)			
79011	Lever and escutcheon, outside dummy, blank	214	229
79101	Lever and escutcheon, outside blank	214	229
79211	Lever and escutcheon, outside cylinder	214	229
79221	Lever and escutcheon, outside emergency	214	229
79231	Lever and escutcheon, outside cointurn	214	229
Inside Lever and Escutcheon (specify design/finish and handing)			
79012	Lever and escutcheon, inside dummy, blank	214	229
79102	Lever and escutcheon, inside blank	214	229
79202	Lever and escutcheon, inside cylinder	214	229
79292	Lever and escutcheon, inside thumbturn	214	229

Example: 79101 L113H 626 RH

LAM, LDM, LNM, L109M, L110M, L112M, L114M, L117M, KBM

605 PVD, 606 PVD, 612 PVD, 619 PVD, 625, 626	613 PVD, 622 PVD, 630
---	------------------------------



Part #	Description	List \$	
Outside Lever and Escutcheon (specify design/finish and handing)			
79011	Lever and escutcheon, outside dummy, blank	203	219
79101	Lever and escutcheon, outside blank	203	219
79211	Lever and escutcheon, outside cylinder	203	219
79221	Lever and escutcheon, outside emergency	203	219
79231	Lever and escutcheon, outside cointurn	203	219
Inside Lever and Escutcheon (specify design/finish and handing)			
79012	Lever and escutcheon, inside dummy, blank	203	219
79102	Lever and escutcheon, inside blank	203	219
79202	Lever and escutcheon, inside cylinder	203	219
79292	Lever and escutcheon, inside thumbturn	203	219

Example: 79101 L114M 626 RH

NOTE: All lever lock trim includes a spindle and spindle spring.



Tactile Markings

Part #	Description	List Add \$
660002	Knurled or grooved lever (LR, LT, and LG designs only)	50
660003	Abrasive coated lever or knob (all designs)	40

NOTE: Tactile marking is applied to outside knob or lever only, unless otherwise specified. Prices shown per single lever or knob.

Button, Cointurns and Thumbturns (specify finish)

605 PVD, 606 PVD,
612 PVD, 613 PVD, 619 PVD,
622 PVD, 625, 626, 630

	Part #	Description	List \$
	79013	Thumbturn and rose, all except 9963	62
	79014	Thumbturn and rose, 9963	62
	79016	Cap outside, M9040/9940	10
	79113	Cointurn and rose, M9040/9042/9940/9942	62





Example: 79013 626

Emergency Turn

Part #	Description	List Add \$
76009816	Emergency Turn, M9040/9940	20

Occupancy Indicators

605, 606, 612, 613, 619,
622, 625, 626, 630


	Part #	Description	List \$
	79019	Occupancy indicator for rose trim used w/cylinder, reading OCCUPIED/VACANT or SECURED/UNSECURED. Both readings supplied. Specify finish.	76
		Optional RG – Solid red/green indicator insert, Specify "79019 630 RG"	5
	79020	Occupancy indicator for rose trim used without cylinder, emergency access, reading OCCUPIED/VACANT. Specify finish.	76
	79021	Occupancy indicator w/cointurn for rose trim used without cylinder, reading SECURED/UNSECURED. No emergency access. Used on inside of door with 79019 on outside.	76
	79022	Occupancy indicator w/cointurn for rose trim used without cylinder, reading OCCUPIED/VACANT. Specify finish.	76

NOTES:

- Occupancy indicators are for dead bolt functions or as noted by function description, used by 1-3/4"–2-1/8" thick doors.
- Consult factory for thicker doors. Specify finish. Example: 79019 626
- Indicators will work on the following functions but may have unexpected operation on lock sets that remain locked when the dead bolt is retracted: M9046, 9056, 9940, 9942, 9953, 9956, 9957, 9959, 9960, 9961, 9962, 9966, 9967, 9968, 9973, 9974, 9980, 9985, 9986, 9996


Strikes

605 PVD, 606 PVD, 612 PVD,
613 PVD, 622 PVD, 630



Part #	Description	List \$
5006 — ANSI Strike for Mortise Lock (*see below for usage; specify finish)		
5006-114	1-1/4" x 4-7/8", 1-1/4" lip length, square corner, curved lip	13
5006-078	1-1/4" x 4-7/8", 7/8" lip length, square corner, straight lip	29
5006-112	1-1/4" x 4-7/8", 1-1/2" lip length, square corner, curved lip	29
5006-134	1-1/4" x 4-7/8", 1-3/4" lip length, square corner, curved lip	29
5006-200	1-1/4" x 4-7/8", 2" lip length, square corner, curved lip	29

* Default **non-handed** strike shown in bold for all M9000 functions.




Part #	Description	List \$
5007 — ANSI Strike for Mortise Lock (*see below for usage; specify finish and handing)		
5007-114	1-1/4" x 4-7/8", 1-1/4" lip length, square corner, curved lip	13

* Optional **handed** strike available for M9000 functions without deadbolts. Only available in 1-1/4" lip length.

Strike Box for 5006 and 5007 Strikes


Part #	Description	List \$
76006253	Box, Strike	5

Lock Cases



Part #	Description	List \$
M9000 Series Lock Cases for Levers and Knobs Specify Lever (L) or Knob (K) and handing. (armor not included) See Ordering Examples below.		
19040	Chassis, M9010	177
19041	Chassis, M9040, 9042	224
19042	Chassis, M9046	260
19043	Chassis, M9025, 9080	260
19044	Chassis, M9050	260
19045	Chassis, M9053, 9070, 9071	260
19046	Chassis, M9056	286
19047	Chassis, M9060	286
19048	Chassis, M9076/M9077	286
19049	Chassis, M9082	286
19050	Chassis, M9940, 9942, 9956, 9968, 9996	286
19051	Chassis, M9953	286
19052	Chassis, M9957, 9959	286
19053	Chassis, M9958	286
19054	Chassis, M9966, 9973	286
19055	Chassis, M9967	338
19056	Chassis, M9974	338
19057	Chassis, M9980, 9985, 9986	338
19058	Chassis, M9080EL 24 V	780
19059	Chassis, M9080EU 24 V	780
19060	Chassis, M9082EL 24 V	780
19061	Chassis, M9082EU 24 V	780
19062	Chassis, M9080EL RX 24 V	936
19063	Chassis, M9080EU RX 24 V	936
19064	Chassis, M9080EL RX LM 24 V	1,092
19065	Chassis, M9080EU RX LM 24 V	1,092
19066	Chassis, M9010RX	333
19067	Chassis, M9025RX, 9080RX	416
19068	Chassis, M9050RX	416
19069	Chassis, M9010LM	416
19072	Chassis, M9025LM, 9080LM	416
19073	Chassis, M9050LM	416
19074	Chassis, M9053LM, 9070LM	416
19076	Chassis, M9080LM	416
19077	Chassis, M9082LM	416
19078	Chassis, M9080EL LM	936
19079	Chassis, M9080EU LM	936
19080	Chassis, M9082EL LM	936
19081	Chassis, M9082EU LM	936
19082	Chassis, M9010RX LM	489
19083	Chassis, M9025RX LM, 9080RX LM	572
19084	Chassis, M9050RX LM	572

Ordering Examples: 19051 L RH Chassis, M9953, for Levers, RH / 19051 K LH Chassis, M9953, for Knobs, LH



Part #	Description	List \$
M9000 Series Lock Cases for Dead Locks, Cases are non-handed. (armor not included)		
19070	Chassis, M9960, 9961, 9962	225
19071	Chassis, M9963	225

Lock Spindles

Part #	Description	List \$
76008426	Mortise lever lock spindle and spring (includes 2 spindles and 2 springs)	10

Mounting Kit for Trim One Side Only

Part #	Description	List \$
76007272	Less outside trim attachment kit	17

Lead Lined Lock Case

Part #	Description	List \$
660001	Lead lining plate for M9000 Series mortise locks	201

Armor Fronts

605 PVD, 606 PVD, 612 PVD,
613 PVD, 622 PVD, 630



Part #	Description	List \$
Armor Fronts (specify finish) (screws included)		
19020	Armor latch 9010, 9040, 9042, 9046	24
19021	Armor latch, aux 9025, 9053, 9056, 9060, 9070, 9071, 9076, 9077, 9080, 9082, 9080EL, 9080EU, 9080ELRX, 9080EURX, 9082EL, 9082EU	24
19023	Armor latch, aux, stopworks 9050	24
19024	Armor latch, DB 9940, 9942, 9956, 9966, 9968, 9973, 9996	24
19025	Armor latch, DB, aux 9967, 9974, 9980, 9985, 9986	24
19026	Armor latch, DB, stopworks 9957, 9958, 9959	24
19027	Armor latch, DB, aux, stopworks 9953	24
19028	Armor DB 9960, 9961, 9962, 9963	24
19029	Armor blank 9003, 9004	24

Example: 19020 630

Armor Screw Packs

606, 612, 613, 622, 630

Part #	Description	List \$
19032	Screw pack, armor mount (specify finish)	3

Example: 19032 630

Trim Screw Packs

606, 612, 613, 622, 630

Part #	Description	List \$
For all A, B, H, and M Trims		
19033	Screw pack, M9000 rose (specify finish)	6
19034	Screw pack, M9000 Escutcheon (specify finish)	6
19036	Screw pack, M9001/M9003 (specify finish)	6

Security Screws (specify finish)

Part #	Description	List \$
660006	Security screws for all exposed fasteners (sectional trim and dead bolts only)	18
660010	Security screws for all exposed fasteners (H escutcheon only)	20
660011	Security screws for all exposed fasteners (M escutcheon only)	20

Cylinders,
Keys & Keying

Exit Devices

Electronic
Access Control
Components

Low Energy
Operators

Surface
Closers

Fire/Life
Safety

Concealed
Closers/Pivots

Stops/
Holders

Sliding
Systems

Architectural
Pulls & Handles

Service
Parts

D900 Series

605 PVD, 606 PVD, 612 PVD,
613 PVD, 619 PVD, 622 PVD,
625, 626, 630

Thumbturns (specify finish)



Part #	Description	List \$
79013	Thumbturn and rose	58

Occupancy Indicators

605, 606, 612, 613,
619, 622, 625,
626, 630



Part #	Description	List \$
79023	Occupancy indicator for rose trim used w/cylinder, reading OCCUPIED/VACANT or SECURED/UNSECURED. Both readings supplied. Specify finish.	76
	Optional RG — Solid red/green indicator insert, Specify "79019 630 RG"	5



79020	Occupancy indicator for rose trim used without cylinder, emergency access, reading OCCUPIED/VACANT. Specify finish.	76
-------	---	----



79021	Occupancy indicator w/cointurn for rose trim used without cylinder, reading SECURED/UNSECURED. No emergency access. Used on inside of door with 79019 on outside.	76
-------	---	----




79022	Occupancy indicator w/cointurn for rose trim used without cylinder, reading OCCUPIED/VACANT. Specify finish.	76
-------	--	----

NOTES:

- Occupancy indicators are for dead bolt functions or as noted by function description, used by 1-3/4"-2-1/8" thick doors.
- Consult factory for thicker doors. Specify finish. Example: 79019 626

Chassis Kit



Part #	Description	List \$
19090	D900 Chassis Kit — Includes armor plate, chassis mounting, strike, and armor plate screws	135

NOTE: Specify finish — 5301 630

Strikes



Part #	Description	List \$
5301	1-1/8" x 3-1/2" square corner strike	13




NOTE: Specify finish — 5301 630

Screwpack



Part #	Description	List \$
19035	SCRPK, D900 all functions	6

NOTE: Specify finish — 19035 630


C800 Series

		LR, LC, LG, LT, LF, LV		
		626	605 PVD, 606 PVD, 612 PVD, 619 PVD, 625	613 PVD, 622 PVD
Levers (specify design/finish)				
	Part #	Description	List \$	
	30001	Closed lever	86	88
	30002	Open and cylinder lever	86	88
	30003	SFIC cylinder lever	86	88
	30004	FSIC cylinder lever — Schlage	135	137
	30053	Cylinder lever — Sargent 10 line KIL	135	137
	76016360	Insert, Lever (not used on interchangeable core levers)	—	2


Example: 30001 LR 626

		C, D, E, F		
		626	605 PVD, 606 PVD, 612 PVD, 619 PVD, 625	613 PVD, 622 PVD
Roses (specify design/finish)				
	Part #	Description	List \$	
	40001C	Rose, inside and outside	62	66
	40725C	Rose, outside, blank	62	66
	40001D	Rose, inside, stamped LOCK ¹	75	79
	40001E	Rose, stepped, inside and outside	62	66
	40001F	Rose, stepped, inside, stamped LOCK ^{1,2}	75	79

Example: 40001 C 626
 1. For use on C860 and C877 only.
 2. Available in 626 only.

		605 PVD, 606 PVD, 612 PVD, 613 PVD, 622 PVD, 629, 630		
		626	605 PVD, 606 PVD, 612 PVD, 619 PVD, 625	613 PVD, 622 PVD
1/2" Throw, 2-3/4" Backset Latch Bolts				
	Part #	Description	List \$	
	For 810, 840, and 844 Locks (specify finish)			
	10202	1-1/8" x 2-1/4" front, 1" diameter, square corner	58	
	For all other locks (specify finish)			
	10252	1-1/8" x 2-1/4" front, 1" diameter, square corner	58	


Example: 10202 630

		605 PVD, 606 PVD, 612 PVD, 613 PVD, 629, 630		
		626	605 PVD, 606 PVD, 612 PVD, 619 PVD, 625	613 PVD, 622 PVD
1/2" Throw, 3-3/4" Backset Latch Bolts				
	Part #	Description	List \$	
	For 810, 840, and 844 Locks (specify finish)			
	10302	1-1/8" x 2-1/4" front, 1" diameter, square corner	74	
	For all other locks (specify finish)			
	10352	1-1/8" x 2-1/4" front, 1" diameter, square corner	74	

Example: 10302 630

1/2" Throw, 2-3/8" Backset Latch Bolts

605, 606,
612, 613, 630




Part #	Description	List \$
For 810, 840, and 844 Locks (specify finish)		
10100	1" x 2-1/4" front, 7/8" diameter, square corner	68
10101	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	68
10102	1-1/8" x 2-1/4" front, 7/8" diameter, square corner	68
For all other locks (specify finish)		
10150	1" x 2-1/4" front, 7/8" diameter, square corner	68
10151	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	68
10152	1-1/8" x 2-1/4" front, 7/8" diameter, square corner	68

Example: 10102 630


3/4" Throw, 2-3/4" Backset Latch Bolts

605, 626



Part #	Description	List \$
For All 800 Locks (non-restoring)		
18262	1-1/8" x 2-1/4" front, 1" diameter, square corner	156

Backset Links




Part #	Description	List \$
For all Locks (Used with 2-3/4" Backset Latch)		
76016007	3-3/4" Backset Link, restoring and non-restoring	20
76016008	5" Backset Link, restoring and non-restoring	20

Use with 2-3/4" backset latch

Strikes

605 PVD, 606 PVD, 612 PVD,
613 PVD, 629, 630



Part #	Description	List \$
5001 — ANSI Strike with Cylindrical Lock Cutout (specify finish)		
5001-1316	1-1/4" x 4-7/8", 1-3/16" lip length, square corner	13
5001-112	1-1/4" x 4-7/8", 1-1/2" lip length, square corner	32

Example: 5001-1316 630

NOTE: Consult Factory for special applications.


605, 606,
612, 613, 630



Part #	Description	List \$
5101, 5102 — "T" Strike with Dust Box (specify finish)		
5101-118	1-1/8" x 2-3/4", 1-1/8" lip length, square corner	9
5101-112	1-1/8" x 2-3/4", 1-1/2" lip length, square corner	25
5102-118	1-1/8" x 2-3/4", 1-1/8" lip length, 1/4" radius corner	9
5102-112	1-1/8" x 2-3/4", 1-1/2" lip length, 1/4" radius corner	25

Example: 5101-118 630

606,
612, 613, 630



Part #	Description	List \$
5201, 5202 – Full Lip Strike (specify finish)		
5201-118	1-5/8" x 2-1/4", 1-1/8" lip length, square corner	9
5202-118	1-5/8" x 2-1/4", 1-1/8" lip length, 1/4" radius corner	9

Example: 5201-118 630

Strike Boxes for 5001 and 5101/5102 Strikes

Part #	Description	List \$
76006253	Box, Strike 5001	5
76006254	Box, Strike 5101/5102/5201/5202	2

Screw Packs

Part #	Description	List \$
C800 Levers		
19096	Screw pack, C801 and C802	15
19097	Screw Pack, all other functions (specify finish)	15

Example: 19097 630

Security Screws

Part #	Description	List \$
660007	Security screws for all latches and strikes (specify finish)	12

Lock Spacers for Thin Doors, C800 Series, Levers Only

Part #	Description	List \$
660005	Spacers for thin door, 1 pair (2 spacers) 1-3/8"–1-5/8" door (specify finish)	39

Cylinders,
Keys & Keying

Exit Devices

Electronic
Access Control
Components

Low Energy
Operators

Surface
Closers

Fire/Life
Safety

Concealed
Closers/Pivots

Stops/
Holders

Sliding
Systems


Architectural
Pulls & Handles

Service
Parts

Tailpieces, Conventional, SFIC, and Retrofit C800 Locksets

Part #	Description (sold in multiples of 10 unless otherwise specified)	List \$
Conventional & SFIC		
6727 D	C800D (except C873D), levers and knobs (includes white spacer)	4
6727 C	C800C (except C873C), levers only	4
6728 D	C873D, levers and knobs (includes white spacer)	4
6728 C	C873C, levers only	4
6729 C	C873C, knobs only	3
6712 C	C800C, knobs (except C873C)	3
6785 D	C885D (includes retainer), levers only (sold in multiples of 5 only). C885 not available.	5
Retrofit		
6727 R	C800R (except C873R), Schlage FSIC, levers only	5
6728 R	C873, levers only	5
6727 A	C800A (except C873A), Corbin/Russwin 6-pin FSIC & Pyramid 7-pin FSIC, levers only	4
6728 A	C873A, levers only	4
6727 M	C800M (except C873M), Medeco 32 FSIC, levers only	5
6728 M	C873M, levers only	5
6727 E	C800E (except C873E), Corbin/Russwin 2000 KIL, levers only (includes black spacer)	4
6728 E	C873E, levers only (includes black spacer)	4
6727 N	C800N (except C873N), Sargent 6300 FSIC, levers only	4
6728 N	C873N, levers only	4
6727 S	C800S (except 873S), Sargent 10 Line KIL, levers only	4
6728 S	C873S, levers only	4
6727 Y	C800Y (except C873Y), Yale 1210/Medeco 31 FSIC, levers only	5
6728 Y	C873Y, levers only	5
76016485	Spacer, tailpiece, white, for use with 6727D & 6728D when used with Schlage OEM cylinders	1
76016486	Spacer, tailpiece, black, for use with 6727D & 6728D when used with Corbin/Russwin 2000 OEM cylinders	1

Drilling Jig



Part #	Description	List \$
76004795	Drilling Jig for C800 levers, CL700, and C500 Locksets	10

Lock Lever Chassis Assemblies for Non-Cylinder, Standard Cylinder, and SFIC Options

**605, 606, 612,
613, 625, 626**

Part #	Description	List \$
19098	Insert, inside C801, C802	72
19099	Insert, outside C802	83
19100	Chassis, C810	197
19101	Chassis, C812	197
19102	Chassis, C825	197
19103	Chassis, C830 (specify finish)	228
19104	Chassis, C840 (specify finish)	228
19105	Chassis, C844 (specify finish)	228
19106	Chassis, C848	197
19107	Chassis, C850 (specify finish)	228
19108	Chassis, C853 (specify finish)	228
19109	Chassis, C855 (specify finish)	228
19110	Chassis, C860	228
19111	Chassis, C865	197
19112	Chassis, C866	291
19113	Chassis, C870	197
19114	Chassis, C872	228
19115	Chassis, C873 (specify finish)	291
19116	Chassis, C877	291
19117	Chassis, C880	197
19118	Chassis, C882	228
19119	Chassis, C885 (specify finish)	291
19120	Chassis, C810RX	342
19121	Chassis, C850RX (specify finish)	371
19122	Chassis, C853RX (specify finish)	371
19123	Chassis, C870RX	342
19124	Chassis, C880RX	342
19125	Chassis, C880EL	389
19126	Chassis, C880EL RX	534
19127	Chassis, C880EU	389
19128	Chassis, C880EU RX	534

Example: 19108 626


NOTES:

- Chassis include push buttons and emergency releases where required (specify finish).
- Locks that have been prepared to accept competitors' cylinders may have a modified chassis. It is recommended to contact technical services prior to ordering.

D800 Series

1" Throw Dead Bolts

605, 606,
612, 613,
619, 625, 626




Part #	Description	List \$
28652	1-1/8" x 2-1/4" faceplate, 2-3/8" backset, square corner (specify finish)	39
28752	1-1/8" x 2-1/4" faceplate, 2-3/4" backset, square corner (specify finish)	39

Example: 28752 626


Strikes

605, 606,
612, 613,
619, 625, 626




Part #	Description	List \$
5103 – Standard Strike for Dead Bolt (specify finish)		
5103	1-1/8" x 2-3/4", no lip, square corner	10

Example: 5103 626



Part #	Description	List \$
5004 – ANSI Strike with Dead Bolt Cutout (specify finish)		
5004	1-1/4" x 4-7/8", no lip, square corner	13

Example: 5004 626



Part #	Description	List \$
5203 – Full Lip Strike with Dead Bolt Cutout (specify finish)		
5203-118	1-5/8" x 2-1/4", 1-1/8" lip length, square corner	9

Example: 5203-118 630



Part #	Description	List \$
5006 – ANSI Strike with lip and Dead Bolt cutout (specify finish)		
5006-114	1-1/4" x 4-7/8", 1-1/4" lip length, square corner	13
5006-112	1-1/4" x 4-7/8", 1-1/2" lip length, square corner	29

Example: 5006-114 630

Cylinders,
Keys & Keying

Exit Devices

Electronic
Access Control
Components

Low Energy
Operators

Surface
Closers

Fire/Life
Safety

Concealed
Closers/Pivots

Stops/
Holders

Sliding
Systems

Architectural
Pulls & Handles

Service
Parts

Thumb Turn and Rose (specify finish)

**605, 606, 612,
613, 619, 625, 626**

Part #	Description	List \$
28001	Turn and rose, D860/880/871/882	30
28002	Turn and rose, D863	30
28003	Turn and rose, D881	30
28006	Turn and rose, outside, D882	30
28004	Rose and plate, D861	30
28005	Rose and plate, D880	30

Cylinder Rings (specify finish)

**605, 606, 612, 613,
619, 625, 626**



Part #	Description	List \$
28010	Cylinder ring and insert, D800	36
28011	Cylinder ring, IC core	22

Snap On Faceplate (specify finish)

**605, 606, 612, 613,
619, 625, 626**




Part #	Description	List \$
28020	Snap on faceplate standard cylinder	10
28021	Snap on faceplate SFIC	10
28022	Snap on faceplate, Schlage FSIC	10

Occupancy Indicator (specify finish)



Part #	Description	List \$
79023	Occupancy indicator w/cointurn	50

Cylinder Housings

	Part #	Description	List \$
	76010496	Housing, outside, D800 standard cylinder	22
	76010498	Housing, inside, D800 standard cylinder	22
	76010497	Cylinder, retaining screw	1
	76010509	Housing, outside, D860/863 SFIC	43
	76010510	Housing, outside, D861 SFIC	43
	76010511	Housing, outside, D862 SFIC, 1-3/8"-1-3/4" door thickness	43
	76010512	Housing, inside, D862 SFIC, 1-3/8"-1-3/4" door thickness	43
	76013630	Housing, outside, D860R/863R to accept Schlage FSIC, 1-3/4"-2-1/2" door thickness	52
	76018148	Housing, outside, D862R to accept Schlage FSIC, 1-3/4"-2-1/2" door thickness	52
	76018149	Housing, inside, D862R to accept Schlage FSIC, 1-3/4"-2-1/2" door thickness	52

Cylinders, Keys & Keying

Exit Devices

Electronic Access Control Components

Screw Packs

Part #	Description	List \$
76010432	Screw pack, D860/861/863, 605/606 finish	10
76010433	Screw pack, D860/861/863, 612 finish	10
76010434	Screw pack, D860/861/863, 613 finish	10
76010435	Screw pack, D860/861/863, 619/625/626 finish	10
76010448	Screw pack, IC D860/861/863, 605/606 finish	10
76010449	Screw pack, IC D860/861/863, 612 finish	10
76010450	Screw pack, IC D860/861/863, 613 finish	10
76010451	Screw pack, IC D860/861/863, 619/625/626 finish	10
76010444	Screw pack, D862, 605/606 finish	10
76010445	Screw pack, D862, 612 finish	10
76010446	Screw pack, D862, 613 finish	10
76010447	Screw pack, D862, 619/625/626 finish	10
76010436	Screw pack, D871/880, 605/606 finish	10
76010437	Screw pack, D871/880, 612 finish	10
76010438	Screw pack, D871/880, 613 finish	10
76010439	Screw pack, D871/880, 619/625/626 finish	10
76010440	Screw pack, D881, 605/606 finish	10
76010441	Screw pack, D881, 612 finish	10
76010442	Screw pack, D881, 613 finish	10
76010443	Screw pack, D881, 619/625/626 finish	10
76018150	Screw pack, D882R, 605/606 finish, for Schlage FSIC	12
76018151	Screw pack, D882R, 612 finish, for Schlage FSIC	12
76018152	Screw pack, D882R, 613 finish, for Schlage FSIC	12
76018153	Screw pack, D882R, 619/625/626 finish, for Schlage FSIC	12

Low Energy Operators

Surface Closers

Fire/Life Safety

Concealed Closers/Pivots

Stops/ Holders

Sliding Systems

Architectural Pulls & Handles

Security Screws


Part #	Description	List \$
660008	Security screws for all exposed fasteners (specify finish)	18

Tailpieces, Conventional, SFIC, and FSIC D800 Dead Bolts

D800 Tailpieces	Tailpiece	Cylinder Type	Application	List \$
	6718 D	Standard	D861	3
	6719 D	Standard	D860/D863	3
	6720 D	Standard	D862	3
	6718 C	SFIC	D861	3
	6720 C	SFIC	D862	3

CL700/CK700 Series

		LG, LR, LC	LG, LR, LC
Levers (specify design/finish)		626	605, 606, 612, 613, 625



Part #	Description	List \$	
37001	Closed lever	64	68
37002	Open and cylinder lever	64	68
37003	Interchangeable core cylinder lever, SFIC	64	68
37031	Closed lever, outside CL730	64	68

Example: 37001 LG 626


Knobs (specify design)



Part #	Description	KB	List \$
37001	Closed knob		30
37002	Open and cylinder knob		41
37012	Outside open knob CK740		41
37011	Closed knob CK701		30
37003	Interchangeable core cylinder knob, SFIC		41

Example: 37001 KR 630 (Available in 630 only)

Roses for Levers (specify finish)



		C	C
Roses for Levers (specify finish)		626	605, 606, 612, 613, 625
Part #	Description	List \$	
47001E	Rose, outside	28	32
47002E	Rose, inside	22	26
47725E	Rose, outside, blank	28	32

Example: 47001 E 626

Cylinders, Keys & Keying

Exit Devices

Electronic Access Control Components

Low Energy Operators

Surface Closers

Fire/Life Safety

Concealed Closers/Pivots

Stops/ Holders


Sliding Systems

Architectural Pulls & Handles

Service Parts

1/2" Throw, 2-3/8" Backset Latch Bolts

605, 606, 612,
613, 630




Part #	Description	List \$
For 710 Locks (specify finish)		
17100	1" x 2-1/4" front, 7/8" diameter, square corner	42
17101	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	42
17102	1-1/8" x 2-1/4" front, 1" diameter, square corner	42
For 712, 725, 750, 753, 770, or 780 Locks (specify finish)		
17150	1" x 2-1/4" front, 7/8" diameter, square corner	42
17151	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	42
17152	1-1/8" x 2-1/4" front, 1" diameter, square corner	42
For 730 Locks (specify finish)		
17180	1" x 2-1/4" front, 7/8" diameter, square corner	42
17181	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	42
17182	1-1/8" x 2-1/4" front, 1" diameter, square corner	42
For 740 Locks (specify finish)		
17130	1" x 2-1/4" front, 7/8" diameter, square corner	42
17131	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	42
17132	1-1/8" x 2-1/4" front, 1" diameter, square corner	42

Example: 17100 630

1/2" Throw, 2-3/4" Backset Latch Bolts

605, 606, 612,
613, 630




Part #	Description	List \$
For 710 Locks (specify finish)		
17200	1" x 2-1/4" front, 7/8" diameter, square corner	42
17201	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	42
17202	1-1/8" x 2-1/4" front, 1" diameter, square corner	42
For 712, 725, 750, 753, 770, or 780 Locks (specify finish)		
17250	1" x 2-1/4" front, 7/8" diameter, square corner	42
17251	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	42
17252	1-1/8" x 2-1/4" front, 1" diameter, square corner	42
For 730 Locks (specify finish)		
17280	1" x 2-1/4" front, 7/8" diameter, square corner	42
17281	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	42
17282	1-1/8" x 2-1/4" front, 1" diameter, square corner	42
For 740 Locks (specify finish)		
17230	1" x 2-1/4" front, 7/8" diameter, square corner	42
17231	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	42
17232	1-1/8" x 2-1/4" front, 1" diameter, square corner	42

Example: 17200 630

1/2" Throw, 3-3/4" Backset Latch Bolts


605, 606, 612, 613,
630



Part #	Description	List \$
For 710 Locks (specify finish)		
17300	1" x 2-1/4" front, 7/8" diameter, square corner	50
17301	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	50
17302	1-1/8" x 2-1/4" front, 1" diameter, square corner	50
For 712, 725, 750, 753, 770, or 780 Locks (specify finish)		
17350	1" x 2-1/4" front, 7/8" diameter, square corner	50
17351	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	50
17352	1-1/8" x 2-1/4" front, 1" diameter, square corner	50
For 730 Locks (specify finish)		
17380	1" x 2-1/4" front, 7/8" diameter, square corner	50
17381	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	50
17382	1-1/8" x 2-1/4" front, 1" diameter, square corner	50
For 740 Locks (specify finish)		
17330	1" x 2-1/4" front, 7/8" diameter, square corner	50
17331	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	50
17332	1-1/8" x 2-1/4" front, 1" diameter, square corner	50

Example: 17300 630

Backset Link



Part #	Description	List \$
5" Backset Link for 710, 712, 725, 750, 753, 770 and 780 Locks		
76019857	3-3/4", non-restoring	18
76008115	5", non-restoring	18
5" Backset Link for 740		
76019856	3-3/4", restoring	18
76008106	5", restoring	18

Use with 2-3/8" backset latch

Face Plate Filler

Part #	Description	List \$
76006496	Faceplate, filler 1-1/8" x 2-1/4" (order in quantities of 10)	.40

Cylinders, Keys & Keying

Exit Devices

Electronic Access Control Components

Low Energy Operators

Surface Closers

Fire/Life Safety

Concealed Closers/Pivots

Stops/ Holders


Sliding Systems

Architectural Pulls & Handles

Service Parts

Strikes

605, 606,
612, 613, 630



Part #	Description	List \$
5001 — ANSI Strike with Cylindrical Lock Cutout (specify finish)		
5001-1316	1-1/4" x 4-7/8", 1-3/16" lip length, square corner	13
5001-112	1-1/4" x 4-7/8", 1-1/2" lip length, square corner	32

Example: 5001-1316-630


605, 606,
612, 613,



Part #	Description	List \$
5101, 5102 — "T" Strike with Dust Box (specify finish)		
5101-118	1-1/8" x 2-3/4", 1-1/8" lip length, square corner	9
5101-112	1-1/8" x 2-3/4", 1-1/2" lip length, square corner	25
5102-118	1-1/8" x 2-3/4", 1-1/8" lip length, 1/4" radius corner	9
5102-112	1-1/8" x 2-3/4", 1-1/2" lip length, 1/4" radius corner	25

Example: 5101-118 630

606,
613, 630



Part #	Description	List \$
5201, 5202 — Full Lip Strike (specify finish)		
5201-118	1-5/8" x 2-1/4", 1-1/8" lip length, square corner	9
5202-118	1-5/8" x 2-1/4", 1-1/8" lip length, 1/4" radius corner	9

Example: 5201-118 630

Tailpieces, Conventional, and SFIC CL/CK700 Locksets

Part#	Description (sold in multiples of 10 unless otherwise specified)	List \$
6712D	CK700D, knobs only, standard cylinder	3
6712C	CK700C, knobs only, SFIC	3
6713D	CL700D, levers only, standard cylinder	3
6713C	CL700C, levers only, SFIC	3

Strike Boxes for 5001 and 5101/5102 Strikes


Part #	Description	List \$
76006253	Box, Strike 5001	5
76006254	Box, Strike 5101/5102/5201/5202	2

Screw Packs

Part #	Description	List \$
CL700 Screw Packs		
76008309	Screw pack, CL700, 605/606 finish	12
76008310	Screw pack, CL700, 612 finish	12
76008311	Screw pack, CL700, 613 finish	12
76008312	Screw pack, CL700, 619, 625, 626 finish	12
76006556	Screw pack, CL701	12
CK700 Screw Packs		
76008313	Screw pack, CK700, 605 finish	12
76008316	Screw pack, CK700, 630 finish	12
76006543	Screw pack, CK701	12

NOTE: For cylinders, refer to Cylinders & Keying section for pricing. 630 finish latch, strike, and/or screw packs used with 619, 625, 626, 629, or 630 lock finishes.

Drilling Jig



Part #	Description	List \$
76004795	Drilling jig for C800 levers, CL700, and C500 locksets	10

Cylinders, Keys & Keying

Exit Devices

Electronic Access Control Components

Low Energy Operators

Surface Closers

Fire/Life Safety

Concealed Closers/Pivots

Stops/ Holders

Sliding Systems


Architectural Pulls & Handles

Service Parts

C500 Series

1/2" Throw, 2-3/8" Backset Latch Bolts

605, 613, 630




Part #	Description	List \$
For 510 or 540 Locks (specify finish)		
15130	1" x 2-1/4" front, 7/8" diameter, square corner	23
15131	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	23
For 525, 550, 553, 570, or 580 Locks (specify finish)		
15150	1" x 2-1/4" front, 7/8" diameter, square corner	25
15151	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	25
For 530 Locks (specify finish)		
15180	1" x 2-1/4" front, 7/8" diameter, square corner	25
15181	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	25

Example: 15130 630

1/2" Throw, 2-3/4" Backset Latch Bolts

605 613, 630



Part #	Description	List \$
For 510 or 540 Locks (specify finish)		
15230	1" x 2-1/4" front, 7/8" diameter, square corner	23
15231	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	23
15232	1-1/8" x 2-1/4" front, 7/8" diameter, square corner	23
For 525, 550, 553, 570, or 580 Locks (specify finish)		
15250	1" x 2-1/4" front, 7/8" diameter, square corner	25
15251	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	25
15252	1-1/8" x 2-1/4" front, 7/8" diameter, square corner	25
For 530 Locks (specify finish)		
15280	1" x 2-1/4" front, 7/8" diameter, square corner	25
15281	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	25
15282	1-1/8" x 2-1/4" front, 7/8" diameter, square corner	25

Example: 15230 630

Face Plate Filler

Part #	Description	List \$
76006496	Faceplate, filler 1-1/8" x 2-1/4" (order in quantities of 10)	0.40

Strikes

605, 613, 630



Part #	Description	List \$
5001 – ANSI Strike with Cylindrical Lock Cutout (specify finish)		
5001-1316	1-1/4" x 4-7/8", 1-3/16" lip length, square corner	13
5001-112	1-1/4" x 4-7/8", 1-1/2" lip length, square corner	32


Example: 5001-1316 630



Part #	Description	List \$
5101, 5102 – "T" Strike with Dust Box (specify finish)		
5101-118	1-1/8" x 2-3/4", 1-1/8" lip length, square corner	9
5101-112	1-1/8" x 2-3/4", 1-1/2" lip length, square corner	25
5102-118	1-1/8" x 2-3/4", 1-1/8" lip length, 1/4" radius corner	9
5102-112	1-1/8" x 2-3/4", 1-1/2" lip length, 1/4" radius corner	25

Example: 5101-118 630

606, 613, 630



Part #	Description	List \$
5201, 5202 — Full Lip Strike (specify finish)		
5201-118	1-5/8" × 2-1/4", 1-1/8" lip length, square corner	9
5202-118	1-5/8" × 2-1/4", 1-1/8" lip length, 1/4" radius corner	9

Example: 5201-118 630

Strike Box


Part #	Description	List \$
Strike Boxes for 5001 and 5101/5102 Strikes		
76006253	Box, Strike 5001	5
76006254	Box, Strike 5101/5102/5201/5202	2

Screw Packs

Part #	Description	List \$
C500		
76011566	Screw pack, C501	12
76011563	Screw pack, all C500 except C501, 619/625/626 finish	12
76011564	Screw pack, all C500 except C501, 605/606 finish	12
76011565	Screw pack, all C500 except C501, 613 finish	12

NOTES: Levers/roses not available as service items. 605 finish latch, strike, and/or screw packs used with 605 or 606 lock finishes. 630 finish latch, strike, and/or screw packs used with 619, 625, or 626 lock finishes.

Drilling Jig



Part #	Description	List \$
76004795	Drilling jig for C800 levers, CL700, and C500 locksets	10


Tailpieces, Conventional and SFIC C500 Locksets

Part #	Description (sold in multiples of 10 unless otherwise specified)	List \$
6724D	C550D, C553D, C555D, C580D, levers only, standard cylinder	3
6724C	C550C, C553C, C555C, C580C, levers only, SFIC	3
6725D	C570D, levers only, standard cylinder	3
6725C	D570C, levers only, SFIC	3

DB600 Series

1" Throw, 2-3/8"-2-3/4" Adjustable Backset Dead Bolts

605, 613, 630



Part #	Description	List \$
26170	1" x 2-1/4" faceplate, square corner (1-1/8" wide w/filler)	27
26171	1" x 2-1/4" faceplate, radius corner	27
26173	1" diameter, drive in (630 only)	27

Example: 26170 630

Face Plate Filler

Part #	Description	List \$
76006496	Faceplate, filler 1-1/8" x 2-1/4" (order in quantities of 10)	.40

Strikes


605, 613, 630



Part #	Description	List \$
5103 — Standard Strike for Dead Bolt (specify finish)		
5103	1-1/8" x 2-3/4", no lip, square corner	9

Example: 5103 630

605, 613, 630



Part #	Description	List \$
5004 — ANSI Strike with Dead Bolt Cutout (specify finish)		
5004	1-1/4" x 4-7/8", no lip, square corner	13

Example: 5004 630

605, 613, 630



Part #	Description	List \$
5203 — Full Lip Strike with Dead Bolt Cutout (specify finish)		
5203-118	1-5/8" x 2-1/4", 1-1/8" lip length, square corner	9

Example: 5203-118 630

605, 613, 630



Part #	Description	List \$
5006 — ANSI Strike with Lip and Dead Bolt Cutout (specify finish)		
5006-114	1-1/4" x 4-7/8", 1-1/4" lip length, square corner	13
5006-112	1-1/4" x 4-7/8", 1-1/2" lip length, square corner	29

Example: 5006-114 630

Tailpieces, Conventional and SFIC DB600 Dead Bolts



Part #	Description	List \$
6716D	D660, standard cylinder	3
6717D	D662, standard cylinder	3
6716C	D660, SFIC	3
6717C	D662, SFIC	3

C300/J300 Series

Finish Availability Chart

	626	613	619	605
LR	•	•		
LC	•	•		•
LG	•	•	•	
LS		•	•	•

Levers/Roses (specify design/finish)


	Part #	Description	List \$
	33001	Closed lever — plain	25
	33002	Open lever — button and cylinder	25
	33003	SFIC lever — interchangeable core (J353 only) LR only	25
	43001	Rose, inside	12
	43002	Rose, outside	12

Example: 33001 LR 626

Screwpacks


Part #	Description	List \$
76019305	Screwpack, C300 619/626	10
76019306	Screwpack, C300 605	10
76019307	Screwpack, C300 613	10
76019308	Screwpack, C301 DUMMY	5
76019659	Screwpack, J300 mounting screws	10
76019660	Screwpack, J300 escutcheon 605	5
76019661	Screwpack, J300 escutcheon 619	5
76019662	Screwpack, J300 escutcheon 613	5
76019663	Screwpack, J300 escutcheon 630	5

C300 Strikes

	Part #	Description	List \$
	5001	ANSI (4-7/8") strike	9
	5101	T Strike, 1-1/8" lip length, square corner	9
	5202	Full lip strike, 1-1/8" lip length, 1/4" radius corner	9


Example: 5001 626

J300 Strikes

	Part #	Description	List \$
	5701	Lock — T strike, dead bolt — no lip square corner strike dead bolt	16
	5703	Lock — full lip square corner strike, dead bolt — no lip square corner strike	16
	5704	Lock — full lip 1/4" radius corner strike, dead bolt — no lip 1/4" radius corner strike	16
	5705	Lock — full lip square corner strike, dead bolt — full lip square corner strike	16
	5706	Lock — full lip 1/4" radius corner strike, dead bolt — full lip 1/4" radius corner strike	16


Latches

C310/C340 Non-Fire

	Part #	Description	List \$
	13202	2-3/4" backset x 1-1/8" SC faceplate	15
	13200	2-3/4" backset x 1" SC faceplate	15
	13201	2-3/4" backset x 1" RC faceplate	15
	13102	2-3/8" backset x 1-1/8" SC faceplate	15
	13100	2-3/8" backset x 1" SC faceplate	15
	13101	2-3/8" backset x 1" RC faceplate	15


Example: 13202 626

C310/C340/J310 Fire

	Part #	Description	List \$
	13202F	2-3/4" backset x 1-1/8" SC faceplate	20
	13200F	2-3/4" backset x 1" SC faceplate	20
	13201F	2-3/4" backset x 1" RC faceplate	20
	13102F	2-3/8" backset x 1-1/8" SC faceplate	20
	13100F	2-3/8" backset x 1" SC faceplate	20
	13101F	2-3/8" backset x 1" RC faceplate	20


Example: 13202F 626

C330 Fire

	Part #	Description	List \$
	13282F	2-3/4" backset x 1-1/8" SC faceplate	20
	13280F	2-3/4" backset x 1" SC faceplate	20
	13281F	2-3/4" backset x 1" RC faceplate	20
	13182F	2-3/8" backset x 1-1/8" SC faceplate	20
	13180F	2-3/8" backset x 1" SC faceplate	20
	13181F	2-3/8" backset x 1" RC faceplate	20

Example: 13282F 626


C353/J353 Fire



Part #	Description	List \$
13282F	2-3/4" backset x 1-1/8" SC faceplate	20
13280F	2-3/4" backset x 1" SC faceplate	20
13281F	2-3/4" backset x 1" RC faceplate	20
13182F	2-3/8" backset x 1-1/8" SC faceplate	20
13180F	2-3/8" backset x 1" SC faceplate	20
13181F	2-3/8" backset x 1" RC faceplate	20

Example: 13282F 626


C300 Drive-In (Non-Fire only)



Part #	Application	Description	List \$
13103	C310/340	2-3/8" backset Drive-In	12
13153	C353	2-3/8" backset Drive-In	12
13183	C330	2-3/8" backset Drive-In	12

NOTE: 2-3/8" Basket only, finish does not apply (no face plate)

J300 Deadbolts



Part #	Description	List \$
13390	Adjustable backset 1" SC faceplate with filler	20
13391	Adjustable backset 1" RC faceplate	20

Example: 13390 626

J300 Components

Part #	Description	List \$
33801	SFIC dead bolt cylinder housing with trim ring	30
33802	Standard cylinder dead bolt cylinder housing with trim ring	30
33803	J300 thumb turn with rose	25

Miscellaneous Parts

Part #	Description	List \$
76019292	Black plastic lever insert – J310	0.5
76019304	Latch filler – 1" to 1-1/8"	0.5

9000 Series

Item	Description	Finishes		
		Painted	Plated or Base Metal	Finish N/A
		689, 691, 693, 695, 696	605, 606, 611, 612, 613, 619, 625, 626, 629*, 630	
		List \$		
Alarms, Controls, and Monitoring				
BPA Kit	Battery powered alarm kit. Specify bar size and finish (includes standard cylinder).	590	590	—
BPAP Kit	Battery powered alarm, 4 minute reset kit. Specify bar size and finish (includes standard cylinder).	590	590	—
DWA Kit	Direct wired alarm kit. Specify bar size and finish.	560	560	—
MS Kit	Monitor switch kit	—	—	253
Dogging				
CD Kit	Kit allows conversion to CD function (includes standard cylinder). Specify bar size and finish.	170	170	—
DOGKEYPAK	Hex dogging keys (10 keys per pack)	—	—	43
9DRKIT	Dogging repair kit. Includes all parts for hex key dogging assembly.	—	—	80
Fasteners				
GK9000	Glass light shim kit for 9100, 9300, 9400, and 9500 devices. Specify finish.	73	73	—
GK9200	Glass light shim kit for 9600, 9700, and 9800 devices. Specify finish.	73	73	—
SNBPAK	Sex nuts and bolts, 2 per pack. Specify finish.	13	13	—
Strikes, 9100 Series CVR/9400 Series SVR/9600 Series CVR/9800 Series SVR				
340	Flat slide bolt bottom strike – CVR/SVR	—	—	38
416V	Surface bottom strike for pullman latch – SVR	—	—	38
418	Standard top strike – CVR	—	—	38
419	Wood frame top strike – CVR	—	—	49
426	Standard top strike – CVR	—	—	38
426A	Top strike with angle – SVR	—	—	49
431	Recessed bottom strike for pullman latch – CVR/SVR	—	—	49
439	Standard slide bolt bottom strike – CVR/SVR	—	—	38
Strikes, 9300 Series Rim/9700 Series Rim				
320	Overlap strike – Rim	—	—	58
416	Strike – Rim	—	—	38
430	Strike – Rim	—	—	60
463	Extended lip strike (fire-rated, hurricane rated) – Rim	—	—	60
476	Roller strike – Rim	—	—	38
486	Roller strike – Rim	—	—	38
Cylinder Adaptors				
80CK	Rim cylinder mounting kit. Included with O3 trim.	—	—	95

NOTE: Highlighted items are available from Select Service.

* Please allow 4 week lead time for 629 finish.

Item	Description	Finishes		
		Painted	Plated or Base Metal	Finish N/A
		689, 691, 693, 695, 696	605, 606, 611, 612, 613, 619, 625, 626, 629*, 630	
List \$				
Strikes, 9500 Series Mortise				
465	Standard strike – Mortise	–	–	38
565L	Open back strike – Mortise (for LHR applications)	–	–	60
565R	Open back strike – Mortise (for RHR applications)	–	–	60
Chassis Kit				
91CRKT	Chassis kit, 9100 CVR	–	–	103
93CRKT	Chassis kit, 9300 Rim	–	–	18
94CRKT	Chassis kit, 9400 SVR	–	–	58
95CRKTLHR	Chassis kit, 9500 Mortise. Specify handing.	–	–	44
95CRKTRHR	Chassis kit, 9500 Mortise. Specify handing.	–	–	44
96CRKT	Chassis kit, 9600 CVR	–	–	103
97CRKT	Chassis kit, 9700 Rim	–	–	18
98CRKT	Chassis kit, 9800 SVR	–	–	58
Chassis Assembly				
CHASASSY91	Chassis assembly 9100 CVR. Specify handing. Includes mounting screws.	–	–	193
CHASASSY93	Chassis assembly 9300 Rim. Includes mounting screws.	–	–	206
CHASASSYF93	Chassis assembly F9300 Rim. Includes mounting screws.	–	–	241
CHASASSY94	Chassis assembly 9400 SVR. Includes mounting screws.	–	–	206
CHASASSY95	Chassis assembly 9500 Mortise. Specify handing. Includes mounting screws.	–	–	193
CHASASSY96	Chassis assembly 9600 CVR. Includes mounting screws.	–	–	193
CHASASSY97	Chassis assembly 9700 Rim. Includes mounting screws.	–	–	206
CHASASSYF97	Chassis assembly F9700 Rim. Includes mounting screws.	–	–	241
CHASASSY98	Chassis assembly 9800 SVR. Includes mounting screws.	–	–	193
Chassis Assembly Cover				
CHCOV91/95	Chassis assembly cover. Includes cover and mounting screws.	66	133	–
CHCOV93	Chassis assembly cover. Includes cover and mounting screws.	90	167	–
CHCOV94	Chassis assembly cover. Includes cover and mounting screws.	90	167	–
CHCOV96	Chassis assembly cover. Includes cover and mounting screws.	66	133	–
CHCOV97	Chassis assembly cover. Includes cover and mounting screws.	90	167	–
CHCOV98	Chassis assembly cover. Includes cover and mounting screws.	90	167	–
End Caps				
EC	End cap, panic devices. Includes end cap, end cap mounting bracket, and mounting screws.	68	81	–
FEC	End cap, fire-rated devices. Includes end cap, end cap mounting bracket, and mounting screws.	68	81	–

* Please allow 4 week lead time for 629 finish.

		Finishes		
		Painted	Plated or Base Metal	Finish N/A
		689, 691, 693, 695, 696	605, 606, 611, 612, 613, 619, 625, 626, 629*, 630	

Item	Description	List \$		
Touch Bar and Rail Assembly				
TBR	Touch bar and rail assembly. Specify bar size and finish. (Partial length).	300	600	—
FTBR	Touch bar and rail assembly fire-rated. Specify bar size and finish. (Partial length).	325	630	—
MLRTBR	Touch bar and rail with MLR option. Specify bar size and finish.	800	1,000	—
MLRFTBR	Touch bar and rail with MLR option. Fire-rated. Specify bar size and finish.	825	1,030	—
ESTBR	Touch bar and rail assembly with ES option. Specify bar size and finish.	800	1,000	—
ESFTBR	Touch bar and rail assembly, fire-rated, with ES option. Specify bar size and finish.	825	1,030	—
FLTBR	Full length touch bar and rail assembly	446	986	—
FLFTBR	Full length fire-rated touch bar and rail assembly	476	1,016	—
9100 Series CVR / 9600 Series CVR				
9GALD	Aluminum door bracket	—	—	102
CVBOTPULLTCH	Bottom pullman latch assembly. Includes latch assembly, (2) each mounting angle brackets, ALD bracket, and mounting screws.	—	—	158
CVBOTSBLTCH	Standard bottom slide bolt assembly. Includes slide bolt assembly, (2) each mounting brackets, ALD bracket, and mounting screws.	—	—	81
CVRD96	Concealed vertical rod assembly. Includes outer and inner rods, rod retaining clip, and pivot connecting links.	—	—	96
CVRDLWR91	Concealed vertical rod kit, lower. Includes rod assembly, push rod, and fasteners for standard DORMA door prep (40-5/16" measured from finished floor or threshold to horizontal centerline device).	—	—	86
CVRDUPR91	Concealed vertical rod kit, upper. Includes rod assembly, push rod, and fasteners.	—	—	75
CVTOPLTCH	Top latch assembly. Includes latch assembly, (2) each mounting angle brackets, ALD bracket, and mounting screws.	—	—	170
ETR 9100	Top rod extension kit, 9100, for 8'-10' doors	—	—	49
FCVBOTPULLTCH	Bottom pullman latch assembly, fire-rated. Includes latch assembly, (2) each mounting angle brackets, ALD bracket, and mounting screws.	—	—	175
FCVBOTSBLTCH	Standard bottom slide bolt, fire-rated. Includes slide bolt assembly, (2) each mounting brackets, and bracket/mounting screws.	—	—	81
FCVTOPLTCH	Standard top latch assembly, fire-rated. Includes latch assembly, (2) each mounting angle brackets, ALD bracket, and mounting screws.	—	—	188
CVTOPLTCHNS	Standard top latch assembly for 9600 narrow stile CVR devices. Includes latch assembly, narrow stile bracket (assembled), and mounting screws.	—	—	170
POPPER	Thermal pin for fire-rated and CVR devices less bottom rod.	—	—	66

NOTE: Highlighted items are available from Select Service.

* Please allow 4 week lead time for 629 finish.

Locks

Cylinders, Keys & Keying

Exit Devices

Electronic Access Control Components

Low Energy Operators

Surface Closers

Fire/Life Safety

Concealed Closers/Pivots

Stops/Holders

Sliding Systems

Architectural Pulls & Handles

Service Parts

Item	Description	Finishes		
		Painted	Plated or Base Metal	Finish N/A
		689, 691, 693, 695, 696	605, 606, 611, 612, 613, 619, 625, 626, 629*, 630	
		List \$		
9400 Series SVR				
ETR 9400	Top rod extension kit, 9400, for 7'-9' or 8'-10' doors	49	97	—
FSVBOTPULLTCH	Bottom pullman latch assembly, fire-rated. Includes mounting screws.	—	—	110
FSVBOTSBLTCH	Standard bottom slide bolt assembly, fire-rated. Includes slide bolt assembly and mounting screws.	—	—	94
FSVTOPLTCH	Standard top latch assembly, fire-rated. Includes mounting screws.	—	—	151
LCHCOV	Latch assembly cover. Includes cover and mounting screws.	71	104	—
POPPER	Thermal pin for fire-rated and SVR devices less bottom rod.	—	—	66
SVBOTPULLTCH	Bottom pullman latch assembly. Includes mounting screws.	—	—	102
SVBOTSBLTCH	Standard bottom slide bolt assembly. Includes slide bolt assembly and mounting screws.	—	—	81
SVTOPLTCH	Standard top latch assembly. Includes mounting screws.	—	—	95
SVRDLWR	Surface vertical rod, lower. Precut, threaded, and drilled for standard DORMA door prep (40-5/16", measured from finished floor or threshold to horizontal centerline device). Includes push rod, rod guide, and fasteners.	44	58	—
SVRDUPR947	Surface vertical rod, upper. Precut, threaded, and drilled for 7' door. Includes push rod, rod guide, and fasteners.	66	91	—
SVRDUPR948	Surface vertical rod, upper. Precut, threaded, and drilled for 8' door. Includes push rod, rod guide, and fasteners.	66	91	—
9500 Series Mortise – Specify if device is prior 11/14. Devices prior to 11/14 will require new trim.				
95MLB	Mortise lock body, armor front, spindle, cylinder, and end cap. Specify handing.	299	299	
95MLB Fire	Mortise lock body. Fire-rated. Specify handing.	305	305	
95MLB LFSC	Mortise lock body. LFSC. Specify handing.	924	924	
95MLB LFSC Fire	Mortise lock body. LFSC, fire-rated. Specify handing.	930	930	
95MLB LFSF	Mortise lock body. LFSF. Specify handing.	924	924	
95MLB LFSF Fire	Mortise lock body. LFSF, fire-rated. Specify handing.	930	930	

NOTE: Highlighted items are available from Select Service.

* Please allow 4 week lead time for 629 finish.

8000 Series

Item	Description	List Add \$
Dogging		
DOGKEYPAK	Hex dogging keys (10 keys per pack)	43
8DRKIT	Dogging repair kit. Includes all parts for hex key dogging assembly.	80
Fasteners		
GK8000	Glass light shim kit	73
SNBPAK	Sex nuts and bolts, 2 per pack/3 required for 8300 (EO)	13
Strikes, 8400 Series SVR		
340	Flat slide bolt bottom strike – CVR/SVR	38
416V	Surface bottom strike for pullman latch – SVR	38
418	Standard top strike – CVR	38
419	Wood frame top strike – CVR	49
426	Standard top strike – CVR	38
426A	Top strike with angle – SVR	49
431	Recessed bottom strike for pullman latch – CVR/SVR	49
439	Standard slide bolt bottom strike – CVR/SVR	38
Strikes, 8300 Series Rim		
320	Overlap strike – Rim	58
416	Strike – Rim	38
425	Strike – Recessed	38
430	Strike – Rim	60
463	Extended lip strike (fire-rated, hurricane rated) – Rim	60
476	Roller strike – Rim	38
486	Roller strike – Rim	38
Cylinder Adaptors		
803CK	Rim cylinder mounting kit. Included with 03 trim.	95
Chassis Kit		
83CRKT	Chassis kit, 8300 Rim	21
Chassis Assembly		
CHASASSY83	Chassis assembly 8300 Rim. Includes mounting screws.	129
FCHASASSY83	Chassis assembly F8300 Rim. Includes mounting screws.	172
CHASASSY84	Chassis assembly 8400 SVR. Includes mounting screws.	129

NOTE: Highlighted items are available from Select Service.

Item	Description	List Add \$
Chassis Assembly Cover		
FCHCOV83	Chassis assembly cover, fire-rated. Includes cover and mounting screws.	53
CHCOV83	Chassis assembly cover. Includes cover and mounting screws.	42
CHCOVLM83	Chassis assembly cover, latch monitoring. Includes cover and mounting screws.	75
FCHCOVLM83	Chassis assembly cover, latch monitoring, fire-rated. Includes cover and mounting screws.	83
CHCOV84	Chassis assembly cover. Includes mounting screws.	42
End Caps		
EC8	Two piece end cap replacement kit, panic devices. Includes end cap, end cover, and mounting screws.	21
8400 Series SVR		
ETR 8400	Top rod extension kit, 8400, for 7'-9' or 8'-10' doors. Specify finish.	49
FSVBOTPULLTCH	Bottom pullman latch assembly, fire-rated. Includes mounting screws.	110
FSVBOTSBLTCH	Standard bottom slide bolt assembly, fire-rated. Includes slide bolt assembly and mounting screws.	94
FSVTOPLTCH	Standard top latch assembly, fire-rated. Includes mounting screws.	151
LCHCOV8	Latch assembly cover. Includes cover and mounting screws.	8
POPPER	Thermal pin for fire-rated and SVR devices less bottom rod.	66
SVBOTPULLTCH	Bottom pullman latch assembly. Includes mounting screws.	102
SVBOTSBLTCH	Standard bottom slide bolt assembly. Includes slide bolt assembly and mounting screws.	81
SVTOPLTCH	Standard top latch assembly. Includes mounting screws.	95
SVRDLWR84	Surface vertical rod, lower. Precut, threaded, and drilled for standard DORMA door prep (40-5/16", measured from finished floor or threshold to horizontal centerline device). Includes push rod, rod guide, and fasteners.	44
SVRDUPR847	Surface vertical rod, upper. Precut, threaded, and drilled for 7' door. Includes push rod, rod guide, and fasteners. Specify finish.	66
SVRDUPR848	Surface vertical rod, upper. Precut, threaded, and drilled for 8' door. Includes push rod, rod guide, and fasteners. Specify finish.	66
Touch Bar and Rail Assembly		
TBR8	Touch bar and rail assembly. Specify bar size and finish.	311
FTBR8	Fire-rated touch bar and rail assembly. Specify bar size and finish.	341

NOTE: Highlighted items are available from Select Service. ETR 8400 available in 689 finish only.

Surface Closers

Closer Bodies

Item	Description	Painted Finish \$
TS9315 B CB	Closer body only (pull side), size 1–5	362
TS9315 G CB	Closer body only (push side), size 1–5	362
TS9356 B CB	Closer body only (pull side), size 5–6	362
TS9356 G CB	Closer body only (push side), size 5–6	362
TS9315 B	Closer body w/ backplate (pull side), size 1–5	401
TS9315 G	Closer body w/ backplate (push side), size 1–5	401
TS9356 B	Closer body w/ backplate (pull side), size 5–6	401
TS9356 G	Closer body w/backplate (push side), size 5–6	401
8907 CB	Closer body only	334
8902TEL	Closer body only (telephone booth)	369
8916 CB, 8956 CB,	Closer body only	322
8916DA CB, 8956DA CB	Closer body only w/ delayed action	358
STA 8916 CB, STA 8956 CB	Closer body only for use with stainless steel closer combinations	395
STA 8916DA CB, STA 8956DA CB	Closer body only w/ delayed action	431
8616 CB	Closer body only	218
8616DA CB	Closer body only w/ delayed action	255
STA 8616 CB	Closer body only for use with stainless steel closer combinations	290
STA 8616DA CB	Closer body only w/ delayed action	326
7414 CB, 7436 CB	Closer body only	184
7414DA CB, 7436DA CB	Closer body only w/ delayed action	219
STA 7414 CB, STA 7436 CB	Closer body only for use with stainless steel closer combinations	249
STA 7414DA CB, STA 7436DA CB	Closer body only w/ delayed action	285
7302–7305 CB	Closer body only	184
U1500 SERV	U1500 service pack (1 each complete tri-pack assembly, 689/695 only)	172

Backplates and Drop Plates

Item	Applicable Series	Description	Painted Finish \$
BP73	7300, U1500	Backplate for 7300/U1500	30
BP73T	7300	Backplate for 7300 × slide track	30
BP74	7400	Backplate for 7400	30
BP74T	7400	Backplate for 7400 × slide track	30
BP86	8600, 7000	Backplate for closer with slim cover	30
BP86FC	8600, 7400	Backplate for closer with full cover	30
BP86T	8600, 7400, 7300	Backplate for slide track closer with slim cover	30
BP86TFC	8600, 7400,	Backplate for slide track closer with full cover	30
BP86FTFC	8600, 7400	Backplate for flush transom slide track closer w/wo slim or full cover	30
BP89	8900	Backplate for top jamb with frame <2-7/8"	30

NOTE: Highlighted items are available from Select Service and only available in 689 finish.

Backplates and Drop Plates (continued)


Item	Applicable Series	Description	Painted Finish \$
DP73	7300, U1500	Drop plate for 7300/U1500	30
DP74	7400	Drop plate for 7400	30
DP86	8600, 7000	Drop plate for closer with slim cover	30
DP86FC	8600, 7400	Drop plate for closer with full cover	30
DP89	8900	Drop plate for PA where top rail is < 5-3/4"	30
BP93	TS93	Backplate for TS93	30

Conversion Plates


Item	Applicable Series	Description	Painted Finish \$
4040R	8900	LCN 4040 regular 120° mount	44
4040P	8900	LCN 4040 parallel arm 180° mount	44
4040C	8900	LCN 4040 cush arm 90° mount	44
4040E	8900	LCN 4040 EDA arm 180° mount	44
4011	8900	LCN 4011 regular 90° mount	44
4111	8900	LCN 4111 parallel arm mount	44
4020	8900	LCN 4020 top jamb mount	44
4011FT	8900	LCN Standard arm shoe	24
7500R	8900	Norton 7500 regular mount	44
P7500	8900	Norton 7500 parallel arm mount	44
83018501	8900	Norton 8300/8500 regular and parallel mount	44
89SPADC2210P	8900	Corbin/Russwin DC2210PA to 8900	44
DC2200R	8900	Corbin/Russwin DC2200REG to 8900	44
8980RPA	8900	DORMA TS83 regular and parallel mount	44
DC2200RFT	8900, 8600	Corbin/Russwin DC2200REG foot	24
4041P86	8600	LCN 4040 regular mount to 8600	44
P750086	8600	Conversion plate for Norton P7500 to 8600 PA	44
86DC2200PA	8600	Corbin/Russwin DC2200PA to 8600	44
86DC2200R	8600	Corbin/Russwin DC2200REG to 8600	44
CR100	8600	Conversion plate for Corbin/Russwin 100 to 8600	44
BP86C	8600	Backplate for conversion of 7600/7800 Series to 8600 Series	30
BP640C	7400	Backplate to retrofit 7400 to 9-1/16" hole spacing.	5
STA BP640C	STA 7400	Backplate with stainless steel fasteners to Examples: DORMA 640, Norton 1600 or Yale 50	13
16021603	7300	Norton 1602/1603 Regular	25
BP600C	7300	Backplate to retrofit 7300 to 8-9/32" hole spacing	25

NOTE: Highlighted items are available from Select Service and only available in 689 finish.

Brackets and Spacers

Item	Applicable Series	Description	Painted Finish \$	Plated Finish \$
AB93	TS93	Angle bracket for TS93 PT/PTHO	55	174
AB89	8900	Angle bracket for 8900	55	—
AB86	8600, 7000	Angle bracket for closer with slim cover	55	—
AB74	7400	Angle bracket for 7400	55	—
AB73	7300	Angle bracket for 7300	55	—
P89	8900	Parallel arm soffit bracket, non-hold open arm and plunger hold open arms	16	77
P86	8600, 7000	Parallel arm soffit bracket, non-hold open arm and plunger hold open arms	16	77
P15	U1500	Parallel arm soffit bracket, U1500 non-hold open (689/695 only)	13	—
STA P86 **	STA 8000/7400	Stainless steel parallel arm soffit bracket, non-hold open	52	*78
PHB	8000, 7000	Parallel friction hold open bracket	16	—
PH15	U1500	Parallel arm soffit bracket, U1500 friction hold open (685/695 only)	13	—
PFT	8000, 7000	Parallel flush transom bracket	24	—
PD	8000, 7000	Parallel drop bracket, non-hold open arms	32	—
MJ 	8000, 7000	Mortised jamb bracket, non-hold open arms	22	—
BS	8000, 7000	Blade stop spacer (P86, P89, PHB, and PD)	22	—
BSHD	8000, 7400, 7300	Blade stop spacer for use with heavy duty door saver and super parallel arms	25	—
NFHD	8000, 7400, 7300	Narrow frame bracket for use with heavy duty door saver and super parallel arms	25	—
FTHD	8000, 7400, 7300	Flush transom bracket for use with heavy duty door saver and super parallel arms	45	—

** Architectural finishes for STA P86 available in 630 ONLY.

 When used with flat form non-hold open arms, the MJ bracket must be used with a special length arm.

NOTE: Highlighted items are available from Select Service and only available in 689 finish.

Locks

Cylinders, Keys & Keying

Exit Devices

Electronic Access Control Components

Low Energy Operators

Surface Closers

Fire/Life Safety

Concealed Closers/Pivots

Stops/ Holders

Sliding Systems

Architectural Pulls & Handles

Service Parts

Fastener Packs

Item	Applicable Series	Description	Painted Finish \$
SN1	8900, U1500	(4) each 1/4-20 sex nuts for 1-3/4" door	5
SN2	8900, STA, U1500	(4) each 1/4-20 sex nuts for 1-3/8" door	5
STASN1	STA 8000/7400	(4) each 1/4-20 sex nuts for 1-3/4" door, clear powder coat	9
SN3	TS93, GSR	(4) each 10-32 sex nuts for 1-3/4" door	5
SN4	TS93, GSR	(4) each 10-32 sex nuts for 1-3/8" door	5
SNB1	8600, 7000	(4) each 1/4-20 sex nuts and machine screws for 1-3/4" door	7
SNB2	8600, 7000	(4) each 1/4-20 sex nuts and machine screws for 1-3/8" door	7
COMBO	8600, 7000	Screw pack with fasteners that are a wood/machine screw combination	9
U15NHPK	U1500	All wood and machine fasteners required to install one each U1500 non-hold open closer (689/695 only)	6
U15HPK	U1500	All wood and machine fasteners required to install one each U1500 friction hold open closer (689/695 only)	6
DPK86	8600, 7000	All fasteners to be self drilling fasteners	9
DPK89	8900	All fasteners to be self drilling fasteners	9
TPK86	8600, 7000	All fasteners to be self tapping fasteners	9
TPK89	8900	All fasteners to be self tapping fasteners	9
TPK15	U1500	All self tapping fasteners to install U1500 NHO/FHO	6
TX86	8600, 7000	All exposed fasteners to be Torx security fasteners (n/a with track applications)	26
TX89	8900	All exposed fasteners to be Torx security fasteners (n/a with track applications)	26
AWS	8600, 7000	All wood screws	9
SCRPKSISH	8000, 7000	Screwpack for SIS, SISJ, SISH, SISHJ	38
SCRPKISH	8000, 7000	Screwpack for IS, ISJ, ISH, ISHJ	18
STASCRPK	STA 8000/7400	Stainless steel tri-pack closer fastener pack	26

NOTE: Highlighted items are available from Select Service.

Covers, Full Covers, and Accessories

Item	Applicable Series	Description	Painted Finish \$	Plated Finish \$
CAP	8600, 7000	Dust cap to cover exposed pinion of closer	4	—
CAP15	U1500	Dust cap to cover exposed pinion of U1500 (689/695 only)	3	—
COV	8600, 7000	Slim plastic cover	17	—
COV15	U1500	Slim plastic cover, U1500 (689/695 only)	13	—
FC	8000, 7400	Full plastic cover	22	—
FCSL	8000, 7400	Full plastic slotted cover (low ceiling conditions)	22	—
FMC	8900, 8600	Full metal cover (Handed for TJ/JT ([FMCL/FMCR]))	27	130
FMC LL	8900, 8600	Full metal cover, lead lined. Handed & Non-Handed	129	232
STA FMC **	STA 8000/7400	Stainless steel full metal cover	129	—
EC93	TS93	End caps for full metal cover	13	—
FMC LEC	TS93	Full metal cover	33	146
FMC	TS93	Full metal cover w/end caps	37	156

NOTES:

- Highlighted items are available from Select Service and only available in 689 finish.
- 7400 closers are not furnished to accept FC, FC SL, or FMC unless specified at time of order.
- ** Architectural finish for STA FMC available in 630 FINISH ONLY.

8000 Series Non-Hold Open Arms

Item	Applicable Series	Description	Painted Finish \$	Plated Finish \$
AF89P	8900	Arm, flat complete tri-pack NHO w/P89 bracket, 0" to 4" reveal	82	242
AF89J	8900	Arm, flat complete NHO TJ 4" to 8" reveal	78	180
AF89	8900	Arm, flat complete NHO Reg. or TJ 0" to 4" reveal	74	175
AF8MJ	8900, 8600	Arm, flat complete NHO, for use with MJ bracket	78	—
AMF89	8900	Arm, main non-hold open x flat adjusting tube	62	158
RRA	8900	REG, rigid regular mount arm (Flat)	131	—
AF86P	8600	Arm, flat complete tri-pack NHO w/P86 bracket, 0" to 4" reveal	77	239
AF86J	8600	Arm, flat complete NHO TJ 4" to 8" reveal	73	174
AF86	8600	Arm, flat complete NHO Reg. or TJ 0" to 4" reveal	69	170
AMF86	8600	Arm, main, non-hold open x flat adjusting tube	62	158
SB04	8000	Shoe and bar, non-hold open flat, 0" to 4" reveal	29	104
SB48	8000	Shoe and bar, non-hold open flat, 4" to 8" reveal	29	104

NOTE: Highlighted items are available from Select Service and only available in 689 finish.

8000 and 7000 Series Non-Hold Open Arms

Item	Applicable Series	Description	Painted Finish \$	Plated Finish \$
ARP	8600, 7000	Arm, round complete tri-pack, NHO 8 mm rod w/ P86 bracket, 0" to 4" reveal	67	232
ARJ	8600, 7000	Arm, round complete, NHO 10 mm rod, top jamb 4" to 8" reveal	63	173
AR	8600, 7000	Arm, round complete, NHO 8 mm rod, regular or top jamb 0" to 4" reveal	60	163
AO8P	8600, 7000	PA, REG & TJ secured elbow for reveals to 4" (round)	67	—
AO8	8600, 7000	REG or TJ secured elbow for reveals to 4" (round)	60	—
ARP15	U1500	Arm, round U1500 complete tri-pack, NHO 10 mm rod with P15 bracket, 0" to 4" reveal (689/695 only)	50	—
STA ARP **	STA 8000/7400	Stainless steel arm, round complete tri-pack, NHO 8 mm rod w/ stainless steel P86 bracket, 0" to 4" reveal	216	*278
STA AR **	STA 8000/7400	Stainless steel arm, round complete, NHO 8 mm rod, regular or top jamb 0" to 4" reveal	165	*196
ARNPP	8600, 7000	Arm, round complete tri-pack, NHO narrow profile 8 mm rod w/ P86 bracket 0" to 4" reveal	67	—
ARNPJ	8600, 7000	Arm, round complete, NHO narrow profile 10 mm rod, top jamb 4" to 8" reveal	63	—
ARNP	8600, 7000	Arm, round complete, NHO narrow profile, 8 mm rod regular or top jamb 0" to 4"	60	—
AMR04	8600, 7000	Arm, main and 8 mm round adjusting tube only, non-hold open	46	143
AMR48	8600, 7000	Arm, main and 10 mm round adjusting tube only, non-hold open	48	145
STA AMR04 **	STA 8000/7400	Stainless steel arm, main and 8 mm round adjusting tube only, non-hold open	109	*131
AMR04NP	8600, 7000	Arm, main and 8 mm round adjusting tube only, non-hold open narrow profile	46	—
AMR48NP	8600, 7000	Arm, main and 10 mm round adjusting tube only, non-hold open narrow profile	48	—
SR04	8600, 7000	Shoe and 8 mm round rod for 0" to 4" reveal	26	100
SR48	8600, 7000	Shoe and 10 mm round rod for 4" to 8" reveal	28	104
STA SR04 **	STA 8000/7400	Stainless steel shoe and 8 mm rod for 0" to 4" reveal	46	*57

NOTE: Highlighted items are available from Select Service and only available in 689 finish.

** Architectural finishes for STA ARP, STA AR, STA AMR04 and STA SRO4 only available in 630 finish.

Door Saver and Door Saver Hold Open Arms/Accessories (8900/8600/7400/7300 Series)

Item	Applicable Series	Description	Painted Finish \$	Plated Finish \$
DS	8000, 7000	Arm, door save parallel mount complete	128	287
DST	8000, 7000	Arm, door saver thumb turn hold open parallel mount complete	172	329
DSK	8000, 7000	Arm, door saver hex key turn hold open parallel mount complete	172	329
SDS	8000, 7000	Arm, spring door saver parallel mount complete	236	389
SDST	8000, 7000	Arm, spring door saver hold open parallel mount complete	280	431
BUMPERDS	8000, 7000	Bumper cushion and screw for door saver arm	22	—
SSPRINGDS	8000, 7000	Spring door saver, spring stop assembly complete	60	130
CS	TS93	Cushion stop to help stop door in normal opening	32	—

Super Parallel Arm and Super Parallel Hold Open Arms/Accessories (8900/8600/7400/7300 Series)

Item	Applicable Series	Description	Painted Finish \$	Plated Finish \$
SPA	8000, 7000	Arm, super parallel mount complete	99	255
SPAT	8000, 7000	Arm, super parallel mount thumb turn hold open complete	144	298
SPAK	8000, 7000	Arm, super parallel mount hex key turn hold open complete	144	298

IS and Spring IS Arms (8900/8600/7400/7300 Series)

Item	Applicable Series	Description	Painted Finish \$	Plated Finish \$
IS	8000, 7000	Arm, IS cushion complete w/bumper, reg mount	265	440
ISH	8000, 7000	Arm, hold open IS cushion complete w/ bumper, reg mount	325	—
SIS	8000, 7000	Arm, spring IS complete w/ bumper, regular or top jamb mount for 0" to 3-1/2" reveal	350	538
SISH	8000, 7000	Arm, spring IS hold open complete w/ bumper, reg or top jamb mount 0" to 3-1/2" reveal	401	—
ISJ	8000, 7000	Arm, IS cushion complete w/ bumper for TJ 3-1/2" to 6-1/2" reveal	290	457
ISJH	8000, 7000	Arm, hold open IS cushion complete w/ bumper for TJ 3-1/2" to 6-1/2" reveal	342	—
SISJ	8000, 7000	Arm, spring IS complete w/ bumper, top jamb mount for 3-1/2" to 6-1/2" reveal	358	441
SISJH	8000, 7000	Arm, spring IS hold open complete w/ bumper top jamb mount for 3-1/2" to 6-1/2" reveal	409	—

IS and Spring IS Arms (8900/8600/7400/7300 Series)

Item	Applicable Series	Description	Painted Finish \$	Plated Finish \$
SISM03	8000, 7000	Arm, main, IS/SIS, w/ connecting bar for 0 to 3-1/2" reveal	101	178
SISM36	8000, 7000	Arm, main, ISJ/SISJ, w/ connecting bar for 3-1/2" to 6-1/2" reveal	137	250
SISMH03	8000, 7000	Arm, main, IS/SIS, hold open, w/ connecting bar for 0 to 3-1/2" reveal	137	—
SISMH36	8000, 7000	Arm, main, ISJ/SISJ, hold open, w/ connecting bar for 3-1/2" to 6-1/2" reveal	253	—
ISST	8000, 7000	Assembly, IS shoe and connecting arm tube (connects to frame or door, depending on mount)	106	164
SISST	8000, 7000	Assembly, SIS spring stop and connecting arm tube (connects to frame or door, depending on mount)	192	341
BUMPERIS	8000, 7000	Bumper cushion and attachment hardware for IS and SIS arms	22	—

Friction Hold Open Arms (8000/7000 Series)

Item	Applicable Series	Description	Painted Finish \$	Plated Finish \$
FHP	8000, 7000	Friction hold open arm complete tri-pack, 0" to 4" reveal	113	—
FHJ	8000, 7000	Friction hold open arm complete, for top jamb 4" to 8" reveal	109	—
FH	8000, 7000	Arm, friction hold open, complete, for regular or parallel arm	106	—
FHM04	8000, 7000	Arm, friction hold open main and adjusting tube, 0" to 4" reveal	62	—
FHM48	8000, 7000	Arm, friction hold open main and adjusting tube, 4" to 8" reveal	72	—
FHSB	8000, 7000	Shoe and bar, friction hold open	61	—
FHP U15	U1500	Friction hold open arm complete U1500 tri-pack, 0" to 4" reveal (689/695 only)	65	—

NOTE: Highlighted items are available from Select Service and only available in 689 finish.

Plunger Hold Open Arms (8900/8600 Series)

Item	Applicable Series	Description	Painted Finish \$	Plated Finish \$
PHP	8900, 8600	Arm, plunger hold open complete for parallel or top jamb mount 1-1/2" to 3-1/2" reveal	167	445
PH	8900, 8600	Arm, plunger hold open complete for regular or top jamb mount 0" to 1-1/2" reveal	162	364
PHM	8900, 8600	Arm, main and adjusting tube only, plunger hold open	105	347
PHSBP	8900, 8600	Shoe and bar, plunger hold open, parallel or top jamb 1-1/2" to 3-1/2" reveal	63	157
PHSB	8900, 8600	Shoe and bar, plunger hold open, regular or top jamb 0" to 1-1/2" reveal	50	150

Track and Track Hold Open Arms/Accessories (TS93/8900/8600/7400/7300 Series)

Item	Applicable Series	Description	Painted Finish \$	Plated Finish \$
T93	TS93	Arm/slide channel complete (pull side)	166	366
T	8000, 7400, 7300	Arm/slide channel complete, door or frame mount (pull side) T/JT/FT	132	312
ST	TS93	Arm/slide channel complete, spring stop arm (pull side)	293	594
PT93	TS93	Arm/slide channel complete, soffit mount (push side)	187	358
PT	8000, 7400, 7300	Arm/slide channel complete, soffit mount (push side)	156	334
SPT	TS93	Arm/slide channel complete, spring stop arm (push side)	293	594
TDE	8000, 7400, 7300	Arm/slide channel complete, double egress frame mount (pull side)	188	—
T93H	TS93	Arm/slide channel complete, hold open (pull side)	187	388
TH	8000, 7400, 7300	Arm/slide channel complete, door or frame mount hold open (pull side) TH/JTH/FTH	156	334
STH	TS93	Arm/slide channel complete, spring stop arm hold open (pull side)	316	612
PT93H	TS93	Arm/slide channel complete, soffit mount hold open (push side)	187	388
PTH	8000, 7400, 7300	Arm/slide channel complete, soffit mount hold open (push side)	177	356
TDEH	8000, 7400, 7300	Arm/slide channel complete, double egress frame mount hold open (pull side)	210	—
TPKT90	8900	Arm/slide channel complete, all 90° to 119°	156	—
T93PKT90	TS93	Arm/slide channel complete, all 90° to 119° pocket	187	—
T93PKT170	TS93	Arm/slide channel complete, 120° to 170° pocket	187	—
T93PKT180	TS93	Arm/slide channel complete, 170° to 180° pocket (specify hand)	220	—
THKIT	8000, 7400, 7300	Replacement hold open assembly for track installations	57	—
THKIT93ONLY	TS93	Replacement hold open assembly for track installations	62	—

Carry Bars and Extension Kits

Item	Applicable Series	Description	Painted Finish \$	Plated Finish \$
MK397	GSR	Carry bar — up to 3-6" wide doors	37	77
MK398	GSR	Carry bar — 3-6" and wider doors	41	92
GSR EXT KIT	GSR	Cover and connecting rod extension kit — openings over 8' wide	165	N/A

Touch Up Paint

Item	Applicable Series	Description	List \$
PNT689	All	Aluminum aerosol spray paint	29
PNT690	All	Statuary bronze aerosol spray paint	29
PNT691	All	Dull bronze aerosol spray paint	29
PNT693	All	Black aerosol spray paint	29
PNT695	All	Dark duranodic bronze aerosol spray paint	29
PNT696	All	Gold aerosol spray paint	29
PNT689 CASE	All	Aluminum aerosol spray paint, case of 6	149
PNT690 CASE	All	Statuary bronze aerosol spray paint, case of 6	149
PNT691 CASE	All	Dull bronze aerosol spray paint, case of 6	149
PNT693 CASE	All	Black aerosol spray paint, case of 6	149
PNT695 CASE	All	Dark duranodic bronze aerosol spray paint, case of 6	149
PNT696 CASE	All	Gold aerosol spray paint, case of 6	149

EMR/EMF Series

Fire/Life Safety

Item	Applicable Series	Description	List \$
COV	8600	Slim plastic closer body cover	17
FC	8900/8600	Full plastic closer body cover	22
FMC	8900/8600	Full metal closer body cover (specify hand)	27
SN1	8900	(4) each 1/4-20 sex nuts for 1-3/4" door	5
SN3	TS93	(4) each 10-32 sex nuts for 1-3/4" door	5
SNB1	8600	(4) each 1/4-20 sex nuts and machine screws for 1-3/4" door	7
SD2	EMR	Replacement detector module	433
RFR	All	Radio frequency receiver for wireless release of hold open	280
HHRFT1	All	Hand held transmitter for wireless release of hold open	138
TRANSF	All	120 VAC to 24 VAC Transformer (External)	55
SCRPKEMRDET	EMR	EMR Standoff for SD-2 Detector Replacement (EMR)	3
TERMINALBLOCK	EMF	Screw-in replacement terminal block 4-pin/white	4

NOTE: Highlighted items are available from Select Service.

1800 Series

Item	Description	List \$
SN1	(4) each 1/4-20 sex nuts for 1-3/4" door	5
SNB1	(4) each 1/4-20 sex nuts and machine screws for 1-3/4" door	7
EXPKIT	Exposed wiring bracket	30
SFKIT	Swing free kit	41
SOL1800	1800 replacement solenoid 24 VAC/DC	291
SD2	Replacement detector module	433
AR	Arm round complete 0"-4" reveal	60
ARJ	Arm round complete, NHO 10mm rod, top jamb 4" to 8" reveal	64
RFR	Radio frequency receiver for wireless release of hold open	280
HHRFT1	Hand held transmitter for wireless release of hold open	138
CAMDRIVE	Replacement Hold Open Cam/Cam Drive	18
TRANSF	120 VAC to 24 VAC Transformer	55
FMC1800	Replacement cover for 1800 Series (specify arm type and hand)	124
T-ARM1800	Track and arm assembly for 1800 Series	75

NOTE: Highlighted items are available from Select Service.

Locks

Cylinders,
Keys & Keying

Exit Devices

Electronic
Access Control
ComponentsLow Energy
OperatorsSurface
ClosersFire/Life
SafetyConcealed
Closers/PivotsStops/
HoldersSliding
SystemsArchitectural
Pulls & HandlesService
Parts

EM Series

Item	Description	689/695 Finish \$	696 Finish \$
ER1.5 **	1-1/2" extension rod	58	—
2 **	2" extension rod	66	—
ER7 **	6-3/8"–8" adjustable extension rod	74	—
ER12 **	8-3/8"–12" adjustable extension rod	82	—
CPSHORT	2" projection catch plate (door portion)	85	98
CPLONG	2-5/8" projection catch plate (door portion)	97	111
EMDPPK **	Door plate pack, (plate, bracket and fasteners)	32	—
EMSCRPK **	Universal fastener pack for all EM models	21	—
EMSURFPK **	Surface mount box and fastener pack for EM 509	75	—
EMFACEPLTPK **	Brackets and fastener pack for all EM face plates	20	—

** Available in 689 finish only.

NOTE: Highlighted items are available from Select Service and only available in 689 finish.

BTS Series

Floor Closers with Cement Cases, Less Spindle

Item	Description	List \$
BTS80 - Sz 4,6	Floor closer for non-labeled doors (previously Sz 2 and Sz 3, respectively)	1,010
BTS80 - Sz 3	Floor closer for non-fire rated, light opening force requirements (previously BFE)	1,010
BTS80 F - Sz 5	Floor closer for fire doors (specify hand)	1,033
BTS80 BOX	BTS 80 cement case only	83
BTS75V - NHO	Floor closer for non-labeled doors or fire doors	924
BTS75V BF - NHO	Floor closer for non-labeled doors	924
BTS75V - 90° HO	Floor closer for non-labeled doors	979
BTS75V - 105° HO	Floor closer for non-labeled non-fire rated doors	979
BTS75V BF - 90° HO	Floor closer for non-labeled doors	979
BTS75V BOX	BTS75V cement case only	78
BTS80 EMB - Sz 5	Floor closer w/ electro-hydraulic hold open (specify hand)	2,623

NOTE: Highlighted items are available from Select Service.

Interchangeable Spindles

Item	Description	List \$
74003	5/16" clearance spindle	70
74005	1/2" clearance spindle	70
74007	5/8" clearance spindle	70
74010	3/4" clearance spindle	70
74012	13/16" clearance spindle	92
74015	7/8" clearance spindle	92
74020	1-1/8" clearance spindle	92
74025	1-5/16" clearance spindle	92
74030	1-1/2" clearance spindle	92
74035	1-11/16" clearance spindle	92
74040	1-7/8" clearance spindle	92
74045	2-1/16" clearance spindle	92
74050	2-5/16" clearance spindle	92

NOTE: Highlighted items are available from Select Service.

Interchangeable Spindles (Center Hung, Single Acting Packages)**

Item	Description	List \$
80003	5/16" clearance spindle	70
80005	1/2" clearance spindle	70
80010	3/4" clearance spindle	70
80015	7/8" clearance spindle	92
80020	1-1/8" clearance spindle	92
80025	1-5/16" clearance spindle	92
80030	1-1/2" clearance spindle	92

NOTE: Highlighted items are available from Select Service and only available in 630 finish.

** Specify Hand

Floor Plates

Item	Description	Plated Finish \$
7410	Floor plate for BTS 80, 80 F, 80 EMB closers	108
7510	Floor plate for BTS 75V closers	108

NOTE: Highlighted items are available from Select Service and only available in 630 finish.

Center Hung Bottom Arms

Item	Description	List \$
7421	Bottom arm for wood or steel doors	72
7422	Bottom arm for aluminum door	98

Center Hung Top Pivots

Item	Description	Painted Finish \$	Plated Finish \$
8062	Complete top pivot	122	122
8062 COV	Cover only	21	21
HD8062	Heavy-duty complete top pivot	374	374

3/4" Offset Hung Top Pivots

Item	Description	Painted Finish \$	Plated Finish \$
75120	Full mortise standard top pivot	185	185
75122	Full mortise top pivot – 20 minute rated fire door	206	206
75133	Full mortise top pivot – 3 hour rated fire door	244	423
75140	Full mortise top pivot – 1-3/4" lead-lined doors	345	345
75140-2	Full mortise top pivot – 2" lead-lined doors	384	384
75140-2-1/4	Full mortise top pivot – 2-1/4" lead-lined doors	384	384
75140-2-1/2	Full mortise top pivot – 2-1/2" lead-lined doors	384	384
75140-3	Full mortise top pivot – 3" lead-lined doors	384	384
75142	Full mortise top pivot – 20 minute rated, 1-3/4" lead-lined doors	367	367
75142-2	Full mortise top pivot – 20 minute rated, 2" lead-lined doors	412	412
75142-2-1/4	Full mortise top pivot – 20 minute rated, 2-1/4" lead-lined doors	412	412
75142-2-1/2	Full mortise top pivot – 20 minute rated, 2-1/2" lead-lined doors	412	412
75142-3	Full mortise top pivot – 20 minute rated, 3" lead-lined doors	412	412
75143	Full mortise top pivot – 3 hour rated, 1-3/4" lead-lined doors	414	563
75143-2	Full mortise top pivot – 3 hour rated, 2" lead-lined doors	469	618
75143-2-1/4	Full mortise top pivot – 3 hour rated, 2-1/4" lead-lined doors	469	618
75143-2-1/2	Full mortise top pivot – 3 hour rated, 2-1/2" lead-lined doors	469	618
75143-3	Full mortise top pivot – 3 hour rated, 3" lead-lined doors	469	618

3/4" Offset Hung Intermediate Pivots **

Item	Description	Painted Finish \$	Plated Finish \$
75220	Full mortise standard intermediate pivot	266	266
75222	Full mortise intermediate pivot – 20 minute rated fire door	284	284
75233	Full mortise intermediate pivot – 3 hour rated fire door	300	578
75240	Full mortise intermediate pivot – 1-3/4" lead-lined doors	400	400
75240-2	Full mortise intermediate pivot – 2" lead-lined doors	439	439
75240-2-1/4	Full mortise intermediate pivot – 2-1/4" lead-lined doors	439	439
75240-2-1/2	Full mortise intermediate pivot – 2-1/2" lead-lined doors	439	439
75240-3	Full mortise intermediate pivot – 3" lead-lined doors	439	439
75242	Full mortise intermediate pivot – 20 minute rated, 1-3/4" lead-lined doors	423	423
75242-2	Full mortise intermediate pivot – 20 minute rated, 2" lead-lined doors	467	467
75242-2-1/4	Full mortise intermediate pivot – 20 minute rated, 2-1/4" lead-lined doors	467	467
75242-2-1/2	Full mortise intermediate pivot – 20 minute rated, 2-1/2" lead-lined doors	467	467
75242-3	Full mortise intermediate pivot – 20 minute rated, 3" lead-lined doors	467	467
75243	Full mortise intermediate pivot – 3 hour rated, 1-3/4" lead-lined doors	434	841
75243-2	Full mortise intermediate pivot – 3 hour rated, 2" lead-lined doors	490	896
75243-2-1/4	Full mortise intermediate pivot – 3 hour rated, 2-1/4" lead-lined doors	490	896
75243-2-1/2	Full mortise intermediate pivot – 3 hour rated, 2-1/2" lead-lined doors	490	896
75243-3	Full mortise intermediate pivot – 3 hour rated, 3" lead-lined doors	490	896

** All intermediate pivots are handed.

NOTE: Highlighted items are available from Select Service and only available in 626 finish.

3/4" Offset Hung Bottom Arms ▲

Item	Description	Painted Finish \$	Plated Finish \$
75323	Standard and heavy-duty bottom arm w/cover cap	99	99
CAP .75	Cover cap only for 75323 (specify hand)	34	34
75343	Standard and heavy-duty bottom arm, 1-3/4" lead-lined doors	322	322
75343-2	Standard and heavy-duty bottom arm, 2" lead-lined doors	360	360
75343-2-1/4	Standard and heavy-duty bottom arm, 2-1/4" lead-lined doors	360	360
75343-2-1/2	Standard and heavy-duty bottom arm, 2-1/2" lead-lined doors	360	360
75343-3	Standard and heavy-duty bottom arm, 3" lead-lined doors	360	360

▲ All bottom arms are handed.

1-1/2" Offset Hung Top Pivots

Item	Description	Painted Finish \$	Plated Finish \$
15120	Full mortise standard top pivot	289	289
15122	Full mortise top pivot — 20 minute rated fire door	322	322
15133	Full mortise top pivot — 3 hour rated fire door	350	634

1-1/2" Offset Hung Intermediate Pivots **

Item	Description	Painted Finish \$	Plated Finish \$
15220	Full mortise standard intermediate pivot	400	400
15222	Full mortise intermediate pivot — 20 minute rated fire door	434	434
15233	Full mortise intermediate pivot — 3 hour rated fire door	445	780

** All intermediate pivots are handed.

1-1/2" Offset Hung Bottom Arms ▲

Item	Description	Painted Finish \$	Plated Finish \$
15323	Standard and heavy-duty bottom arm w/cover cap (specify hand)	252	252
CAP 1.5	Cover cap only for 15323 (specify hand)	35	35

▲ All bottom arms are handed.

Electrified Pivots

Item	Description	Painted Finish \$	Plated Finish \$
75200	Thru-wire 3/4" offset intermediate pivot – 8 wire**	496	496
E80622	Thru-wire center hung top pivot – 2 wire	543	543
E80624	Thru-wire center hung top pivot – 4 wire	543	543

** All intermediate pivots are handed.

Pocket Pivots

Item	Description	Painted Finish \$	Plated Finish \$
75520	Standard pocket pivot	402	485
75523	3 hour rated pocket pivot	424	512

Miscellaneous

Item	Description	Painted Finish \$	Plated Finish \$
7451N	Slide arm assembly for independently hung doors	195	390
7451N-A (Arm plated only)	Slide arm assembly for independently hung doors	195	296
TP80	▲ Terrazo pan for BTS 80, 80 F, 80 EMB – 3/4" offset (Handed)	487	–
TP80 CH	▲ Terrazo pan for BTS 80, 80 F, 80 EMB – Center hung or 1-1/2" offset	443	–
TP75	▲ Terrazo pan for BTS 75V – 3/4" offset (Handed)	464	–
TP75 CH	▲ Terrazo pan for BTS 75V – Center hung or 1-1/2" offset	421	–
SC2	Sealing compound	67	–

▲ Terrazo pans are available stainless steel only.

ITS Series

Item	Description	List \$
THKIT	ITS hold open kit	57
BRKT ITS WOOD	Wood frame mounting kit	27
BRKT ITS METAL	Steel frame mounting kit	27

NOTE: Highlighted items are available from Select Service. No finish designation required.

Locks

Cylinders,
Keys & Keying

Exit Devices

Electronic
Access Control
Components

Low Energy
Operators

Surface
Closers

Fire/Life
Safety

Concealed
Closers/Pivots

Stops/
Holders

Sliding
Systems

Architectural
Pulls & Handles

Service
Parts

RTS Series






Overhead Concealed Closers with Mounting Brackets

Item	Description	Painted Finish \$	Plated Finish \$
RTS88 105° NHO -Sz 3, 4, BFI, BFE	Closer with 105° bumper without hold open	379	—
RTS88 105° HO -Sz 3, 4, BFI or BFE	Closer with 105° bumper with 105° hold open	379	—
RTS88 90° NHO -Sz 2, 3 or 4	Closer with 90° bumper without hold open	379	—
RTS88 90° HO -Sz 2, 3 or 4	Closer with 90° bumper and 90° hold open	379	—

NOTES:

- Highlighted items are available from Select Service.
- RTS88 closer bodies are painted 689 only.
- RTS88 products are available with a N/C 5 mm extended spindle for optimal spindle bite.

Side Load Components

Item	Description	Painted Finish \$	Plated Finish \$
8831 	Closer arm, 1/2" top rail	100	—
8832 	Closer arm, wood door	170	—
8570 	Floor pivot, 1-15/16" rail	83	—
8572 	Threshold pivot, 1-9/16" rail	66	—
7421 	Bottom arm for wood or steel doors	75	—
7471K	Center or offset hung standard duty floor bearing	102	102
7471K COV	Cover plate only for 7471K	37	37

 Components available in zinc plated finish only.

End Load Components

Item	Description	List \$
8835	Closer arm, 1" top rail	102
8836	Closer arm, 7/8" top rail	102
8836S	Closer arm, 7/8" top rail glass door shoe	176
8837	Closer arm, 5/8" top rail	102
8838	Closer arm, 3/4" top rail	102
8852	Floor pivot, 7/8" bottom rail	70
8853	Floor pivot, 1-9/16" bottom rail	70
8855	Threshold pivot, 7/8" bottom rail	70
8856	Threshold pivot, 1-3/8" bottom rail	70
8857	Threshold pivot, 1-9/16" bottom rail	70

NOTE: Highlighted items are available from Select Service.

Offset Hung Components

Item	Description	List \$
8812	Slide arm and channel, 3/4" rail	151
8812 Block	Replacement slide shoe	14
8511	Slide arm cover/applied stop (specify hand)	241

NOTE: Highlighted items are available from Select Service.

Offset Hung Components

Item	Description	Painted Finish \$	Plated Finish \$
8561	Wood frame cover plate	62	144
8563	Aluminum frame cover plate	62	—
8575	Steel frame cover plate	62	144

Miscellaneous Components

Item	Description	List \$
8521E	Add-on 1-5/16" spindle extension	52
8532	Steel header closer mounting channel	52
8820J	Conversion bracket kit for Jackson replacement	16

NOTE: Highlighted items are available from Select Service.

LM Series

Center Hung Bottom Arms

Item	Description	List \$
7421	Bottom arm for wood or steel doors	75
7422	Bottom arm for aluminum door	102

Center Hung Top Pivots

Item	Description	Painted Finish \$	Plated Finish \$
8062	Complete top pivot	127	127
8062.5	Frame portion only, special 1/2" diameter pin	99	99
8062.6	Frame portion only, standard pin	87	87
HD8062	Heavy-duty complete top pivot	404	404
8062 EXT PIN	Extended pin only	44	—
8062 LOWER	Door portion only	30	—
8062 COV	Cover only	21	21

3/4" Offset Hung Top Pivots

Item	Description	Painted Finish \$	Plated Finish \$
75120	Full mortise standard top pivot	185	185
75120/102	Full mortise standard top pivot, for pull side reveal condition (specify hand)	300	300
75122	Full mortise top pivot – 20 minute rated fire door	206	206
75133	Full mortise top pivot – 3 hour rated fire door	244	423
75140	Full mortise top pivot – 1-3/4" lead-lined doors	345	345
75140-2	Full mortise top pivot – 2" lead-lined doors	384	384
75140-2-1/4	Full mortise top pivot – 2-1/4" lead-lined doors	384	384
75140-2-1/2	Full mortise top pivot – 2-1/2" lead-lined doors	384	384
75140-3	Full mortise top pivot – 3" lead-lined doors	384	384
75142	Full mortise top pivot – 20 minute rated, 1-3/4" lead-lined doors	367	367
75142-2	Full mortise top pivot – 20 minute rated, 2" lead-lined doors	412	412
75142-2-1/4	Full mortise top pivot – 20 minute rated, 2-1/4" lead-lined doors	412	412
75142-2-1/2	Full mortise top pivot – 20 minute rated, 2-1/2" lead-lined doors	412	412
75142-3	Full mortise top pivot – 20 minute rated, 3" lead-lined doors	412	412
75143	Full mortise top pivot – 3 hour rated, 1-3/4" lead-lined doors	414	563
75143-2	Full mortise top pivot – 3 hour rated, 2" lead-lined doors	469	618
75143-2-1/4	Full mortise top pivot – 3 hour rated, 2-1/4" lead-lined doors	469	618
75143-2-1/2	Full mortise top pivot – 3 hour rated, 2-1/2" lead-lined doors	469	618
75143-3	Full mortise top pivot – 3 hour rated, 3" lead-lined doors	469	618

3/4" Offset Hung Intermediate Pivots **

Item	Description	Painted Finish \$	Plated Finish \$
75220	Full mortise standard intermediate pivot	267	267
75222	Full mortise intermediate pivot — 20 minute rated fire door	284	284
75233	Full mortise intermediate pivot — 3 hour rated fire door	300	578
75240	Full mortise intermediate pivot — 1-3/4" lead-lined doors	400	400
75240-2	Full mortise intermediate pivot — 2" lead-lined doors	439	439
75240-2-1/4	Full mortise intermediate pivot — 2-1/4" lead-lined doors	439	439
75240-2-1/2	Full mortise intermediate pivot — 2-1/2" lead-lined doors	439	439
75240-3	Full mortise intermediate pivot — 3" lead-lined doors	439	439
75242	Full mortise intermediate pivot — 20 minute rated 1-3/4" lead-lined doors	423	423
75242-2	Full mortise intermediate pivot — 20 minute rated 2" lead-lined doors	467	467
75242-2-1/4	Full mortise intermediate pivot — 20 minute rated 2-1/4" lead-lined doors	467	467
75242-2-1/2	Full mortise intermediate pivot — 20 minute rated 2-1/2" lead-lined doors	467	467
75242-3	Full mortise intermediate pivot — 20 minute rated 3" lead-lined doors	467	467
75243	Full mortise intermediate pivot — 3 hour rated 1-3/4" lead-lined doors	434	840
75243-2	Full mortise intermediate pivot — 3 hour rated 2" lead-lined doors	490	896
75243-2-1/4	Full mortise intermediate pivot — 3 hour rated 2-1/4" lead-lined doors	490	896
75243-2-1/2	Full mortise intermediate pivot — 3 hour rated 2-1/2" lead-lined doors	490	896
75243-3	Full mortise intermediate pivot — 3 hour rated 3" lead-lined doors	490	896

NOTE: Highlighted items are available from Select Service and is available only in 626 finish.

** All intermediate pivots are handed.

3/4" Offset Hung Bottom Arms

Item	Description	Painted Finish \$	Plated Finish \$
75320	Side jamb bottom pivot (specify hand)	343	343
75323	Standard and heavy-duty bottom arm w/ cover cap (specify hand)	99	99
CAP .75	Cover cap only for 75323 (specify hand)	34	34
75343	Standard and heavy-duty bottom arm – 1-3/4" lead-lined doors (specify hand)	322	322
75343-2	Standard and heavy-duty bottom arm – 2" lead-lined doors (specify hand)	360	360
75343-2-1/4	Standard and heavy-duty bottom arm – 2-1/4" lead-lined doors (specify hand)	360	360
75343-2-1/2	Standard and heavy-duty bottom arm – 2-1/2" lead-lined doors (specify hand)	360	360
75343-3	Standard and heavy-duty bottom arm – 3" lead-lined doors (specify hand)	360	360

1-1/2" Offset Hung Top Pivots

Item	Description	Painted Finish \$	Plated Finish \$
15120	Full mortise standard top pivot	289	289
15122	Full mortise top pivot – 20 minute rated fire door	322	322
15133	Full mortise top pivot – 3 hour rated fire door	350	634

1-1/2" Offset Hung Intermediate Pivots **

Item	Description	Painted Finish \$	Plated Finish \$
15220	Full mortise standard intermediate pivot	400	400
15222	Full mortise intermediate pivot – 20 minute rated fire door	434	434
15233	Full mortise intermediate pivot – 3 hour rated fire door	445	780

** All intermediate pivots are handed.

1-1/2" Offset Hung Bottom Arms

Item	Description	Painted Finish \$	Plated Finish \$
15323	Standard and heavy-duty bottom arm w/ cover cap (specify hand)	252	252
CAP 1.5	Cover cap only for 15323 (specify hand)	35	35

Floor Bearings

Item	Description	Painted Finish \$	Plated Finish \$
7471K	Center or offset hung standard duty floor bearing	98	98
7171K EXT	Center or offset hung standard duty floor bearing with extended spindle. Available in 5 mm increments. Specify 5 mm to 50 mm in height.	134	134
7471K COV	Cover plate only for 7471K	36	36
7471HD/74005	Center or offset hung heavy duty floor bearing (includes 74005)	—	515

Electrified Pivots

Item	Description	Painted Finish \$	Plated Finish \$
75200	Thru-wire 3/4" offset intermediate pivot — 8 wire	496	496
E80622	Thru-wire center hung top pivot — 2 wire	543	543
E80624	Thru-wire center hung top pivot — 4 wire	543	543

Pocket Pivots

Item	Description	Painted Finish \$	Plated Finish \$
75520	Standard pocket pivot	402	485
75523	3 hour rated pocket pivot	424	512

Interchangeable Spindles (for use with 7471HD)

Item	Description	List \$
74003	9/16" clearance spindle (when used w/ 7471HD)	70
74005	3/4" clearance spindle (when used w/ 7471HD, standard)	70
74007	7/8" clearance spindle (when used w/ 7471HD)	70
74010	1" clearance spindle (when used w/ 7471HD)	70
74012	1-1/16" clearance spindle (when used w/ 7471HD)	92
74015	1-1/8" clearance spindle (when used w/ 7471HD)	92
74020	1-3/8" clearance spindle (when used w/ 7471HD)	92
74025	1-9/16" clearance spindle (when used w/ 7471HD)	92
74030	1-3/4" clearance spindle (when used w/ 7471HD)	92

NOTE: Highlighted items are available from Select Service.

900/700 Series

Item	Description	Painted Finish \$	Plated Finish \$
7090	Pull side mounting bracket (900/700)	47	101
900RTSCH	Push side mounting bracket for use with RTS center hung closer. Provides mount for surface applied stop mount plate to prevent screws from damaging RTS closer body.	47	101
902RTSOFF	Push side mounting bracket for 902 stop/holder, used with offset pivots when RTS closer is installed in the header.	47	101
903RTSOFF	Push side mounting bracket for 903 stop/holder, used with offset pivots and an RTS closer installed in the header.	47	101

Locks

Cylinders,
Keys & Keying

Exit Devices

Electronic
Access Control
ComponentsLow Energy
OperatorsSurface
ClosersFire/Life
SafetyConcealed
Closers/PivotsStops/
HoldersSliding
SystemsArchitectural
Pulls & HandlesService
Parts

dormakaba
DORMA USA, Inc.
Tel: 800-523-8483
Fax: 800-274-9724
www.dormakaba.com
dahorders.usa@dorma.com