		Protecting	
555	SSECURITECH' THAENT		MIAMI-DADE NOA RATE Effective 1/1/16
Madal	Multi-Point Deadbolt Exit Lock	Decade!	
Model	Description	2016 List	
	APPLICATIONS		
TEL-100	Manual relock, no alarm	993.00	
TEL-110	Manual relock packed with battery alarm	1254.00	
TEL-200	Manual relock packed with hardwire alarm Self relock, no alarm	1508.00 1057.00	
TEL-210	Self relock, no alarm Self relock packed with battery alarm	1311.00	
TEL-220	Self relock packed with battery alarm Self relock packed with hardwire alarm	1570.00	
TEL-200F	Self relock, FIRE RATED, add alarm kit below	1217.00	
	Trim Models (TEL-200 or TEL-200F Only) ORDER HANDED		
	Add KLT suffix to include trim at time of ordering (-LHR or -RHR)	410.00	
-KDT	Add KDT suffix to include electric trim at time of ordering (-LHR or -RHR)	572.00	
	Additional Entry Options on Page 2		
DEL AVED EQ	DEGG SVOTEM		
DELAYED EGI			
TEL-DES	Trident Self-Locking + Delayed Egress System (Lock Included)	2,361.00	
TEL-DES-	Trident Self-Locking + Delayed Egress System (Lock Included)		
KLST (-hand)	with keyed lever trim with delayed egress shunt switch	2,985.00	
DELAYED EGI	DESS KIT		
		1 331 00	
TEL-DEK	Retrofit Elements For Existing Self Locking Trident Locks Only	1,331.00	
TEL-DEK	Retrofit Elements For Existing Self Locking Trident Locks Only	-	
TEL-DEK PAIR DOOR A		₹	
TEL-DEK	PLICATION: KIT, ONE ACTIVE DOOR & ONE INACTIVE DOOI Inactive door package used with above single door locks. Includes door reinforcer/strike & 3-point keyed lock for inactive door only. Not for use	-	
TEL-DEK PAIR DOOR A	PLICATION: KIT, ONE ACTIVE DOOR & ONE INACTIVE DOOI Inactive door package used with above single door locks. Includes door reinforcer/strike & 3-point keyed lock for inactive door only. Not for use where both doors need to be active. Includes removable-core rim cylinder	₹	
TEL-DEK PAIR DOOR A	PLICATION: KIT, ONE ACTIVE DOOR & ONE INACTIVE DOOI Inactive door package used with above single door locks. Includes door reinforcer/strike & 3-point keyed lock for inactive door only. Not for use	₹	
PAIR DOOR A TEL-IAL	PLICATION: KIT, ONE ACTIVE DOOR & ONE INACTIVE DOOI Inactive door package used with above single door locks. Includes door reinforcer/strike & 3-point keyed lock for inactive door only. Not for use where both doors need to be active. Includes removable-core rim cylinder for 3-point keyed lock.	₹	
PAIR DOOR A TEL-IAL PAIR DOOR A	PLICATION: KIT, ONE ACTIVE DOOR & ONE INACTIVE DOOI Inactive door package used with above single door locks. Includes door reinforcer/strike & 3-point keyed lock for inactive door only. Not for use where both doors need to be active. Includes removable-core rim cylinder for 3-point keyed lock. PPLICATION WITH MULLION	₹	
PAIR DOOR A TEL-IAL PAIR DOOR A Use 2 TEL-100	PLICATION: KIT, ONE ACTIVE DOOR & ONE INACTIVE DOOI Inactive door package used with above single door locks. Includes door reinforcer/strike & 3-point keyed lock for inactive door only. Not for use where both doors need to be active. Includes removable-core rim cylinder for 3-point keyed lock. PLICATION WITH MULLION S or TEL-200s (one for each door)	₹	
PAIR DOOR A Use 2 TEL-100 PAIR DOOR A	PLICATION WITH MULLION S or TEL-200s (one for each door) PPLICATION: BOTH DOORS ACTIVE Retrofit Elements For Existing Self Locking Trident Locks Only PPLICATION: KIT, ONE ACTIVE DOOR & ONE INACTIVE DOOI Inactive door package used with above single door locks. Includes door reinforcer/strike & 3-point keyed lock for inactive door only. Not for use where both doors need to be active. Includes removable-core rim cylinder for 3-point keyed lock. PPLICATION WITH MULLION S OF TEL-200s (one for each door)	931.00	
PAIR DOOR A Use 2 TEL-100 PAIR DOOR A TEL-300	PLICATION WITH MULLION S or TEL-200s (one for each door) PPLICATION: BOTH DOORS ACTIVE Manual relock, both doors active, no alarm	931.00	
PAIR DOOR A Use 2 TEL-100 PAIR DOOR A TEL-300 TEL-310	PLICATION WITH MULLION S or TEL-200s (one for each door) PPLICATION: BOTH DOORS ACTIVE Manual relock, both doors active, packed with battery alarm Manual relock, both doors active, packed with battery alarm	931.00 931.00 1683.00 1942.00	
PAIR DOOR A Use 2 TEL-100 PAIR DOOR A TEL-300 TEL-310 TEL-320	PLICATION WITH MULLION Sor TEL-200s (one for each door) PPLICATION: BOTH DOORS ACTIVE Manual relock, both doors active, packed with battery alarm Manual relock, both doors active, packed with hardwire alarm	931.00 931.00 1683.00 1942.00 2199.00	
PAIR DOOR A Use 2 TEL-100 PAIR DOOR A TEL-300 TEL-310 TEL-320 TEL-400	PLICATION: WITH MULLION Sor TEL-200s (one for each door) PPLICATION: BOTH DOORS ACTIVE Manual relock, both doors active, packed with battery alarm Manual relock, both doors active, packed with hardwire alarm Self relock, both doors active, no alarm	1683.00 1942.00 2199.00 1924.00	
PAIR DOOR A Use 2 TEL-100 PAIR DOOR A TEL-300 TEL-310 TEL-320 TEL-410	PLICATION: WITH MULLION Sor TEL-200s (one for each door) PPLICATION: BOTH DOORS ACTIVE Manual relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm	1683.00 1942.00 2199.00 1924.00 2184.00	
PAIR DOOR A Use 2 TEL-100 PAIR DOOR A TEL-300 TEL-310 TEL-320 TEL-410 TEL-410 TEL-420	PLICATION: KIT, ONE ACTIVE DOOR & ONE INACTIVE DOOI Inactive door package used with above single door locks. Includes door reinforcer/strike & 3-point keyed lock for inactive door only. Not for use where both doors need to be active. Includes removable-core rim cylinder for 3-point keyed lock. PLICATION WITH MULLION SON TEL-200S (one for each door) PLICATION: BOTH DOORS ACTIVE Manual relock, both doors active, no alarm Manual relock, both doors active, packed with battery alarm Manual relock, both doors active, no alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm	1683.00 1942.00 2199.00 1924.00 2184.00 2438.00	
PAIR DOOR A Use 2 TEL-100 PAIR DOOR A TEL-300 TEL-310 TEL-320 TEL-410	PLICATION: WITH MULLION Sor TEL-200s (one for each door) PPLICATION: BOTH DOORS ACTIVE Manual relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm	1683.00 1942.00 2199.00 1924.00 2184.00	
PAIR DOOR A TEL-IAL PAIR DOOR A Use 2 TEL-100 PAIR DOOR A TEL-300 TEL-310 TEL-320 TEL-400 TEL-410 TEL-420 TEL-400F	PLICATION: KIT, ONE ACTIVE DOOR & ONE INACTIVE DOOI Inactive door package used with above single door locks. Includes door reinforcer/strike & 3-point keyed lock for inactive door only. Not for use where both doors need to be active. Includes removable-core rim cylinder for 3-point keyed lock. PLICATION WITH MULLION Sor TEL-200s (one for each door) PLICATION: BOTH DOORS ACTIVE Manual relock, both doors active, no alarm Manual relock, both doors active, packed with battery alarm Manual relock, both doors active, no alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with hardwire alarm Self relock, both doors active, packed with hardwire alarm Self relock, FIRE RATED, both door active, add alarm kit below	1683.00 1942.00 2199.00 1924.00 2184.00 2438.00	
PAIR DOOR A TEL-IAL PAIR DOOR A Use 2 TEL-100 PAIR DOOR A TEL-300 TEL-310 TEL-320 TEL-400 TEL-400 TEL-400 TEL-410 ALARM KITS (PLICATION: KIT, ONE ACTIVE DOOR & ONE INACTIVE DOOI Inactive door package used with above single door locks. Includes door reinforcer/strike & 3-point keyed lock for inactive door only. Not for use where both doors need to be active. Includes removable-core rim cylinder for 3-point keyed lock. PLICATION WITH MULLION S or TEL-200s (one for each door) PLICATION: BOTH DOORS ACTIVE Manual relock, both doors active, no alarm Manual relock, both doors active, packed with battery alarm Manual relock, both doors active, no alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with hardwire alarm Self relock, both doors active, packed with hardwire alarm Self relock, FIRE RATED, both door active, add alarm kit below with security snap connector)	1683.00 1942.00 2199.00 1924.00 2184.00 2438.00 2246.00	
PAIR DOOR A Use 2 TEL-100 PAIR DOOR A TEL-300 TEL-310 TEL-320 TEL-400 TEL-410 TEL-400 TEL-400F	PLICATION: KIT, ONE ACTIVE DOOR & ONE INACTIVE DOOI Inactive door package used with above single door locks. Includes door reinforcer/strike & 3-point keyed lock for inactive door only. Not for use where both doors need to be active. Includes removable-core rim cylinder for 3-point keyed lock. PLICATION WITH MULLION Sor TEL-200s (one for each door) PLICATION: BOTH DOORS ACTIVE Manual relock, both doors active, no alarm Manual relock, both doors active, packed with battery alarm Manual relock, both doors active, no alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with hardwire alarm Self relock, both doors active, packed with hardwire alarm Self relock, FIRE RATED, both door active, add alarm kit below	1683.00 1942.00 2199.00 1924.00 2184.00 2438.00	

2016_Trident_Pricer_V1.xlsx as of 11/9/2016

2016 Trident Pricing				
OUTSIDE ENTRY OPTIONS				
Model	Description	2016 List		
OUTSIDE EN	TRY OPTIONS (can be added in field)			
Keved Thumbt	urn trim for manual locking models, on individual trim plate, b	lack finish		
TEL-MTT	Thumbturn operation for TEL-100 series (cyl. by others)	410.00		
TEL-MTH	Thumbturn operation & handle for TEL-100 series (cyl. by others)	652.00		
Keyed Thumbt	urn trim for manual locking models, on NEW full anti-pry plate	for exterior to	rim models, s	silver finish
TEL-MTT-AP	Thumbturn operation for TEL-100 series (cyl. by others)	462.00		
TEL-MTH-AP	Thumbturn operation & handle for TEL-100 series (cyl. by others)	704.00		
	Order The Above Handed			
Keyed lever tri	m for self-locking models, on individual trim plate, black finish			
TEL-KLT	Lever trim for TEL-200 series (order handed)	410.00		
TEL-KDT	Lever trim with key and DC release for TEL-200 (order handed) (Previously named TEL-KLT-ED)	572.00		
TEL-KRT	Lever trim with key and DC release for TEL-200 (fail-safe) (order handed)	624.00		
		!		
Keyed lever tri	m for self-locking models, on NEW full anti-pry plate for exterio	or trim model	s, silver finis	h
TEL-KLT-AP	Lever trim for TEL-200 series (order handed)	462.00		
TEL-KDT-AP	Lever trim with key and DC release for TEL-200 (order handed)	624.00		
TEL-KRT-AP	Lever trim with key and DC release for TEL-200 (fail-safe) (order handed)	676.00		
Keyed lever tri	m for delayed egress models, on NEW full anti-pry plate for ex	terior trim mo	dels, silver fi	inish
TEL-KLST	Lever trim for TEL-DES series (order handed)	624.00		
TEL-KDST	Lever trim with key and DC release for TEL-DES (order handed)	786.00		
Cylinders for T	rims or Alarms			
TEL-MC1	Mortise cylinder standard keyway, no special keying	31.00		
TEL-RC1	Removable core mortise cylinder change and operating keys	109.00		
TEL-RC2	Removable core rim cylinder change and operating keys	109.00		
CYLINDER and	CAM Information	·	·	
IAL:	Removable Core rim cyl. provided with IAL lockset (contact fa	actory for other	ors)	
	, ,	•	,	
Alarms:	Mortise cylinders (required with alarm - works with any cam);	•	, ,	
Trim:	Mortise cylinders (required with trim - cloverleaf cam recommons and solutions available: Please contact the factory with re-		ı separately	or by otners
	(Service) Lever Trim Units	чивого		
TEL-KLT-RB	Replacement keyed lever trim only (black finish); w/o anti-pry plate	410.00		
TEL-KLT-RS	Replacement keyed lever trim only (silver finish); w/o anti-pry plate	410.00		
TEL-KDT-RB TEL-KDT-RS	Replacement key/dc lever trim only (black finish); w/o anti-pry plate Replacement key/dc lever trim only (silver finish); w/o anti-pry plate	572.00		



Important Cylinder & Cam Information: Mortise cylinder for alarms & keyed entry options are not provided, unless ordered as a separate item.



TRIM CYLINDER & CAM INFO
Cloverleaf cam is recommended for one-hand
operation on all outside entry options.
Cylinders 1" or longer can be used.

ALARM CYLINDER & CAM INFO: A10 & A20 alarms will work with all mortise cylinder lengths and cams.

CYLINDER USAGE CHART					
Model	Model Type Cam				
ALARMED MODELS					
TEL-*00	None	n/a			
TEL-*10	Mortise	Any			
TEL-*20	Mortise	Any			
KEYED ENTRY MODELS					
All	Mortise	Cloverleaf			

2016_Trident_Pricer_V1.xlsx as of 11/9/2016

	2016 Trident Pricing					
	OTHER KITS AND FIELD INSTALLED OPTIONS					
	Model	Description	2016 List			
6	POPULAR FII	ELD INSTALLED OPTIONS				
	TEL-HSB1	Additional bolt for hinge side provides five point locking	50.00			
	TEL-HSB3	HSB mounted on an extender plate to bypass f/s cont. hinge	87.00			
	TEL-E12	Armored alarm cable extension for oversize doors	27.00			
	TEL-EK12	12" Upper extension for TEL-300 for over height doors	79.00			
	TEL-EP2	24" Paddle extension with end guard	124.00			
	TEL-EP4	18" Paddle extension with end guard	124.00			
	Option for shipp	ing lock to lock installer and power supply to another (typically elec	ctrician)			
	TEL-220-XPS	Self relock with hardwire alarm less power supply	1328.00			
	TEL-501	Separate power supply for above (shipped in own box)	242.00			
		ding signal from lock for use with alarm by others:				
	TEL-SSO	Alarm connector & armored cable for doors up to 36"	74.00			
	TEL-SS5	Alarm connector & armored cable for doors up to 48"	92.00			
	TEL-PSK	PS2 Power Supply & board to upgrade A10 to direct power	255.00			
	TEL-SS53	Alarm Connector & armored cable for doors up to 48" with J Box	114.00			
	Option for running electrified exterior trim wire across the door within armored cable					
NEW	TEL-TCH	Alarm connector, housing & armored cable for doors up to 36"	102.00			
		applications where inactive leaf lock provided by others				
	TEL-DDA	Inactive door strike/reinforcer kit (no locks)	279.00		<u> </u>	
	Additional Option					
	TEL-EP1	24" Extended paddle	85.00			
	TEL-EP3	18" Extended paddle	85.00			
	TEL-SSK1	Security screw set for alarm box with opening tool	7.00			
		installed options which cannot be field applied	400.00			
	(ADD)-CT	Digital counter	128.00			
	(ADD)-CW	Lock prepped for concealed wire (8' lead)	83.00			
	(ADD)-RO	Remote alarm output on A10 or A20 (for secondary signal)	128.00			
	(ADD)-RS	Remote siren on A20 (for mounting away from door)	212.00			
	TEL-AM1	Integrated door monitor switch for battery alarm	357.00			
	TEL-AM2	Integrated door monitor switch for hardwire alarm	610.00		1	

Pricing Notes: 10% Surcharge for orders rushed under 48 hours
15% Surcharge for orders rushed under 24 hours
Drop ship fee applies to large orders with multiple ship to addresses

2016_Trident_Pricer_V1.xlsx as of 11/9/2016