

DOOR & GATE SECURITY HARDWARE











PRODUCT CATALOG VOL. 1701



LOCKEY DOOR & GATE SECURITY HARDWARE

What's inside...

1	E-Digital Series
2	C-Series
3	M-Series
4	2000 Series
5	2900 Series Narrow Stile
6	1000 & 3000 Series
7	Gate Boxes & Specialty
8	P-Series Keyless Panic Trims
9	Panic Hardware
10	.Panic Shields & Kits
11	.Panic Shields & Kits, cont.
12	.Gate Closers
13	.Gate Closers, cont.

Reference Guide



* Many products are offered in the **Marine Grade (MG)** finish, which is designed to extend the lifetime of the finish when exposed to corrosive elements of saltwater environments. It closely resembles the Satin Chrome finish.

Satin Chrome

(SC) US-26

& Marine Grade(MG)*

- Many LockeyUSA products are available in **Double Combination (DC)**.
 DC locks have a combination body on both the interior and exterior and require a code to unlock from both interior and exterior.
- All Lockey KEYLESS locks come with a **Lifetime Mechanical Warranty**.
- Warranty statement available at LockeyUSA.com/Warranty. Warranty does not cover the finish.
- Lockey KEYLESS locks are **weather resistant**.
- LockeyUSA is a manufacturer and sells through distribution. Learn more at LockeyUSA.com/distributors.

E-Digital Series

LOCKEY

E-910R Deadbolt



- ELECTRONIC DEADBOLT LOCK
- Adjustable deadbolt (2 3/8-2 3/4")
- UP TO SIX UNIQUE USER CODES
- ONE-USE (DISPOSABLE) USER CODE
- AUTO-LOCKING FUNCTION
- BATTERY POWERED (4-AA) ALKALINE
- LED ILLUMINATION
- REMOTE COMPATIBLE UP TO 5-REMOTES (SOLD SEPARATELY)

FINISHES: AB | BB | SC | SN | ABZ



E-930R Knob



- ELECTRONIC KNOB LOCK
- ADJUSTABLE LATCH (2 3/8-2 3/4")
- UP TO SIX UNIQUE USER CODES
- ONE-USE (DISPOSABLE) USER CODE
- Auto-locking function
- BATTERY POWERED (4-AA) ALKALINE
- LED ILLUMINATION
- Remote compatible Up to 5-remotes (sold separately)

FINISHES:

AB | BB | SC | SN | ABZ



E-985R Lever





E-Digital Accessories



E-DIGITAL REMOTE CONTROL

- REMOTE-FOB FOR E-DIGITAL SERIES
- UP TO 5 REMOTES CAN BE PROGRAMMED WITH EACH LOCK

ORDER#: E-REMOTE



ANTIQUE BRONZE FINISH (ABZ)

AVAILABLE ON E910R, E930R AND E985R RESEMBLES OIL RUBBED BRONZE

C-Series



C-120 Surface/Rim Mount

- SURFACE MOUNT DEADBOLT DIGITAL - REVERSIBLE LONG/SHORT BAR - IDEAL FOR LIGHT-DUTY APPLICATIONS 1 Compatible with C-25 Pull Handle FINISHES: AB | BB | SC | SN | JB | OB | WH C-Series with C-25 Pull Handle (RIGHT) (NOT AVAILABLE IN BB OR MG) C-120 INSIDE BODY

C-150 Hook Bolt



- Surface mount hook bolt
- IDEAL FOR SLIDING GLASS DOORS
- COMPATIBLE WITH C-25 PULL HANDLE

FINISHES:

AB | BB | SC | SN | JB | OB | WH | MG



C-Series with C-25 Pull Handle (RIGHT) (NOT AVAILABLE IN BB OR MG)



C-170 Cabinet Lock



- SURFACE MOUNT CAM LOCK
- IDEAL FOR CABINET DOORS
- COMPATIBLE WITH C-25 PULL HANDLE

FINISHES:

AB | BB | SC | SN | OB | WH



C-170 INSIDE BODY



ORDER #:

C-120

MC-728 Combination Lock



- 4 Wheel Combination
- 10,000 Possible Codes
- KEY OVERRIDE
- Code Finding Feature
 - -10 DISC BARREL WITH SHUTTER CAP
 - ALLOWS EMERGENCY ACCESS

FINISHES:

SILVER, BLACK, CUSTOM*



*CONTACT US FOR MINIMUM ORDER QUANTITIES AND LEAD TIMES.

ORDER #: MC-728

C-Series Accessories



EXTRA COMBINATION TUMBLERS



TAMPER PROOF SCREWS



C-Series Extension Kit







M210 Deadbolt with BONUS EZ Plates



- DEADBOLT SECURITY
- CHOOSE YOUR INSTALLATION
- NO DRILLING REQUIRED WITH BONUS EZ PLATES
- Installs in minutes w/ BONUS EZ Plates
- ADJUSTABLE DEADBOLT
- Low profile
- CHANGEABLE HANDING
- FITS ALL DOORS 1 3/8"-2" THICK W/ STANDARD 2 1/8" PREP
- Double Combination (DC) available

AB | BB | SC | SN | JB | WH | OB | BC | MG





M210 WITH EZ PLATES M210 DC

M220 Surface Mount



- SURFACE-MOUNT DEADBOLT
- REVERSIBLE LONG/SHORT BAR
- Narrow Stile
- CHANGEABLE HANDING

FINISHES:

AB | BB | SC | SN | JB | WH | MG

ORDER #: M220

M230 Deadlocking Latch



- DEADLOCKING SPRING LATCH
- Locks automatically
- CHANGEABLE HANDING
- Adjustable Latch
- DOUBLE COMBINATION (DC) AVAILABLE

FINISHES: AB | BB | SC | SN | JB



ORDER #'s: M230 M230 DC

Add-A-Bolt DC Gate Kit



- ADJUSTABLE DRIVE-IN DEADBOLT
- DESIGNED FOR GATES WITH STILES 1 1/2" OR 2" THICK
- ADD-A-BOLT GATE BOX: AVAILABLE IN STEEL, POWDER-COATED WHITE OR POWDER-COATED BLACK*

ADD-A-BOLT GATE KIT INCLUDES:

- GB ADD-A-BOLT GATE BOX
- M210 DC
- DRIVE-IN DEADBOLT

M210 DC FINISHES*:

AB | BB | SC | SN | JB | WH | OB | BC | MG

*Specify Finishes when ordering

ORDER #: GBADD-A-BOLT KIT

GB210 DC Gate Kit



- DEADBOLT SECURITY
- ALLOWS FOR PASSAGE WHEN NEEDED

GB210 GATE KIT INCLUDES:

- GB210 GATE BOX (STEEL OR AL)
- SATIN CHROME M210 DC
- SATIN CHROME KNOB (K) OR LEVER (L)

ORDER #'s:

GB210-Кіт **К** (**К**NOB) GB210-KIT L (LEVER) GB210-KIT AL K (KNOB)

GB210-Kit AL L (LEVER)

M-Series Accessories









EXTRA COMBINATION TUMBLERS



M213 SURFACE-MOUNT LATCH DER #: M213



FINISHES (OUTSIDE BODY): AB | BB | SC | SN | JB WH | OB | BC | MG



M-SERIES GATE BOX ORDER #'s: GB200M | GB200MAL





2000 Series





2200 Surface/Rim Mount



- SURFACE-MOUNT DEADBOLT
- IDEAL FOR NARROW-STILE DOORS
- LONG & SHORT BAR INCLUDED
- CHANGEABLE HANDING
- Applications 1" 2" thick
- Extension Kits for doors up to 5" thick
- KEY OVERRIDE AVAILABLE (KO)

FINISHES: AB | BB | SC | SN | JB | WH

2500 Hook Bolt



- IDEAL FOR SLIDING DOORS AND GATES
- CHANGEABLE HANDING
- Applications 1"- 2" THICK
- EXTENSION KITS AVAILABLE UP TO 5" THICK
- 3/8" THROW
- KEY OVERRIDE AVAILABLE (KO)

FINISHES: AB | BB | SC | SN | JB | WH

2210 Deadbolt



- CHANGEABLE HANDING
- DEADBOLT SECURITY
- Double Combination available (DC)
- Adjustable deadbolt (2 3/8" 2 3/4")
- COVERS STANDARD 2 1/8" PREP
- KEY OVERRIDE AVAILABLE (KO)

FINISHES: AB | BB | SC | SN | JB WH | OB | BC | MG

ORDER #'s:

2210 KO 2210 2210 DC 2210 DC KO

2230 Deadlocking Latch



- SELF-LOCKING
- Adjustable Latch
- Double Combination available (DC)
- CHANGEABLE HANDING
- KEY OVERRIDE AVAILABLE (KO)

FINISHES: AB | BB | SC | SN | JB WH | OB | BC | MG

ORDER #'s:

2230 KO 2230 2230 DC 2230 DC KO

2835 Lever Handle



- LEVER HANDLE ON INSIDE AND OUTSIDE
- Passage function
- REVERSIBLE HANDING
- ADJUSTABLE LATCH
- DOUBLE COMBINATION AVAILABLE

FINISHES: AB | BB | SC | SN | JB WH | BC | OB | MG

ORDER #'s: 2835 2835 DC

NEW! 2835 Key Override (KO)



- NEW Key Override for 2835 and 2835DC
- SCHLAGE KEYWAY, AVAILABLE KEYED ALIKE OR KEYED DIFFERENT
- UNLOCKS WITH EITHER KEY OR CODE
- LIFETIME MECHANICAL WARRANTY

FINISHES:

AB | BB | SC | SN | JB | WH | OB | BC | MG

ORDER #: 2835KO

2000 Key Override (KO



KIY OVERRIDE AVAILABLE ON: 2200 | 2500 | 2210 | 2230

- AVAILABLE KEYED ALIKE OR KEYED DIFFERENT
- SCHLAGE KEYWAY AVAILABLE
- Unlocks with either key or gode
- NO LIFETIME WARRANTY ON KEY OVERRIDE

FINISHES!

AB | BB | SC | SN | JB WHIOBIBCIMG

2835 Accessories





ORDER #: T-COVER 2500





GB2500 | GB2500AL

2835 EXTENSION KIT ORDER #: EXT-2835

2000 Series Accessories










ORDER #: PIN KIT











2900 Series Narrow Stile





2900 Deadbolt



- REPLACES ADAMS-RITE LOCK
- MORTISED DEADBOLT LOCK
- 1 1/8" BACKSET
- FIVE-PLY LAMINATED STEEL BOLT WITH CONCEALED HARDENED STEEL PIN FOR MAXIMUM SECURITY.
- DOUBLE COMBINATION (DC) AVAILABLE
- FACEPLATE AVAILABLE IN DURONOTIC FINISH



FINISHES: AB | BB | SC | SN | JB OB | WH | BC | MG

> ORDER #'s: 2900 2900 DC

2950 Hook Bolt



- REPLACES ADAMS-RITE LOCK
- MORTISED HOOK BOLT LOCK
- 1 1/8" BACKSET
- 3/4" THROW
- FIVE-PLY LAMINATED STEEL HOOK BOLT WITH CONCEALED HARDENED STEEL PIN FOR MAXIMUM SECURITY.
- DOUBLE COMBINATION (DC) AVAILABLE
- FACEPLATE AVAILABLE IN DURONOTIC FINISH



FINISHES: AB | BB | SC | SN | JB OB | WH | BC | MG

> ORDER #'s: 2950 2950 DC

2930 Latch



- Replaces Adams-Rite Lock
- Narrow Stile Latch Lock
- 1 1/8" BACKSET
- Locks automatically
- JANITOR FUNCTION
- Double Combination (DC) available
- FACEPLATE AVAILABLE IN DURONOTIC FINISH



FINISHES: AB | BB | SC | SN | JB OB | WH | BC | MG

> ORDER #'s: 2930 2930 DC

2985 Lever Handle



- REPLACES ADAMS-RITE LOCK
- LEVER HANDLE LOCK
- Narrow Stile Latch Lock
- 1 1/8" BACKSET
- Locks automatically
- Passage function
- DOUBLE COMBINATION (DC) AVAILABLE
- FACEPLATE AVAILABLE IN DURONOTIC FINISH



ORDER #'s: 2985 2985 DC

2900 Series Gate Boxes



*STEEL (POWDER-CONTED BLACK) OR ALJMINUM

COMPATIBLE WITH: 2930 2985

ORDER #'s: **GB900 GB900 AL**



*STEEL (POWDER-COATED BLACK) OR ALUMINUM

COMPATIBLE WITH:

2900 2950

ORDER #'s: **GB950 GB950 AL**



GB2900 LINX

No WELDING!

COMPATIBLE WITH: 2900 2930 2950 2985

*SEE PAGE 13

2900 Series Accessories

900 DEADBOLT



ORDER #:

950 HOOKBOLT



930 LATCH



2900 **EXTENSION KITS**



Ext-2000 (2900-2950) Ext-2835 (2985)

MOUNTING TARS



AR-2991-0965

EXTRA COMBINATION TUMBLERS



ORDER #:

OVERSIZED Киов



AB | BB | SC | SN | JB



TAMPER-PROOF Screws



ORDER #:

1000 & 3000 Series

1150 Heavy-Duty Lever



1600 Heavy-Duty Knob



- KNOB ON BOTH INSIDE AND OUTSIDE
- HEAVY-DUTY KNOBS
- DOUBLE COMBINATION AVAILABLE (DC)
- ADJUSTABLE LATCH
- EXTENSION KIT NOT AVAILABLE

SC-MG | JB | OB



ORDER #'s: 1600 1600 DC

1150 Accessories









1150 GATE BOX

1600 Accessories







ORDER #: T-COVER 1150

3210 Deadbolt



- DEADBOLT SECURITY
- Marine Grade finish
- Adjustable deadbolt
- OVERSIZED KNOB
- CHANGEABLE HANDING
- Double Combination available (DC)
- EXTENSION KITS AVAILABLE UP TO 5"
- ONLY AVAILABLE IN SC-MG FINISH

3230 Latch



- DEADLOCKING SPRING LATCH
- Marine Grade finish
- Adjustable Latch
- OVERSIZED KNOB
- CHANGEABLE HANDING
- DOUBLE COMBINATION AVAILABLE (DC)
- EXTENSION KITS AVAILABLE UP TO 5"
- ONLY AVAILABLE IN SC-MG FINISH

ORDER #'s: 3210 3210 DC

3000 Series Accessories

















LOCKEYUSA.COM/1000 | LOCKEYUSA.COM/3000

ORDER #'s:

3230 DC

3230

Gate Boxes



GB1150



- STEEL OR ALUMINUM (AL) GATE BOX
- USED TO SECURE GATES WITH 1000 SERIES LOCKS

GB1150 COMPATIBLE WITH:

1150 1600 ORDER #'s: GB1150 GB1150AL

GB2500



- STEEL OR ALUMINUM (AL) GATE BOX
- Used to secure gates with 2000 and 3000 Series Locks

GB2500 COMPATIBLE WITH:

2210 2230 2835 3210 3230

ORDER #'s: GB2500 GB2500AL

GB200M



- STEEL OR ALUMINUM (AL) GATE BOX
- USED TO SECURE GATES WITH M-SERIES LOCKS

GB200M COMPATIBLE WITH:

M210 M230 ORDER #'s: GB200M GB200MAL

GB900 | GB950



- STEEL (POWDER-COATED BLACK) OR ALUMINUM (AL) GATE BOXES
- USED TO SECURE GATES WITH 2900 SERIES LOCKS

GB900 COMPATIBLE WITH:

2930 2985

GB950 COMPATIBLE WITH:

2900 2950

GB900 | GB900AL GB950 | GB950AL

ORDER #'s:

GB210



- STEEL OR ALUMINUM (AL) GATE BOX
- DESIGNED FOR USE WITH EITHER A KNOB OR LEVER
- 2 1/8" STANDARD PREP

GB210 COMPATIBLE WITH:

M210

ORDER #'s: GB210 GB210AL

GB-Add-A-Bolt



- DRIVE-IN DEADBOLT
- Designed for gates with stiles 1 1/2" or 2" thick
- Compatible with M210 or M210 DC

(LOCK SOLD SEPARATELY)

- AVAILABLE IN STEEL, POWDER-COATED WHITE OR POWDER-COATED BLACK Order #: GB-Add-A-Bolt

LINX Box - for Chainlink Gates



- STAINLESS STEEL GATE BOX FOR CHAINLINK GATES (NO WELDING)

GB2900-LINK Compatible with: 2900 2930 2950 2985

ORDER #: GB2900-LINX

Panic Shield Gate Boxes



- GATE BOXES FOR LOCKEY PANIC SHIELDS.
- PSGB100 COMPATIBLE WITH:

115-P 160-P

PSGB200 Compatible with: 285-P 310-P

ORDER #s: PSGB100 PSGB200

*Available in Black or Silver

Specialty

Keyless Key Safe Box



- SECURE SOLUTION TO CONTROL ACCESS TO KEYS
- Easy to change combination
- SUITABLE FOR BOTH INDOOR AND OUTDOOR USE
- IDEAL FOR LOCATIONS WHERE IT IS NOT POSSIBLE TO HAND-OVER KEYS
- MECHANICAL RELIABILITY

FINISHES:

SN | JB | WH | MG (MARINE GRADE)

Order #: Key Box

MS-40 Combination Slide-Bolt



RECOMMENDED USES:

- GATES
- SHEDS
- CABINETS
- SURFACE-MOUNT COMBINATION SLIDE-BOLT
- Mounting hardware included
- IDEAL FOR EQUIPPING A VARIETY OF APPLICATIONS WITH KEYLESS ACCESS

ORDER #: MS-40

Combo-Cork Bottle Lock



THE LOCKEY COMBO-CORK BOTTLE LOCK IS THE PERFECT SOLUTION TO SECURE FINE WINES AND LIQUORS. SIMPLY SET THE COMBINATION, TWIST THE TOP AND REST ASSURED THAT YOUR BOTTLES ARE SECURE.

- FITS MOST WINE AND LIQUOR BOTTLES
- Easy to change combination
- IDEAL FOR CHILD-PROOFING WINE AND LIQUOR BOTTLES







ORDER #: BOT-LOC

P-Series Keyless Panic Trims





115-P Heavy-Duty Lever



- KEYLESS PANIC TRIM
- HEAVY-DUTY LEVER HANDLE
- 1150 LOCK BODY
- COMPATIBLE WITH LOCKEY AND DETEX PANIC BARS
- Takes the place of a keyed cylinder
- Panic bar must accept a flat tailpiece and have a turn radius of 74 degrees or less.
- FEATURES PASSAGE FUNCTION
- EXTENSION KIT NOT AVAILABLE

FINISHES: SC-MG | OB | JB

> ORDER #'s: 115-P 115-P DETEX

160-P Heavy-Duty Knob



- KEYLESS PANIC TRIM
- HEAVY-DUTY KNOB
- 1600 LOCK BODY
- COMPATIBLE WITH LOCKEY AND DETEX PANIC BARS
- Takes the place of a keyed cylinder
- Panic bar must accept a flat tailpiece and have a turn radius of 90 degrees or less.
- FEATURES PASSAGE FUNCTION
- CHANGEABLE HANDING
- Extension kit NOT available

FINISHES: SC-MG | OB | JB

> ORDER #'s: 160-P 160-P DETEX

285-P Lever



- KEYLESS PANIC TRIM
- LEVER HANDLE
- 2835 LOCK BODY
- COMPATIBLE WITH LOCKEY AND DETEX PANIC BARS
- Takes the place of a keyed cylinder
- Panic bar must accept a flat tailpiece and have a turn radius of 74 degrees or less.
- FEATURES PASSAGE FUNCTION
- REVERSIBLE HANDING
- EXTENSION KIT NOT AVAILABLE

FINISHES: AB | BB | SC | SN | JB WH | BC | OB | MG

> ORDER #'s: 285-P 285-P DETEX

310-P Knob



- KEYLESS PANIC TRIM
- MEDIUM-DUTY KNOB
- 3000 SERIES LOCK BODY
- COMPATIBLE WITH LOCKEY AND DETEX PANIC BARS
- Takes the place of a keyed cylinder
- Panic bar must accept a flat tailpiece and have a turn radius of $90\ \text{degrees}$ or less.
- CHANGEABLE HANDING
- EXTENSION KIT NOT AVAILABLE

FINISH: MG (MARINE GRADE)

> ORDER #'s: 310-P 310-P DETEX

P-Series Accessories

PSGB-100



STEEL GATE BOX FOR:

- 115-P
- 160-P

BLACK OR SILVER

ORDER #: PS-GB100

PSGB-200



STEEL GATE BOX FOR:

- 285-P
- 310-P

BLACK OR SILVER

ORDER #: PS-GB200

Push/Pull Guard For 310-P



ORDER #: PPG

EXTRA
COMBINATION
TUMBLERS



ORDER #: PIN KIT

Panic Hardware

LOCKEY

Lockey Panic Bars



- ANSI/BHMA A156.3 SERIES GRADE 1 CERTIFIED
- COMPLIES WITH ANSI A117.A ADA REQUIREMENTS
- UL/cUL LISTED
- NARROW STILE 2 1/2" DOOR THICKNESS: 1 3/4" (STANDARD)
- DEVICE LENGTH: 33" (36" DOORS) OR 42" (48" DOORS)
- FIELD-SIZABLE CAN BE CUT TO 27"
- LATCH BOLT: STAINLESS STEEL POWDER METALLURGY WITH 11/16" THROW
- Deadlocking Latch: Stainless Steel powder metallurgy with 9/16" throw
- WEATHER RESISTANT

AVAILABLE IN: - FIRE-RATED (FR) - UL/CUL LISTED 3 HR. FIRE-RATED 10C, UBC 7-2 (1997)

- POWDER COATED STEEL (AL)
- STAINLESS STEEL (SS)



ORDER #'s: 36" Doors 48" Doors

PB1100 AL PB1142 PB1100 SS PB1142SS

PB1100 FR

Lockey Panic Trims





Lever Handle Keyed Trims



KEYED ENTRY: PB-LHED STOREROOM: PB-LHSR

Lever Handle Clutch Trim



Thumbpiece Keyed Entry Trim



ORDER #: PB-TPED

Pull-Handle Entry Trim



Night Latch Handleset Trim



ORDER #: PB-NLED

DETEX Panic Bars



- UL/cUL LISTED
- ANSI AND BHMA GRADE 1 CERTIFIED
- ADA COMPLIANT
- Outside trims easily changed and compatible with Lockey P-Series
- PATENTED MOUNTING PLATE AND STRIKE LOCATOR
- FIELD-SIZABLE
- Non-handed
- 100% WEATHERPROOF ALUMINUM EXTRUSION BAR
- FOR WOOD, HOLLOW, METAL, FIBERGLASS AND ALUMINUM DOORS
- Available with Alarm (V-40xEB) and Weatherized Alarm (V-40xEBxW)
- Fits 2 1/2" stile doors with 99 surface strike (standard)
- Fits 2" narrow stile doors with \ensuremath{NS} option or \ensuremath{NSK} door kit
- MACHINE AND SELF-DRILLING SCREWS (STANDARD)
- MORTISE CYLINDER FOR ALARM SOLD SEPARATELY (PG. 10)







ORDER #'s: BLACK 48" DOORS V-40 711 48 V-40xEB 711 48 V-40xEBxW 711 48

Panic Hardware

Panic Shields



- TURN GATES INTO PANIC/EMERGENCY EXITS
- MOUNTING PLATE FOR ANY PANIC BAR
- -16-GAUGE ELECTRO-GALVANIZED STEEL
- Available in Powder-Coated Silver (S) (standard). STEEL (PL) AND POWDER-COATED BLACK (B)*
- Available in 24" (standard) and 12
- ADJUSTABLE FOR 28" 54" GATES NO MOUNTING HOLES: *Specify Color when ordering

24" 12"

PS-24 PS-12

Lockey Compatible Panic Shields



- Pre-drilled with 2" backset for Lockey PB1100
- AVAILABLE IN POWDER-COATED SILVER (S) (STANDARD), STEEL (PL), AND POWDER-COATED BLACK (B)*
- Available in 24" (Standard) and 12"

*Specify Color when ordering Pre-Drilled (Lockey)

ORDER #'s: 24" 12"

PS-1124 PS-1112

EX Compatible Panic Shields



- PANIC SHIELD PRE-DRILLED WITH 2" BACKSET FOR DETEX V-40 & V-40xEB Panic Bars
- AVAILABLE IN POWDER-COATED SILVER (S) (STANDARD), STEEL(PL), AND POWDER-COATED BLACK (B)* AVAILABLE IN 24" (STANDARD) AND 12"

 ORDER #'s:
- *SPECIFY COLOR WHEN ORDERING

24"

PS-DX24 PS-DX12

Panic Shield Extension Plates



- EXTENDS PANIC SHIELD UP TO 74"
- 16-GUAGE ELECTRO-GALVANIZED STEEL
- AVAILABLE IN POWDER-COATED SILVER(S), ORDER #'s: STEEL(P) AND POWDER-COATED BLACK(B) PS-Ext - B
- Available in 24" (standard) and 12"

PS-Ext - S PS-Ext - PL

12"

Accessories

Max-Guard Panic Bar Shields



- Mounts above Panic Bar, preventing tampering from outside the gate.
- 16-GUAGE ELECTRO-GALVANIZED STEEL

- PROTRUSION: 4" | WIDTH: 24'

- AVAILABLE IN POWDER-COATED SILVER (S) (STANDARD),

STEEL(PL), AND POWDER-COATED BLACK (B)

ORDER #'s: PS-MAX - B

PS-MAX - S

PS-MAX - PL

Latch Protectors



- Provides added security to gate latch
- PROTECTS LATCH FROM TAMPERING AND BREAK-IN
- CLOSES THE GAP IN GATES WITH OVER 1" GAP
- ELECTRO-GALVANIZED STEEL

ORDER #'s: - AVAILABLE IN SILVER (S) AND BLACK (B)

*Specify Color when ordering

PS-LP-S

PS-LP-B

Trim Boxes



COMPATIBLE LOCKS:

285-P ORDER #:

PSGB-200-B PSGB-200-S



COMPATIBLE LOCKS:

115-P ORDER #: 160-P **PSGB-100-B**

PSGB-100-S



COMPATIBLE TRIMS:

PB-LHPS

PB-LHED ORDER #:

PB-LHSR PS-GB-LH

Strike Brackets



- 1/4" STEEL WITH POWDER COATED FINISH
- ADJUSTABLE. FITS UP TO 3" POST
- AVAILABLE IN BLACK OR SILVER

ORDER #'s: PS-SB - B PS-SB - S

Key Boxes and Keyed Cylinders

KEY BOX



ORDER #'s: PSGB5 - B PSGB5 - S



KEYED CYLINDER ORDER #: PS-CYL-(KA/KD)



IC CORE CYLINDER ORDER #: PS-CYL-IC



MORTISE CYLINDER ORDER #: V-CYI

Panic Shield Value Kits





STANDARD VALUE KITS INCLUDE:

- ONE (1) 24" PANIC SHIELD PRE-DRILLED FOR LOCKEY OR DETEX PANIC BAR
 - OPTIONAL: 12"
 - OPTIONAL: No MounTING HoLES (W/O)
- STRIKE BRACKET (PS-SB)
- GRADE 1 36" PANIC BAR
 - OPTIONAL: 48" PANIC BAR
- Color: Silver (S)
- OPTIONAL: BLACK (B) OR PLAIN (PL)





	_				
	Standard	Options			
Part #	Product Description (Standard Size: 24" Color: Silver)	Shield Size	Color	Panic Bar Size	Mounting Holes
PS-11-Value	Pre-drilled PS-11 Panic Shield Strike Bracket Lockey PB1100 (36'')	12"	Black Plain	48"	No Holes
PS-DX-Value	Pre-drilled PS-DX Panic Shield Strike Bracket Detex V-40 (36")	12''	Black Plain	48''	No Holes
PS-DX Alarm-Value	Pre-drilled PS-DX Panic Shield Strike Bracket Detex V-40 x EB Alarm (36")	12"	Black Plain	48"	No Holes

Panic Hardware



Panic Shield Safety Kits





STANDARD SAFETY KITS INCLUDE:

- ONE (1) 24" PANIC SHIELD PRE-DRILLED FOR LOCKEY OR DETEX PANIC BAR
 - OPTIONAL: 12"
- OPTIONAL: NO MOUNTING HOLES (W/O)
- STRIKE BRACKET (PS-SB)
- Grade 1 36" Panic Bar
 - OPTIONAL: 48" PANIC BAR
- KEYED CYLINDER
 - OPTIONAL: KEYED CYLINDER WITH IC CORE (PS-CYL-IC)
- PSGB-5 KEY Box
- COLOR: SILVER (S)
 - OPTIONAL: BLACK (B) OR PLAIN (PL)





*MORTISE CYLINDER SOLD SEPARATELY (PG. 10)

	Standard			Options	
Part #	Product Description (Standard Size: 24" Color: Silver)	Shield Size	Color	Panic Bar Size	Mounting Holes
PS-11-SAFETY	Pre-drilled PS-11 Panic Shield Strike Bracket Key Box Keyed Cylinder Lockey PB1100 (36")	12"	Black Plain	48''	No Holes
PS-DX-SAFETY	Pre-drilled PS-DX Panic Shield Strike Bracket Key Box Keyed Cylinder Detex V-40 (36")	12"	Black Plain	48''	No Holes
PS-DX Alarm-SAFETY	Pre-drilled PS-DX Panic Shield Strike Bracket Key Box Keyed Cylinder Detex V-40xEB Alarm (36")	12"	Black Plain	48"	No Holes

Panic Shield Security Kits





STANDARD SECURITY KITS INCLUDE:

- ONE (1) 24" PANIC SHIELD PRE-DRILLED FOR LOCKEY OR DETEX PANIC BAR
 - OPTIONAL: 12"
 - OPTIONAL: NO MOUNTING HOLES (W/O)
- STRIKE BRACKET (PS-SB)
- Grade 1 36" Panic Bar
 - Optional: 48" Panic Bar
- LOCKEY 285-P SATIN CHROME KEYLESS PANIC TRIM
- OPTIONAL: OTHER FINISHES AVAILABLE (SEE PAGE 8)
- PSGB-200 Keyless Trim Box
- Max-Guard Panic Bar Shield
- COLOR: SILVER (S)
 - OPTIONAL: BLACK (B) OR PLAIN (PL)





-	DO DV 4			
	WITH PS-DX-ALARM			
	WITH I G-DX-ALARM			
-	*MORTISE CYLINDER SOLD SEPARATELY	/	10	٠
-	MORTISE CYTINDER SOLD SEPARATELY	IPG:	101	1

	Standard	Options				
Part #	Product Description (Standard Size: 24" Color: Silver)	Shield Size	Color	Panic Bar Size	Mounting Holes	Lock Finish
PS-11-Security	Pre-drilled PS-11 Panic Shield Strike Bracket Keyless Box Lockey 285-P PB1100 (36") Max-Guard	12"	Black Plain	48''	No Holes	See
PS-DX-Security	Pre-drilled PS-DX Panic Shield Strike Bracket Keyless Box Lockey 285-P Detex V40 (36") Max-Guard	12"	Black Plain	48''	No Holes	Page
PS-DX Alarm-Security	Pre-drilled PS-DX Panic Shield Strike Bracket Keyless Box Lockey 285-P Detex V40xEB Alarm (36") Max-Guard	12"	Black Plain	48''	No Holes	8

Gate Closers



TB 100 TurtleBack IMPROVED



- New welds improve durability
- STRONGER BUSHINGS AND SEALS
- CLOSES GATES UP TO 125 LBS.
- Flush mount gate closer
- Adjustment knob regulates speed
- Installs on top, middle or bottom
- Pushes gate closed
- BLACK FINISH



MAX GATE WEIGHT: 125 LBS. MAX GATE WIDTH: 54 IN.

MAX OPENING ANGLE: 90 DEGREES

ORDER #: **TB100**

TB175 Garden Gate Closer



- FLUSH MOUNT GATE CLOSER
- CLOSES GATES UP TO 125 LBS.
- INSTALLS ON TOP, MIDDLE OR BOTTOM OF GATES
- ADJUSTABLE CLOSING AND LATCHING SPEED
- Pushes gate closed
- AVAILABLE IN BLACK OR WHITE FINISH



ORDER #'s:

ORDER #'s: TB175 BLACK TB175 WHITE

SPECIFICATIONS:

MAX GATE WEIGHT: 125 LBS. Max Gate Width: 54 in. MAX OPENING ANGLE: 90 DEGREES

TB200 | 400 | 600 Gate Closers



- Hydraulic/Nitrogen gas controlled closing speed
- Installs on top, widdle or bottom of gates
- Mounts on opening side of gate and pushes gate glosed
- EASY INSTALL: MOUNTING BRACKETS AND FITTING BAR INCLUDED
- 100 DEGREE MAXIMUM CHENING ANGLE
- Available in Black or Staint-ss Steel Finish (SS)
- COMPATIBLE WITH CHAINLINK: USE TB-LINX KITS (SEE PAGE 13)
- *Replacement Cylinders are available. Learn more at www.LockeyUSA.com



SPECIFICATIONS: GATE WEIGHT GATE WIDTH EST. OPENING FORCE

TB200: 50-125 LBS. 36-52 IN. 3-7 LBS. TB400: /5-1/5 IBS. 40-64 IN. 6-12 LBS.

TB600: 150-250 LBS. 44-72 IN. 8-18 LBS. TB200 TB200SS *Measuremen's DO NOT are into consideration the tinge arrangements, **TB400 TB400SS**

QUALITY OF HING-S, FASE OF OPERATION, WIND, AND OTHER VARIABLE FACTORS.

TB250+ | 450+ | 650+ Adjustable



- Adjustable hydraulic (Nitrogen Gas) controlled closing speed
- QUICK AND EASY INSTALLATION
- INSTALLS ON TOP, MIDDLE OR BOTTOM OF GATES
- Mounts on opening side of gate and pushes gate closed
- ZINC-PLATED STEEL AVAILABLE IN BLACK, WHITE OR GRAY (PVC COATING)
- 100 degree maximum opening angle

- COMPATIBLE WITH CHAINLINK: USE TB-LINX KITS (SEE PAGE 13)
- *Replacement Cylinders are available. Learn more at www.LockeyUSA.com

Gate Closer					
Added Opening Force					
No Closer	3/4 lb.	1/2 lb.	1/4 lb.		
TB 250+	6 lbs.	4 lbs.	3 lbs.		
TB 450+	10 lbs.	8 lbs.	6 lbs.		
TB 650+	13 lbs.	10 lbs.	8 lbs.		
Adde	Added Force at 45 degrees Ope				
TB 250+	7 lbs.	5 lbs.	4.5 lbs.		
TB 450+	13 lbs.	9.5 lbs.	8 lbs.		
TB 650+	18.5 lbs.	13.5 lbs.	12 lbs.		

Constant Closing Pressure		Approximate Width	Approximate Weight		
0 lbs.		Widili	weigili		
45 lbs.		36-52 Inches	50-125 lbs.		
90 lbs.		40-64 Inches	75-175 lbs.		
135 lbs.	П	44-72 Inches	150-250 lbs.		

SPECIFICATIONS:	MAX GATE WEIGHT	MAX GATE WIDTH				
TB250+:	125 LBS.	52 in.				
TB450+:	175 LBS.	64 IN.				
TB650+:	250 LBS.	72 in.				
*M=asurem=nts DO NOT take into consideration t-e						
HINGE ARRANCEMENTS. QUALITY OF HINGES, EASE OF OPERATION,						
WIND, AND OTHER VARIABLE FACTORS.						

ORDER #'s:

TB250+ BLACK, WHITE OR GRAY TB450+ BLACK, WHITE OR GRAY TB650+ BLACK, WHITE OR GRAY

Gate Closers

LOCKEY

TB950 - TOP PIVOT (INCLUDED)

TB950 Magnum Hinge/Closer



- ADJUSTABLE GATE CLOSER AND HINGE ALL-IN-ONE
- HEAVY-DUTY
- CAN PULL OR PUSH GATE SHUT
- Adjustments for closing and latching speed
- 180 DEGREE CAPABLE WITH 180° DRIVE PLATE (NOT INCLUDED)
- COMPATIBLE WITH BOTH RIGHT AND LEFT-HAND GATES
- NOW AVAILABLE TB950-LINX KIT FOR CHAINLINK COMPATIBILITY

SPECIFICATIONS:

GATE WIDTH: **32-52 IN.**GATE WEIGHT: **50-250 LBS.**OPENING ANGLE: **90 DEGREES**

Min. Operating Temperature: -40° F



ORDER #:
TB950 MAGNUM

TB-LINX



GATE CLOSER SOLD SEPARATELY

MOUNTING KIT FOR CHAINLINK GATES

- FENCE SIZE: 2"- 3"

COMPATIBLE WITH:

- TB200/400/600
- TB250+/450+/650+ ADJUSTABLE

TB-LINK INCLUDES:

- ONE (1) POST BRACKET
- ONE (1) U-BOLT
- Two (2) Machine Screws
- Four (4) Lock Nuts ORDER#:

B-LIN

TB950-LINX



*TB950 Magnum sold separately

Mounting Kit for Chainlink Gates

- Post Size: 2" - 3"

COMPATIBLE WITH:

- TB950 MAGNUM

TB950-LINK INCLUDES:

- Two (2) Post Brackets
- Two (2) U-Bolts
- Two (2) WELDABLE PLATES
- Four (4) Lock Nuts

ORDER #: TB950-LINX

GB2900 LINX



*LOCK SOLD SEPARATELY

GB2900 LINX STAINLESS STEEL GATE BOX

NO WELDING!

GATE BOX FOR CHAINLINK GATES

- STANDARD: 1 5/8"
- ALSO AVAILABLE: 1 7/8"

COMPATIBLE WITH:

2900 | 2930 | 2950 | 2985



*LOCK SOLD SEPARATELY

ORDER #: GB2900 LINX

Gate Closer Accessories



Mounting Accessories for: TB200/400/600

TB250+/450+/650+ ADJUSTABLE

TB MOUNTING KIT INCLUDES:

- ONE (1) POST BRACKET
- One (1) Gate Bracket
- Two (2) Mounting Pins

TB PIN KIT INCLUDES:

- Two (2) Mounting Pins

TB BRACKET KIT INCLUDES:

- One (1) Post Bracket

- One (1) Post Bracket
- One (1) Gate Bracket

ORDER #'s:

TB-Mounting-Kit

TB-PIN-KIT
TB-BRACKET-KIT

GATE STOP (MEDIUM AND HEAVY DUTY) *TO RESTRICT OPENING ANGLE TO 90°

- Adjustable Direction and Length
- PLASTIC CUSHIONED STOPPER
- STAINLESS STEEL
- MEDIUM DUTY: 3/16" THICK
- HEAVY DUTY: 1/4" THICK



ORDER #'s: GS-90MD GS-90HD

CHAINLINK COMPATIBLE GATE STOP *TO RESTRICT OPENING ANGLE TO 90°

- Easily Mounts on Chainlink Gate Post
- ADJUSTABLE DIRECTION AND LENGTH
- PLASTIC CUSHIONED STOPPER
- 1/4" THICK STAINLESS STEEL
- Post-Size: 2" 3" or 4"



ORDER #'s: GS-LINX GS-LINX4"



LockeyUSA Product Catalogs are available for download at www.LockeyUSA.com.

Electronic Cabinet & Locker Locks



LOCKEYUSA.COM 989.773.2363

PO Box 543 Mt. Pleasant, MI 48804

