

DEXTER®
COMMERCIAL HARDWARE

Dynamic product solutions

Price competitive options

DISTRIBUTED BY

AHS

ACCESS HARDWARE SUPPLY
accesshardware.com

Introducing Dexter Commercial Hardware

Allegion's newest product line, Dexter Commercial Hardware, provides you with over 200 SKUs of Grade 1 and Grade 2 product options for locks, exits and closers to fulfill any opening price point project needs.

- Cylinders: drilled six and pinned six
 - Provides our locks with more differs (key shapes) than a cylinder that is pinned by 5; by a factor of 10x, where most private label brands are pinned 5
- Universal Screw Packs: screws included for wood or hollow metal doors
- Warranty: 5 Year Limited Mechanical Warranty
- Minimizes the need to re-key locks due to lost keys or employee turnover.

Locks



Designs



Regular lever

Curved lever


C1000 Series

Grade 1 cylindrical lock

Specifications

- Grade 1, UL listed 3 hour
- 1 ³/₈" to 2" door range standard
- All functions include 1 ¹/₈" x 2 ¹/₄" square-corner beveled latch with 2 ³/₄" backset and ANSI 1 ¹/₄" x 4 ⁷/₈" curved lip strike
- Accommodate Schlage C cylinders are 6-pin cylinders keyed 6, keyed different
- Accommodates SFIC to accept 6-pin/7-pin

Finishes



613

626



Designs



Regular lever

Curved lever

Ball knob

C2000 Series

Grade 2 cylindrical lock

Specifications

- Grade 2, UL listed 3 hour
- 1 ¹/₈" x 1 ³/₄" door range standard
- Brass (605) ball knobs come packaged with square-cornered beveled latch with 2 ³/₈" backset and ANSI 1 ¹/₄" x 2 ¹/₄" T-Strike standard
- All other functions (except dummy) include 1 ¹/₈" x 2 ¹/₄" square-corner beveled latch with 2 ³/₄" backset and ANSI 1 ¹/₄" x 4 ⁷/₈" curved lip strike (30-148)
- Schlage C cylinders are 6-pin cylinders keyed 6, keyed different
- Accommodate SFIC to accept 6-pin/7-pin

Finishes



605

613

626

630

Deadbolts




DB1000 Series
Grade 1 deadbolt

Specifications

- Grade 1, UL listed 3 hour, 1³/₈" - 1⁷/₈" standard cylinder door range; 1⁵/₈" - 2" SFIC door range
- All functions include 2³/₈" - 2³/₄" universal square corner latch (p/n 30-253), 1¹/₈" x 2³/₄" square corner lipless strike
- Schlage C cylinders are 6-pin cylinders keyed 6, keyed different
- Accommodates SFIC to accept 6-pin/7-pin

Finishes



613

626



DB2000 Series
Grade 2 deadbolt

Specifications

- Grade 2, UL listed 3 hour, 1³/₈" - 1³/₄" standard cylinder door range; 1⁵/₈" - 2" SFIC door range
- All functions include 2³/₈" - 2³/₄" universal square corner latch (p/n 30-253), 1¹/₈" x 2³/₄" square corner lipless strike
- Schlage C cylinders are 6-pin cylinders keyed 6, keyed different
- Accommodates SFIC to accept 6-pin/7-pin

Finishes



605

613

626

Closers

DCH1000 Series

Heavy duty surface door closers

Specifications

- Grade 1, UL / UL 10C Listed (non-hold open arms), ADA compliant at size 1
- Adjustable spring size 1-6
- 6³/₄" x 2³/₈" mounting hole pattern
- Staked, independent adjustment values: sweep speed, latch speed, and back-check
- Single piece, cast aluminum body
- Universal hardware pack



Finishes



ALUM/
689

DKBRZ/
695

DCM1000 Series

Medium duty surface door closers

Specifications

- Grade 1, UL / UL 10C Listed (non-hold open arms), ADA compliant at size 1
- Adjustable spring size 1-6
- 12" x 3³/₄" mounting hole pattern
- Staked, independent adjustment values: sweep speed, latch speed, and back-check
- Single piece, cast aluminum body
- Universal hardware pack



Finishes



ALUM/
689

DKBRZ/
695

DCL2000 Series

Light duty surface door closers

Specifications

- Grade 1, UL / UL 10C Listed (non-hold open arms), ADA compliant at size 1
- Adjustable spring size 1-6
- 9¹/₁₆" x 3³/₄" mounting hole pattern
- Independent adjustment values: sweep speed, latch speed, and back-check
- Single piece, cast aluminum body
- Universal hardware pack



Finishes



ALUM/
689

DKBRZ/
695

DCR8000 Series

Residential duty surface door closers

Specifications

- Grade 1, UL / UL 10C Listed (non-hold open arms) ADA compliant at size 1, (180 deg - TJ and Pull Side)
- Adjustable spring size 1-4
- 9¹/₁₆" x 3³/₄" mounting hole pattern
- Independent adjustment values: sweep speed, latch speed, and back-check
- Single piece, cast aluminum body
- Universal hardware pack



Finishes



ALUM/
689

DKBRZ/
695

Exits



ED1000 Series
Grade 1 exit devices

Finishes



US26D



US10B



US32D

Specifications

- Grade 1, UL Listed panic device, UL Listed 3-hour fire device
- Durable, aluminum mechanism case construction
- Deadlatching standard
- Devices fit standard 1 3/4" thick door
- 4 1/4" minimum stile width
- Hex Key Dogging standard on all panic devices
- All devices and trim are non-handed
- Universal hardware pack for wood and hollow metal
- Door widths: 36" device fits 29" to 36" door size; 48" device fits 33" to 48" door size



ED2000 Series
Grade 1 exit devices

Finishes



SP28



SP313

Specifications

- Grade 1, UL Listed panic device, UL Listed 3-hour fire rim device
- Durable, steel mechanism case construction
- Deadlatching standard
- Devices fit standard 1 3/4" thick door
- 3 1/2" minimum stile width
- Hex Key Dogging standard on all panic devices
- Rim devices and trim are non-handed; Surface vertical devices easily field reversible
- Universal hardware pack for wood and hollow metal
- Door widths: 36" device fits 29" to 36" door size; 48" device fits 33" to 48" door size

Dexter Commercial Hardware highly used product

Locks & Deadbolts

Grade 1

C1000 ENTR R 626 KDC

C1000 STRM R 626 KDC

C1000 PASS R 626

C1000 ENTR R 626 SFIC

C1000 STRM R 626 SFIC

C1000 CLRM R 626 KDC

C1000 PRIV R 626

DB1000 SCT 626 KDC

DB1000 SCT 626 SFIC

Grade 2

C2000 ENTR R 626 KDC

C2000 STRM R 626 KDC

C2000 PASS R 626

C2000 ENTR B 630 KDC

C2000 CLRM R 626 KDC

C2000 ENTR R 626 SFIC

C2000 STRM R 626 SFIC

C2000 STRM B 630 KDC

C2000 ENTR C 626 KDC

DB2000 DCT 626 KDC

DB2000 DCT 626 SFIC

Closers

DCL2000.STD.LESS.RW/PA.ALUM

DCL2000.STD.LESS.RW/PA.DKBRZ

DCM1000.STD.SLIM.RW/PA.ALUM

DCH1000.STD.FULL.RW/PA.ALUM

Exits

ED2000 R EO 3FT SP28

ED1000 R EO 3 FT US26D

ED1000 R F EO 3FT US26D

For full product listing, please reference the Dexter Commercial Hardware Catalog and Price Book.

About Allegion

Allegion (NYSE: ALLE) is a global pioneer in safety and security, with leading brands like CISA®, Interflex®, LCN®, Schlage® and Von Duprin®. Focusing on security around the door and adjacent areas, Allegion produces a range of solutions for homes, businesses, schools and other institutions. Allegion is a \$2 billion company, with products sold in almost 130 countries. For more, visit www.allegion.com.

aptiQ ■ LCN ■ SCHLAGE ■ STEELCRAFT ■ VON DUPRIN



ALLEGION™

DISTRIBUTED BY



ACCESS HARDWARE SUPPLY
accesshardware.com

© 2017 Allegion
000000, Rev. 05/17
www.allegion.com/us