



Architectural Hardware 2022 Price List

US & Canada Effective Date: June 1, 2022

Experience a safer and more open world



## 2021-2022 Pricelist Adams Rite Architectural Hardware

DEADLOCKS	
RT1050 RITE Touch®Digital Glass Door Lock	2
1830 Bottom Rail Deadlock Swingbolt	2
MS1837 Series MS® Two-Point Deadlock	2
MS1847 Series MS® Deadlock/Deadlatch	3
MS1850S, MS1850S-X5X Series MS® Deadlock	3
1850S-X2X Series Short Throw Deadlock	4
MS1850SN, MS1850SN-45X Series MS® Deadlock (ANSI Size)	4
MS1861 Series MS® Bottom Rail Deadlock	4
1875 Two-Point Deadlock	5
MS+1890 Series MS® Deadlock/Deadlacth	5
MS1950, MS1950-X5X Series MS® Deadlock	5
2190, 2290 Dual Force® Interconnected Deadbolt/Deadlatch for	
Aluminum Stile Doors (2190); for Wood or Hollow Metal (2290)	6
2331 Heavy Duty Deadbolt	7
4070 Series Short Throw Deadbolt (Projection Style)	7
5017 Deadlock/Deadlatch for Wood Doors	7
5500 Deadlock for Sliding Wood Doors	7
4189, 4190 Flush Locksets (Including Deadlock)moved to Flushlock section	
4430, 4431 Flush Locksets (Including Deadlock)moved to Flushlock section	

DEADLATCHES	
DL100 Aperio® Wireless Deadlatch	8
4300 Steel Hawk® Electrified Deadlatch	8
4300 RITE Pack®	8
4510 Standard Duty Deadlatch	9
4530 Standard Duty Deadlatch	9
4781 Two-Point Deadlatch with Paddle	10
4900 Heavy Duty Deadlatch	10
4920AN Heavy Duty Deadlatch (ANSI Size)	10
ELLISHI OCKS	

FLOSFILOCKS	
1870 Cylinder-Operated Flushbolt	11
1870HM Cylinder-Operated Flushbolt	11
1877 Cylinder-Operated Flushbolt	11
MS1880, MS1881 Two-Point Flushlocks	12
MS2180 Auto-Release Two-Point Flushbolt	12
4189, 4190 Flush Locksets (Including Deadlock)	13
4430, 4431 Flush Locksets (Including Deadlock)	13
B1921, B1923 Reinforcing Pivots moved to Cylinders and Accessorie	es section

EXIT DEVICES	
8099 Dummy Pushbar	14
8100   3100 Surface Vertical Rod Exit Device	14
8200 Narrow Stile Surface Vertical Rod Exit Device	15
8300   3300 Mortise Exit Device	15
8400 Narrow Stile Mortise Exit Device	16
8500   3600 Metal Door Concealed Vertical Rod Exit Device	16
8600 Narrow Stile Concealed Vertical Rod Exit Device	17
8700   3700 Starwheel Rim Exit Device	17
8800 Narrow Stile Starwheel Rim Exit Device	18
P8800   P8700 Pullman Narrow Stile Rim Exit Device	18
8900   3900 Wood Door Concealed Vertical Rod Exit Device	19
Accessories for 3000   8000 Series Exit Devices	19
Kitted Options for 3000   8000 Series Exit Devices	19
Modification Options for 3000   8000 Series Exit Devices	19
EX Series	
EX76 Concealed Vetical Rod Exit Device	20
EX80 Dummy Push Bar	20
EX88 Interlocking Rim Exit Device	20
EX89 Pullman Rim Exit Device	20

ELECTRIC STRIKES	
7100, 7101 Electric Strikes	21
7110, 7111 Electric Strikes	21
7130, 7131 Electric Strikes	22
7140 Electric Strike	22
7160 Electric Strike	22
7170 Electric Strike	23
7100 Series Electric Strikes Components	23
7240 Fire-Rated Electric Strike	24
7270 Fire-Rated Electric Strike	24
7400, 7401 Ultraline® Electric Strikes	24
7410, 7411 Ultraline® Electric Strikes	25
7430, 7431 Ultraline® Electric Strikes	25
7440 Ultraline® Electric Strikes	25
74R1 Ultraline® Electric Strike	26
74R2 Ultraline® Electric Strike	26
7400 Series Electric Strikes Components	27
7800 Series Electric Strike	28
7800 Series Electric Strikes Components	28

TRIM	
1000 Series Turns	29
3000 Fixed Pull	29
3080 Series Entry Trim	30
3090 eForce® Keyless Entry	31
4060 Turn	31
4550 MS® Deadlock Lever	31
4560, 4565 Series Deadlatch Handles	32
4568, 4569 Eurostyle Deadlatch Handles	32
4570 ICU Latch Operator	33
4576 ICU Flushbolt Latch Operator	33
4590 Deadlatch Paddle	34
4591 Deadlatch Paddle	35
4600 Heavy Duty Designer Deadlatch Handles	36

CYLINDERS & ACCESSORIES	
4024, 4025, 4026 Cylinder Pulls	37
4036 Mortise Cylinder	37
MS4043 Cylinder Guard	38
4066 Thumbturn	38
4580 Cam Disc	38
4581 Universal Cam Disc	38
8650 Cylinder Escutcheon Kit	39
8736 Rim Cylinder	39
4014 Two-Point Conversion Kit	39
4015 Threshold Bolt	39
4016 Header Bolt	39
4085 Header Bolt (Pairs of Doors Only)	40
4089 Exit Indicator	40
4104 Mounting Bridges	40
91-0965 Universal Mounting Tab Kits for Installing	
MS® Locks & Latches	40
B1921, B1923 Reinforcing Pivots	41
Strikes	

## 2190 Dual Force® Interconnected Deadbolt/Deadlatch Strikes 41 2290 Dual Force® Interconnected Deadbolt/Deadlatch Strikes 41

20

4000 Series MS® Deadlock Strikes	41
4800, MS 4804 Series Strikes	42
4901, 4902 Deadlatch Strikes	42
4304 Deadlatch Strike	42

CTEINDENS & ACCESSORIES CONT.	
Thick Door Kits	
2190, 2290 Dual Force® Interconnected	
Deadbolt/Deadlatch Thick Door Kit	43
4568, 4569 Eurostyle Deadlatch Handles Thick Door Kits	43
Faceplates	
MS1850S Deadlocks Faceplates	43
MS1850S, MS1950 Deadlock (Standard Bolt) Faceplates	43
MS1850S, MS1950 Deadlock	
(Hookbolt and Short Bolt) Faceplates	44
MS1850SN Deadlock (Standard Bolt) Faceplates	44
MS1850SN Deadlock (Hookbolt) Faceplates	44
1870 Flushbolt Faceplates	44
MS+1890 Deadlock Faceplates	44
2190 Dual Force® Interconnected Deadbolt/Deadlatch	
Faceplates	45
2331 Heavy Duty Deadbolt Faceplates	45
3300 Fire-Rated Mortise Exit Device Faceplates	45
4070 Short Throw Deadbolt Faceplates	45
4500 Standard Duty Deadlatch Faceplates	45
4530 Standard Duty Deadlatch Faceplates	45
4900 Heavy Duty Deadlatch Faceplates	45
4900 Heavy Duty Deadlatch Special Faceplates	46
4920, 8300 Faceplates	46
7100, 7160 Electric Strikes Faceplates	46
7101 Electric Strike Faceplates	46
7110 Electric Strike Faceplates	46
7111 Electric Strike Faceplates	46
7130 Electric Strike Faceplates	46
7131 Electric Strike Faceplates	46
7140, 7170 Electric Strike Faceplates	46
-	

POWER	
PS-1 Power Supply	47
PS-EXIT Power Supply*	47
4612 Power Transfer Device	47
4603, 4605, 4606 Accessories for Power	47
*PS-EXIT has replaced the PS-LR and PS-SE power spplies	
DEMO MOUNTS	

Deadlocks & Deadlatches	
RT1050 RITE Touch® Digital Glass Door Lock	48
2190 Dual Force® Interconnected Deadbolt/Deadlatch	48
4300 Steel Hawk® Electrified Deadlatch (eLatch)	48
DL100 Aperio® Wireless Deadlatch	48
Electric Strikes	
7400 Ultralina® Flactric Strikes	40

Electric Strikes	
7400 Ultraline® Electric Strikes	48
<b>Trim</b> 4600 Heavy Duty Designer Deadlatch Handles	48

BUNDLES	
MS1850S Deadlock with Deadlock Trim and Cylinder Bundle	49
Electrified Deadlatch with Paddle and Cylinder Bundle	49

GENERAL INFORMATION	
Adams Rite Limited Warranty/Terms and Conditions	50
Canadian Terms & Conditions	50



EX Series Options

## **DEADLOCKS**

#### RT1050 RITE Touch® Digital Glass Door Lock

MODELS	DESCRIPTION	PRICE
RT1050D	Digital glass door lock with thumbturn, for single doors, or pairs of doors with one inactive leaf	\$720
RT1050L	Digital glass door lock with lever, for single doors, or pairs of doors with one inactive leaf	\$720
RT-5C-1050	Extra cards (package of 5 cards)	\$68

#### How to Order

Specify quantity and the following information. Order related products separately

		· · · · · ·
PRODUCT	MODEL	TRIM
RT	1050	D
	1050 For glass doors D Thumbturn	
		L Accessibility lever



#### 1830 Bottom Rail Deadlock (Swing Bolt)

MODEL	DESCRIPTION	
1830	Deadlock with 31/32" or 1-1/8" cylinder height	\$153



#### How to Order

Specify quantity and the following information. Order related products separately

PRODUCT NO.	DASH NO. (SPECIFY FOR CYLINDER HEIGHT AND LOCK DEPTH)	FINISH
1830	1830 -02	
	02 Cylinder Height 31/32" Dim. "A" 1-5/8"	628 Clear Anodized
	03 Cylinder Height 1-1/8" Dim. "A" 1-25/32"	313 Dark Bronze Anodized

#### MS1837 Series MS® Two-Point Deadlock

MODELS	ODELS DESCRIPTION & FINISHES		605, 626
MS1837	MS1837 Deadlock includes 4001-011 strike, 36" cylinder height		\$366
MS1837	Deadlock includes 4001-011 strike, contact factory for cylinder height other than 36" up to maximum cylinder height 65"	333	427

 $If cylinder \ height \ other \ than \ 36" \ is \ required, specify \ exact \ height \ from \ bottom \ of \ door \ to \ cylinder \ center. \ Maximum \ cylinder \ height \ 65".$ 

#### How to Order

Specify quantity and the following information. Order related products separately

-p, 4,,				
PRODUCT NO.	FINISH			
MS1837	-313			
	313 Dark Bronze Anodized	626 Satin Chrome		
	335 Black Anodized	628 Clear Anodized		
	605 Bright Brass			

If cylinder height other than 36" is required, specify exact height from bottom of door to cylinder center. Maximum cylinder height 65".





# MODEL DESCRIPTION & FINISH 630 MS1847 Deadlock/deadlatch, stainless steel \$68

#### How to Order Specify quantity and the following information. Order related products separately

PRODUCT NO.	FACE SI	FACE SHAPE, HUB ANGLE, LOCK OR LATCH			FINISH
MS1847		-02			-630
	(See Configurati	(See Configuration table below)			630 Satin Stainless
	(Blank)	-02	VERT. O	SELF. LATCHING O	
	-09	-10	SELF. O O O O O O O O O O O O O O O O O O O	VERT V O	



#### MS1850S, MS1850S-X5X Series MS® Deadlock

MODELS	DESCRIPTION & BACKSETS		31/32", 1-1/8", OR 1-1/2"
MS1850S	Flat faceplate, 313, 335, or 628 finish, without strike plate	<sup>\$</sup> 91	<sup>\$</sup> 78
MS1851S	Radius faceplate, 313, 335, or 628 finish, without strike plate	<sup>\$</sup> 91	<sup>\$</sup> 78
MS1851SW	Radius faceplate with weatherstrip, 313, 335, or 628 finish, without strike plate		\$83
MS1852S	Bevel faceplate, 313, 335, or 628 finish, without strike plate.		<sup>\$</sup> 78
SPECIAL MODEL			
MS1853S-XXX-IB Without faceplate, without strike plate		<sup>\$</sup> 81	<sup>\$</sup> 69

Schoolhouse function for above deadlocks add \$37. Please contact factory for more information.

#### $How \ to \ Order \quad \text{Specify quantity and the following information. Order related products separately}$

PRODUCT NO.	FACEPLATE	BACKSET	BOLT SHAPE	HANDING	FINISH
MS185	OS	-2		0	-628
	OS Flat	1 7/8"	1 Straight bolt	0 Non-Handed*	313 Dark Bronze Anodized
	1S Radius	2 31/32"	5 Hookbolt	5 LH or RHR	335 Black Anodized
	1SW Radius with weatherstrip	3 1-1/8"		6 RH or LHR	628 Clear Anodized
	2S Bevel	4 1-1/2"			
	3S Without faceplace, without strike plate				

\*Any flat or radius faceplate, except Schoolhouse. Select handing for bevel faceplate only.




#### 1850S-X2X Series Short Throw Deadlock

MODELS	DESCRIPTION & FINISHES	313, 335, 628
1850S	Flat faceplate, 31/32", 1-1/8", or 1-1/2" backset, without strike plate	§78
1851S	Radius faceplate, 313, 335, or 628 finish, without strike plate	§78
1852S	Bevel faceplate, any handing, 313, 335, or 628 finish, without strike plate	§78
SPECIAL MODEL	DESCRIPTION	PRICE
1853S-X20-IB WITHOUT faceplate, without strike plate		\$69

#### How to Order Specify quantity and the following information. Order related products separately

PRODUCT NO.	FACEPLATE	BACKSET	BOLT SHAPE	HANDING	FINISH
185	OS	-2	2	0	-628
	OS Flat	2 31/32"	2 Short Throw	0 Non-Handed*	313 Dark Bronze Anodized
	1S Radius	3 1-1/8"		5 LH or RHR	335 Black Anodized
	2S Bevel	4 1-1/2"		6 RH or LHR	628 Clear Anodized
	3S Without faceplace, without strike plate				





#### MS1850SN, MS1850SN-45X Series MS® Deadlock (ANSI Size)

·	· · · · · · · · · · · · · · · · · · ·	
MODELS	313, 335, 628	
MS1850SN	Flat faceplate, 1-1/2" backset, without strike plate	\$110
MS1851SN	Radius faceplate, 1-1/2" backset, without strike plate	\$110
MS1852SN	Bevel faceplate, any handing, 1-1/2" backset, without strike plate	\$110

#### How to Order Specify quantity and the following information. Order related products separately

	. , , ,	9		' '	
PRODUCT NO.	FACEPLATE	ANSI SIZE	BOLT SHAPE	HANDING	FINISH
MS185	0	SN	-41	0	-628
	0 Flat		41 Straight bolt	0 Non-Handed*	313 Dark Bronze Anodized
	1 Radius		45 Hookbolt	5 LH or RHR	335 Black Anodized
	2 Bevel			6 RH or LHR	628 Clear Anodized

 $^*$ Any flat or radius faceplate, except Schoolhouse. Select handing for bevel faceplate only.



#### MS1861 Series MS® Bottom Rail Deadlock

MODELS	DESCRIPTION & FINISH	603
MS1861-01	One-point deadlock, vertical bolt operation only	\$160
MS1861-02	Two-point deadlock, horizontal and vertical operation	\$200

#### How to Order Specify quantity and the following information. Order related products separately

TIOW to Oraci	iditori. Order related products sepa	rutcry	
PRODUCT NO.	BOLT OPERATION	FINISH	PACKAGING
MS1861	-01	-603	-IB
	01 Vertical Bolt Only	603 Zinc plated steel	IB Individually Boxed
	02 Vertical and Horizontal Bolts		

 ${\it If tube spacers are required please specify quantity and length.}$ 





MODEL	DESCRIPTION & FINISH	603
1875	Two-point deadlock for roll-up doors	\$200



#### How to Order

Specify quantity and the following information. Order related products separately

PRODUCT NO.	PACKAGING
1875	-IB
	IB Individually Boxed

#### MS+1890 Series MS® Deadlock/Deadlatch

MODELS & FINISHES	313, 335, 628
MS+1890 Flat faceplate, 31/32", 1-1/8", or 1-1/2" backset	\$272
MS+1891 Radius faceplate, 31/32", 1-1/8", or 1-1/2" backset	\$272
MS+1891W Radius faceplate with weatherstrip, 31/32", 1-1/8", or 1-1/2" backset	\$285
MS+1892 Bevel faceplate, any handing, 31/32", 1-1/8", or 1-1/2" backset	\$272
SPECIAL MODELS	
MS+1890, MS+1891, MS+1892 Flat, radius, or bevel faceplate, complete with flat / center hung 4" or 4-1/2" strike plate	\$287
MS+1893-XX-IB Without faceplate, without strike plate	<sup>\$</sup> 205



How to Order Specify quantity and the following information. Order related products separately

PRODUCT NO.	FACEPLATE	BACKSET	STRIKE SHAPE/LIP LENGTH	HANDING	FINISH
MS+189		-3	02	6	-628
	0 Flat	2 31/32"	01 Flat/Standard Jamb	5 LH or RHR	313 Dark Bronze
	1 Radius	3 1-1/8"	02 Radius/Standard Stile	6 RH or LHR	Anodized
	1W Radius with weatherstrip	4 1-1/2"	17 Flat/Center Hung 4" Jamb		335 Black Anodized
	2 Bevel		21 Flat/Center Hung 4-1/2" Jamb		628 Clear Anodized
	3 Without faceplace, without strike plate				

For door thickness other than 1-3/4" please contact factory.

#### MS1950, MS1950-X5X Series MS® Deadlock

MODELS	313, 335, 628		
MS1950 Flat faceplate, 31/32", 1-1/8", or 1-1/2" backset, without strike plate	\$142		
MS1951 Radius faceplate, 31/32", 1-1/8", or 1-1/2" backset, without strike plate	<sup>\$</sup> 142		
MS1951W Radius faceplate with weatherstrip, 31/32", 1-1/8", or 1-1/2" backset, without strike plate			
MS1952 Bevel faceplate, any handing, 31/32", 1-1/8", or 1-1/2" backset, without strike plate			
SPECIAL MODEL			
MS1953S-XXX-IB Without faceplate, without strike plate	\$133		

Schoolhouse function for above deadlocks add \$37. Please contact factory for more information.

#### How to Order Specify quantity and the following information. Order related products separately

11011 10 0	Specify quantity and the following	ng miormation. Ord	aci related products s	eparatery	
PRODUCT NO	FACEPLATE	BACKSET	BOLT SHAPE	HANDING	FINISH
MS195	0	-2	1	0	-628
	0 Flat	2 31/32"	1 Straight bolt	0 Non-Handed*	313 Dark Bronze Anodized
	1 Radius	3 1-1/8"	5 Hookbolt	5 LH or RHR	335 Black Anodized
	1W Radius with weatherstrip	4 1-1/2"		6 RH or LHR	628 Clear Anodized
	2 Bevel				
	3 Without faceplace, without strike plate				

\*Any flat or radius faceplate, except Schoolhouse.





#### 2190, 2290 Dual Force®

Interconnected Deadbolt/Deadlatch for Aluminum Doors (2190); for Wood or Hollow Metal Doors (2290)

		STANDARI	O TRIM SET	ELECTRIFIE	D TRIM SET LOW PROF		FILE TRIM
	MODELS & TRIM SETS	10B, US4, US32D	US3, US32	10B, US4, US32D	US3, US32	10B, US4, US32D	US3, US32
D LEVER	2190, 2290 Deadbolt/Deadlatch with standard lever (01, 02, 03), complete with strike plate	<sup>\$</sup> 695	<sup>\$</sup> 786	\$877	\$968	<sup>\$</sup> 614	<sup>\$</sup> 705
STANDARD	2190, 2290 Deadbolt/Deadlatch with standard lever (01, 02, 03), without strike plate	<sup>\$</sup> 664	\$755	<sup>\$</sup> 846	\$937	\$583	\$674
ER LEVER	2190, 2290 Deadbolt/Deadlatch with designer lever series (MD through MW), complete with strike plate	\$747	\$838	\$929	<sup>\$</sup> 1,020	<sup>\$</sup> 666	<sup>\$</sup> 757
	2190, 2290 Deadbolt/Deadlatch with designer lever series (MD through MW), without strike plate	<sup>\$</sup> 716	\$807	\$898	\$989	<sup>\$</sup> 635	<sup>\$</sup> 726
	MODELS & F	313, 33	N/A				
	2190, 2290 Boxed Lock Less lever trim, with adjustal and choice of standard or radius strike	\$3	39				
	EK-2190 Electrification Kit for 2190, 2290; 12/24 VAC			\$200			



#### How to Order Specify quantity and the following information. Order related products separately

PRODUCT NO.	BACKSET	STRIKE	FACEPLATE FINISH	TRIM*		1AH	IDLE DESIGNA	ATION	TRIM AND HANDLE FINISH
2190	-3			-1	01		32D		
	3 1-1/8"	0 None	1 Clear Anodized 628	0 None 00 No Ha		00 No Handle		03 Bright Brass (US3)	
	4 1-1/2"	1 Standard Flat	2 Dark Bronze	1 With Trim Set	STANDARD SERIES:		04 Satin Brass (US4)		
		2 Radius Strike	2 Radius Strike Anodized 313		2 With Electrified Trim Set 01 Curve			10B Dark Bronze	
			3 Black Anodized 335	3 Black Anodized 335	3 Low Profile Trim	02 Round			32D Satin Stainless (US32D)
						03 Square			
				DESIGNER SERIES:					
					MD	MG	MJ	MV (Handed)	
					ME	МІ	MN (Handed)	MW	

Standard and electrified trim sets are for out-swinging doors only; low profile trim set for in-swinging doors only.

#### $How \ to \ Order \quad \textit{Specify quantity and the following information. Order related products separately}$

PRODUCT NO.	BACKSET	STRIKE	FACEPLATE FINISH	TRIM*		MAH	IDLE DESIGNA	ATION	TRIM AND HANDLE FINISH
2290	-3	1	1	-1		01		32D	
	3 1-1/8"	0 None	0 US to match trim finish	0 None	00 No	00 No Handle		03 Bright Brass (US3)	
	4 1-1/2"	1 Standard Flat	1 Clear Anodized 628	1 With Trim Set	STANDARD SERIES:		04 Satin Brass (US4)		
			2 Dark Bronze	2 With Electrified Trim Set	fith Electrified Trim Set 01 Curve			10B Dark Bronze	
			Anodized 313	3 Low Profile Trim	02 Round			32 Bright Stainless (US32)	
			3 Black Anodized 335		<b>03</b> Sq	uare			32D Satin Stainless (US32D)
					DESIGNER SERIES:				
		MD		MD	MG	MJ	MV (Handed)	1	
					ME	МІ	MN (Handed)	MW	

 $Standard\ and\ electrified\ trim\ sets\ are\ for\ out-swinging\ doors\ only; low\ profile\ trim\ set\ for\ in-swinging\ doors\ only.$ 



#### 2331 Heavy Duty Deadbolt

MODEL & FINISHES	121, 626	605, 625
2331 Deadbolt, 1-3/4" backset, complete with strike	\$339	\$372

 $How \ to \ Order \\ Specify quantity and the following information. Order related products separately \\$ 

PRODUCT NO.	FINISH
2331	-626
	121 To Match 313 Dark Bronze Anodized
	605 Bright Brass
	625 Bright Chrome
	626 Satin Chrome



#### 4070 Series Short Throw Deadbolt (Projection Style)

MODELS & FINISHES				
4070 Flat faceplate, 7/8", 31/32", or 1-1/8" backset, without strike plate				
4071 Radius faceplate, 7/8", 31/32", or 1-1/8" backset, without strike plate				
4072 Bevel faceplate, any handing, 7/8", 31/32", or 1-1/8" backset, without strike plate				
SPECIAL MODEL				
4073-XX-IB Without faceplate, without strike plate	\$177			



PRODUCT NO.	FACEPLATE	BACKSET	HANDING	FINISH
407	2	-2	6	-628
	0 Flat	1 7/8"	0 Non-Handed*	313 Dark Bronze Anodized
	1 Radius	2 31/32"	5 LH or RHR	335 Black Anodized
	2 Bevel	3 1-1/8"	6 RH or LHR	628 Clear Anodized
	3 Without faceplace, without strike plate			



<sup>\*</sup>Any flat or radius faceplate. Select handing for bevel faceplate only.

#### 5017 Deadlock/Deadlatch for Wood Doors

MODELS & FINISH			
5017-00 Standard stainless steel deadlock	<sup>\$</sup> 69		
5017-02 Self-latching deadlock/deadlatch	<sup>\$</sup> 69		

#### How to Order

Specify quantity and the following information. Order related products separately

PRODUCT NO.	LATCH CONFIGURATION
5017	-00
	00 Standard
	02 Self Latching



#### 5500 Deadock for Sliding Wood Doors

MODELS	119, 626
5500-20 Lockset, strike, and trim included for 1-1/4", sliding wood doors	\$147

#### How to Order

Specify quantity and the following information. Order related products separately

PRODUCT NO.	DOOR THICKNESS	FINISH
5500	-20	-626
	20 1-1/4" Thick	626 Satin Chrome
		119 to Match 335 Black Anodized





# DEADLATCHES

## DL100 Aperio® Wireless Deadlatch

MODELS & FINISHES	313, 335, 628
DL100 DL100 Pre-Paired with AH20 Hub – IPS Credential Option Electrified deadlatch 31/32", 1-1/8", or 1-1/2" backset	\$1,524

#### $How \ to \ Order \ \ Specify \ quantity \ and \ the following \ information. \ Order \ related \ products \ separately$

PRODUCT NO.	BACKSET	STRIKE	STIRKE SHAPE/ LIP LENGTH	OPTIONS	CREDENTIAL	FACEPLATE FINISH
DL100	-3	2	O1		-IPS	-628
Monitoring & DPS are	2 31/32"	1 Surface Mount (4304)	01 Flat/Standard Jamb	(blank) Lock & Reader	IPS (HID multiCLASS SE + HID NFC Mobile Access Enabled)	313 Dark Bronze Anodized
Standard Features	3 1-1/8"	2 Mortised (4901) 4-5/8	02 Radius/Standard Stiles	H Wholesale Kit*	IPEXXXXX** (HID iCLASS ELITE + HID NFC Mobile Access Enabled)	335 Black Anodized
	4 1-1/2"		17 Flat/Center Hung 4" Jamb		BIPSXXXXX** (HID BLE multiCLASS SE + HID NFC Mobile Access Enabled)	628 Clear Anodized
		21 Flat/Center Hung 4-1/2" Jamb		BIPEXXXXX** (HID iCLASS ELITE + HID BLE & NFC Mobile Access Enabled)		



\*Available only with IPS option. \*\* XXXXX is a unique or customer specific key that is only re-orderable for that specific company.

#### 4300 Steel Hawk® Electrified Deadlatch

MODELS & FINISHES				
4300 Electrified deadlatch 31/32", 1-1/8", or 1-1/2" backset	\$488			
4300M Monitored option, 31/32", 1-1/8", or 1-1/2" backset				
SPECIAL MODELS				
4300 Electrified deadlatch complete with flat / center hung 4" or 4-1/2" strike plate	<sup>\$</sup> 510			
4300M Electrified deadlatch with monitored option, complete with flat / center hung 4" or 4-1/2" strike plate	\$579			

#### $How \ to \ Order \ \ \text{Specify quantity and the following information. Order related products separately}$

PRODUCT NO.	BACKSET	MONITORING	STRIKE	STIRKE SHAPE/LIP LENGTH	FACEPLATE FINISH
4300	-3	М	-2	01	-628
	2 31/32"	0 None	1 Surface Mount (4304)	01 Flat/Standard Jamb	313 Dark Bronze Anodized
	3 1-1/8" M Monitored		2 Mortised (4901) 4-5/8	02 Radius/Standard Stiles**	335 Black Anodized
	4 1-1/2"			17 Flat/Center Hung 4" Jamb**	628 Clear Anodized
				21 Flat/Center Hung 4-1/2" Jamb**	



# A AMERICAN CONTRACTOR OF THE PROPERTY OF THE P

#### 4300 RITE Pack®

MODELS	313, 628
4300-20 31/32" backset, flat and radius, 313 and 628 finish faceplates, surface mount or mortise strike	\$500
4300-30 1-1/8" backset, flat and radius, 313 and 628 finish faceplates, surface mount or mortise strike	\$500

#### $How \ to \ Order \quad \text{Specify quantity and the following information. Order related products separately}$

PRODUCT NO.	BACKSET	MONITORING	STRIKE	RITE PACK
4300	-3	0		RP
	2 31/32"	0 None	1 Surface Mount (4304)	
	3 1-1/8"		2 Mortised (4901) 4-5/8"	







US adamsrite.com | 800 872 3267 | customerservice.adamsrite@assaabloy.com CANADA assaabloydss.ca | 800 461 3007 | sales.dss.ca@assaabloy.com

#### 4510 Standard Duty Deadlatch

MODELS & FINISHES	313, 335, 628		
<b>4510</b> Flat faceplate, 7/8", 31/32", 1-1/8", or 1-1/2" backset, complete with strike plate	\$100		
4511 Radius faceplate, 7/8", 31/32", 1-1/8", or 1-1/2" backset, complete with strike plate	\$100		
4511W Radius faceplate with weatherstrip, 7/8", 31/32", 1-1/8", or 1-1/2" backset, complete with strike plate	<sup>\$</sup> 105		
<b>4512</b> Bevel faceplate, 7/8", 31/32", 1-1/8", or 1-1/2" backset, complete with strike plate			
SPECIAL MODELS			
4510, 4511, 4512 Flat, radius or bevel faceplate complete with flat / center hung 4" or 4-1/2" strike plate	\$121		
4511W Radius faceplate with weatherstrip complete with flat / center hung 4" or 4-1/2" strike plate	\$126		
4510, 4511, 4512 With faceplate, without strike plate	<sup>\$</sup> 78		
4511W Radius faceplate with weatherstrip, without strike plate	\$83		
4513-XX-IB Without faceplate, without strike plate	\$68		



#### How to Order Specify quantity and the following information. Order related products separately

PRODUCT NO.	FACEPLATE	BACKSET	HANDING	STRIKE SIZE	STRIKE SHAPE/LIP LENGTH	FACEPLATE FINISH
451		-3	6	-2	01	-628
	0 Flat	1 7/8"	5 LH or RHR	1 Mortised (4901) 4-5/8"	01 Flat/Standard Jamb	313 Dark Bronze Anodized
	1 Radius	2 31/32"	6 RH or LHR	2 Mortised	02 Radius/Standard Stiles	335 Black Anodized
	1W Radius with weatherstrip	3 1-1/8"		(4902) 2-5/8"	17 Flat/Center Hung 4" Jamb	628 Clear Anodized
	2 Bevel	4 1-1/2"			21 Flat/Center Hung 4-1/2" Jamb	
	3 Without faceplate, without strike plate					

## 4530 Standard Duty Deadlatch

MODELS & FINISHES	313, 335, 628		
4530 Flat faceplate, 7/8", 31/32", or 1-1/8" backset, complete with strike plate	§116		
4531 Radius faceplate, 7/8", 31/32", or 1-1/8" backset, complete with strike plate	§116		
4532 Bevel faceplate, 7/8", 31/32", or 1-1/8" backset, complete with strike plate			
SPECIAL MODELS			
4530, 4531, 4532 Flat, radius or bevel faceplate complete with flat / center hung 4" or 4-1/2" strike plate	\$139		
4530, 4531, 4532 With faceplate without strike plate	\$95		
4533-XX-IB Without faceplate, without strike plate	\$89		



#### How to Order Specify quantity and the following information. Order related products separately

PRODUCT NO.	FACEPLATE	BACKSET	HANDING	STRIKE SIZE	STRIKE SHAPE/LIP LENGTH	FACEPLATE FINISH
453		-3	6		01	-628
	0 Flat	1 7/8"	5 LH or RHR	1 Mortised (4901) 4-5/8"	01 Flat/Standard Jamb	313 Dark Bronze Anodized
	1 Radius	2 31/32"	6 RH or LHR	2 Mortised (4902) 2-5/8"	02 Radius/Standard Stiles	335 Black Anodized
	2 Bevel	3 1-1/8"			17 Flat/Center Hung 4" Jamb	628 Clear Anodized
	3 Without faceplate, without strike plate				21 Flat/Center Hung 4-1/2" Jamb	



#### 4781 Two-Point Deadlatch with Paddle

MODEL & FINISHES	313, 335, 628	US26D
4781 Paddle includes dogging feature	\$368	\$493
4781T Paddle with top rod only (less bottom rod)	\$334	\$468

How to Order Specify quantity and the following information. Order related products separately

PRODUCT NO.		OPERATION	PADDLE FINISH
4781		-021	-628
	T Top rod only	021 Push to LEFT	313 Dark Bronze Anodized
	- Standard rod	041 Push to RIGHT	335 Black Anodized
			628 Clear Anodized
			US26D Satin Chrome



#### 4900 Heavy Duty Deadlatch

MODELS & FINISHES	313, 335, 628
4900 Flat and radius faceplates, 31/32", 1-1/8", or 1-1/2" backset, complete with strike plate	\$134
4911W Radius with weatherseal faceplate, 31/32", 1-1/8", or 1-1/2" backset, complete with strike plate	\$140
SPECIAL MODELS	
4900 Flat and radius faceplates complete with flat / center hung 4" or 4-1/2" strike plate	\$156
4911W Radius with weatherstrip faceplate complete with flat / center hung 4" or 4-1/2" strike plate	\$162
4900 Flat and radius faceplate, without strike plate	\$112
4911W Radius with weatherstrip faceplate, without strike plate	\$118
4913-XX-IB Without faceplate, without strike plate	\$93



#### How to Order Specify quantity and the following information. Order related products separately

PRODUCT NO.	FACEPLATE	BACKSET	HANDING	STRIKE SIZE	STRIKE SHAPE/LIP LENGTH	FACEPLATE FINISH
49	00	-3	5	-2	01	-628
	00 Standard	2 31/32"	5 LH or RHR	1 Mortised (4901) 4-5/8"	01 Flat/Standard Jamb	313 Dark Bronze Anodized
	11W Radius with Weatherstrip	3 1-1/8"	6 RH or LHR	2 Mortised (4902) 2-5/8"	02 Radius/Standard Stile	335 Black Anodized
	13 Without faceplate,	4 1-1/2"			17 Flat/Center Hung 4" Jamb	628 Clear Anodized
	without strike plate				21 Flat/Center Hung 4-1/2" Jamb	

## 4920AN Heavy Duty Deadlatch (ANSI Size)

MODELS & FINISHES	313, 335, 628	
4920AN Flat faceplate, 1-1/2" or 2-3/4" backset, complete with 4506 strike plate		
SPECIAL MODELS		
4920AN Flat faceplate, without strike plate		
4923AN-XX-IB Without faceplate, without strike plate		



#### How to Order Specify quantity and the following information. Order related products separately

PRODUCT NO.	FACEPLATE	BACKSET	HANDING	STRIKE	FACEPLATE FINISH
492	OAN	4	6	-602	-313
	OAN Flat	4 1-1/2"	5 LH or RHR	000 Less Strike	313 Dark Bronze Anodized
	3AN Without faceplate,	5 2-3/4"	6 RH or LHR	<b>602</b> 4506 Strike	335 Black Anodized
	without strike plate				628 Clear Anodized



## FLUSHLOCKS

#### 1870 Cylinder-Operated Flushbolt

MODELS & CYLINDER HEIGHT	STANDARD 12" CYLINDER HEIGHT	CYLINDER HEIGHT OVER 12" (SPECIFY)
<b>1870</b> Flat faceplate, 313, 335, or 628 finish	\$139	<sup>\$</sup> 196
<b>1871</b> Radius faceplate, 313, 335, or 628 finish	\$139	<sup>\$</sup> 196
1871W Radius faceplate with weatherstrip, 313, 335, or 628 finish	<sup>\$</sup> 145	\$202
<b>1872</b> Bevel faceplate, 313, 335, or 628 finish	\$139	\$196

For cylinder height greater than 12" up to maximum cylinder height 65" please contact factory.

#### $How \ to \ Order \ \ Specify \ quantity \ and \ the following \ information. \ Order \ related \ products \ separately$

PRODUCT NO.	FACEPLATE SHAPE	BACKSET	HANDING*	FINISH
187	0	-2	0	-628
	0 Flat	2 31/32"	0 Non-Handed*	313 Dark Bronze Anodized
	1 Radius	3 1-1/8"	5 LH or RHR	335 Black Anodized
	1W Radius with weatherstrip		6 RH or LHR	628 Clear Anodized
	2 Bevel			





#### 1870HM Cylinder-Operated Flushbolt

MODEL & CYLINDER HEIGHT	STANDARD 13-1/2" CYLINDER HEIGHT	CYLINDER HEIGHT OVER 13-1/2" (SPECIFY)
<b>1870HM</b> For hollow metal, 313, 335, or 628 finish, 1-1/4" backset	\$186	\$243

For cylinder height greater than 13-1/2" up to maximum cylinder height 65" please contact factory.

#### How to Order

Specify quantity and the following information. Order related products separately

PRODUCT NO.	FACEPLATE SHAPE	FINISH
187	ОНМ	-628
	OHM Flat	313 Dark Bronze Anodized
		335 Black Anodized
		628 Clear Anodized



#### 1877 Cylinder-Operated Flushbolt

MODEL & CYLINDER HEIGHT	STANDARD 13-1/2" CYLINDER HEIGHT	CYLINDER HEIGHT OVER 13-1/2" (SPECIFY)
1877 For wood, 313 or 628 finish, 1-1/4" backset	\$227	\$284
1877 For wood, 605 or 626 finish, 1-1/4" backset	\$328	\$385

For cylinder height greater than 13-1/2" up to maximum cylinder height 57-1/2" please contact factory.

#### How to Order

Specify quantity and the following information. Order related products separately

PRODUCT NO.	FINISH
1877	-628
	313 Dark Bronze Anodized
	605 Bright Brass
	626 Satin Chrome
	628 Clear Anodized





#### MS1880, MS1881 Two-Point Flushbolts

MODELS & FINISHES	119, 121, 682	
MS1880 Flushbolt with hourglass shaped turn	\$177	
MS1881 Flushbolt with teardrop shaped turn		
KITTED OPTION		
MODEL		
TDK-1880 Tall door kit for doors over 84", up to 144" maximum	\$34	

#### How to Order Specify quantity and the following information. Order related products separately

PRODUCT NO.	TURN SHAPE	CYLINDER HEIGHT*	FINISH
MS188	0	-01	-682
MS188	0 Hourglass	01 31" to 35"	119 to Match 335 Black Anodized
	1 Teardrop	<b>02</b> 35-1/16" to 39"	121 to Match 313 Dark Bronze Anodized
		03 39-1/16" 43"	682 Satin Chrome
		<b>04</b> 43-1/16" to 47"	
		05 47-1/16" to 51"	

<sup>\*</sup>Distance from floor to cylinder centerline.

#### MS2180 Auto-Release Two-Point Flushbolt

MODELS & FINISHES	119, 121, 130
MS2180 Hourglass shaped turn, 7', 8', 9', 10' door height	\$266
MS2181 Teardrop shaped turn, 7', 8', 9', 10' door height	\$266
MS2182 Flush operator, 7', 8', 9', 10' door height	\$266

#### $How \ to \ Order \ \ {\it Specify quantity and the following information.} \ Order \ related \ products \ separately$

*PRODUCT NO.	TURN SHAPE	DOOR HEIGHT (FROM FLOOR TO TOP OF DOOR)	FINISH TO MATCH*
MS218	0	-07	-130
	0 Hourglass	07 Up to 7' Door	119 to Match 335 Black Anodized
	1 Teardrop	08 Up to 8' Door	121 to Match 313 Dark Bronze Anodized
	2 Flush Operator	09 Up to 9' Door	130 to Match 628 Clear Anodized
		10 Up to 10' Door	

\*MS2182 only available in Electroless Nickel finish (-000)





#### 4189, 4190 Flush Locksets (Including Deadlock)

MODELS & FINISHES	STANDARD LOCK FACE	STAINLESS STEEL LOCK FACE
4189-IB Flush lockset, 119, 121, or 130 finish, individually boxed	<sup>\$</sup> 113	§125
4190-IB Flush lockset, 119, 121, or 130 finish, individually boxed with cylinder	<sup>\$</sup> 148	\$159
4195-IB Dummy flushset, 119, 121, or 130 finish, individually boxed*	<sup>\$</sup> 78	\$90
SPECIAL MODEL		
4189-00 Flush operator without lock	\$90	
4190-00 Flush operator without lock	<sup>\$</sup> 125	



\*4195 Furnished without lock.

#### Kitted Options


MODELS	GRAY
<b>4413-01, 4413-02</b> Grip pull for use with 4189, 4190	\$27

 $How \ to \ Order \ \ Specify \ quantity \ and \ the following \ information. \ Order \ related \ products \ separately$ 

PRODUCT NO.	LOCKSET EXTERIOR	LOCK FACE	STILE THICKNESS	FINISH	KEYING OPTIONS	PACKAGING
41	90	-09		-130	-01	ΙB
	89 Without Cylinder	00 Without Lock	1 1" to 1-3/8"	119 To match 335 Black Anodized	00 Without Cylinder	IB Individually
	90 With Cylinder	09 Radius	2 1-7/16" to 1-5/8"	121 To match 313 Dark Bronze Anodized	01 Keyed Different	Boxed
	95 Dummy	09S Radius Stainless Steel	3 1-11/16" to 2"	130 To match 628 Clear Anodized		
		10 Square				
		10S Square Stainless Steel				

4430, 4431 Flush Locksets (Including Deadlock)

	<u> </u>	
MODELS & FINISH	STANDARD LOCK FACE	STAINLESS STEEL LOCK FACE
4430-IB ABS flush lockset, individually boxed	<sup>\$</sup> 78	\$90
4431-IB ABS flush lockset with cylinder, individually boxed	\$118	\$130
4432-IB ABS dummy flushset, individually boxed*	\$38	\$49
SPE	CIAL MODEL	
4430-00 ABS operator without lock	\$55	
4431-00 ABS operator without lock	\$95	
	<del></del>	·



#### Kitted Options

MODELS & FINISHES	335
4453-02-335-IB Grip pull for use with 4430, 4431	§72



#### $How \ to \ Order \ \ {\it Specify quantity and the following information.} \ Order \ related \ products \ separately$

PRODUCT NO.	LOCKSET EXTERIOR	LOCK FACE	STILE THICKNESS	KEYING OPTIONS	PACKAGING
44	31	-09	-05	-01	-IB
	30 Without Cylinder	00 Without Lock	00 1" to 1-5/16"	00 Without Cylinder	IB Individually Boxed
	31 With Cylinder	09 Radius	<b>05</b> 1-3/8" to 1-5/8"	01 Keyed Different	
	32 Dummy	09S Radius Stainless Steel	08 1-3/4" to 2"		
		10 Square			
		10S Square Stainless Steel			



## **EXIT DEVICES**

Alarm option cannot be combined with any other Device Option or Monitoring Option. Split finishes (faceplate/pushbar) are not available. Matching end cap option available for US finishes only. Please contact factory for specific ordering questions.

#### 8099 Dummy Pushbar



MODELS & FINISHES	313, 335, 628	US4, US32D	US3, US32
8099-M0 Active dummy bar without latching mechanism, without monitoring switches.	\$377		
8099-M1 Active dummy bar with monitoring switch but without latching mechanism. May be wired normally open or normally closed to operate maglock, alarm or similar.	\$444	<sup>\$</sup> 764	\$838
8099-M2 Active dummy bar with two monitoring switches but without latching mechanism.  May be wired normally open or normally closed to operate maglock, alarm or similar.	\$520	\$840	<sup>\$</sup> 914

#### $How \ to \ Order \ \ Specify \ quantity \ and \ the following \ information. \ Order \ related \ products \ separately$


PRODUCT NO.	MONITOR	DOOR TYPE	PUSHBAR FINISH	WIDTH	US FINISH	END CAPS OPTION FOR US FINISH
8099	-M1	-3	0	36	-US32	MEC
	MO Active Dummy Bar, no monitoring switches		0 US Finish	<b>30</b> 30 inches	US3 Bright Brass	MEC Matching
	M1 Active Dummy Bar, one monitoring switch	4 Wood or	1 Clear Anodized 628	<b>36</b> 36 inches	US4 Satin Brass	END Caps
	M2 Active Dummy Bar, two monitoring switches	hollow metal	2 Dark Bronze Anodized 313	<b>42</b> 42 inches	32 Bright Stainless	
			3 Black Anodized 335	<b>48</b> 48 inches	32D Satin Stainless	

#### 8100 | 3100 Surface Vertical Rod Exit Device

MODELS & FINISHES	313, 335, 628	US4, US32D	US3, US32
8100 Surface vertical rod exit device for wood and hollow metal	\$1,163	\$1,540	\$1,722
8100T Top rod only (less bottom rod) SVR exit device	\$1,066	\$1,443	<sup>\$</sup> 1,625
3100 Fire-rated surface vertical rod exit device for wood and hollow metal	\$1,481	\$1,858	\$2,040
3100T Fire-rated top rod only (less bottom rod) for metal doors	\$1,386	\$1,763	\$1,945
3100W Fire-rated top rod only (less bottom rod) for wood doors	\$1,386	\$1,763	\$1,945



MODELS & FINISHES	313, 335, 628	US4, US32D	US3, US32
3055 Tall door kit for doors up to 10' tall, for use with 3100	\$150	\$185	\$218



#### $How \ to \ Order \ \ {\it Specify quantity and the following information.} \ Order \ related \ products \ separately$


MODEL	PUSHBAR FINISH	ROD TYPE	DEVICE OPTIONS	MONITORING OPTION	DOOR OPENING WIDTH ON PAIR OF DOORS, SPECIFY HALF OF THE TOTAL EXIT OPENING	US FINISH	END CAPS OPTION FOR US FINISH				
81	00		MLR	M2	-30	-US32D	MEC				
31 Fire-Rated	00 US Finish	T Top Rod only	LR Electric Latch	M Single Switch	30 30 inches*	US3 Bright Brass	MEC Matching				
81 Life-Safety	11 Clear Anodized	W Top Rod only	Retraction (solenoid)	M2 Dual Switch	<b>36</b> 36 inches	US4 Satin Brass	END Caps				
	628	- Wood doors MLR Motorized Latch	MLR Motorized Latch Retraction		MLR Motorized Latch	MLR Motorized Latch	MLR Motorized Latch (BLANK	(BLANK)	<b>42</b> 42 inches	US32 Bright Stainless	
	22 Dark Bronze	- Standard rod						Retraction NO Monitor	NO Monitor 48 48 inches	<b>48</b> 48 inches	US32D Satin Stainless
	Anodized 313		C Cylinder Dogging (non-		AXXB Alarmed Exit Device						
	33 Black		fire rated devices ONLY)		where XX is door						
	Anodized 335	A Alarm					opening width				
			(BLANK) No Option								

\*Please note that 30" exit devices cannot accommodate monitoring options EXCEPT when ordered in conjunction with the MLR option.



#### 8200 Narrow Stile Surface Vertical Rod Exit Device

MODELS & FINISHES	313, 335, 628	US4, US32D	US3, US32
8200 Narrow stile surface vertical rod exit device	\$1,070	\$1,446	\$1,646
8200T Top rod only (less bottom rod) SVR exit device	\$976	\$1,352	\$1,552
SPECIAL MODELS	313, 335, 628	US4, US32D	US3, US32
8200-99 SVR exit device, less rods	\$866	\$1,242	<sup>\$</sup> 1,442



#### Kitted Options

MODELS & FINISHES	313, 335, 628	US4, US32D	US3, US32
8055-01 Tall door kit for doors up to 10' tall, for use with 8100, 8200	<sup>\$</sup> 144	<sup>\$</sup> 193	\$230

#### How to Order Specify quantity and the following information. Order related products separately

MODEL	PUSHBAR FINISH	ROD TYPE	DEVICE OPTIONS	MONITORING OPTION	DOOR OPENING WIDTH ON PAIR OF DOORS, SPECIFY HALF OF THE TOTAL EXIT OPENING	US FINISH	END CAPS OPTION FOR US FINISH
82	00		MLR	M2	-36	-US3	
82 Life-	00 US Finish	T Top Rod only	LR Electric Latch	M Single Switch	<b>30</b> 30 inches	US3 Bright Brass	MEC Matching
Safety	11 Clear Anodized 628	- Standard rod	Retraction (solenoid)	M2 Dual Switch	<b>36</b> 36 inches	US4 Satin Brass	END Caps
	22 Dark Bronze Anodized 313		MLR Motorized Latch Retraction	(BLANK) NO Option	<b>42</b> 42 inches	US32 Bright Stainless US32D Satin	
	33 Black Anodized 335				<b>48</b> 48 inches		
			C Cylinder Dogging		AXXB Alarmed Exit Device	Stainless	
			A Alarm		where XX is door opening width		
			(BLANK) No Option				

#### 8300 | 3300 Mortise Exit Device

MODELS & FINISHES	313, 335, 628	US4, US32D	US3, US32
8300 Mortise exit device for wood and hollow metal	\$882	\$1,260	\$1,345
3300 Fire-rated mortise exit device for wood and hollow metal	\$1,257	\$1,635	\$1,720



MODELS & FINISH	US32D
4009-01 Open back strike for 1-3/4" thick doors	\$163



 $For complete \ list of \ kitted \ options \ for \ mortise \ exit \ devices, \ please \ refer \ to \ 8400 \ Narrow \ Stile \ Mortise \ Exit \ Devices \ on \ next \ page.$ 

#### $How \ to \ Order \ \ Specify \ quantity \ and \ the \ following \ information. \ Order \ related \ products \ separately$

MODEL	FACEPLATE FINISH	FACE SHAPE	DEVICE OPTIONS	MONITORING OPTION	DOOR HANDING	PUSHBAR FINISH	DOOR OPENING WIDTH ON PAIR OF DOORS, SPECIFY HALF OF THE TOTAL EXIT OPENING	US FINISH	END CAPS OPTION FOR US FINISH
83	3	0	MLR	М	-7	3	A36B		
33 Fire-Rated	0 US Finish	0 Flat	LR Electric Latch	M Single Switch	7 RHR	0 US Finish	<b>30</b> 30 inches*	US3 Bright Brass	MEC Matching
83 Life-Safety			Retraction (solenoid)	M2 Dual Switch	8 LHR	1 Clear	<b>36</b> 36 inches	US4 Satin Brass	End Caps
	Anodized 628			(BLANK) No Monitor		Anodized 628	<b>42</b> 42 inches	US32 Bright Stainless	
	2 Dark Bronze					2 Dark Bronze	<b>48</b> 48 inches		
	Anodized 313					Anodized 313	AXXB Alarmed Exit	US32D Satin Stainless	
	3 Black Anodized 335					3 Black Anodized 335	Device where XX is door opening width		
			A Alarm						
			- Without Options						

\* Please note that 30" exit devices cannot accommodate monitoring options EXCEPT when ordered in conjunction with the MLR option.




#### 8400 Narrow Stile Mortise Exit Device

-	MODEL & FINISHES	313, 335, 628	US4, US32D	US3, US32
	8400 Narrow stile mortise exit device	\$789	\$1,164	\$1,289

Please contact factory for information on the 8475 Midpanel Mortise Exit Device. Pricing is standard pricing plus unique door cutting charge for custom cut length.

#### Kitted Options

MODELS	US32D
8455-01 Long face strike for covering MS strike prep	\$117
8460-17-630 Long lip strike for jambs that project outward 2-1/4" beyond the centerline of door	\$88
91-0995-02-IP 2" thick door kit for use with 8300, 8400	\$22
91-0995-03-IP 2-1/4" thick door kit for use with 8300, 8400	<sup>\$</sup> 22
91-0995-04-IP 2-1/2" thick door kit for use with 8300, 8400	\$25
91-0995-05-IP 2-3/4" thick door kit for use with 8300, 8400	\$30
91-0995-06-IP 3" thick door kit for use with 8300, 8400	\$30
91-0325-01 Thermal door kit, 1/4" cladding, for use with 8400	<sup>\$</sup> 95
91-0325-02 Thermal door kit, 1/2" cladding, for use with 8400	\$172



#### $How \ to \ Order \ \ {\it Specify quantity and the following information.} \ Order \ related \ products \ separately$

MODEL	FACEPLATE FINISH	FACE SHAPE	DEVICE OPTIONS	MONITORING OPTION	BACKSET	DOOR HANDING	PUSHBAR FINISH	DOOR OPENING WIDTH ON PAIR OF DOORS, SPECIFY HALF OF THE TOTAL EXIT OPENING	US FINISH	END CAPS OPTION FOR US FINISH
84		4	MLR	M2	-4	7	1	42		
84 Life-	0 US Finish	0 Flat,	LR Electric	M Switch	2 31/32"	7 RHR	0 US Finish	<b>30</b> 30 inches	US3 Bright	MEC Matching
Safety	1 Clear Anodized 628	Radius, Bevel	Latch Retraction (solenoid)	M2 Dual Switch	3 1-1/8"	8 LHR	1 Clear Anodized 628	<b>36</b> 36 inches	Brass	End Caps
	Allouized 020	4 Radius w/	MLR Motorized	(BLANK) No	4 1-1/2"	2 Dark Bronze Anodized 313	7.11041204 020	<b>42</b> 42 inches	US4 Satin	
	2 Dark Bronze Anodized 313	Weatherstrip*		Monitor			Anodized 313 AXXB Alarmed Exit	<b>48</b> 48 inches	Brass	
			C Cylinder Dogging						US32 Bright Stainless	
	3 Black	3 Black	A Alarm					Device where XX is door opening width	US32D Satin	
	Anodized 335		- Without Options				Anodized 335	January January	Stainless	

 ${\it *Radius with weather strip face plate is not available in US finishes}.$ 

#### 8500 | 3600 Metal Door Concealed Vertical Rod Exit Device

MODELS & FINISHES	313, 335, 628	US4, US32D	US3, US32
8500 Concealed vertical rod exit device for hollow metal	\$833	\$1,210	<sup>\$</sup> 1,335
8500T Top rod only (less bottom rod) CVR exit device	\$738	<sup>\$</sup> 1,115	\$1,240
3600 Fire-rated concealed vertical rod exit device for hollow metal	\$1,358	\$1,735	\$1,860
3600T Fire-rated top rod only (less bottom rod) CVR exit device	<sup>\$</sup> 1,264	\$1,641	\$1,766



MODEL	PRICE
3655 Tall door kit for doors taller than 66" above bar height, up to 10'	\$70



#### $How \ to \ Order \ \ Specify \ quantity \ and \ the \ following \ information. \ Order \ related \ products \ separately$

MODEL	PUSHBAR FINISH	ROD TYPE	DEVICE OPTIONS	MONITORING OPTION	DOOR OPENING WIDTH ON PAIR OF DOORS, SPECIFY HALF OF THE TOTAL EXIT OPENING	US FINISH	END CAPS OPTION FOR US FINISH
85	00	T	MLR	М	-36	-US32D	
36 Fire-Rated	00 US Finish	T Top Rod only	LR Electric Latch	M Single Switch	<b>30</b> 30 inches*	US3 Bright Brass	MEC Matching
85 Life-Safety	11 Clear Anodized 628	- Standard rod	Retraction (solenoid)	M2 Dual Switch	<b>36</b> 36 inches	US4 Satin Brass	End Caps
	22 Dark Bronze Anodized 313 33 Black Anodized 335	Lat C (	MLR Motorized Latch Retraction  C Cylinder Dogging (non- fire rated devices only)  (BLANK) No Monitor	, , ,	<b>42</b> 42 inches	US32 Bright	
				Monitor	48 48 inches	Stainless	
					AXXB Alarmed Exit Device	US32D Satin Stainless	
			A Alarm		where XX is door opening width		
			(BLANK) No Option				

\* Please note that 30" exit devices cannot accommodate monitoring options EXCEPT when ordered in conjunction with the MLR option.




#### 8600 Narrow Stile Concealed Vertical Rod Exit Device

MODELS & FINISHES	313, 335, 628	US4, US32D	US3, US32
8600 Narrow stile concealed vertical rod exit device	\$776	\$1,153	\$1,278
8600T Top rod only (less bottom rod) CVR exit device	\$681	\$1,058	\$1,183
SPECIAL MODELS			
8600-99 CVR exit device, less rods	\$678	\$1,055	\$1,180

Please contact factory for information on the 8675 Midpanel CVR Exit Device. Pricing is standard pricing plus unique door cutting charge for custom cut length.

## Kitted Options

MODEL	PRICE
8655 Tall door kit for doors up to 10' for use with 8500, 8600	\$66



#### $How \ to \ Order \ \ Specify \ quantity \ and \ the following \ information. \ Order \ related \ products \ separately$

MODEL	PUSHBAR FINISH	ROD TYPE	DEVICE OPTIONS	MONITORING OPTION	DOOR OPENING WIDTH ON PAIR OF DOORS, SPECIFY HALF OF THE TOTAL EXIT OPENING	US FINISH	END CAPS OPTION FOR US FINISH
86	22		MLR	M2	-36		
86 Life-Safety	00 US Finish	T Top Rod only	LR Electric Latch Retraction	M Single Switch	<b>30</b> 30 inches	US3 Bright Brass	MEC Matching
	11 Clear Anodized 628	<ul> <li>Standard rod</li> </ul>	(solenoid)	M2 Dual Switch	<b>36</b> 36 inches	US4 Satin Brass	End Caps
	22 Dark Bronze		MLR Motorized Latch Retraction	(BLANK) No Monitor	<b>42</b> 42 inches	US32 Bright	
	Anodized 313		C Cylinder Dogging		<b>48</b> 48 inches	Stainless	
	33 Black Anodized 335		A Alarm		AXXB Alarmed Exit Device	US32D Satin	
			(BLANK) No Option		where XX is door opening width	Stainless	

#### 8700 | 3700 Starwheel Rim Exit Device

MODELS & FINISHES	313, 335, 628	US4, US32D	US3, US32
8700 Rim exit device for hollow metal and wood	\$570	\$920	\$1,022
3700 Fire-rated rim exit device for hollow metal and wood	\$944	<sup>\$</sup> 1,294	\$1,396

#### Kitted Options

MODEL	PRICE
<b>3889-08</b> Mullion for doors up to 8' for use with 8700, 3700	\$683



#### $How \ to \ Order \ \ Specify \ quantity \ and \ the following \ information. \ Order \ related \ products \ separately$

MODEL	PUSHBAR FINISH	DEVICE OPTIONS	MONITORING OPTION	DOOR OPENING WIDTH ON PAIR OF DOORS, SPECIFY HALF OF THE TOTAL EXIT OPENING	US FINISH	END CAPS OPTION FOR US FINISH	VOLTAGE
87	00	EL	M2	-36	-US32		-12
37 Fire-Rated	00 US Finish	EL Electric Latch	M Single Switch	<b>30</b> 30 inches*	US3 Bright Brass	MEC Matching	12 Volts
87 Life-Safety	01 Clear Anodized 628	Retraction (solenoid)	M2 Dual Switch	<b>36</b> 36 inches	US4 Satin Brass	End Caps	24 Volts
	02 Dark Bronze	MLR Motorized Latch Retraction	1	<b>42</b> 42 inches	US32 Bright Stainless US32D Satin		
	Anodized 313	C Cylinder Dogging		<b>48</b> 48 inches			
	03 Black Anodized 335	(non-fire rated devices only)		AXXB Alarmed Exit Device where			
		A Alarm		XX is door opening width	Stainless		
		(BLANK) No Option					

\*Please note that 30" exit devices cannot accommodate monitoring options EXCEPT when ordered in conjunction with the MLR option.




#### 8800 Narrow Stile Starwheel Rim Exit Device

MODEL & FINISHES	313, 335, 628	US4, US32D	US3, US32
8800 Narrow stile rim exit device	\$545	\$895	\$997

#### Kitted Options

MODELS	313, 628
3890-08 Aluminum mullion for doors up to 8' for use with 8800	§683
3890-10 Aluminum mullion for doors up to 10' for use with 8800	\$713



#### $How \ to \ Order \ \ Specify \ quantity \ and \ the following \ information. \ Order \ related \ products \ separately$

MODEL	PUSHBAR FINISH	DEVICE OPTIONS	MONITORING OPTION	DOOR OPENING WIDTH ON PAIR OF DOORS, SPECIFY HALF OF THE TOTAL EXIT OPENING	US FINISH	END CAPS OPTION FOR US FINISH	VOLTAGE		
88	01		M2	-36			-12		
88 Life-Safety	00 US Finish	EL Electric Latch	M Single Switch	<b>30</b> 30 inches	US3 Bright Brass	MEC Matching	12 Volts		
	01 Clear Anodized 628	Retraction (solenoid)	M2 Dual Switch	<b>36</b> 36 inches	US4 Satin Brass	End Caps	24 Volts		
	02 Dark Bronze	MLR Motorized Latch Retraction	(BLANK) No	<b>42</b> 42 inches	US32 Bright				
	Anodized 313	C Cylinder Dogging	Monitor	Monitor 48	<b>48</b> 48 inches	Stainless			
	03 Black Anodized 335 (non-fir	(non-fire rated devices only)		AXXB Alarmed Exit Device					
		A Alarm					where XX is door opening width	Stainless	
		(BLANK) No Option		.,. 5					

<sup>\*</sup>Please note that 30" exit devices cannot accommodate monitoring options EXCEPT when ordered in conjunction with the MLR option.

#### P8800 | P8700 Pullman Narrow Stile Rim Exit Device

MODEL & FINISHES	313, 335, 628	US4, US32D	US3, US32
P8800 Narrow stile rim exit device	\$545	\$895	\$997
P8700 Rim exit device for wood and hollow metal	\$570	\$920	\$1,022

#### Kitted Options

MODELS	313, 628
3890-08 Aluminum mullion for doors up to 8' for use with P8800	§683
3890-10 Aluminum mullion for doors up to 10' for use with P8800	\$713
3889-08 Mullion for doors up to 8' for use with P8700	§683



#### How to Order Specify quantity and the following information. Order related products separately

MODEL	PUSHBAR FINISH	DEVICE OPTIONS	MONITORING OPTION	DOOR OPENING WIDTH ON PAIR OF DOORS, SPECIFY HALF OF THE TOTAL EXIT OPENING	US FINISH	END CAPS OPTION FOR US FINISH
P88	01		M2	-36		
P88   P87	00 US Finish	MLR Motorized Latch Retraction	M Single Switch	<b>30</b> 30 inches	US3 Bright Brass	MEC Matching
	01 Clear Anodized 628	C Cylinder Dogging	M2 Dual Switch	<b>36</b> 36 inches	US4 Satin Brass	End Caps
	02 Dark Bronze Anodized 313	(non-fire rated devices only)	(BLANK) No Monitor	<b>42</b> 42 inches	US32 Bright Stainless	
	03 Black Anodized 335	A Alarm		<b>48</b> 48 inches	US32D Satin Stainless	
		(BLANK) No Option		AXXB Alarmed Exit Device where XX is door opening width		

\*Please note that 30" exit devices cannot accommodate monitoring options EXCEPT when ordered in conjunction with the MLR option.

#### 8900 Surface concealed vertical rod exit device for wood \$921 \$1,298 \$1,423 3900 Fire-rated surface concealed vertical rod for wood \$1,444 \$1,821 \$1,946

#### Kitted Options

MODEL	PRICE		
8955-01 Tall door kit for doors up to 10' for use with 8900	\$69		
3955-01 Tall door kit for doors up to 10' for use with 3900			



 $How \ to \ Order \ \ Specify \ quantity \ and \ the \ following \ information. \ Order \ related \ products \ separately$ 

MODEL	PUSHBAR FINISH	DEVICE OPTIONS	MONITORING OPTION	DOOR OPENING WIDTH ON PAIR OF DOORS, SPECIFY HALF OF THE TOTAL EXIT OPENING	US FINISH	END CAPS OPTION FOR US FINISH
89	00	LR	M2	-36	-US32	
39 Fire-Rated	00 US Finish	LR Electric Latch	M Single Switch	30 30 inches*	US3 Bright Brass	MEC Matching
89 Life-Safety	11 Clear Anodized 628	Retraction (solenoid)	M2 Dual Switch	<b>36</b> 36 inches	US4 Satin Brass	End Caps
	22 Dark Bronze Anodized 313	MLR Motorized Latch Retraction	(BLANK) No Monitor	<b>42</b> 42 inches	US32 Bright Stainless	
	33 Black Anodized 335	C Cylinder Dogging		<b>48</b> 48 inches	US32D Satin Stainless	
		(non-fire rated devices only)		AXXB Alarmed Exit Device where		
		A Alarm		XX is door opening width		
		(BLANK) No Option				

<sup>\*</sup>Please note that 30" exit devices cannot accommodate monitoring options EXCEPT when ordered in conjunction with the MLR option.

#### Accessories for 8000 | 3000 Series Exit Devices

OPTIONS & FINISHES		US4, US32D	US3, US32
ALARM Battery-operated alarmed exit device. Alarm option cannot be combined with any other device option or monitoring options.	\$563		
C Cylinder dogging	§62		
EL Electric latch retraction (solenoid) for use with 3700, 8700, 8800 Starwheel rim exit devices only	\$430		
ELD Electric latch retraction (solenoid) with mechanical dogging for rim exit devices only	\$490		
LR Electric latch retraction (solenoid) for use with CVR, Mortise and SVR exit devices.	\$733		
MEC Matching end caps. For US finishes only, not applicable to anodized finishes		\$97	<sup>\$</sup> 128
M1 Monitor/single signal switch	\$151		
M2 Monitor/dual signal switch	\$224		
MLR Motorized latch retraction	\$787		

#### Kitted Options for 8000 | 3000 Series Exit Devices

MODELS & FINISHES		313, 335, 628	US4, US32D	US3, US32	119, 121, 652
ALARM EXIT KIT Kit for retrofitting an alarm function to an existing Adams Rite exit device Includes new pushbar, end caps and installation hardware		<sup>\$</sup> 714	\$985	\$1,057	
91-0897-01 Single signal switch kit, retrofits to 3000/8000	<sup>\$</sup> 132				
91-0897-02 Dual signal switch kit, retrofits to 3000/8000	\$208				
26-0584-XXX-MP Sex bolts, 2 per bag, 2 kits required per exit device					\$33

## $\begin{tabular}{ll} Modification Options for 8000 | 3000 Series Exit Devices \\ Please contact factory for all product modifications. \\ \end{tabular}$

MODELS	ADD
THICK DOOR For doors thicker than 1-3/4" and/or door skins plus reinforcement thicker than those specified in the Adams Rite Master Reinforcement Sheet template, for CVR and Mortise Exit Devices	<sup>\$</sup> 79
UNIQUE DOOR Cutting charges for non-standard custom cut lengths between 30" and 48"	\$103


Please note that thick door modification options are available for 8300, 8400, and 8600 series exit devices only.



# ELECTRIC STRIKES

#### 7100, 7101 Electric Strikes

MODELS & FINISHES	313, 335, 628	626
7100 For aluminum jambs	\$208	\$235
7101 For radius aluminum stiles	\$208	
7100-XX7, 7100-XX9 Monitoring signal switches	\$320	\$347





#### How to Order Specify quantity and the following information. Order related products separately

PRODUCT NO.	FACEPLATE SHAPE	VOLTAGE	CURRENT AND DUTY	FEATURES*	FINISH**	LIP EXTENSIO (DOOR CENTERLIN	
710	0	-3		0	-628	-0	0
	0 Flat	3 12 Volt	1 DC Continuous	0 Standard/Fail-Secure	313 Dark Bronze Anodized	00 1-1/16" or less	05 2"
	1 Radius	4 16 Volt	or Intermittent	5 Fail-Safe	335 Black Anodized	01 1-1/2"	07 2-1/4"
		5 24 Volt	4 AC Intermittent	7 Monitored/ Fail-Safe	626 Satin Chrome	02 1-5/8"	09 2-1/2"
				9 Monitored/ Fail-Secure	628 Clear Anodized	03 1-3/4"	12 2-7/8"

<sup>\*</sup>Fail-secure can be converted to fail-safe and vice versa. \*\*7101 available in 313, 335, 628 only \*\*\*Lip Extensions not available on 7101.

#### 7110, 7111 Electric Strikes

MODELS & FINISHES	652
7110 For wood jambs	\$245
7111 For wood jambs, long faceplate	\$245
7110-XX7, 7110-XX9 Monitoring signal switches	\$357

Lip Extensions up to 3" for center-hung or non-flush doors add \$38.

#### How to Order Specify quantity and the following information. Order related products separately

PRODUCT NO.	FACEPLATE LENGTH	VOLTAGE	CURRENT AND DUTY	FEATURES*	FINISH	LIP EXTENSIO (DOOR CEI TO JAME	NTERLINE
711	0	-3		0	-652	-0	0
	0 7-15/16"	3 12 Volt	1 DC Continuous	0 Standard/Fail-Secure	652 Satin	00 1-1/16" or less	05 2"
	1 10-1/4"	4 16 Volt	or Intermittent	5 Fail-Safe	Chrome	01 1-1/2"	07 2-1/4"
		5 24 Volt	4 AC Intermittent	7 Monitored/ Fail-Safe		02 1-5/8"	09 2-1/2"
				9 Monitored/Fail-Secure		03 1-3/4"	12 2-7/8"







#### 7130, 7131 Electric Strikes

MODELS & FINISHES	313, 335, 628		
7130 For aluminum jambs, pre-cut for MS lock strike plate	\$212		
7131 For radius aluminum stiles, pre-cut for MS lock strike plate			
7130-XX7, 7130-XX9 Monitoring signal switch	\$324		

Lip Extensions up to 3" for center-hung or non-flush doors add \$38.

#### How to Order Specify quantity and the following information. Order related products separately

PRODUCT NO.	FACEPLATE SHAPE	VOLTAGE	CURRENT AND DUTY	FEATURES*	FINISH	LIP EXTENSION (DOOR CEN TO JAMB I	TERLINE
713	0	-3		0	-313	-00	)
	0 Flat	3 12 Volt	1 DC Continuous or Intermittent	0 Standard/Fail-Secure	313 Dark Bronze Anodized	00 1-1/16" or less	05 2"
	1 Radius	4 16 Volt	4 AC Intermittent	5 Fail-Safe	335 Black Anodized	01 1-1/2"	07 2-1/4"
				7 Monitored/Fail-Safe	628 Clear Anodized	02 1-5/8"	09 2-1/2"
		5 24 Volt		9 Monitored/ Fail-Secure		03 1-3/4"	12 2-7/8"





#### 7140 Electric Strike

MODEL & FINISHES	313, 335, 628	626
7140 ANSI size for hollow metal and wood jambs	\$208	\$235
7140-XX7, 7140-XX9 Monitoring signal switch	\$320	\$347

Lip Extensions up to 3" for center-hung or non-flush doors add \$38.

#### How to Order Specify quantity and the following information. Order related products separately

PRODUCT NO.	VOLTAGE	CURRENT AND DUTY	FEATURES*	FINISH	LIP EXTENSION (DOOR CENT TO JAMB I	TERLINE
7140	-3		0	-628	-00	)
	3 12 Volt	1 DC Continuous or Intermittent	0 Standard/Fail-Secure	313 Dark Bronze Anodized	00 1-1/16" or less	05 2"
	4 16 Volt	4 AC Intermittent	5 Fail-Safe	335 Black Anodized	50 1-3/8"	07 2-1/4"
	5 24 Volt		7 Monitor/Fail-Safe	626 Satin Chrome	01 1-1/2"	09 2-1/2"
			9 Monitor/Fail-Secure	628 Clear Anodized	02 1-5/8"	12 2-7/8"
					03 1-3/4"	

\*Fail-secure can be converted to fail-safe and vice versa.



#### 7160 Electric Strike

MODELS & FINISHES	313, 335, 628	626
7160 For aluminum jambs	\$267	\$295
7160-XX7, 7160-XX9 Monitoring signal switches	\$379	\$445

Lip Extensions up to 3" for center-hung or non-flush doors add \$38.

#### How to Order Specify quantity and the following information. Order related products separately

PRODUCT NO.	VOLTAGE	CURRENT AND DUTY	FEATURES*	FINISH	LIP EXTENSIONS (DIM. A) (DOOR CENTERLINE TO JAMB EDGE)	
7160	-3		0	-628	-00	
	3 12 Volt	1 DC Continuous or Intermittent	0 Standard/Fail-Secure	313 Dark Bronze Anodized	00 1-1/16" or less	05 2"
	4 16 Volt	4 AC Intermittent	5 Fail-Safe	335 Black Anodized	01 1-1/2"	07 2-1/4"
	5 24 Volt		7 Monitor/Fail-Safe	626 Satin Chrome	02 1-5/8"	09 2-1/2"
			9 Monitor/Fail-Secure	628 Clear Anodized	03 1-3/4"	12 2-7/8"

\*Fail-secure can be converted to fail-safe and vice versa.

US adamsrite.com | 800 872 3267 | customerservice.adamsrite@assaabloy.com CANADA assaabloydss.ca | 800 461 3007 | sales.dss.ca@assaabloy.com





#### 7170 Electric Strike

MODELS & FINISHES	313, 335, 628	626
7170 For hollow metal and wood jambs	\$267	\$295
7170-XX7, 7170-XX9 Monitoring signal switches	\$379	\$445

Lip Extensions up to 3" for center-hung or non-flush doors add \$38.

#### How to Order Specify quantity and the following information. Order related products separately

PRODUCT NO.	VOLTAGE	CURRENT AND DUTY	FEATURES*	FINISH	LIP EXTENSIONS (DIM. A) DOOR CENTERLINE TO JAMB EDGE	
7170	-3		О	-628	-00	
	3 12 Volt	1 DC Continuous	0 Standard/Fail-Secure	313 Dark Bronze Anodized	00 1-1/16" or less	05 2"
	4 16 Volt	or Intermittent	5 Fail-Safe	335 Black Anodized	50 1-3/8"	07 2-1/4"
	5 24 Volt	4 AC Intermittent	7 Monitor/Fail-Safe	626 Satin Chrome	01 1-1/2"	09 2-1/2"
			9 Monitor/Fail-Secure	628 Clear Anodized	02 1-5/8"	12 2-7/8"
					03 1-3/4"	





#### 7100 Series Electric Strike Components

STRIKE BODY KITS		
<b>7103A</b> For use with 7100/7101, 7110/7111, 7130/7131, 7140	\$177	
<b>7173A</b> For use with 7160, 7170	§228	

One strike body kit matched with one faceplate kit makes a complete electric strike assembly.

one strike body kit indicated with one ideeplate kit makes a complete electric strike assemb					
FACEPLATE KITS & FINISHES	313, 335, 628	626	605		
FPK00 For use with body kits: 7103A, 7173A	\$35	<sup>\$</sup> 63	\$69		
FPK01 For use with body kit: 7103A	\$35				
FACEPLATE KITS & FINISHES			652		
FPK10 For use with body kit: 7103A					
FPK11 For use with body kits: 7103A					
FACEPLATE KITS & FINISHES	313, 335, 628	626	605		
FPK30 For use with body kit: 7103A	\$40				
FPK31 For use with body kits: 7103A	\$40				
FPK40 For use with body kit: 7103A, 7173A	\$35	§63	\$35		
FPK45 For use with body kit: 7103A, for installing electric strike in previous prep, 4901, 4501 strike cover.	\$40				

Faceplate kits contain all hardware to mount electric strike.

#### **Kitted Options**

MODELS	PRICE
91-0171-01-IP THROUGH -13-IP Lip extension kits for use with 7100 through 7140	§42
91-0171-50-IP Lip extension kits for use with 7100 through 7140 interior framing systems	§42
91-0172-01-IP THROUGH -13-IP Lip extension kits for use with 7160 and 7170	\$42
91-0172-50-IP Lip extension kits for use with 7160 and 7170 interior framing systems	\$39

#### How to Order

Specify quantity and the following information. Order related products separately

PRODUCT NO.	VOLTAGE	CURRENT AND DUTY	FEATURES*
7103A	3		0
7103A	3 12 Volt	1 DC Continuous or Intermittent	0 Standard/Fail-Secure
7173A	4 16 Volt	4 AC Intermittent	5 Fail-Safe
	5 24 Volt		

<sup>\*</sup>Fail-secure can be field converted to fail-safe or vice versa.



US adamsrite.com | 800 872 3267 | customerservice.adamsrite@assaabloy.com CANADA assaabloydss.ca | 800 461 3007 | sales.dss.ca@assaabloy.com

#### 7240 Fire-Rated Electric Strike

MODELS & FINISH	630
7240 Fire-rated, for cylindrical latches	\$416
7240-50 Lip extension for interior frame systems	\$457
7240-XX9 Monitoring signal switches	\$535



PRODUCT NO.	VOLTAGE	CURRENT AND DUTY	FEATURES*	FINISH	LIP EXTENSIONS (DIM. A) DOOR CENTERLINE TO JAM EDGE FOR INTERIOR FRAMES
7240	-3		0	-630	-50
	3 12 Volt	1 DC Continuous or Intermittent	0 Fail-Secure	630 Satin Stainless	00 1-1/16" or less
	5 24 Volt	4 AC Intermittent	9 Monitor/Fail-Secure		50 1-3/8"





#### 7270 Fire-Rated Electric Strike

MODELS & FINISH		
7270 Fire-rated, for mortise latches	\$483	
7270-50 Lip extension for interior frame systems	\$522	
7270-XX9 Monitoring signal switches	\$601	

How to Order Specify quantity and the following information. Order related products separately

PRODUCT NO.	VOLTAGE	CURRENT AND DUTY	FEATURES*	FINISH	LIP EXTENSIONS (DIM. A) DOOR CENTERLINE TO JAM EDGE FOR INTERIOR FRAMES
7270	-3	1	0	-630	-50
	3 12 Volt	1 DC Continuous or Intermittent	0 Fail-Secure	630 Satin Stainless	00 1-1/16" or less
	5 24 Volt	4 AC Intermittent	9 Monitor/Fail-Secure		50 1-3/8"

\*Not available in fail-safe.



#### 7400, 7401 Ultraline Electric Strikes

MODELS & FINISHES	313, 335, 628	630	605, 606, 629	119, 121, 130
7400 For radius jambs	\$286	\$322	\$333	
7400M Monitoring signal switches	\$398	\$428	\$448	
7401 For radius aluminum stiles				\$286
7401M Monitoring signal switches				\$406

How to Order Specify quantity and the following information. Order related products separately

PR	ODUCT NO.	FACEPLATE SHAPE	FEATURES	FINISH		
	740	0	M	628		
		0 Flat	- None	7400 ONLY		7401 ONLY
		1 Radius	M Monitored	313 Dark Bronze Anodized	628 Clear Anodized	119 To match 335 Black Anodized
			A Modular Pack - Body Kit	335 Black Anodized	629 Bright Stainless	121 To match 313 Dark Bronze Anodized
				605 Bright Brass	630 Satin Stainless	130 To match 628 Clear Anodized
				606 Satin Brass		

Fail-secure can be converted to fail-safe and vice versa.





#### 7410, 7411 Ultraline Electric Strikes

MODELS & FINISHES	313, 335, 628	630
7410 For wood jambs, 7-15/16" faceplate		\$350
7410M Monitoring signal switches	\$442	\$463
7411 For wood jambs, 10-1/4" faceplate, not available in 335 Finish	\$328	\$357
7411M Monitoring signal switches		\$463



PRODUCT NO.	FACEPLATE LENGTH	FEATURES	FINISH	
741	0		62	28
	0 7-15/16"	- None	313 Dark Bronze Anodized 628 Clear Anodized	
	1 10-1/4"	M Monitored	335 Black Anodized	630 Satin Stainless





#### 7430, 7431 Ultraline® Electric Strikes

MODELS & FINISHES	313, 335, 628	119, 121, 130
7430 For aluminum jambs, flat faceplate	\$293	
7430M Monitoring signal switches	\$412	
7431 For aluminum stiles, radius faceplate		\$293
7431M Monitoring signal switches, not available in 119 finish.		\$412

#### How to Order Specify quantity and the following information. Order related products separately

		. , , , , , , , , , , , , , , , , , , ,			
ı	PRODUCT NO.	FACEPLATE SHAPE	FEATURES		FINISH
	743	0	М		628
		0 Flat	- None	313 Dark Bronze Anodized	119 To match 335 Black Anodized
		1 Radius	M Monitored	335 Black Anodized	121 To match 313 Dark Bronze Anodized
				628 Clear Anodized	130 To match 628 Clear Anodized

Fail-secure can be converted to fail-safe and vice versa.



#### 7440 Ultraline Electric Strikes

MODELS & FINISHES	313, 335, 628	630	605, 606, 629
7440 For hollow metal and wood, jambs and doors	\$286	\$316	\$333
7440M Monitoring signal switches	\$398	\$428	\$448

Fail-secure can be converted to fail-safe and vice versa.

#### How to Order Specify quantity and the following information. Order related products separately

	<u> </u>			
PRODUCT NO.	FEATURES		FINISH	
7440	М		628	
	- None	313 Dark Bronze Anodized	606 Satin Brass	629 Bright Stainless
	M Monitored	335 Black Anodized	628 Clear Anodized	630 Satin Stainless
		605 Bright Brass		

Fail-secure can be converted to fail-safe and vice versa.






#### 74R1 Ultraline Electric Strikes

MODELS & FINISHES	
74R1 For use with rim exit devices with 3/4" latchbolt	\$400
74R1M Monitoring signal switches	\$515

How to Order Specify quantity and the following information. Order related products separately

PRODUCT NO.	FEATURES	FINISH
74R1	M	-130
	- None	119 To match 335 Black Anodized
	M Monitored	121 To match 313 Dark Bronze Anodized
		130 To match 628 Clear Anodized





#### 74R2 Ultraline Electric Strike

MODELS & FINISHES	119, 121, 130
74R2 For use with narrow stile rim exit devices with 1/2" latchbolt	\$400

How to Order Specify quantity and the following information. Order related products separately

PRODUCT NO.	FINISH
74R2	-130
	119 To match 335 Black Anodized
	121 To match 313 Dark Bronze Anodized
	130 To match 628 Clear Anodized

Fail-secure can be field converted to fail-safe or vice-versa.



MODULAR PACKING PROGRAM — match strike body kit with faceplate kit for complete electric strike. Select 7400A for standard jambs and 7401A for radius stile mounting. No finish designation required for strike body kits.

#### 7400 Series Electric Strike Components

STRIKE BODY KITS	PRICE
7400A Standard body, for use in single door applications	\$266
7401A Radius body, for use in applications with pairs of doors	\$266

Match one strike body kit with one faceplate kit to make a complete electric strike assembly.

FACEPLATE KITS & FINISHES	313, 335, 628	630	605, 606, 629	119, 121,130
FPK7400 For use with body kit: 7400A	\$29	\$59	<sup>\$</sup> 69	
FPK7401 For use with body kit: 7401A				\$29
FPK7410 For use with body kit: 7400A	<sup>\$</sup> 64	\$90		
FPK7411 For use with body kit: 7400A, not available in 335 finish	<sup>\$</sup> 69	\$96		
FPK7430 For use with body kit: 7400A	\$34			
FPK7431 For use with body kit: 7401A				\$34
FPK7440 For use with body kit: 7400A	\$29	\$59	\$69	
FPK7445 For use with body kit: 7400A, not available in 335 finish.For installing electric strike in previous prep 4901, 4501, strike cover	<sup>\$</sup> 40			

Faceplate kits contain all hardware to mount electric strike.



#### Kitted Options

MODELS	PRICES
LEK7400 Lip extension kits for use with 7400 series electric strikes, for flat faceplates only	<sup>\$</sup> 52
VA7400-12 12 VDC adapter cable for 7400 electric strikes	\$14
VA7400-16VDC 16 VDC adapter kit for 7400 electric strikes	<sup>\$</sup> 24
VA7400-24 24 VDC adapter cable for 7400 electric strikes	\$14
WDC7400 Wood door cover plate for use when mounting 7400 in the inactive leaf of a wood door pair (to simplify the mortising operation)	\$14
ELX ElectroLynx™ Adapter to connect Adams Rite products to the ElectroLynx system	\$36

#### How to Order Specify quantity and the following information. Order related products separately

PRODUCT NO.		LIP EXTENSIONS (DISTANCE FROM VERTICAL CENTERLINE OF THE DOOR IN THE CLOSED POSITION TO THE EDGE OF THE JAMB)								
LEK7400		-00								
	01 1-1/2"	01 1-1/2"								
	02 1-5/8"	02 1-5/8"								

#### 7800 Series Electric Strike

MODELS & FINISHES	630	613E, 628E, BSP	606	605, 629
7800 For use with Starwheel and Interlocking rim exit devices.	§696	<sup>\$</sup> 732	\$777	\$780


#### Accessories

MODELS & FINISHES	630, 613E, 628E, BSP
7800-116-XXX 1/16" Spacer plate	\$32
7800-108-XXX 1/8" Spacer plate	\$35
7800-SMB Surface Mounting Box	\$244

#### How to Order

Specify quantity and the following information. Order related products separately

PRODUCT NO.	FEATURES*	FINISH			
7800		628			
	- None	605 Bright Brass			
	L Latchbolt monitor (coming soon)	606 Satin Brass			
	M Monitored (coming soon)	613E Dark Oxidized Satin Bronze Powder			
		628E Satin Aluminum Clear Anodized			
		629 Bright Stainless			
		630 Satin Stainless			
		BSP Black Suede Powder			







#### TRIM

#### 1000 Series Turns

MODELS & FINISHES	119, 121, 130
1000-01, 1000-02 Turn for use with MS1847 deadlock	\$32
1000-11, 1000-21 Stainless steel turn and escutcheon for use with MS1847 deadlock	\$39
1004 Turn for use with 5015, 5017 deadlock	\$39
1015 Turn for use with 5015, 5017 deadlock	ş39
1016 Outside escutcheon	\$32



#### How to Order Specify quantity and the following information. Order related products separately

RODUCT NO.	NO. TURN TYPE						PINDLE	ELENG	TH		FINISH
1000	-21 -		-14			-130					
TURN WITHOUT ESCUTCHEON FURNISHED Unassembled				DASH	CHART			119 To match 335 Black Anodized			
					NO.					MM	
	<b>(10</b> )	-01	<del>( )</del>	-02	-11	17/32	13	-22	1-15/64	31	121 To match 313 Dark
	W	PARALLEL	$\perp V$	PERPENDICULAR	-12	39/64	15	-23	1-19/64	33	Bronze Anodized
	U	Drive	l n	Drive	-13	43/64	17	-24	1-23/64	35	130 To match 628 Clear Anodize
					-14	47/64	19	-25	1-27/64	36	
	TURN WITH ESCUTCHEON FURNISHED Assembled				-15	51/64	20	-26	1-31/64	38	
					-16	55/64	22	-27	1-33/64	39	
	-		-17	59/64	23	-28	1-39/64	41			
	<b>(10</b> )	-11	( <del>-</del>	-21*	-18	63/64	25	-29	1-43/64	42	
	W	PARALLEL Drive	PERPENDICULAR	-19	1-3/64	26	-30	1-47/64	44		
	И		Drive	-20	1-7/64	28	-31	1-51/64	46		
			-2	-21	1-11/64	30	-32	1-55/64	47		

#### 3000 Fixed Pull

MODELS & FINISH	US32D
3001 Tubular fixed pull for hollow metal or wood doors	\$230
3002 Flat fixed pull for hollow metal or wood doors	\$256

#### How to Order

Specify quantity and the following information. Order related products separately  $% \left( 1\right) =\left( 1\right) \left( 1\right)$ 

. ,	·	9		' '	
PRODUCT NO.	HANDLE	CYLINDER HOLE	EXIT DEVICE	FINISH	
300				-US32D	
	1 Round	1 Without Hole	1 Mortise, Rim	US32D Satin Stainless	
2 Flat		2 With Hole	2 CVR		
			3 SVR		

 $Not for use \it{ with the following narrow stile exit devices: 8200 SVR, 8400 Mortise, 8600 CVR, 8800 Rim \it{ Exit Devices.} \\$ 



## 3080 Series Entry Trim

		STANDA	RD TRIM	ELECTRIF	FIED TRIM
	MODELS & FINISHES	US4, US32D, 10B	US3, US32	US4, US32D, 10B	US3, US32
CY.	3080 Entry trim with standard lever (01, 02, 03)	\$404	<sup>\$</sup> 446	<sup>\$</sup> 782	\$824
) LEVER	<b>3080-M</b> Entry trim with standard lever (01, 02, 03) with matching trim cover finish	\$509	\$551	\$887	\$929
STANDARD	3080-U Entry trim with standard lever (01, 02, 03) with universal trim kit includes tailpieces and trimplates for use with all Adams Rite exit devices	\$433	\$475	<sup>\$</sup> 811	<sup>\$</sup> 853
S	3080-U, M Entry trim with standard lever (01, 02, 03), matching trim cover and universal trim kit	\$538	\$580	\$916	\$972
2	3080-MX Entry trim with designer lever series (MD through MW)	\$457	\$499	\$835	\$889
R LEVER	3080-MX, M Entry trim with designer lever series (MD through MW) with matching trim cover	<sup>\$</sup> 562	<sup>\$</sup> 604	\$940	\$982
ESIGNER	3080-MX, U Entry trim with designer lever series (MD through MW) with universal trim kit	\$486	\$528	\$864	\$906
DE	3080-MX, U, M Entry trim with designer lever series (MD through MW), universal trim kit and matching trim cover	\$591	<sup>\$</sup> 642	\$969	\$991



Tactile strip now available as a Kitted Option (below) for standard levers 01 and 03.

#### Kitted Options

MODELS		
91-0686 Adaptor kit for 3080 trim and G86 exit device	\$35	
91-0118 Tactile strip for 3080 standard levers 01, 03		

#### $How\ to\ Order\ Specify\ quantity\ and\ the\ following\ information.\ Order\ related\ products\ separately$

PRODUCT NO.	ELECTRIFIED	ı	HANDLE	HANDING	CYLINDER HOLE	EXIT DEVICE	VOLTAGE	FEATURES	TRIM COVER FINISH	FINISH																			
3080	Е		-01	-0	-3	7	-3	0	М	US32D																			
	(BLANK) Standard	STAND	ARD Handles	0 No Handing	3 With Hole	1 SVR	ELECTRIFIED Trim Only	ELECTRIFIED Trim Only	- Standard (Black)	US3 Bright Brass																			
	E Electrified Trim	<b>01</b> Cui	ve	7 Left Hand*	9 Without	3 Mortise	3 12 Volt DC	0 Fail-Secure	M Matching Finish	US4 Satin Brass																			
		<b>02</b> Ro	und	8 Right	8 Right Hand* Hole 4 SCVR 5 24 Volt DC 5 Fail-Safe 6 CVR	nt	4 SCVR	5 24 Volt DC	5 Fail-Safe		10B Dark Bronze																		
		<b>03</b> Sq	uare	Hand*			US32 Bright Stainless																						
		DESIGN	NER Series									7 Rim				US32D Satin Stainless													
		MD	MJ			U Universal																							
			MN* (Handed)																						Kit				
		MG	MV* (Handed)																										
		MI	MW																										

 $^{\ast}$  Handing must be specified for MN and MV Designer Levers.



#### 3090 eForce® Keyless Entry

	FOR DEADLATCHES & EXITS	FOR DEADLOCKS
MODELS & FINISHES	626, 121	626, 121
2000 04 2000 02 -5	3090-01	3090-02
3090-01, 3090-02 eForce keyless entry with keypad	\$899	\$925

#### Kitted Options

MODELS	PRICE
RSK-3090 Remote switch input connector	\$21.00

#### How to Order Specify quantity and the following information. Order related products separately

PRODUCT NO.	COMPATIBLE PRODUCTS	FINISH		
3090	-01	-626		
	01 Adams Rite latches or 8000 Series Exit Devices, Yale 7200 series, Corbin Russwin ED4000 series exit devices only	121 To match 313 Dark Bronze Anodized		
	02 Adams Rite MS* deadlocks	626 Satin Chrome		




#### 4060 Turn

MODEL & FINISH		
4060 Turn for 1875 deadlock, 1-1/2", 1-3/4", or 2" door thickness	<sup>\$</sup> 70	

#### How to Order Specify quantity and the following information. Order related products separately

	3	
PRODUCT NO.	DOOR THICKNESS	FINISH
4060	-05	-130
	05 1-1/2"	130 To match 628 Clear Anodized
	06 1-3/4"	
	07 2"	



 ${\it Please contact factory regarding mounting spacers, bolts, guides and strikes for particular door designs.}$ 

#### 4550 MS® Deadlock Lever

MODEL & FINISHES		
4550, 01 Deadlock lever, 1-3/4" to 2" door thickness	\$229	
4550, 02 Deadlock lever, 2-1/8" to 2-3/8" door thickness		

#### How to Order Specify quantity and the following information. Order related products separately

1 10 VV to Oraci sp	1 10 W to Oraci Specify qualitity and the following information. Oracl related products separately							
PRODUCT NO.	DOOR HAND	DOOR THICKNESS	FINISH					
4550	R	-01	-130					
	R RH or RHR	01 1-3/4" to 2"	119 To match 335 Black Anodized					
	L LH or LHR	02 2-1/8" to 2-3/8"	121 To match 313 Dark Bronze Anodized					
			130 To match 628 Clear Anodized					





#### 30 TRIM

#### 4560, 4565 Series Deadlatch Handles for 4300, 4500, 4900 Deadlatches

MODELS & FINISHES	119, 121, 130
4560-X01 For door thickness (01) 1-3/4" to 2"	<sup>\$</sup> 62
4560-X02 For door thickness (02) 2-1/4" to 2-1/2"	\$86
4560-X03 For door thickness (03) 2-3/4" to 3"	\$86
4560-X04 For door thickness (04) 3-1/4"	\$86
4565-X01 For door thickness (01) 1-3/4" to 2"	<sup>\$</sup> 62
4565-X02 For door thickness (02) 2-1/4" to 2-1/2"	\$86
4565-X03 For door thickness (03) 2-3/4" to 3"	\$86
4565-X04 For door thickness (04) 3-1/4"	\$86



#### 4560-010, 4565-010 Series Deadlatch Handles for MS+1890 Deadlock/Deadlatch

MODELS & FINISHES				
4560-011 For door thickness (11) 1-3/4"	<sup>\$</sup> 45			
<b>4560-012</b> For door thickness (12) 1-3/4" to 2-1/4"	\$56			
4560-013 For door thickness (13) 2-15/16" to 2-3/4"	\$56			
<b>4565-011</b> For door thickness (11) 1-3/4"	\$45			
4565-012 For door thickness (12) 1-3/4" to 2-1/4"	\$56			

#### How to Order Specify quantity and the following information. Order related products separately

PRODUCT NO.	HANDLE TYPE	HANDING	DOOR THICKNESS		FINISH
456	0	-5	01		-130
	0 Lever	0 Using MS+1890	FOR 4300, 4500, 4900	FOR MS+1890	119 To match 335 Black Anodized
	5 Turn	5 LH or LHR	Series Deadlatches	FOR WIST1090	121 To match 313 Dark Bronze Anodized
		6 RH or RHR	01 1-3/4" to 2"	11 1-3/4"	130 To match 628 Clear Anodized
			02 2-1/4" to 2-1/2"	12 1-3/4" to 2-1/4"	
			03 2-3/4" to 3"	13 2-5/16" to 2-3/4"	
			04 3-1/4"		

#### 4568, 4569 Eurostyle Deadlatch Handles for 4300, 4500, 4900 Deadlatches

MODELS & FINISHES	119, 121, 130
4568-X01 For door thickness (01) 1-3/4" to 2"	\$73
4568-X02 For door thickness (02) 2-1/4" to 2-1/2"	\$92
4568-X03 For door thickness (03) 2-3/4" to 3"	\$92
4568-X04 For door thickness (04) 3-1/4"	\$92
4569-X01 For door thickness (01) 1-3/4" to 2"	\$85
4569-X02 For door thickness (02) 2-1/4" to 2-1/2"	\$99
4569-X03 For door thickness (03) 2-3/4" to 3"	\$100
4569-X04 For door thickness (04) 3-1/4"	\$100





#### 4568-010, 4569-010 Series Deadlatch Handles for MS+1890 Deadlock/Deadlatch

MODELS & FINISHES	119, 121, 130
4568-011 For door thickness (11) 1-3/4" to 1-15/16"	\$61
4568-012 For door thickness (12) 2" to 2-1/4"	\$71
<b>4568-013</b> For door thickness (13) 2-15/16" to 2-3/4"	\$71
4568-014 For door thickness (14) 3"	\$71
4569-011 For door thickness (11) 1-3/4" to 1-15/16"	\$66
4569-012 For door thickness (12) 2" to 2-1/4"	§76
4569-013 For door thickness (13) 2-15/16" to 2-3/4"	§76
4569-014 For door thickness (14) 3"	§76

#### How to Order Specify quantity and the following information. Order related products separately

PRODUCT NO.	LEVER TYPE	HANDING	DOOR THICKNESS		FINISH
456	8	-5	01		-130
	8 Straight			119 To match 335 Black Anodized	
	9 Return End	5 LH or LHR	Series Deadlatches	FOR MS+1890	121 To match 313 Dark Bronze Anodized
		6 RH or RHR	02 2-1/4" to 2-1/2"	12 2" to 2-1/4"	130 To match 628 Clear Anodized
			03 2-3/4" to 3"	13 2-5/16" to 2-3/4"	
			04 3-1/4"	14 3"	

#### 4570 ICU Latch Operator

MODELS & FINISHES	119, 121, 130
<b>4570-01</b> For door thickness 1-3/4" to 2"	\$215

#### $How\ to\ Order\ Specify\ quantity\ and\ the\ following\ information.\ Order\ related\ products\ separately$

MODEL	FINISH
4570-01	-130
	119 To match 335 Black Anodized
	121 To match 313 Dark Bronze Anodized
	130 To match 628 Clear Anodized



#### 4576 ICU Flushbolt with Latch Operator

MODELS & FINISHES	130
<b>4576-X01</b> For door thickness 1-3/4" to 2"	\$183

#### How to Order Specify quantity and the following information. Order related products separately

/	1	,
PRODUCT NO.	HANDING	FINISH
4576	-601	-130
	501 Left Hand	130 To match 628 Clear Anodized
	601 Right Hand	





#### 4590 Deadlatch Paddle for 4300, 4500, 4900 Deadlatches

MODELS & FINISHES	313, 335, 628
4590-0X-00 For door thickness (00) 1-3/4"	\$119
4590-0X-01 For door thickness (01) 1-13/16" to 2"	\$143
4590-0X-02 For door thickness (02) 2-1/4" to 2-1/2"	\$143
4590-0X-03 For door thickness (03) 2-3/4" to 3"	\$143
4590-0X-04 For door thickness (04) 3-1/4"	<sup>\$</sup> 143



#### 4590 Deadlatch Paddle for MS+1890, 2190 Deadlocks

MODELS & FINISHES	313, 335, 628
4590-1X-00 For door thickness (00) 1-3/4"	\$101
4590-1X-01 For door thickness (01) 1-3/4" to 2-1/4"	<sup>\$</sup> 125
4590-1X-02 For door thickness (02) 2-5/16" to 2-1/2"	<sup>\$</sup> 125
4590-1X-03 For door thickness (03) 2-9/16" to 2-3/4"	\$125

#### How to Order Specify quantity and the following information. Order related products separately

PRODUCT NO.		OPE	RATION		DOOR THIC	KNESS	FINISH*		
4590			02		-00	)	-313		
	FIRST DASH FOR LATCH SERIES	OPPERATION		OPPERATION USE		USE	FOR 4300, 4500, 4900 SERIES Deadlatches	FOR MS+1890, 2190	313 Dark Bronze Anodized 335 Black Anodized
	-01 4300/4500/4900 -11 MS+1890/2190	PULL TO LEFT	P U L	OUTSIDE of left hand reverse door or inside of right hand	00 1-3/4" 01 1-13/16" to 2"	00 1-3/4" 01 1-3/4" to 2-1/4"	628 Clear Anodized		
	-02 4300/4500/4900 -12 MS+1890/2190	PUSH TO LEFT	P U U U	OUTSIDE of left hand door or inside of right hand reverse	02 2-1/4" to 2-1/2" 03 2-3/4" to 3"	02 2-5/16" to 2-1/2"			
	-03 4300/4500/4900 -13 MS+1890/2190	PULL TO RIGHT	PULL	OUTSIDE of right hand reverse door or inside or left hand	04 3-1/4"	03 2-9/16" to 2-3/4"			
	-04 4300/4500/4900 -14 MS+1890/2190	PUSH TO RIGHT	носъ	OUTSIDE of right hand door or inside of left hand reverse					
	LH	4	RH	-01 OR -11 -04 OR -14 -02 OR -12 -03 OR -13					

\*Finish applied to paddle assembly only, not escutcheon.



#### 4591 Deadlatch Paddle for 4300, 4500, 4900 Deadlatches

MODELS & FINISHES	313, 335, 628	US3, US26D
4591-0X-00 For door thickness (00) 1-3/4"	<sup>\$</sup> 145	\$273
4591-0X-01 For door thickness (01) 1-13/16" to 2"	\$168	\$297
4591-0X-02 For door thickness (02) 2-1/4" to 2-1/2"	\$168	\$297
4591-0X-03 For door thickness (03) 2-3/4" to 3"	\$168	\$297
4591-0X-04 For door thickness (04) 3-1/4"	\$168	\$297



#### 4591 Deadlatch Paddle for MS+1890, 2190 Deadlocks

MODELS & FINISHES	313, 335, 628	US3, US26D
4591-1X-00 For door thickness (00) 1-3/4"	<sup>\$</sup> 124	\$253
<b>4591-1X-01</b> For door thickness (01) 1-3/4" to 2-1/4"	\$149	\$277
4591-1X-02 For door thickness (02) 2-5/16" to 2-1/2"	\$149	\$277
4591-1X-03 For door thickness (03) 2-9/16" to 2-3/4"	<sup>\$</sup> 149	\$277

#### Options

MODELS	PRICES
4591MA Active paddle, latch activator with monitor switch	Add \$130.00
4591M Paddle with switch, no latch activator	Add \$113.00
91-0914 Monitor switch kit for 4591, field installation	\$132

#### $How\ to\ Order\ Specify\ quantity\ and\ the\ following\ information.\ Order\ related\ products\ separately$

PRODUCT NO.	OPTIONS*	OPERATION				DOOR THICKNESS		FINISH**
4591	М	02				-00		-313
	- Standard Paddle	FIRST DASH	OPER	ATION	USE	FOR 4300, 4500, 4900 SERIES DEADLATCHES	FOR MS+1890, 2190	313 Dark Bronze Anodized
	M Paddle w/ switch only  MA Active paddle w/switch	FOR LATCH SERIES						335 Black Anodized
		-01 4300/4500/4900	PULL	P	OUTSIDE of left hand	00 1-3/4"	00 1-3/4"	628 Clear Anodized
		-11 MS+1890/2190	TO LEFT	reverse door or inside OF right hand	01 1-13/16" to 2"	01 1-3/4" to 2-1/4"	US3 Bright Brass	
	W/ SWITCH	-02 4300/4500/4900	PUSH TO LEFT	P	OUTSIDE of left hand	02 2-1/4" to 2-1/2"	02 2-5/16" to 2-1/2"	US26D Satin Chrome
		-12 MS+1890/2190		door or inside of right hand reverse	03 2-3/4" to 3"	03 2-9/16" to 2-3/4"		
		-03 4300/4500/4900	PULL	P	OUTSIDE of right hand	04 3-1/4"		
		-13 MS+1890/2190	TO RIGHT	reverse door or inside OR left hand				
		-04 4300/4500/4900 -14 MS+1890/2190 PUSH TO RIGI	PUSH	OUTSIDE of right				
			TO RIGHT		hand door or inside of left hand reverse			

 $^*M \ and \ MA \ options \ availble \ on \ push \ paddles \ only, \ not \ pull \ paddles. \ \ ^*Finish \ applied \ to \ paddle \ assembly \ only, \ not \ escutcheon.$ 



## 4600 Heavy Duty Designer Deadlatch Handles

		4300, 4500,	RATOR FOR 4900 SERIES ATCHES	LEVER OPERATOR FOR 2190, 2290 INTERCONNECTED DEADBOLT/DEADLATCH	
MODELS & FINISHES		10B, US4, US32D	US3, US32	10B, US4, US32D	US3, US32
Q	4600 Trim with standard lever (01, 02, 03)	\$167	<sup>\$</sup> 210	\$147	<sup>\$</sup> 190
STANDARD	4600-M Trim with standard lever (01, 02, 03) with form 'C' switch option to indicate when lever is actuated	\$228	\$271	\$208	\$251
	4600-THICK DOOR Trim with standard lever (01, 02, 03) for door thickness greater than 1-7/8"	\$193	\$236	\$173	\$216
DESIGNER LEVER	4600-MX Trim with designer lever series (MD through MW)	\$217	\$260	\$197	\$240
	4600-MX, M Trim with designer lever series (MD through MW) with form 'C' switch option	\$278	<sup>\$</sup> 321	\$258	\$301
	4600-MX, THICK DOOR Trim with designer lever series (MD through MW) for door thickness greater than 1-7/8"	\$243	\$286	\$223	\$266



#### Kitted Options

MODELS	PRICES
REX-4600 Request to exit kit	\$49
DTK-4600 Fixed lever (dummy) kit	<sup>\$</sup> 15
TDK-4600-XX Thick door kit. Specify door thickness.*	\$33
TBK-4600-XX Through-bolt mounting kit for back-to-back mounting on wood doors. Specify door thickness.*	\$34

\*For door thickness (01) 1-3/4", (02) 2", (03) 2-1/4", (04) 2-1/2" and (05) 2-3/4".

#### How to Order Specify quantity and the following information. Order related products separately

PRODUCT NO.	REX	HANDLE	HANDING**	DOOR THICKNESS	COMPATIBLE PRODUCTS	FINISH
4600	М	-01	-5	1	1	-32D
	(BLANK) Standard	STANDARD HANDLES	5 LH or LHR	1 1-3/4" to 1-7/8"	1 2190, 2290 Interconnected Deadbolt/Deadlatch	US3 Bright Brass
	M Switch Option	01 Curve	6 RH or RHR	2 2" to 2-1/8"	2 4300, 4500, 4900 Series Deadlatches	US4 Satin Brass
		02 Round		3 2-1/4" to 2-3/8"		10B Dark Bronze
		03 Square		4 2-1/2" to 2-5/8"		US32 Bright Stainless
		DESIGNER SERIES		5 2-3/4" to 2-7/8"		US32D Satin Stainless
		MD MJ				
		ME MN* (Handed)				
		MG MV* (Handed)	]			
		MI MW				

 $^*Handing\ must\ be\ specified\ for\ MN\ and\ MV\ Designer\ Levers.\ \ ^{**}Handing\ -\ assuming\ lever\ on\ interior\ of\ door.$ 



# CYLINDERS & ACCESSORIES

## 4024, 4025, 4026 Cylinder Pulls

MODELS & FINISHES	119, 121, 130
4024-00-01, 02 Cylinder pull, Schlage keyway	\$71
4024-06-01, -02 Cylinder pull, Weiser keyway	\$77
4025-00-01,02 Cylinder pull, Schlage keyway	\$77
4025-06-01, 02 Standard cylinder pull, Weiser keyway	\$77
4025-100-02, CYL X CYL Cylinder both sides pullset, Schlage keyway	\$153
4025-106-02, CYL X CYL Cylinder both sides pullset, Weiser keyway	\$156
4026-00-01, 02 Cylinder pull for use with 5015, 5017 Wood Door Deadlock, Schlage keyway	<sup>\$</sup> 79
4026-06-01, 02 Cylinder pull for use with 5015, 5017 Wood Door Deadlock, Weiser keyway	\$79



Please contact factory for special cylinder requirements.

#### How to Order Specify quantity and the following information. Order related products separately

3			
PULL TYPE	PULL NO./CYLINDER INCLUDED	KEYING	FINISH
4024	-00	-01	-130
4024 Trim Plate Mounted	00 Schlage "C: Keyway	01 Keyed Different	119 To match 335 Black Anodized
4025 Stile Mounted with through - screws	06 Weiser Keyway	02 Keyed Alike in Pairs	121 To match 313 Dark Bronze Anodized
4026 For Wood Applications			130 To match 628 Clear Anodized




## 4036 Mortise Cylinder

MODEL & FINISHES	313, 335, 628
4036 Five pin cylinder. 2 keys and 1/4" ring, KD, KA2 only For 3300, 3600, 8300, 8400, 8500, 8600, or entry trim. Can be installed directly in latch case of 8400, 8300, or 3300.	\$50

#### How to Order Specify quantity and the following information. Order related products separately

PRODUCT NO.	LOCK TYPE	KEY OPTIONS*	FINISH
4036	-01	-O1	-628
	01 For MS Locks, Deadlatches, 2190	01 Keyed different	313 Dark Bronze Anodized
	02 For 4070 Deadlock	02 Keyed alike in pairs	335 Black Anodized
	03 For 2331 Deadlock		628 Clear Anodized







## MS4043 Cylinder Guard

MODELS & FINISHES	119, 121, 130
MS4043-00 Cylinder guard, 1/8" stile wall, 5 or 6 pin cylinder	\$43
MS4043-01 Cylinder guard, 1/4" stile wall, 5 or 6 pin cylinder	\$49
MS4043-02 Cylinder guard, 1/8" stile wall, 1-5/16" to 1-7/16" long cylinder	



#### How to Order

Specify quantity and the following information. Order related products separately

PRODUCT NO.	STILE WA	LL & CYLINDER	FINISH
MS4043		-01	-130
	STILE WALL	CYLINDER	119 To match 335 Black Anodized
	00 1/8"	5 or 6 pin	121 To match 313 Dark Bronze Anodized
	01 1/4"	5 or 6 pin	130 To match 628 Clear Anodized
	02 1/8"	1-5/16" to 1-7/16" long	

#### 4066 Thumbturn

MODEL & FINISHES	130, 313, 335
4066 Thumbturn cylinder with 1/4" ring	\$50



#### How to Order

Specify quantity and the following information. Order related products separately

PRODUCT NO.	LOCK TYPE	FINISH
4066	-01	-130
	01 For MS Locks, Deadlatches	130 To match 628 Clear Anodized
	02 For 4070 Deadlock	313 Dark Bronze Anodized
	03 For 2331 Deadlock	335 Black Anodized



MODELS	PRICES
4580-X00, 4580-X01 Included with lever handles, door thickness 2" or less	<sup>\$</sup> 22
4580-X02, 4580-X03 Included with lever handles, door thickness greater than 2"	\$31



## 4581 Universal Cam Plug

MODELS	PRICES
4581-01 Universal cam plug, non-handed, for 1-3/4" door thickness (included in 4600)	\$30
4581-02 Universal cam plug, non-handed, for 2" door thickness	\$39
4581-03 Universal cam plug, non-handed, for 2-1/4" door thickness	\$39



How to Order Specify quantity and the following information. Order related products separately

PRODUCT NO.	DOOR THICKNESS
4581	01
	01 1-3/4"
	02 2"
	03 2-1/4"



US adamsrite.com | 800 872 3267 | customerservice.adamsrite@assaabloy.com CANADA assaabloydss.ca | 800 461 3007 | sales.dss.ca@assaabloy.com

#### 8650 Cylinder Escutcheon Kit

MODELS & FINISHES	119, 121, 130
8650 Cylinder escutcheon kit for 3600, 8500, 8600 exit devices	\$42
8650 For wall thickness over 1/8" *	<sup>\$</sup> 79





## 8736 Rim Cylinder

MODEL & FINISHES	313, 335, 628
<b>8736</b> Five-pin Rim cylinder for use with 3100, 3700, 8100, 8200, 8700, 8800 exit devices.	\$55



#### 4014 Two-Point Conversion Kit

MODEL	PRICE
4014-01 Two-point conversion kit for MS1861 Bottom Rail Deadlock	\$44


#### 4015 Threshold Bolt

MODEL & FINISHES	603
4015-18-IB Two-point converter, threshold bolt, standard cylinder height.	<sup>\$</sup> 54
4015-XX-IB Two-point converter, threshold bolt, specify cylinder height greater than 53", 60" maximum.	\$80

#### How to Order

Specify quantity and the following information. Order related products separately

PRODUCT NO.	ADD DASH NUMBER FOR "UNIVERSAL SIZE"	PACKAGING
4015	-18	-IB
		IB Individually Boxed





#### 4016 Header Bolt

MODEL	PRICE
4016 Three-point converter, provides upper bolt for MS1850/1870 Deadlocks	\$69

#### How to Order

Specify quantity and the following information. Order related products separately

PRODUCT NO.	LOCK BACKSET	DOOR HEIGHT
4016	-30	-01
	10 1-1/2"	<b>01</b> 7' Door
	20 31/32"	<b>02</b> 10' Door
	30 1-1/8"	





#### 4085 Header Bolt (Pairs of Doors Only)

MODELS & FINISHES	PRICE
4085-01-IB Positioner bolt and header strike, specifiy cylinder height for 7' door height	\$103
4085-02-IB, 4085-03-IB, 4085-04-IB Positioner bolt and header strike, specify cylinder height for door height greater than 7', door height 10' maximum.	\$127

#### $How\ to\ Order\ Specify\ quantity\ and\ the\ following\ information.\ Order\ related\ products\ separately$

PRODUCT NO.	DIMENSION 'A'	PACKAGING
4085	-02	-IB
	01 30" - 52"	IB Individually Boxed
	02 52" - 67"	
	03 67" - 79"	
	04 79" - 92"	

EXAMPLE				
DOOR Height		CYLINDER Height		Α
96"	-	40"	=	56"

7' Door is 84' 8' Door is 96" 9' Door is 108" 10' Door is 120"

Contact factory for door height greater than 7'.

#### 4089 Exit Indicator

MODELS & FINISHES	119, 121, 130
4089-00, 4089-01 Indicator for 1-3/4" door, includes both UBC and IBC signs	\$66
4089-20 Indicator for 2" to 2-1/2" door, includes both UBC and IBC signs	\$110

#### Accessories

MODELS	PRICES
91-0912 Adapter plate for converting MS1850/4089 installation to deadlatch and lever handle or paddle. Select 121 or 130 finish.	\$40
20-0255-IP Header sign "During Business Hours"	\$9
20-0256-IP IBC header sign "Building is Occupied"	\$9

#### How to Order Specify quantity and the following information. Order related products separately

PRODUCT NO	OPTIONS	FINISH
4089	-01	-130
	00 Standard 1-3/4" Door	119 To match 335 Black Anodized
	01 For Inverted Lock	121 To match 313 Dark Bronze Anodized
	20 For Doors up to 2-1/2"	130 To match 628 Clear Anodized





## 4104 Mounting Bridges

MODELS	PRICE
4104-01 Radius mounting bridge	<sup>\$</sup> 12
4104-02 Flat mounting bridge	<sup>\$</sup> 12
4104-03 Left hand bevel mounting bridge	<sup>\$</sup> 12
4104-04 Right hand bevel mounting bridge	<sup>\$</sup> 12



## 91-0965 Universal Mounting Tab Kits for Installing MS® Locks & Latches

MODELS	PRICE
91-0965 Mounting tab kits for flat/radius stiles	<sup>\$</sup> 20
91-0966 Mounting tab kits for beveled stiles, includes tabs for right hand and left hand bevel doors and mounting screws for clear and dark bronze.	\$20





#### B1921, B1923 Reinforcing Pivots

MODELS & FINISH			
B1921 1/2" offset to match pivot point of 4" wide butt hinge	\$103		
B1923 3/4" offset to match pivot point of 4-1/2" wide butt hinge			



#### How to Order

Specify quantity and the following information. Order related products separately

PRODUCT NO.	MODEL
B192	
	1 4"
	3 4-1/2"

#### **STRIKES**

#### 2190 Dual Force® Interconnected Deadbolt/Deadlatch Strikes

MODELS & FINISHES	630	119, 121
2101-01 Standard flat strike with dust box	\$32	\$39
2101-02 Standard radius strike with dust box	\$32	\$39
MODELS & FINISHES	630	121
2101-XX Strike with extended lip, 4.5" only, flat strike.	\$49	\$58
2102-01 Retrofit strike extended height 7-5/8" with dust box.	\$45	<sup>\$</sup> 54

#### 2290 Dual Force® Interconnected Deadbolt/Deadlatch Strikes

MODELS & FINISHES	630	119, 121
2206-01 Standard flat strike with dust box	§32	\$39
2206-XX Strike with extended lip, specify dimension from strike centerline to frame face, to 4.5" maximum, flat strike only	<sup>\$</sup> 49	

#### 4000 Series MS® Deadlock Strikes

MODELS & FINISHES	630	313, 335, 628	US3, US26D	119, 121
4000 Trim Strike		\$33		
4001 Box Strike, includes dust box		\$33	\$58	
MS4002 Armored Strike		<sup>\$</sup> 67	<sup>\$</sup> 91	
4003 ANSI strike, available in 121 or US26D only			<sup>\$</sup> 82	\$82
4005 Strike for 4015 Threshold Bolt	<sup>\$</sup> 25			
4006 Strike for 1830 Bottom Rail Deadlock	\$51			
4009-01 Open back strike for 3300, 8300 Series Mortise Exit Device	\$168			
4170 Trim strike for 4070 Short Throw Deadbolt, not available in 335 finish		\$33		
4505-01 Flat armored box strike for MS+1890 Deadlock/Deadlatch	\$58			<sup>\$</sup> 65
4505-02 Radius armored box strike for MS+1890 Deadlock/Deadlatch	<sup>\$</sup> 58			<sup>\$</sup> 65
4505-17, 4505-21 Flat long lip armored box strike	<sup>\$</sup> 72			\$80



How to Order Specify quantity and the following information. Order related products separately

STRIKE MODEL	TRIM PLATE SHAPE	COMPATIBLE DEADLOCK	TRIM PLATE CORNERS	FINISH
4001	-O		1	-313
4000 Trim Strike	0 Flat	1 All Standard MS® locks with 1-3/8" Bolt Throw	1 Square	313 Dark Bronze Anodized
4001 Box Strike	1 Radius	2 1850A-020 with 3/4" Bolt Throw Only	2 Round	335 Black Anodized
MS4002 Armored Strike		3 All MS-050 Hookbolt locks		628 Clear Anodized

Adams Rite ASSA ABLOY

#### 4800, MS4804 Series Strikes

MODELS & FINISHES	603	630
MS4804-10-630 Reinforcing strike and screws, two-part with reinforcement for strengthening metal jamb		<sup>\$</sup> 25
4801 Metal strike, specify dash number indicating shim quantity	\$21	<sup>\$</sup> 28
4802 Wood strike, specify dash number indicating shim quantity	\$21	<sup>\$</sup> 28
4810-01, 4810-02 Box strike for 5017 Wood Door Deadlock/Deadlatch	\$21	



#### How to Order Specify quantity and the following information. Order related products separately

PRODUCT NO.	TYPE OF JAMB	DIMENSION 'A'	FINISH
480		-02	-630
	1 Metal	01 3/32"	603 Zinc Plated Steel
	2 Wood	02 3/16"	630 Satin Stainless
		03 9/32"	

## 4901, 4902 Deadlatch Strikes

MODELS & FINISHES	630	119, 121
4901-01 Flush mount flat strike, mortised with dust box	\$22	<sup>\$</sup> 28
4901-02 Flush mount radius strike, mortised with dust box	\$22	\$28
4901-XX Extended lip strike, specify lip dim 'A', 2.5" maximum*	\$44	\$48
4902-01 Short box strike, flat with dust box, mounting plate	\$22	\$28
4902-02 Short type box strike, radius with dust box, mounting plate	\$22	\$28
4902-XX Extended lip strike, specify lip dim 'A', 2.5" maximum*	\$44	<sup>\$</sup> 55
4506-02 Strike for use with 4920AN, not available in 119 finish	\$44	\$51



\*See dim. 'A' dash chart table below.

How to Order Specify quantity and the following information. Order related products separately

PRODUCT NO.	STRIKE TYPE	FACEPLATE SHAPE				FINISH
490		-02				630
		STANDARD LIP			119 To match 335 Black Anodized	
	1 Long	01	Flat			121 To match 313 Dark Bronze Anodized
	2 Short	02	Radius			630 Satin Stainless Steel
		LONG LIP FOR CENTER HUNG DOOR	DIM. 'A'	LONG LIP FOR CENTER HUNG DOOR	DIM. 'A'	
		03 2-1/4" Wide Jamb	1-1/8	13 3-1/2" Wide Jamb	1-3/4	
		05 2-1/2" Wide Jamb	1-1/4	15 3-3/4" Wide Jamb	1-7/8	
		07 2-3/4" Wide Jamb	1-3/8	17 4" Wide Jamb	2	
		09 3" Wide Jamb	1-1/2	19 4-1/4" Wide Jamb	2-1/8	
		11 3-1/4" Wide Jamb	1-5/8	21 4-1/2" Wide Jamb	2-1/4	

#### 4304 Deadlatch Strikes

MODEL & FINISHES	630	119, 121
4304 Surface mount strike for 4300 Electrified Deadlatch	<sup>\$</sup> 25	\$33



#### 2190, 2290 Dual Force® Interconnected Deadbolt/Deadlatch Thick Door Kit

MODELS	PRICE
2190-TDK-XX Thick door kit for 2190, 2290 standard exterior trim set. Specify door thickness.*	<sup>\$</sup> 72
2190-TDK-CL1, -CL2 Thick door kit for 2190, 2290 cladded doors. CL-1 for a standard 1-3/4" thick door with 1/4" cladding. CL-2 for a standard 1-3/4" thick door with 1/2" cladding.	<sup>\$</sup> 72
TDK-4600-XX Thick door kit for 2190, 2290 low profile trim set. Specify door thickness.*	\$33

\*For door thickness (01) 1-3/4", (02) 2", (03) 2-1/4", (04) 2-1/2", (05) 2-3/4", (06) 3", (07) 3-1/4".

## 4568, 4569 Eurostyle Deadlatch Handle Thick Door Kits

MODELS	PRICE
91-0128-02, 91-0128-03, 91-0128-04 Thick door kits for 4568, 4569	<sup>\$</sup> 24
26-0203-01, 26-0203-02, 26-0203-03 Thick door kits for 4568-11, 4569-11	<sup>\$</sup> 24

#### **FACEPLATES**

#### MS1850S Deadlock Faceplates

MODELS & FINISHES	313, 628
BFK-MS1850-10 Blank faceplate kit, flat, 1" x 6-7/8"	\$28
BFK-MS1850-11 Blank faceplate kit, radius, 1" x 6-7/8"	\$28

## MS1850S, MS1950 Deadlock (Standard Bolt) Faceplates

MODELS & FINISHES	313, 335, 628	US4, US26D	US3, US26
<b>24-0384-010</b> Flat faceplate	\$9	\$36	\$40
24-0384-110 Radius faceplate	\$9	\$36	\$40
24-0384-210 Left hand bevel faceplate	\$9	\$36	\$40
24-0384-310 Right hand bevel faceplate	\$9	\$36	\$40
24-0384-410 Radius with weatherstrip	\$13		
SPECIAL MODELS	313, 628		
24-0384-110-313-B100, 24-0384-110-628-B100 Radius faceplates, bulk package of 100 units	\$797		
24-0384-210-313-B100, 24-0384-210-628-B100 Left hand bevel faceplates, bulk package of 100 units	\$797		
24-0384-310-313-B100, 24-0384-310-628-B100 Right hand bevel faceplates, bulk package of 100 units	\$797		
24-0384-410-313-B100, 24-0384-410-628-B100 Radius with weatherstrip faceplates, bulk package of 100 units	\$1,094		

Please note that all 100 faceplates in the bulk package are of the same finish.



#### MS1850S, MS1950 Deadlock (Hookbolt and Short Bolt) Faceplates

MODELS & FINISHES	313, 335, 628	US4, US26D	US3, US26
24-0384-020 Flat faceplate	\$9	\$36	\$40
24-0384-120 Radius faceplate	\$9	\$36	\$40
24-0384-220 Left hand bevel faceplate	\$9	\$36	\$40
24-0384-320 Right hand bevel faceplate	\$9	\$36	\$40
24-0384-420 Radius with weatherstrip	\$13		
SPECIAL MODELS	313, 628		
24-0384-020-313-B100, 24-0384-020-628-B100 Flat faceplates, bulk package of 100 units	\$797		
24-0384-120-313-B100, 24-0384-120-628-B100 Radius faceplates, bulk package of 100 units	\$797		
24-0384-220-313-B100, 24-0384-220-628-B100 Left hand bevel faceplates, bulk package of 100 units	\$797		
24-0384-320-313-B100, 24-0384-320-628-B100 Right hand bevel faceplates, bulk package of 100 units	\$797		
<b>24-0384-420-313-B100</b> , <b>24-0384-420-628-B100</b> Radius with weatherstrip faceplates, bulk package of 100 units	\$1,094		

Please note that all 100 faceplates in the bulk package are of the same finish.

## MS1850SN Deadlock (Standard Bolt) Faceplates

MODELS & FINISHES	313, 335, 628
<b>24-0226-010</b> Flat faceplate	\$13
24-0226-110 Radius faceplate	\$13
24-0226-210 Left hand bevel faceplate	\$13
24-0226-310 Right hand bevel faceplate	\$13

#### MS1850SN-45X Deadlock (Hookbolt) Faceplates

MODELS & FINISHES	313, 335, 628
<b>24-0226-020</b> Flat faceplate	\$13
24-0226-120 Radius faceplate	\$13
24-0226-220 Left hand bevel faceplate	\$13
24-0226-320 Right hand bevel faceplate	\$13

## 1870 Flushbolt Faceplates

MODELS & FINISHES	313, 335, 628
24-0168-00 Flat faceplate	\$21
24-0168-01 Radius faceplate	\$21
24-0168-02 Left hand bevel faceplate	\$21
24-0168-03 Right hand bevel faceplate	<sup>\$</sup> 21
24-0168-04 Radius with weatherstrip	\$24

## MS+1890 Deadlock Faceplates

MODELS & FINISHES	313, 335, 628
24-0270-020 Flat faceplate	<sup>\$</sup> 12
24-0270-120 Radius faceplate	\$12
24-0270-220 Left hand bevel faceplate	\$12
24-0270-320 Right hand bevel faceplate	\$12
24-0270-420 Radius with weatherstrip	\$17



## 2190 Dual Force® Interconnected Deadbolt/Deadlatch Faceplates

MODELS & FINISHES	313, 628
91-0266-01-313-IP, 91-0266-01-628-IP Flat faceplate and radius faceplate kit for aluminum (2190)	\$45
91-0266-04-313-IP, 91-0266-04-628-IP Flat faceplate and radius faceplate kit for wood or hollow metal (2290)	\$45

#### 2331 Heavy Duty Deadbolt Faceplates

MODELS & FINISHES	121	US26D	US3
22-0170 Flat faceplate	\$44	\$44	\$49
22-0032 Strike plate	\$44	\$44	\$49

## 3300 Fire-Rated Mortise Exit Device Faceplates

MODEL & FINISHES	335, 628
24-0015-020 Flat faceplate	\$12

#### 4070 Short Throw Deadbolt Faceplates

MODELS & FINISHES	313, 335, 628
24-0136-00 Flat faceplate	<sup>\$</sup> 12
24-0136-10 Radius faceplate	<sup>\$</sup> 12
24-0136-20 Left hand bevel faceplate	\$12
24-0136-30 Right hand bevel faceplate	<sup>\$</sup> 12

## 4500 Standard Duty Deadlatch Faceplates

MODELS & FINISHES	313, 335, 628
24-0017-0220 Flat faceplate	\$9
24-0017-1220 Radius faceplate	\$9
24-0017-2220 Left hand bevel faceplate	\$9
24-0017-3220 Right Hand bevel faceplate	\$9
24-0017-4220 Radius with weatherstrip	\$13

Please note that all 100 faceplates in the bulk package are of the same finish.

## 4530 Standard Duty Deadlatch Faceplates

MODELS & FINISHES	313, 335, 628
<b>24-0016-020</b> Flat faceplate	\$17
24-0016-120 Radius faceplate	\$17
24-0016-220 Left hand bevel faceplate	\$17
24-0016-320 Right hand bevel faceplate	\$17

## 4900 Heavy Duty Deadlatch Faceplates

MODELS & FINISHES	313, 335, 628	US4, US26D	US3, US26
24-0137-01 Flat or bevel faceplate	\$9	\$36	<sup>\$</sup> 41
24-0137-02 Radius faceplate	\$9	\$36	\$41
24-0137-03 Radius with weatherstrip	\$13		



#### 4900 Heavy Duty Deadlatch Special Faceplates

MODELS & FINISHES	313, 628
24-0140 Radius with weatherstrip seal (1-1/8" x 6-7/8")	<sup>\$</sup> 21
24-0144-01 Flat or beveled doors (1-1/8" x 7-1/4")	\$17

#### 4920, 8300 Faceplates

	MODEL & FINISHES	313, 335, 628
24-0138-01 Flat or bevel faceplate		\$28

#### 7100, 7160 Electric Strike Faceplates

MODEL & FINISHES	313, 335, 628
24-0685-01 Round corner faceplate (1-1/4" x 4-7/8")	<sup>\$</sup> 26

## 7101 Electric Strike Faceplates

MODEL & FINISHES	313, 335, 628
24-0685-02 Radius faceplate (1-1/4" x 4-7/8")	<sup>\$</sup> 26

#### 7110 Electric Strike Faceplates

MODEL & FINISH	652
22-0558 Round corner faceplate (1-7/16" x 7-15/16")	<sup>\$</sup> 26

## 7111 Electric Strike Faceplates

MODEL & FINISH	652, 630
22-0557 Round corner faceplate (1-7/16" x 10-1/4")	<sup>\$</sup> 26

## 7130 Electric Strike Faceplates

MODEL & FINISHES	313, 335, 628
24-0686-01 Round corner faceplate (1-1/4" x 6-7/8")	\$32.00

## 7131 Electric Strike Faceplates

MODEL & FINISHES	313, 335, 628
24-0686-02 Radius faceplate (1-1/4" x 6-7/8")	\$32.00

## 7140, 7170 Electric Strike Faceplates

MODEL & FINISHES	313, 335, 628
24-0687-01 Radius faceplate (1-1/4" x 4-7/8")	\$26.00



# POWER

## **PS-1** Power Supply

MODEL	PRICE
PS-1 Power supply, 12/24 VDC boxed P/S 1 Amp	\$348



## **PS-EXIT Power Supply**

MODEL	PRICE
PS-EXIT Power Supply for exit devices with Motorized Latch Retraction (MLR) and Electric Latch Retraction (LR) options.	\$707



#### Kitted Option

MODEL	PRICE
BBK-EXIT Add-on board to the PS-EXIT, must be supplied with 2 each 12 V – 7 AH batteries (by others)	\$245

 $Adams\ \textit{Rite}\ \textit{PS-LR}\ \textit{and}\ \textit{PS-SE}\ \textit{were}\ \textit{discontinued}\ \textit{as}\ \textit{of}\ \textit{November}\ \textit{2020}.\ \textit{Customers}\ \textit{can}\ \textit{now}\ \textit{order}\ \textit{the}\ \textit{PS-EXIT}.$ 

#### 4612 Power Transfer Device

MODELS	PRICE
4612-1 Wire transfer, 105° swing	\$182
4612-2 Wire transfer, 180° swing	\$232
4612-1SC Wire transfer, swing clear 90° swing	\$311
4612EL-1 Wire transfer, 105° swing with ElectroLynx(TM) Adapter	\$212
4612EL-1SC Wire transfer, 90° swing with ElectroLynx(TM) Adapter	\$341



## 4603, 4605, 4606 Transformer/Rectifier/Piezo Horn

MODELS	PRICE
4603 Rectifier	\$19
4605 Transformer, 115 VAC to 12/24 VAC	<sup>\$</sup> 64
4606 Plug-in transformer, 115 VAC to 24 VAC only	\$104
29-0218 Piezo electric horn	\$25
ELX ElectroLynx™ Adapter to connect Adams Rite products to the ElectroLynx system	\$36







# DEMO MOUNTS

#### **DEADLOCKS & DEADLATCHES**

#### RT1050 RITE Touch® Digital Glass Door Lock

MODEL & FINISH	PRICE
RT1050D-DEMO RITE Touch digital glass door lock with thumbturn, for all-glass doors	\$899
RT1050L-DEMO RITE Touch digital glass door lock with lever, for full-glass doors	\$899

#### 2190 Dual Force® Interconnected Deadbolt/Deadlatch

MODELS & FINISH	US32D
2190-MOUNT Dual Force® 2190 Interconnected Deadbolt/Deadlatch mounted complete with electrified trim set	\$1,132

#### 4300 Steel Hawk® Electrified Deadlatch

MODELS & FINISH	US32D
4300-MOUNT Steel Hawk* 4300 Electrified Deadlatch mounted complete with 4600 Heavy Duty Designer Deadlatch Lever Trim with MN designer lever	\$980

#### DL100 Aperio® Wireless Deadlatch

MODELS & FINISH	PRICE
DL100-MOUNT Steel Hawk® 4300 Electrified Deadlatch mounted complete with 4600 Heavy Duty Designer Deadlatch Lever Trim with MN designer lever	<sup>\$</sup> 1,399

#### **ELECTRIC STRIKES**

#### 7400 Ultraline® Electric Strikes

MODELS & FINISH	PRICE
7440-MOUNT UltraLine 7440 Electric Strike mounted complete with 4-7/8" faceplate, 628 finish	\$860
74R1-MOUNT UltraLine 74R1 Electric Strike for rim exit devices with 3/4" Pullman latches mounted complete, 130 finish	\$908
74R2-MOUNT UltraLine 74R2 Electric Strike for rim exit devices with 1/2" Pullman latches mounted complete, 130 finish	\$908

#### **TRIM**

## 3090 eForce® Keyless Entry

MODELS & FINISH	626
3090-MOUNT eForce*3090-150 Keyless Entry Trim mounted complete with 4900 Heavy Duty Deadlatch	\$1,591

## 4600 Heavy Duty Designer Deadlatch Handles

MODELS & FINISH			
4600-MOUNT 4600 Heavy Duty Designer Deadlatch Lever Trim with MN designer levers, mounted complete with Dual Force* 2190 Deadbolt/Deadlatch (lock)			



BUNDLES DEMO MOUNTS 47

## BUNDLES

## MS1850S Deadlock with Deadlock Trim and Cylinder Bundle

MS DEADBOLT FLAT FACEPLATE	BACKSET STRAIGHT BOLT – NON HANDED	DEADLOCK TRIM	DOOR HANDING DOOR THICKNESS 1-3/4" – 2"	DEADLOCK CYLINDER KEYED DIFFERENT	FINISH
MS1850S	310	-4550	R01	-C2	628
MS1850S	310 1-1/8"	4550	RO1 RH or RHR	C2 Five pin mortise cylinder	628 Clear Anodized
	410 1-1/2"		LO1 LH or LHR		313 Dark Bronze Anodized
					335 Black Anodized

MODELS & BACKSETS	1-1/8" OR 1-1/2"
MS1850S Flat faceplate, 313, 335, or 628 finish, without strike plate	<sup>\$</sup> 78
MODEL & FINISHES	628, 313, 335
4550 Deadlock lever, 1-3/4" to 2" door thickness	\$212
C2 Five pin mortise cylinder	\$46

## Electrified Deadlatch with Paddle and Cylinder Bundle

ELECTRIFIED DEADLATCH WITH 11/8" BACKSET	MONITORING	STRIKE/FLAT STANDARD JAMB	DEADLATCH PADDLE	OPTION	OPERATION DOOR THICKNESS UP TO 1-3/4"	DEADLATCH CYLINDER KEYED DIFFERENT	FINISH
4303	М	101	-4591	MA	02		628
	0 None	101 Surface Mount (4304)	Paddle		02 Push to Left Outside of left hand door or inside of right hand reverse	C1 Five pin mortise	628 Clear Anodized
	M Monitored	201 Mortised (4901) 4-5/8"				cylinder	313 Dark Bronze Anodized
				MA Active Paddle W/ Switch	04 Push to Right Outside of right hand door or inside of left hand reverse		335 Black Anodized

MODEL & FINISHES	628, 313, 335
4303 Electrified deadlatch 1-1/8" backset	\$463
4303M Monitored option, 1-1/8" backset	\$529
4591 For door thickness 1-3/4"	\$133
4591MA For door thickness 1-3/4" with Active Paddle Monitor Switch	\$254
C1 Five pin mortise cylinder	\$46



# GENERAL INFORMATION

#### Limited Warranty

Adams Rite warrants that its products sold under the Adams Rite brand in the United States of America are warranted free from defects in workmanship and materials under normal use and service. This warranty does not cover defects or damage arising from improper installation, lack of or improper maintenance, improper storage, shipping and handling, corrosion, erosion, ordinary wear and tear, misuse, abuse, accident, unauthorized service, or use with unauthorized non-Adams Rite products or parts. This warranty is void if any modification is made to the product, regardless of whether the modification causes or contributes to the alleged defect. All modifications are made at the risk of the party making the modification.

Should any defect of manufacture (in material or workmanship) occur in its products. Adams Rite, upon prompt notification and proof to its satisfaction that the product was defective in manufacture for the use intended by Adams Rite, will at its option, exchange the product, repair the product, or refund the price charged by Adams Rite. FOB factory within the stated time frame listed below. .

- 10 years on all mechanical products from the date of manufacture
- 5 years on the following electromechanical product categories from the date of manufacture, deadlocks, dead latches, exit devices\*, electric strikes, trims, power supply & accessories
  - \* NOTE: The MLR option (motorized electric latch retraction) is supported by a 1-year electro mechanical warranty. When powered by an Adams Rite PS-EXIT power supply the 1-year warranty is upgraded to 5 years
- 3 years on the following access control products from the date of manufacture, RT1050, 3090-150.

THIS WARRANTY IS IN LIEU OF ALL OTHER EXPRESS WARRANTIES. TO THE EXTENT PERMITTED BY LAW, ALL IMPLIED WARRANTIES ARE LIMITED TO THE DURATION OF THIS WARRANTY. ADAMS RITE IS A DIVISION OF HANCHETT ENTRY SYSTEMS, INC. HANCHETT ENTRY SYSTEMS, INC. SHALL NOT BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES, SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS OR THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSIONS MAY NOT APPLY TO YOU THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE.

#### Terms & Conditions

PRICES: All prices are subject to change without notice. Prices listed on the Adams Rite website will serve as the most current list price. All shipments will be made at prices in effect at the time of shipment. The customer shall be responsible for payment of all applicable sales and/or use taxes and freight costs.

MINIMUM ORDER: Minimum product charge per invoice is \$150.00 USD.

PAYMENT TERMS: Net thirty (30) days from date of invoice. Interest at the rate of up to 1-1/2% per month may be charged on all past due accounts. An order received on an account which has not been paid within 45 days of the date of invoice may not be processed until the account is current. Custom orders may require a deposit.

**DELIVERY TERMS:** All prices are Ex-works factory. Purchaser assumes the risk of loss or damage to the goods while in transit from the point of shipment. Adams Rite reserves the right to make delivery in installments. Installments shall be separately invoiced and paid for when due. Delay in delivery of an installment shall not relieve the purchaser of its obligation to accept remaining deliveries.

FREIGHT POLICY: All Purchase Orders received with a minimum net value of \$3,500 will qualify automatically for free standard freight within the continental United States. This minimum amount applies per Purchase Order to qualify and does not include free expedited freight. Qualified orders may ship partial or ship complete at your preference. Qualified orders that ship partial will not incur freight charges. All shipments that do not qualify for free freight will be charged for freight based upon our terms in effect at the time of shipment. Customers may provide their own carrier account number for expedited freight methods or for any Purchase Order to be used to cover freight costs. Minimum amounts are subject to change without notice.

SHORTAGE: Any claim for shortages must be made to Adams Rite in writing within one (1) week of receipt of merchandise.

WARRANTY RETURNS: A Customer Care Form (CCF) for defective product must be obtained from Alarm Controls before any merchandise can be returned. CCF's are valid for sixty (60) days from date of issuance Goods returned under the terms of Adams Rite Warranties may require a copy of the original invoice.

RETURNS: A Customer Care Form (CCF) must be obtained from Adams Rite before any merchandise can be returned. CCF's are valid for sixty (60) days from date of issuance. Items returned are subject to restocking fees.

CANCELLATIONS: Any order may be subject to a 5% cancellation charge for catalog items. Cancellation of non-catalog or custom items will be subject to a 20% cancellation charge plus all costs (both direct and indirect) incurred by manufacturing at the point of cancellation that are properly allocated to the cancelled item(s).

LIMITATION OF LIABILITY: Neither party will be liable to the other for any delay or failure in performance arising directly out of war, sabotage, insurrection, riot, and any other act of civil disobedience, act of public enemy, fire, explosion, flood, storm, or other act of God or nature, or similar cause beyond its reasonable control, including shortage or unavailability of labor or materials. If, notwithstanding the foregoing limitations, Adams Rite has any liability to the purchaser, the purchaser agrees that the total liability to the purchaser for all losses, damages, and causes of action, whether in contract, equity, tort (including without limitation, negligence and gross negligence), or otherwise, will not exceed the amount the purchaser paid to Adams Rite for the products (including, without limitation, incidental or consequential damages, damages for lost profits or business interruption, and punitive damages).

NO THIRD PARTY LIABILITY: If the purchaser uses the Adams Rite Products on behalf of others or provides to others any products referenced herein, the Adams Rite Parties shall have no liability to such persons whatsoever. and the purchaser agree to defend and indemnify the Adams Rite Parties from any and all claims and demands asserted against them, and from any legal fees, costs and other expenses that the Adams Rite Parties incur therewith.

#### Canada

Customers purchasing from Door Security Solutions Canada can find Canadian Terms and Conditions at www.assaabloy.ca/terms.





# USA

800.872.3267 | f: 800.232.7329 | adamsrite.com

customerservice.adamsrite@assaabloy.com techsupport.adamsrite@assaabloy.com orders.adamsrite@assaabloy.com

## Canada

800.461.3007 | f. 800.461.8989 | assaabloydss.ca

sales.dss.ca@assaabloy.com orders.dss.ca@assaabloy.com

Patent pending and/or patent www.assaabloydss.com/patents.
Copyright © 2022, Hanchett Entry Systems, Inc., an ASSA ABLOY Group company.
All rights reserved. Reproduction in whole or in part without the express written
permission of Hanchett Entry Systems, Inc. is prohibited. AR-068-0522

The ASSA ABLOY Group is the global leader in access solutions. Every day we help people feel safe, secure and experience a more open world.

