

Architectural Hardware

Pricelist 32 September 2021



Table of Contents

Introduction	Terms of Sale	V
	Freight Policy	V
	Limited Warranty Policy	Vİ
	Finishes Cross Reference	vii
Select Service Quick Ship	Ordering Information	S1
	Locks	S2
	Exit Devices	Sć
	EAC Components	S8
	Low Energy Operator	S9
	Surface Closers	S10
	Electromagnetic Door Holders	S12
	Concealed Closers/Pivots	S12
Locks	Locks Product Guide	1
	M9000 Grade 1 Mortise Series	3
	D900 Grade 1 Mortise Dead Bolt Series	15
	T900 Tubular Series	19
	C800 Grade 1 Cylindrical Series	25
	D800 Grade 1 Dead Bolt Series	35
	CL700/CK700 Grade 2 Cylindrical Series	41
	C500 Grade 2 Cylindrical Series	49
	DB600 Grade 2 Dead Bolt Series	53
	C300 Grade 2 Cylindrical Series	57
	J300 Grade 2 Interconnected Series	59
Cylinders, Keys, and Keying	Cylinders, Keys, and Keying Product Guide	61
	Master Keying/DORMA SKC Policy	62
	Mortise Cylinders	63
	Rim Cylinders	68
	Key-in-Knob/Lever Cylinders	70
	Hotel Cylinders	71
	Small Format Interchangeable Cores	73
	Large Format Interchangeable Cores	74
	Retrofit Cylinder Housings	75
	Tailpieces	76
	Keys and Key Blanks	77
	SFIC Padlocks	79
	Service Parts	80
	Labeling and Cylinder Marking	82
	Merchandising Aids	83
Exit Devices	Exit Device Product Guide	85
	9000 Series	87
	9000 Series Wide Stile Exits	88
	9000 Series Wide Stile Trim	99
	9000 Series Narrow Stile Exits	116
	9000 Series Narrow Stile Trim	125
	8000 Series	135

	8000 Series Exits	136
	8000 Series Trim	142
	Mullions	151
Electronic Access Control Components	DKPS Power Supply Series	153
	ES Series	156
	EML Series	160
	EMLSG Series	168
	EMSL Series	170
	EMDE Series	172
	AC Series	174
	PB Series	176
	39 Series	180
	KS Series	182
	Accessories	185
Low Energy Operators	ED900 Series	188
	ED50/ED100	192
Surface Closers	Surface Closers Product Guide	194
	TS93 Series	196
	8900 Series	199
	8600 Series	205
	7400 Series	209
	U1500 Series	213
	7300 Series	215
	STA Series	219
	GSR Series	221
	Modular Packaging	223
Fire/Life Safety	Fire/Life Safety Product Guide	225
	EMR/EMF Series	227
	1800 Series	231
	EM Series	235
Concealed Closers/Pivots	Concealed Door Closers Product Guide	237
	BTS80 Series	239
	BTS80 EMB Series	245
	BTS75V Series	251
	ITS96 Series	257
	RTS88 Series	259
	LM Series Heavy-Duty Pivots	265
	LM Series Extra Heavy-Duty Pivots	269



Stops/Holders	900/700 Series	273
Architectural Pulls and Handles	Finishes Cross Reference	277
	TG 138 Locking and Non-Locking Ladder Pulls	278
	TG 9387 Non-Locking Ladder Pulls	281
	MANET Non-Locking Ladder Pulls	284
	TG Decorative Pulls	286
	ARCOS and BEYOND Decorative Pulls	288
	Pull Handles for Commercial Doors	289



Terms of Sale

(Effective November 2020)

Prices — The price list in effect on the date the customer order is received will determine billing price. Orders requiring price protection must be clearly indicated and received prior to the effective date of the price list increase. Delivery of price-protected orders will only be honored for immediate shipment. Orders requiring delivery in excess of three (3) months will be billed at prices in effect at time of shipment, unless otherwise quoted in writing by dormakaba. Prices and availability subject to change without notice.

Terms - 1% -10 days; Net - 30.

Orders — We reserve the right to decline the whole or part of orders in which price, finishes, or quantity of goods or credit status of the buyer is not satisfactory to us. We reserve the right to discontinue items or change specifications at any time without notice and without incurring any obligations. dormakaba cannot be held liable for extended delivery dates that may result in the cancellation of an order.

Acknowledgements — Acknowledgements are exact copies of the manufacturing order and should be checked upon receipt. If incorrect, please notify us immediately.

Cancellations — While dormakaba will attempt to comply with customer's telephone or written change orders and/or cancellations, we cannot guarantee that they can be accomplished before shipment. Appropriate handling charges on returns will be exercised if the order has been shipped before processing a change order request. **A cancellation or change charge will apply if any costs for material or labor have been incurred prior to notification by customer of the change.**

Shipments — Shipment dates are contingent upon conditions at the time of order acknowledgement and can be subject to delays caused by shortages of materials, strikes, or other labor problems, equipment failure, fire, flood or other acts of God, or causes beyond our control. dormakaba will not be liable under any circumstances for consequential damages arising from any delays.

Claims — All claims, whether referring to errors in prices, in filling orders, or for defective goods, must be submitted IN WRITING within 30 days after receipt of shipment. Requests for tracing of all lost shipments must be submitted IN WRITING within 30 days or the liability and risk is placed on the purchaser. All issued documents by a carrier confirming receipt of a shipment must be honored by the purchaser.

Return Goods — Returned goods will not be accepted unless authorized by a Return Goods Authorization (RGA) in writing within 120 days of invoice date. An RGA becomes void 30 days after its issue date. Credit will be given for products that are current production, new, unused, and in undamaged condition as received at the dormakaba facility. A minimum 35% restock charge will apply. For Lock returns, please call customer service at 800-523-8483 for shipping information. Exit devices should be shipped to dormakaba USA Inc. Returns Department, 1003 West Broadway, Steeleville, Illinois 62288. All other products should be shipped to dormakaba USA Inc. Returns Department, Dorma Drive, Reamstown, PA 17567. Returned material must be freight prepaid. Any exceptions to this policy will be noted on the RGA document.

To protect our customers from liability, do not sign the delivery receipt until shipment has been inspected thoroughly.

Customer is responsible to make necessary notations on the delivery receipt after inspection. Failure to note damaged items and/or shortages on the receipt releases dormakaba from all liability; therefore, customer is responsible for any replacement costs. If damage or shortage is noted, please notify your dormakaba customer service representative within 48 hours of receiving your shipment.

Product Modifications — Unauthorized modifications to dormakaba USA Inc. (dormakaba) products by a third party will void the factory limited warranty. For a full description, please refer to the LIMITED WARRANTY POLICY. Any listings and/or certifications, such as Underwriters Laboratory, ANSI/BHMA certification, and other similar listings, do not apply to products modified outside dormakaba's U.S. plants. Any modified product cannot be advertised, promoted or sold as a dormakaba product. The party, or parties, modifying dormakaba products bear sole and complete responsibility for the modified product.

Limitation of Liability — TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE MAXIMUM LIABILITY, IF ANY, OF SELLER FOR ANY AND ALL DAMAGES OF ANY NATURE WHATSOEVER, WHETHER ARISING FROM SELLER'S BREACH OF THESE TERMS AND CONDITIONS, BREACH OF WARRANTY, NEGLIGENCE, STRICT LIABILITY OR OTHER TORT WITH RESPECT TO THE PRODUCTS IS LIMITED TO AN AMOUNT NOT TO EXCEED THE PURCHASE PRICE OF THE PRODUCT ORDER.

IN NO EVENT SHALL SELLER BE LIABLE FOR ANY SPECIAL, INCIDENTAL, INDIRECT, OR CONSEQUENTIAL DAMAGES ARISING OUT OF OR RELATING TO THE SALE OF THE PRODUCTS AN THEIR USE, INCLUDING BUT NOT LIMITED TO LOSS OF BUSINESS, REVENUE, PROFITS, GOODWILL, OR THIRD PARTIES CLAIMS, EVEN IF IT HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Governing Law — These terms and conditions, including any order in relation thereto, shall be governed by and construed in accordance with the laws of the State of Indiana without reference to the conflict of law provisions of any State.

AHS ACCESS HARDWARE SUPPLY

Freight Policy

(Effective November 2020)

Freight Policy for Consignees within Contiguous United States

Customer orders that exceed \$5,000 (USD) in net value (before tax and freight) will be shipped by a carrier selected by dormakaba, freight prepaid as a single shipment to a single business destination within the contiguous United States. Other terms apply to Alaska, Hawaii, Puerto Rico, and export orders. When a customer requests either multiple destinations or multiple shipments to the same destination, the \$5,000 minimum will apply to each shipment requested. Items backordered from an order qualifying for prepaid shipping charges will be shipped prepaid.

Orders less than \$5000 in net value will be shipped by a carrier selected by dormakaba, with shipping and handling charges added to the customer's invoice.

All charges resulting from customer designated carrier, air freight, special handling, special routing or other freight services requested by the customer will be prepaid and added to the customers invoice.

All goods ship F.O.B. factory. Title and risk of loss pass to the customer upon tender of shipment to the carrier. If product is damaged in transit, consignee must file claim with the carrier.

Freight Policy for Consignees in Alaska, Hawaii, Puerto Rico, and Destinations Outside the Contiguous United States

Customer orders that exceed \$5,000 (USD) in net value (before tax and freight) will be shipped by a carrier selected by dormakaba, freight prepaid to a U.S. airport or port of exit for single shipment orders. When a customer requests either multiple destinations or multiple shipments to the same destination, the \$5,000 minimum will apply to each shipment requested. Items backordered from an order qualifying for prepaid shipping charges will be shipped prepaid as Buyer's exclusive remedy.

At dormakaba's option, this freight policy may be subject to special terms and conditions for certain export orders. Orders less than \$5000 in net value will be shipped to a US airport or port of exit by a carrier selected by dormakaba, with shipping and handling charges added to the customer's invoice.

All charges resulting from customer designated carrier, air freight, special handling, special routing, or other freight services requested by the customer will be prepaid and added to the customer's invoice.

All goods ship F.O.B. factory. Customer shall be responsible for obtaining insurance. Title and risk of loss for products shall pass when made available to customer on delivery to carrier in the United States; provided that if payment has not been made at the time of shipment, dormakaba shall retain title (but not risk of loss) until payment has been made. If product is damaged in transit, customer must file claim exclusively with airline, carrier, vessel and/or insurance company; provided, however, that if dormakaba has not received payment in full at the time the product is damaged in transit, dormakaba shall have the right to file claim exclusively with airline, carrier, vessel and/or insurance company.

PROUDLY DISTRIBUTED BY

ACCESS
HARDWARE
SUPPLY

Limited Warranty Policy

(Effective November 2020)

For projects located in the United States and Canada, all products sold are warranted to be free from defects in workmanship and materials for the periods listed in the table below, from the date of manufacture. THIS COMPRISES SELLER'S SOLE AND EXCLUSIVE WARRANTY AND IS MADE EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES, WRITTEN OR ORAL, EXPRESSED OR IMPLIED, STATUTORY OR OTHERWISE CONCERNING THE PRODUCTS, AND ALL OTHER WARRANTIES, AND SELLER SPECIFICALLY DISCLAIMS ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTIBILITY OR FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF IMPLIED WARRANTIES, SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO THE BUYER HEREUNDER.

Limited warranty period (yea	ars) by product (from date of manufacture)	Mechanical	Electrical
Door Controls	TS93, 8900, 8600, 7400, 7300, BTS75V, BTS80	25	N/A
	U1500	10	N/A
	ITS, RTS	5	N/A
	EMR, EMF, 1800, GSR	25	2
	EMB, EM, EAC, ED900	2	2
	LM, 900, 700	2	N/A
Exit Devices	9000	10	2
	8000	5	2
Mullions		2	2
Mechanical Locks	M9000, D900, C800, D800	10	2
	CL/CK700, J300, DB600	5	N/A
	C500, T900	3	N/A
	C300	1	N/A
	SKC Keys	Lifetime	N/A
All other products not listed		2	1

^{*}Term begins at start of installation

For projects located outside the United States or Canada, the limited warranty period for all products is 1 year from the date of manufacture. dormakaba regional businesses located outside the United States or Canada may offer different warranty periods. "United States and Canada" is defined as the several states of the United States, the District of Columbia, the commonwealths, territories and possessions of the United States and the provinces and territories of Canada.

None of the warranties set forth herein shall extend to any products or parts thereof that have been subjected to improper installation, lack of, or improper, maintenance, improper storage, shipping and handling, ordinary wear and tear, misuse, neglect, accident, unauthorized service, use of unauthorized parts, or performance of repairs, modifications or attachment to other products outside of Seller's plant. These warranties shall neither extend to nor cover any labor charges for replacement of products or parts, adjustments, or repairs, or any other work, which costs shall be the sole responsibility of Buyer. These warranties are extended only to Seller's distributors of products and the first user who purchases products for purposes other than resale (collectively, "Buyer").

Buyer's sole and exclusive remedy against Seller for any claim, whether in contract, tort or otherwise, arising out of, or resulting from the purchase or use of the products shall be limited to the repair or replacement of any product or part thereof, which is proved to be other than as warranted, or, at the sole option of Seller, to the issuance of a credit in an amount not to exceed the cost of the repair or replacement. In no event shall Seller be liable to Buyer or any other party for, and Buyer waives, any and all other losses or damages of whatsoever nature, including, without limitation, incidental, special, direct, indirect, collateral, punitive or consequential damages, including, without limitation, loss of profits, or loss of use damages or downtime costs. Seller shall not be responsible or liable for any damage or loss resulting from the operation or performance of any other product or any systems in which Seller's product is incorporated. If a product is claimed to be other than as warranted, Seller, upon notice promptly given, will either examine the goods at Buyer's site or issue shipping instructions for return of product to the Seller (transportation costs prepaid by Buyer and all cost associated with the removal and reinstallation of such product to be the sole responsibility of Buyer).

Any representations, warranties or promises inconsistent with, or in addition to, the warranties contained herein are unauthorized and shall not be binding upon Seller. Because Seller has no control over the conditions under which its products are used, Seller specifically does not warrant the adequacy or sufficiency of any advice or recommendations given to Buyer. Nor does Seller warrant that every Seller product complies with every code, standard or regulation in every community except as specifically stated in a published Seller catalog or in writing signed by an officer of Seller. Seller shall not be bound by the terms of any agreements between a Buyer and third parties.

Finishes Cross Reference*

(Effective August 26, 2019)

Finish Description	Finish Appearance	dormakaba/BHMA Code	e Nearest U.S. Equivalent
Brass	Bright	605	US3
	Satin	606	US4
Bronze	Polished	611	US9
	Satin	612	US10
	Oil Rubbed/Dark Satin	613	US10B
Nickel	Bright	618	US14
	Satin	619	US15
Chrome	Bright	625	US26
	Satin	626	US26D
Stainless	Bright	629	US32
	Satin	630	US32D
Aluminum	Satin Anodized	628	US28
Dark Oxidized Bronze	Satin Anodized	710	US10B
Flat Black	Anodized	711	US19
Aluminum	Painted or Powder Coated	689	US28
Dark (Statuary) Bronze	Painted or Powder Coated	690	US20
Light (Dull) Bronze	Painted or Powder Coated	691	US10
Black	Painted or Powder Coated	693	Black Anodized
Dark (Duronodic) Bronze	Painted or Powder Coated	695	Dark Bronze Anodized
Satin Brass (Gold)	Painted or Powder Coated	696	US4
Primed	Painted or Powder Coated	600	USP
Custom	Painted or Powder Coated	Custom	RAL Pallet
 Designer	Painted	Designer	Sample Match

^{*} Excluding Mechanical Locks, Architectural Pulls & Handles, and Sliding Systems. See appropriate product section for available finishes.

Reference: ANSI A156.18 American National Standard for Materials and Finishes

600 Series Plated Finishes designate the appearance of the finish, regardless of the base material. For example, 605 defines a polished brass material, but 605 can be any base material, like steel or stainless, that is finished to provide the appearance of polished brass.

Standard sprayed finishes are shown above.

For a **Custom Color**, refer to the Custom Color Pallet. For Door Controls, a \$110.00 net setup fee per purchase order, per color will be charged. For exits and trim, a \$120.00 net setup fee per purchase order, per color will be charged. For a copy of the Custom Color Pallet, please contact your Representative or our Customer Service Department. Locks are NOT included in the Custom Color program.

For a **Designer Color**, custom matched to a supplied sample, three (3) each 2" × 3" color chip samples are required. For Door Controls, a non-refundable fee of \$270.00 net is required per color match request, per order prior to processing. For exits and trim, non-refundable \$430.00 net fee is required per color match request, per order prior to processing. Allow six (6) weeks for designer color development. If a match can not be made to the customer's satisfaction after three (3) attempts, dormakaba reserves the right to decline the order. Metallic colors are difficult to duplicate and may be rejected. Locks are NOT included in the Designer Color program.

Please contact our Sales Service Department, or your local sales representative for further information.




Select Service Quick Ship Program

For smaller orders of popular products when you need them fast—we have you covered

dormakaba's Select Service Quick Ship program offers complete nationwide coverage. Eligible products ship within 24 hours.

To order, indicate **Select Service** on your Purchase Order and send by email or fax:

hardwareselect.us@dormakaba.com | 866-376-7632



Contents

Locks	S2
Exit Devices	S6
EAC Components	S8
Low Energy Operator	S9
Surface Closers	S10
Electromagnetic Door Holders	S12
Concealed Closers/Pivots	S12

NOTES:

- Standard freight and discount schedules and terms of sale apply. Please refer to current price list for details.
- We reserve the right to limit quantities or decline an order if the credit status of the buyer is not satisfactory.
- · Orders cannot be cancelled.
- Select Service Quick Ship available only in the United States.
- All prices in U.S. dollars.
- Products and prices are subject to change without notice.
- · Limited quantities available.

Key

- "New" to Select Service, Available in East and West Coast Warehouse
- Available in East and West Coast Warehouse
- E Available only in East Coast Warehouse

PROUDLY DISTRIBUTED BY




(800) 348 – 2263

Locks

C800 Series Grade 1 Cylindrical Lever Locks

PN#	Warehouse	Product	Lever	Rose	Latch	Strike	Finish	Keying	List \$
626 Finish,	E Rose								
33800001		C801 Single Dummy	LR	Е	2-3/4" - 1-1/8" Face	ANSI 4-7/8"	626	_	204.00
33800002		C810 Passage	LR	Е	2-3/4" - 1-1/8" Face	ANSI 4-7/8"	626	_	477.00
33800003		C840 Privacy	LR	Е	2-3/4" - 1-1/8" Face	ANSI 4-7/8"	626	_	546.00
33800004		C853D Entry	LR	Е	2-3/4" - 1-1/8" Face	ANSI 4-7/8"	626	SCKD	634.00
33800005		C853J Entry	LR	Е	2-3/4" - 1-1/8" Face	ANSI 4-7/8"	626	IC	634.00
33800006		C870D Classroom	LR	Е	2-3/4" - 1-1/8" Face	ANSI 4-7/8"	626	SCKD	634.00
33800007		C870J Classroom	LR	Е	2-3/4" - 1-1/8" Face	ANSI 4-7/8"	626	IC	634.00
33800008		C880D Storeroom	LR	Е	2-3/4" - 1-1/8" Face	ANSI 4-7/8"	626	SCKD	634.00
33800009		C880J Storeroom	LR	Е	2-3/4" - 1-1/8" Face	ANSI 4-7/8"	626	IC	634.00
626 Finish,	C Rose								
33800155		C801 Single Dummy	LR	С	2-3/4" - 1-1/8" Face	ANSI 4-7/8"	626	_	204.00
33800156		C810 Passage	LR	С	2-3/4" - 1-1/8" Face	ANSI 4-7/8"	626	_	477.00
33800157		C840 Privacy	LR	С	2-3/4" - 1-1/8" Face	ANSI 4-7/8"	626	_	546.00
33800158		C853D Entry	LR	С	2-3/4" - 1-1/8" Face	ANSI 4-7/8"	626	SCKD	634.00
33800159		C853J Entry	LR	С	2-3/4" - 1-1/8" Face	ANSI 4-7/8"	626	IC	634.00
33800160		C870D Classroom	LR	С	2-3/4" - 1-1/8" Face	ANSI 4-7/8"	626	SCKD	634.00
33800161		C870J Classroom	LR	С	2-3/4" - 1-1/8" Face	ANSI 4-7/8"	626	IC	634.00
33800162		C880D Storeroom	LR	С	2-3/4" - 1-1/8" Face	ANSI 4-7/8"	626	SCKD	634.00
33800163		C880J Storeroom	LR	С	2-3/4" - 1-1/8" Face	ANSI 4-7/8"	626	IC	634.00






CL700 Series Grade 2 Cylindrical Lever Locks


PN#	Warehouse	Product	Lever	Rose	Latch	Strike	Finish	Keying	List \$
626 Finish									
33800012		CL701 Single Dummy	LR	Е	2-3/4" - 1-1/8" Face	ANSI 4-7/8"	626	_	123.00
33800013		CL710 Passage	LR	E	2-3/4" - 1-1/8" Face	ANSI 4-7/8"	626	_	215.00
33800014		CL740 Privacy	LR	E	2-3/4" - 1-1/8" Face	ANSI 4-7/8"	626	_	245.00
33800015		CL753D Entry	LR	Е	2-3/4" - 1-1/8" Face	ANSI 4-7/8"	626	SC KD	313.00
33800016		CL753J Entry	LR	E	2-3/4" - 1-1/8" Face	ANSI 4-7/8"	626	IC	313.00
33800017		CL770D Classroom	LR	Е	2-3/4" - 1-1/8" Face	ANSI 4-7/8"	626	SC KD	313.00
33800018		CL770J Classroom	LR	Е	2-3/4" - 1-1/8" Face	ANSI 4-7/8"	626	IC	313.00
33800019		CL780D Storeroom	LR	Е	2-3/4" - 1-1/8" Face	ANSI 4-7/8"	626	SC KD	313.00
33800020		CL780J Storeroom	LR	Е	2-3/4" - 1-1/8" Face	ANSI 4-7/8"	626	IC	313.00
33800063	E	CL701 Single Dummy	LC	Е	2-3/4" - 1-1/8" Face	ANSI 4-7/8"	626	_	123.00
33800064	E	CL710 Passage	LC	Е	2-3/4" - 1-1/8" Face	ANSI 4-7/8"	626	_	215.00
33800065	E	CL740 Privacy	LC	Е	2-3/4" - 1-1/8" Face	ANSI 4-7/8"	626	_	245.00
33800066	E	CL753D Entry	LC	Е	2-3/4" - 1-1/8" Face	ANSI 4-7/8"	626	SCKD	313.00
33800067	E	CL770D Classroom	LC	Е	2-3/4" - 1-1/8" Face	ANSI 4-7/8"	626	SCKD	313.00
33800068	E	CL780D Storeroom	LC	E	2-3/4" - 1-1/8" Face	ANSI 4-7/8"	626	SCKD	313.00





C500 Series Economy Grade 2 Cylindrical Lever Locks

PN#	Warehouse	Product	Lever	Rose	Latch	Strike	Finish	Keying	List \$
626 Finish									
33800024		C501 Single Dummy	LR	С	2-3/4" – 1" Face with Filler	ANSI 4-7/8"	626	_	76.00
33800025		C510 Passage	LR	С	2-3/4" – 1" Face with Filler	ANSI 4-7/8"	626	_	129.00
33800026		C540 Privacy	LR	С	2-3/4" – 1" Face with Filler	ANSI 4-7/8"	626	_	132.00
33800027		C553D Entry	LR	С	2-3/4" – 1" Face with Filler	ANSI 4-7/8"	626	SCKD	141.00
33800028		C553J Entry	LR	С	2-3/4" – 1" Face with Filler	ANSI 4-7/8"	626	IC	141.00
33800029		C570D Classroom	LR	С	2-3/4" – 1" Face with Filler	ANSI 4-7/8"	626	SCKD	141.00
33800030		C570J Classroom	LR	С	2-3/4" – 1" Face with Filler	ANSI 4-7/8"	626	IC	141.00
33800031		C580D Storeroom	LR	С	2-3/4" – 1" Face with Filler	ANSI 4-7/8"	626	SCKD	141.00
33800032		C580J Storeroom	LR	С	2-3/4" – 1" Face with Filler	ANSI 4-7/8"	626	SCKD	141.00
33800033		C501 Single Dummy	LC	С	2-3/4" – 1" Face with Filler	ANSI 4-7/8"	626	_	76.00
33800034		C510 Passage	LC	С	2-3/4" – 1" Face with Filler	ANSI 4-7/8"	626	_	129.00
33800035		C540 Privacy	LC	С	2-3/4" – 1" Face with Filler	ANSI 4-7/8"	626	_	132.00
33800036		C553D Entry	LC	С	2-3/4" – 1" Face with Filler	ANSI 4-7/8"	626	SCKD	141.00
33800037		C580D Storeroom	LC	С	2-3/4" – 1" Face with Filler	ANSI 4-7/8"	626	SCKD	141.00





C300/J300 Series Grade 2 Cylindrical and Interconnected Locks


PN#	Warehouse	Product	Function	Lever	Latch	Strike	Finish	Keying	List \$
626 Finish									
33800105		C301	Single Dummy	LR	_	-	626	_	37.00
33800140		C310	Passage	LR	238N 100R	Full Lip Radius	626	_	73.00
33800142		C340	Privacy	LR	238N 100R	Full Lip Radius	626	_	77.00
33800141		C310	Passage	LC	238N 100R	Full Lip Radius	626	_	73.00
33800143		C340	Privacy	LC	238N 100R	Full Lip Radius	626	_	77.00
33800126		J310	Entry, Single Cylinder	LR	234F 118S	T Strike	626	SCKD	388.00

Deadbolts

PN#	Warehouse	Product	Latch	Finish	Keying	List \$
630 Finish						
33800052		DB660D Cylinder × Turn	Adj, 1" Face with Filler	630	SCKD	96.00
33800053		DB660J Cylinder × Turn	Adj, 1" Face with Filler	630	IC	96.00
626 Finish						
33800050		DB660D Cylinder × Turn	Adj, 1" Face with Filler	626	SCKD	96.00
33800051		DB660J Cylinder × Turn	Adj, 1" Face with Filler	626	IC	96.00



(800) 348 – 2263



Exit Devices


9000 Series Grade 1 Wide Stile Exit Devices

PN#	Warehouse	Product	Length	Height	Hand	Strike	Finish	List \$
11913920		9300	В	_	_	463	689	945.00
11900100		9300	В	_	_	463	630	1,466.00
11910310		9300	А	_	_	463	630	1,466.00
11913937	E	F9300	В	_	_	463	689	1,132.00
11900104		F9300	В	_	_	463	630	1,646.00
11910311	E	F9300	А	_	_	463	630	1,646.00
11900108	E	9400	В	7'	RHR	426/439	630	2,136.00
11900107	E	9400	В	7'	LHR	426/439	630	2,136.00
11900112	E	F9400	В	7'	RHR	426/439	630	2,343.00
11900111	E	F9400	В	7'	LHR	426/439	630	2,343.00

^{*} For EO, 02, 08, 23 functions use 08 device

9000 Series Wide Stile Trim

PN#	Warehouse	Product	Cylinder	Keying	Finish	List \$
95008617	E	PRT03	D	SC KD	630	301.00
95009803	E	YC08	D	SC KD	630	585.00
95010417		YR08	D	SC KD	630	585.00
34000001	E	YR08	L	_	630	553.00
95009951	E	YC23	_	_	630	469.00
95010564		YR23	_	_	630	469.00





9000 Series Grade 1 Narrow Stile Exit Devices

PN#	Warehouse	Product	Length	Height	Hand	Strike	Finish	List \$
95058069	E	9700	BB	_	_	430	630	1,790.00

8000 Series Grade 1 Standard Exit Devices

PN#	Warehouse	Product	Length	Height	Hand	Strike	Finish	List \$
11800008		8300	В	_	_	463	689	536.00
11800194		8300	А	_	_	463	689	536.00
11800208		F8300	В	_	_	463	689	733.00
11800006	E	8400	В	7'	RHR	426/439	689	887.00
11800216	E	F8400	В	7'	RHR	426/439	689	1,127.00

8000 Series Trim

PN#	Warehouse	Product	Cylinder	Keying	Finish	List \$
95052326	E	8P03	D	SC KD	689	155.00
34000005		8R08	D	SC KD	689	340.00
34000004		8R08	D	SC KD	626	381.00
34000010	E	8R08J	J	_	626	381.00
34000006	E	8R23	_	_	626	315.00


Mullions

PN#	Warehouse	Product	Finish	List \$
95041980		1330-8 (Steel mullion)	600	491.00
95005018	E	F1300-8 (Fire listed steel mullion)	600	822.00
34000007	E	F1340 KR-8 (Fire listed key removable mullion)	600	1,263.00

PROUDLY DISTRIBUTED BY



(800) 348 – 2263



Accessories and Service Items

PN#	Warehouse	Product		Finish	List \$
95009070	E	SNB Sex Nuts		630	16.00
95044866	E	320 Strike – RIM		693	68.00
95046951		463 Strike – RIM (Fire-rated & NON)		693	70.00
95046248	E	426 Strike – SVR		693	45.00
95004861		ETR – Top Rod Extension Kit	(9400 or 9800 series, for doors 8' to 10')	630	112.00
95004847		ETR – Top Rod Extension Kit	(8400 series, doors from 7′6" to 10′)	689	57.00
95006734	E	GK9000	(for 9000 series wide stile only)	630	84.00
95006729	E	GK8000	(for 8000 series only)	693	84.00
95008528	E	Popper (for fire rated LB vert. rod)		N/A	77.00
95002640	E	8DRKIT (Dogging repair kit)	(for 8000 series only)	N/A	93.00
95052775	E	9DRKIT (Dogging repair kit)	(for 5000 or 9000 series only)	N/A	93.00
95052779	E	9GALD (Alum. door bracket & screws)	(for 9100 series only)	N/A	117.00

Electronic Access Control Components

1,500 lb Magnetic Locks


PN#	Warehouse	Product	Description	Finish	List \$
33400014	E	EML310 BA DP 628	Magnetic lock, single door, 1500 lb holding	628	700.00

Electric Strikes

PN #	Warehouse	Product	Description	Dual Voltage	Finish	List \$
33400016	E	ES62F FSV 630	Electric strike, fire rated, surface rim	12 or 24 VDC	630	643.00
33400017	E	ES96F FSV 630	Electric strike, fire rated, modular mortise/cylindrical	12 or 24 VDC	630	638.00

Power Supplies and Accessories

PN#	Warehouse	Product	Description	Dual Voltage	List \$
33400018	E	DKPS-2A	1.0 A @ 24 VDC filter/reg, class 2 selectable	12 or 24 VDC	578.00
			output, fire panel interface standard		






Low Energy Operator

ED900

PN#	Warehouse	Product	Arm	Finish	List \$
33700001		ED900	J8	689	6,233.00
33700002		ED900	Т	689	6,233.00
33700003		RFR 433 Receiver	_	_	255.00
08108210		WS1 Wall Switch	_	_	317.00
33700004		WSRFT 1 433 SQ4 Wall Switch, 4-1/2" Square	_	_	509.00





Surface Door Closers

TS93 Series

PN#	Warehouse	Product	Arm	Cover	Fastener	Finish	List \$
93000706		TS9315 (Cam & roller technology)	Т	FMC	SN3	689	606.00
93000709		TS9315 (Cam & roller technology)	PT	FMC	SN3	689	606.00
33400001		TS9315 (Cam & roller technology)	ST	FMC	SN3	689	874.00

8900 Series


PN#	Warehouse	Body	Arm	Cover	Fastener	Finish	List \$
30000050		8916	AF89P	FC	SN1	689	559.00
30001450	E	8916	AF89P	FMC	SN1	689	567.00
30001310		8916	SPA	FC	SN1	689	581.00
30000054		8916	DS	FC	SN1	689	621.00
30001076	E	8916	DST	FC	SN1	689	674.00
30001727		8916	SDS	FC	SN1	689	783.00
30001728		8916	SDST	FC	SN1	689	835.00

8600 Series

PN#	Warehouse	Body	Arm	Cover	Fastener	Finish	List \$
28003500		8616	AF86P	COV	SNB1	689	397.00
28003520	E	8616	AF86P	FC	SNB1	689	404.00
28003460		8616	ARP	COV	SNB1	689	383.00
28003550	E	8616	ARP	FC	SNB1	689	390.00
28010180		8616	FHP	COV	SNB1	689	447.00
28003730		8616	DS	COV	SNB1	689	464.00
28010150		8616	DST	COV	SNB1	689	519.00

7400 Series

PN#	Warehouse	Body	Arm	Fastener	Finish	List \$
33400003		7436	ARP	СОМВО	689	267.00
33400004		7414	ARP	СОМВО	689	267.00
28003480		7436	ARP	SNB1	689	275.00
28001860		7414	ARP	SNB1	689	275.00






Surface Closer Accessories and Service Items

PN#		Product	Finish	List \$
Arms				
08205590		AF89P	689	97.00
33400007		AF86	689	78.00
08205630	E	ARP	689	76.00
33400008		AR	689	69.00
33400009		FHP	689	128.00
Backplates				
08211960		BP640C	689	7.00
08205660	E	BP86	689	35.00
08098830		BP89	689	37.00
Covers				
08098840		COV	689	20.00
33400006		FC	689	26.00
Drop Plates				
08098810		DP74	689	35.00
08098820		DP86	689	35.00
08205680	E	DP86FC	689	35.00
08096920		DP89	689	37.00
Miscellaneous	5			
33400005		BSHD	689	29.00
08032860		P86	689	18.00
08211160		DPK86	689	11.00
08111320		DPK89	689	11.00
08081290		SN1	689	9.00
08098850		SNB1	689	9.00







Electromagnetic Door Holders

EM Series

PN#	Warehouse	Package	Finish	List \$
33400011		EM504	689	446.00
33400010		EM508	689	473.00

EM Accessories and Service Items

PN#	Warehouse	Product		Finish	List \$
33400013		ER1.5	(1-1/2" extension rod)	689	73.00
33400012		ER2.0	(2" extension rod)	689	81.00

Concealed Door Closers


ITS Series

PN#	Warehouse	Body	Description	NHO/HO	Finish	List \$
33600001		ITS9613	-	NHO	689	542.00
33600002		THKIT	(ITS HO Kit)	_	_	72.00

RTS Series

PN#	Warehouse	Package	Spring	Stop	NHO/HO	Extension	List \$
33600003		RTS88	SZ3	105°	NHO	5 mm	483.00
33600004		RTS88	SZ3	105°	НО	5 mm	483.00
33600005		RTS88	SZ3	90°	NHO	5 mm	483.00
33600006		RTS88	SZ3	90°	НО	5 mm	483.00
33600007		RTS88	BFI	105°	NHO	5 mm	483.00
33600008		RTS88	BFI	105°	НО	5 mm	483.00
33600009		RTS88	BFE	105°	NHO	5 mm	483.00
33600010		RTS88	BFE	105°	НО	5 mm	483.00
33600047		RTS88	SZ3	105°	NHO	_	483.00
33600048		RTS88	SZ3	105°	НО	_	483.00
33600050		RTS88	SZ3	90°	NHO	_	483.00
33600051		RTS88	BFE	105°	NHO	_	483.00
33600052		RTS88	BFI	105°	NHO	_	483.00

NOTE: RTS88 Body only prices above (include mounting brackets)






RTS Accessories and Service Items

PN#	Warehouse	Model	Description	Finish	List \$
33600011		CRNR BRKT	Header to side Jamb 1" web	_	11.00
33600012		8835	End load arm 1" web	_	131.00
33600013		8836	End load arm 7/8" web	_	131.00
33600014		8837	End load arm 5/8" web	_	131.00
33600015		8838	End load arm 3/4" web	_	131.00
33600016		8812	Offset arm	_	194.00
33600017		8852	Short floor pivot	_	91.00
33600018		8853	Tall floor pivot	_	91.00
33600019		8855	Short threshold pivot	_	91.00
33600022		8532	Steel frame mounting channel	_	71.00
33600024		8820J	Conversion bracket, Jackson to RTS (use with standard RTS CRNR BRKT)	_	20.00

BTS Series

PN#	Warehouse	Package	Spring	Top Pivot	Bottom Pivot	Cover	Hand	Spindle	HO/HNO	Finish	List \$
33600025		BTS80B	Sz4	8062	7421	7410	_	74010	HO/NHO	626	1,742.00





BTS Accessories and Service Items

PN#	Warehouse	Product	Hand	Finish	List \$
33600028		BTS80 Sz. 3	-	(no finish)	1,250.00
33600029		BTS80 Sz. 4	_	(no finish)	1,250.00
33600030		BTS80 Sz. 6	_	(no finish)	1,250.00
33600031		BTS75V NHO 1-4	_	(no finish)	1,144.00
33600032		BTS75V BF NHO 1-4	_	(no finish)	1,144.00
33600033		BTS75V 90 HO 1-4	_	(no finish)	1,211.00
33600034		74003 (Spindle insert)	-	(no finish)	88.00
33600035		74005 (Spindle insert)	_	(no finish)	88.00
33600036		74007 (Spindle insert)	_	(no finish)	88.00
33600037		74010 (Spindle insert)	_	(no finish)	88.00
33600038		74015 (Spindle insert)	_	(no finish)	115.00
33600039		74020 (Spindle insert)	_	(no finish)	115.00
33600040		74025 (Spindle insert)	_	(no finish)	115.00
33600041		80010 (3° Spindle insert)	LH	(no finish)	88.00
33600042		80010 (3° Spindle insert)	RH	(no finish)	88.00
33600043		7410 (BTS80 cover plate)	_	630	139.00
33600044		7410 (BTS80 cover plate)	_	613	139.00
33600045		7510 (BTS75V cover plate)	_	630	139.00
33600046		7510 (BTS75V cover plate)	_	613	139.00

Select Service Quick Ship Program


Pivots

LM Series Pivot Sets and Pivot Hardware

PN #	Warehouse	Package	Finish	List \$
33500001		CP440	626/630	390.00
33500002		OP440 RH	626	488.00
33500003		OP440 LH	626	488.00

LM Pivot Accessories and Service Items


PN#	Warehouse	Product		Finish	List \$
33500004		75220 RH	(3/4" offset intermediate)	626	330.00
33500005		75220 LH	(3/4" offset intermediate)	626	330.00






Locks

How to Determine Hand of Door



How to Determine Handed Levers



Product Guide

Yes No Optional	Description	ANSI BHMA	Fire Rated	Standard Cylinder	SFIC	Schlage Style LFIC
M9000 Lock	GR1 Mortise Lock		•	•	•	
T900 Lock	GR2 Decorative Tubular Lock (M9000 Trim)	0		N/A	N/A	N/A
D900 Dead Bolt	GR1 Small Case Mortise Dead Bolt	•	•	•	•	•
C800 Lever Lock	GR1 Cylindrical Lever Lock			•		
C800 Knob Lock	GR1 Cylindrical Knob Lock			•		
D800 Dead Bolt	GR1 Tubular Dead Bolt	•	•	•	•	
CL700 Lever Lock	GR2 Cylindrical Lever Lock		•	•	•	\bigcirc
CK700 Knob Lock	GR2 Cylindrical Knob Lock		•	•	•	\bigcirc
DB600 Dead Bolt	GR2 Tubular Dead Bolt					
C500 Lever Lock	GR2 Cylindrical Lever Lock					0
C300 Lever Lock	GR2 Cylindrical Lever Lock			•	0	0
J300 Interconnected Lock	GR2 Interconnected Lock					0





Exit Devices


dormakaba 🚧



Locks


M9000 Series


Ordering Guide





Trim Options


Lever Options — Standard





















Lever Options — Premium


Locks

























Exit Devices

Wrought Roses

A Rose D Rose B Rose 7/16 (11) (11) (11) (2-1/4 (57) (65)


Escutcheons





NOTE: H Escutcheon Trim cannot be rehanded in the field.

Finish Availa	ibility Chart								
	605	606	612	613	619	622	625	626	630
Standard Le	vers								
LR	•	•	•	•	•	•	•	•	•
LC	•	•	•	•	•	•	•	•	•
LG	•	•	•	•	•	•	•	•	•
LF	•	•	•	•	•	•	•	•	
LT	•	•	•	•	•	•	•	•	•
LV	•	•	•	•	•	•	•	•	
L118		•	•	•	•	•			•
Premium Lev	vers								
LA	•	•	•	•	•	•	•	•	•
LD	•	•	•	•	•	•	•	•	
LN	•	•	•	•	•	•	•	•	
L109		•	•	•	•	•			•
L110	•	•	•	•	•	•	•	•	•
L112	·	•	•	•	•	•			•
L114	•	•	•	•	•	•	•	•	
L117	•	•	•	•	•	•			•
Knob									·
KB		•	•	•	•	•			•



5

Standard Lever – Rose Styles

Levers: LR, LC, LF, LG, LT, LV, L118





L118 not available in 605, 625, or 626 finish.

LF and LV not available in 630 finish.

See Lever Finish Availability Chart, page 5.

D rose not available in 625 or 626 finish.

A,B,D Rose

605, 606,
612, 613,
619, 622,
625, 630

ANSI#	Function	Description		025, 030
Non-Keyed	Toncaon	Description.	——— Li	st \$
	M9001 (w/out lock case)	Single dummy	241.00	276.00
_	M9002 (w/out lock case)	Double dummy	515.00	554.00
_	M9003 (w/lock case)	Single dummy	380.00	401.00
_	M9004 (w/lock case)	Double dummy	626.00	664.00
F01	M9010 ²	Passage/closet	674.00	749.00
F31	M9025 ¹	Exit/communicating passage	776.00	855.00
F22	M9040	Privacy, bedroom or bath	776.00	855.00
_	M9042	Privacy w/coin turn	829.00	910.00
_	M9046	Privacy w/indicator	934.00	975.00
F19	M9940	Privacy w/dead bolt	934.00	975.00
_	M9942	Privacy w/dead bolt and coin turn	991.00	1,029.00
Keyed, Single	Cylinder			
F04	M9050 ¹	Office/Entry	863.00	947.00
F04	M9053 ²	Office/Entry	863.00	947.00
_	M9056	Office/Entry w/automatic unlocking	940.00	1,026.00
F05	M9070 ²	Classroom	863.00	947.00
F06	M9076	Holdback	863.00	947.00
F07	M9080 ¹	Storeroom	863.00	947.00
_	M9080EL1	Electrically locked (Fail Safe; 24 V)	1,301.00	1,339.00
_	M9080EU1	Electrically unlocked (Fail Secure; 24 V)	1,301.00	1,339.00
F20	M9953	Entry w/dead bolt	889.00	975.00
_	M9954	Security entrance w/dead bolt	889.00	975.00
 F13	M9956	Corridor w/dead bolt	889.00	975.00
 F12	M9959	Dormitory/Exit w/dead bolt	889.00	975.00
 F21	M9973	Dormitory w/dead bolt	889.00	975.00
	M9980	Storeroom w/dead bolt	889.00	975.00
F15	M9985	Faculty restroom/hotel w/dead bolt	940.00	1,026.00
_	M9986	Faculty restroom/hotel w/dead bolt/indicator	1,013.00	
	M9996	Privacy w/dead bolt/indicator	1,013.00	
Keyed, Doubl			,, = , = , = ,	.,
F09	M9060	Apartment	947.00	1,037.00
F32	M9071 ²	Intruder latch bolt	947.00	1,037.00
	M9072	Intruder latch bolt with indicator	1,032.00	1,119.00
_	M9077	Holdback double cylinder	947.00	1,037.00
 F30	M9082 ²	Institution lock	947.00	1,037.00
_	M9082EL ³	Electrically locked (Fail Safe) w/double locking (24 V)	1,374.00	
_	M9082EU ³	Electrically unlocked (Fail Secure) w/double locking (24 V)	1,374.00	1,412.00
 F11	M9957	Dormitory w/dead bolt	995.00	1,037.00
F35	M9958	Storeroom w/dead bolt	995.00	1,037.00
F14	M9966	Storeroom w/dead bolt	995.00	1,037.00
F34	M9967	Intruder w/dead bolt	995.00	1,037.00
	M9974	Classroom intruder w/dead bolt	995.00	1,037.00
Deadbolt On			,,0.50	.,557.50
F17	M9960	Deadbolt Only — Cylinder × Turn (No Trim)	448.00	467.00
F18	M9961	Deadbolt Only — Cylinder × Blank (No Trim)	368.00	391.00
F16	M9962	Deadbolt Only — Cylinder × Cylinder (No Trim)	541.00	562.00
F29	M9963	Deadbolt Only — Classroom (No Trim)	541.00	562.00
			000	

NOTES:

- ${\bf 1.}$ Available with Request to Exit (RX), Latch Monitoring (LM) or both
- 2. Available with Latch Monitoring (LM) only
- ${\bf 3.}$ Available with Request to Exit (RX) or Latch Monitoring See page 13 for RX and LM Pricing

Standard Lever - Escutcheon Styles

Levers: LR, LC, LF, LG, LT, LV, L118

Escutcheons: H, M

NOTE: H Escutcheon Trim cannot be rehanded in the field.



H Escutcheon M Escutcheon

L118 not available in 605, 625, or 626 finish.

LF and LV not available in 630 finish.
See Lever Finish Availability Chart, page 5.

H Escutcheon M Escutcheon

605, 606,
612, 613,
619, 622,
625, 630
625

				625, 630		625
ANSI#	Function	Description	_	Li	ist \$	
Non-Keye						
	M9001 (w/out lock case)	Single dummy	301.00	322.00	248.00	283.00
	M9002 (w/out lock case)	Double dummy	556.00	596.00	528.00	565.00
	M9003 (w/lock case)	Single dummy	423.00	441.00	388.00	416.00
	M9004 (w/lock case)	Double dummy	671.00	712.00	639.00	679.00
F01	M9010 ²	Passage/closet	754.00	793.00	687.00	762.00
F31	M9025 ¹	Exit/communicating passage	_	_	787.00	869.00
F22	M9040	Privacy, bedroom or bath	863.00	900.00	787.00	869.00
	M9042	Privacy w/coin turn	916.00	955.00	840.00	924.00
	M9046	Privacy w/indicator	_	_	_	
F19	M9940	Privacy w/dead bolt	979.00	1,016.00	949.00	989.00
	M9942	Privacy w/dead bolt and coin turn	1,037.00	1,073.00	1,002.00	1,043.00
Keyed, Si	ngle Cylinder					
F04	M90501	Office/Entry	950.00	990.00	874.00	960.00
F04	M9053 ²	Office/Entry	950.00	990.00	874.00	960.00
_	M9056	Office/Entry w/automatic unlocking	993.00	1,033.00	953.00	1,041.00
F05	M9070 ²	Classroom	950.00	990.00	874.00	960.00
F06	M9076	Holdback	950.00	990.00	874.00	960.00
F07	M9080 ¹	Storeroom	950.00	990.00	874.00	960.00
_	M9080EL1	Electrically locked (Fail Safe; 24 V)	1,350.00	1,388.00	1,313.00	1,353.00
_	M9080EU ¹	Electrically unlocked (Fail Secure; 24 V)	1,350.00	1,388.00	1,313.00	1,353.00
F20	M9953	Entry w/dead bolt	978.00	1,018.00	900.00	987.00
_	M9954	Security entrance w/dead bolt	978.00	1,018.00	900.00	987.00
F13	M9956	Corridor w/dead bolt	978.00	1,018.00	900.00	987.00
F12	M9959	Dormitory/Exit w/dead bolt	978.00	1,018.00	900.00	987.00
F21	M9973	Dormitory w/dead bolt	978.00	1,018.00	900.00	987.00
_	M9980	Storeroom w/dead bolt	978.00	1,018.00	900.00	987.00
F15	M9985	Faculty restroom/hotel w/dead bolt	1,018.00	1,058.00	953.00	1,041.00
_	M9986	Faculty restroom/hotel w/dead bolt/indicator	_	_	_	_
_	M9996	Privacy w/dead bolt/indicator	_	_	_	_
Keyed, Do	ouble Cylinder		1			
F09	M9060	Apartment	1,039.00	1,078.00	960.00	1,048.00
F32	M9071 ²	Intruder latch bolt	1,039.00	1,078.00	960.00	1,048.00
_	M9077	Holdback double cylinder	1,039.00	1,078.00	960.00	1,048.00
F30	M9082 ²	Institution lock	1,039.00	1,078.00	960.00	1,048.00
_	M9082EL ³	Electrically locked (Fail Safe) w/double locking (24 V)	1,416.00	1,456.00	1,386.00	1,427.00
_	M9082EU ³	Electrically unlocked (Fail Secure) w/double locking (24 V)	1,416.00	1,456.00	1,386.00	1,427.00
F11	M9957	Dormitory w/dead bolt	1,039.00	1,078.00	1,008.00	1,048.00
F35	M9958	Storeroom w/dead bolt	1,039.00	1,078.00	1,008.00	1,048.00
F14	M9966	Storeroom w/dead bolt	1,039.00	1,078.00	1,008.00	1,048.00
F34	M9967	Intruder w/dead bolt	1,039.00	1,078.00	1,008.00	1,048.00
_	M9974	Classroom intruder w/dead bolt	1,039.00	1,078.00	1,008.00	1,048.00
Deadbolt	Only					
F17	M9960	Deadbolt Only — Cylinder × Turn (No Trim)	448.00	467.00	_	_
F18	M9961	Deadbolt Only — Cylinder × Blank (No Trim)	368.00	391.00	_	_
F16	M9962	Deadbolt Only — Cylinder × Cylinder (No Trim)	541.00	562.00	_	_
F29	M9963	Deadbolt Only — Classroom (No Trim)	541.00	562.00	_	_
		, , , , , , , , , , , , , , , , , , , ,				

NOTES:

- **1.** Available with Request to Exit (RX), Latch Monitoring (LM) or both
- **2**. Available with Latch Monitoring (LM) only
- **3.** Available with Request to Exit (RX) or Latch Monitoring See page 13 for RX and LM Pricing

Exit Devices

Premium Lever - Rose Styles

Levers: LA, LD, LN, L109, L110, L112, L114, L117, KB



Roses: A, B, D

L109, L112, and L117 not available in 625 or 626 finishes.
LD, LN, and L114 not available in 630 finish.
See Lever Finish Availability Chart, page 5.
D rose not available in 625 or 626 finish.

A, B, D Rose 605, 606, 612, 613, 619, 622, 625, 630

ANSI#	Function	Description		
Non-Key	ed	·	Li	st \$
_	M9001 (w/out lock case)	Single dummy	255.00	292.00
	M9002 (w/out lock case)	Double dummy	544.00	582.00
_	M9003 (w/lock case)	Single dummy	397.00	420.00
_	M9004 (w/lock case)	Double dummy	657.00	699.00
F01	M9010 ²	Passage/closet	709.00	784.00
F31	M9025 ¹	Exit/communicating passage	812.00	895.00
F22	M9040	Privacy, bedroom or bath	812.00	895.00
_	M9042	Privacy w/coin turn	865.00	956.00
	M9046	Privacy w/indicator	976.00	1,017.00
F19	M9940	Privacy w/dead bolt	976.00	1,017.00
	M9942	Privacy w/dead bolt and coin turn	1,036.00	1,074.00
Keyed, S	ingle Cylinder			
FO4	M9050 ¹	Office/Entry	900.00	987.00
FO4	M9053 ²	Office/Entry	900.00	987.00
_	M9056	Office/Entry w/automatic unlocking	980.00	1,071.00
F05	M9070 ²	Classroom	900.00	987.00
F06	M9076	Holdback	900.00	987.00
F07	M9080 ¹	Storeroom	900.00	987.00
_	M9080EL1	Electrically locked (Fail Safe; 24 V)	1,353.00	1,392.00
_	M9080EU1	Electrically unlocked (Fail Secure; 24 V)	1,353.00	1,392.00
F20	M9953	Entry w/dead bolt	927.00	1,016.00
_	M9954	Security entrance w/dead bolt	927.00	1,016.00
F13	M9956	Corridor w/dead bolt	927.00	1,016.00
F12	M9959	Dormitory/Exit w/dead bolt	927.00	1,016.00
F21	M9973	Dormitory w/dead bolt	927.00	1,016.00
_	M9980	Storeroom w/dead bolt	927.00	1,016.00
F15	M9985	Faculty restroom/hotel w/dead bolt	980.00	1,071.00
_	M9986	Faculty restroom/hotel w/dead bolt/indicator	1,055.00	1,154.00
	M9996	Privacy w/dead bolt/indicator	1,055.00	1,154.00
Keyed, D	ouble Cylinder			
F09	M9060	Apartment	987.00	1,079.00
F32	M9071 ²	Intruder latch bolt	987.00	1,079.00
	M9072	Intruder latch bolt with indicator	1,071.00	1,164.00
_	M9077	Holdback double cylinder	987.00	1,079.00
F30	M9082 ²	Institution lock	987.00	1,079.00
	M9082EL3	Electrically locked (Fail Safe) w/double locking (24 V)	1,427.00	1,468.00
_	M9082EU ³	Electrically unlocked (Fail Secure) w/double locking (24 V)	1,427.00	1,468.00
F11	M9957	Dormitory w/dead bolt	1,040.00	1,079.00
F35	M9958	Storeroom w/dead bolt	1,040.00	1,079.00
F14	M9966	Storeroom w/dead bolt	1,040.00	1,079.00
F34	M9967	Intruder w/dead bolt	1,040.00	1,079.00
	M9974	Classroom intruder w/dead bolt	1,040.00	1,079.00
Deadbol	t Only			
F17	M9960	Deadbolt Only — Cylinder × Turn (No Trim)	448.00	467.00
F18	M9961	Deadbolt Only — Cylinder × Blank (No Trim)	368.00	391.00
F16	M9962	Deadbolt Only — Cylinder × Cylinder (No Trim)	541.00	562.00
F29	M9963	Deadbolt Only — Classroom (No Trim)	541.00	562.00

NOTES:

- 1. Available with Request to Exit (RX), Latch Monitoring (LM) or both
- 2. Available with Latch Monitoring (LM) only
- ${\bf 3.}$ Available with Request to Exit (RX) or Latch Monitoring See page 13 for RX and LM Pricing

dormakaba 🚧 M9000 Series Locks

Premium Lever - Escutcheon Styles

Levers: LA, LD, LN, L109, L110, L112, L114, L117, KB

Escutcheons: H, M

NOTE: H Escutcheon Trim cannot be rehanded in the field.

L109, L112, and L117 not available in 625 or 626 finishes. LD, LN, and L114 not available in 630 finish. See Lever Finish Availability Chart, page 5.

H Escutcheon		M Escu	tcheon
	605, 606,		605, 606
626	612, 613,	626,	612, 613,
020	619, 622,	630	619, 622,
	625, 630		625

41161 #		B 1.1		020,000		
ANSI#	Function	Description	— List \$			
Non-Keyed		C: 1 1	215.00	220.00	2/2.00	200.00
	M9001 (w/out lock case)	Single dummy	315.00	339.00	262.00	299.00
	M9002 (w/out lock case)	Double dummy	591.00	627.00	556.00	599.00
_	M9003 (w/lock case)	Single dummy	440.00	462.00	406.00	434.00
	M9004 (w/lock case)	Double dummy	704.00	666.00	670.00	712.00
F01	M9010¹	Passage/closet	788.00	832.00	722.00	800.00
F31	M9025 ¹	Exit/communicating passage	_	-	826.00	907.00
F22	M9040	Privacy, bedroom or bath	901.00	943.00	826.00	907.00
	M9042	Privacy w/coin turn	955.00	996.00	878.00	965.00
	M9046	Privacy w/indicator			_	_
F19	M9940	Privacy w/dead bolt	1,021.00		990.00	1,032.00
	M9942	Privacy w/dead bolt and coin turn	1,079.00	1,118.00	1,046.00	1,086.00
Keyed, Sing	gle Cylinder					
F04	M9050 ¹	Office/Entry	991.00	1,035.00	914.00	1,000.00
F04	M9053 ²	Office/Entry	991.00	1,035.00	914.00	1,000.00
	M9056	Office/Entry w/automatic unlocking	1,038.00	1,077.00	993.00	1,084.00
F05	M9070 ²	Classroom	991.00	1,035.00	914.00	1,000.00
F06	M9076	Holdback	991.00	1,035.00	914.00	1,000.00
F07	M9080 ¹	Storeroom	991.00	1,035.00	914.00	1,000.00
	M9080EL1	Electrically locked (Fail Safe; 24 V)	1,401.00	1,441.00	1,365.00	1,406.00
	M9080EU1	Electrically unlocked (Fail Secure; 24 V)	1,401.00	1,441.00	1,365.00	1,406.00
F20	M9953	Entry w/dead bolt	1,020.00	1,062.00	943.00	1,032.00
_	M9954	Security entrance w/dead bolt	1,020.00	1,062.00	943.00	1,032.00
F13	M9956	Corridor w/dead bolt	1,020.00	1,062.00	943.00	1,032.00
F12	M9959	Dormitory/Exit w/dead bolt	1,020.00	1,062.00	943.00	1,032.00
F21	M9973	Dormitory w/dead bolt	1,020.00	1,062.00	943.00	1,032.00
_	M9980	Storeroom w/dead bolt	1,020.00	1,062.00	943.00	1,032.00
F15	M9985	Faculty restroom/hotel w/dead bolt	1,062.00	1,102.00	993.00	1,084.00
_	M9986	Faculty restroom/hotel w/dead bolt/indicator	_	_	_	_
_	M9996	Privacy w/dead bolt/indicator	_	_	_	_
Keyed, Dou	ıble Cylinder					
F09	M9060	Apartment	1,095.00	1,137.00	1,000.00	1,092.00
F32	M9071 ²	Intruder latch bolt	1,095.00	1,137.00	1,000.00	1,092.00
_	M9077	Holdback double cylinder	1,095.00	1,137.00	1,000.00	1,092.00
F30	M9082 ²	Institution lock	1,095.00		1,000.00	1,092.00
_	M9082EL ³	Electrically locked (Fail Safe) w/double locking (24 V)	1,363.00		1,440.00	1,480.00
_	M9082EU³	Electrically unlocked (Fail Secure) w/double locking (24 V)		1,525.00	· ·	1,480.00
F11	M9957	Dormitory w/dead bolt	1,095.00		1,050.00	
F35	M9958	Storeroom w/dead bolt	1,095.00			1,092.00
F14	M9966	Storeroom w/dead bolt	1,095.00			1,092.00
F34	M9967	Intruder w/dead bolt	1,095.00			1,092.00
_	M9974	Classroom intruder w/dead bolt	1,095.00			1,092.00
Deadbolt (S.ass. Som mid oddr wydddd boll	1,070.00	1,107.00	1,000.00	1,0 ,2.00
F17	M9960	Deadbolt Only — Cylinder × Turn (No Trim)	448.00	467.00	_	_
F18	M9961	Deadbolt Only — Cylinder × Harri (No Trim)	368.00	391.00		_
F16	M9962	Deadbolt Only — Cylinder × Blank (No Trim) Deadbolt Only — Cylinder × Cylinder (No Trim)	541.00	562.00	_	
	1417702	Decidence Only — Cylinder & Cylinder (140 mill)	541.00	302.00		

F29

1. Available with Request to Exit (RX), Latch Monitoring (LM) or both

Deadbolt Only — Classroom (No Trim)

- 2. Available with Latch Monitoring (LM) only
- 3. Available with Request to Exit (RX) or Latch Monitoring See page 13 for RX and LM Pricing

M9963

541.00

562.00

Cylinder Types, Keying Options, and Keyways

Cylinder	Option	Description		List Add/Deduct \$
Convention	nal Cylinders	(non-interchangeable core)		
D		Conventional cylinder	Example: M9070D	
	KD	Keyed differently to a random combination; SC keyway with 2 keys (default)		N/C
	KA2	Keyed alike in pairs to a random combination; SC keyway with 2 keys		N/C
	NSK	Keyed alike, sets of three or more; SC keyway with 2 keys		13.00
	NS2	Keyed alike double cylinder locks; SC keyway with 2 keys		26.00
	1-Bit	Operated by 1-bit cut key; SC, SE keyway with 2 key blanks (order 1-bit key separately)		N/C
	0-Bit	Operated by 0-bit key; D100 keyway — ⊘ Keys sold separately		N/C
	0-Bit	Operated by 0-bit cut key; AA, CA, CB, CC, CD, CE, RA, RB, GA, SF, YA, YG keyways with 2 key blanks		13.00
	MKD	Master keyed; SC, SE, or D100 keyway — ⊘ Keys sold separately		17.00
	MK2	Master keyed double cylinder lock; SC, SE, or D100 keyway — ⊘ Keys sold s	separately	34.00
	СМК	Construction master keyed single cylinder locks — $igotimes$ Keys sold separately		19.00
	CM2	Construction master keyed double cylinder locks $-igotimes$ Keys sold separately	,	38.00
L		Lock less conventional cylinder and cylinder ring	Example: M9070L	Deduct 30.00
Interchang	eable Core C	ylinders		
т		SFIC — Housing with keyed temporary SFIC construction core (Core may be returned for a full refund) — \bigotimes Keys sold separately	Example: M9070T	42.00
J		SFIC — Housing with disposable plastic SFIC plug	Example: M9070J	N/C
С		SFIC — Housing with combinated SFIC core installed at the factory¹; BA (default), BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, D100 keyway — ⊘ Keys sold separately	Example: M9070C	48.00
G		Schlage LFIC — Housing with keyed temporary Schlage LFIC construction core (Core may be returned for full refund) — $\textcircled{6}$ Keys sold separately	Example: M9070G	42.00
R		Schlage LFIC — Housing less core	Example: M9070R	9.00
F		Schlage LFIC — Housing with combinated Schlage LFIC installed at the factory (SC keyway) — ⊘ Keys sold separately	Example: M9070F	48.00

For uncombinated cores, UNC, cores must be ordered separately, see Cylinders, Keys & Keying. Locks will be supplied w/plastic construction core, Option J.

O Denotes keys must be ordered separately.

Cut Keys Ordered Separately				
Part #	Description	List \$		
45101	SFIC Cut key — Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	7.00		
45401	SFIC Cut key — Change key, master key, or control key; SKC keyways — D100 etc.	11.00		
45103	SFIC Cut key — Emergency key for M9985C or M9986C; BA keyways	21.00		
45403	SFIC Cut key—Emergency key for M9985C or M9986C; SKC keyways—D100 etc.	21.00		
45404	CONV/LFIC Cut key—1-bit key for operating 1-bit cylinders — SC, SE keyways	5.00		
45405	LFIC Cut key $-$ 1-bit control key (to install/remove "1-bit" LFIC cores) $-$ SC keyway	5.00		
44101SC	CONV/LFIC Key blank — SC keyway	2.00		
44104SC	LFIC Key blank — Control key (to install/remove LFIC Cores) — SC keyway	4.00		

NOTES

- M9985D and M9986D are available MKD, CMK, or 1-bit only.
- Emergency keys for M9985D and M9986D are 45101 or 45401.
- · Distribution of DORMA SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for DORMA SKC policies.
- 1-bit cylinder comes with (2) uncut keys and will require a 1-bit cut key, sold separately, to operate cylinder. SC and SE keyways only.
- · See Keys and Key Blanks section for complete list.

Configuration Options

Description: Grade 1 Mortise Locks Less Components (Use LRA trim design and specified finish for base list price.)	List Deduct \$
Less outside lever and rose Example: M9953D LLL × LRA 626 RH 134 5006 114; includes mortise less trim kit 76007272	Deduct 36.00
Less inside lever and rose Example: M9953D LRA × LLL 626 RH 134 5006 114; includes mortise less trim kit 76007272	Deduct 36.00
Less strike Example: M9953D LRA 626 RH 134 LLL	Deduct 4.00

Locks

NOTES:

- · For other configurations, consult factory.
- · Mortise locks not available less trim both sides.

Strikes



Part #	Description	List Add \$			
5006 — ANSI	5006 — ANSI Strike for Mortise Lock (*see below for usage)				
5006-114	1-1/4" × 4-7/8", 1-1/4" lip length, square corner, curved lip	N/C			
5006-078	1-1/4" × 4-7/8", 7/8" lip length, square corner, straight lip	20.00			
5006-112	1-1/4" $ imes$ $4-7/8$ ", $1-1/2$ " lip length, square corner, curved lip	20.00			
5006-134	1-1/4" $ imes$ 4-7/8", 1-3/4" lip length, square corner, curved lip	20.00			
5006-200	$1-1/4" \times 4-7/8"$, $2"$ lip length, square corner, curved lip	20.00			
5006-214	$1\text{-}1/4" \times 4\text{-}7/8"$, $2\text{-}1/4"$ lip length, square corner, curved lip	27.00			

^{*} Default length strike shown in bold for all M9000 functions. Lip length is distance from center of mounting holes to edge of strike.



Part #	Description	List Add \$				
5007 — ANSI Strike for Mortise Lock (*see below for usage)						
5007-114	$1-1/4$ " \times 4-7/8", $1-1/4$ " lip length, square corner (specify hand)	12.00				

 $^{^{\}star}$ Optional handed strike available for M9000 functions without dead bolts. Only available in 1-1/4" lip length. Specify hand.

Antimicrobial Coating

Description of Components Coated		List Add \$	
Available on 626 and 630 finishes only. Not available with 630 H escutcheon. Specify AM. Example: 626AM or 630AM			
Rose Trim	Inside: lever, rose, and thumbturn	76.00	
A, B, or D	Outside: Lever and rose		
Escutcheon	Inside: lever, escutcheon, and thumbturn	88.00	
Trim H* or M	Outside: Lever and escutcheon		

NOTES:

- Extended leadtime, consult factory.
 *AM option on 630 H escutcheon, consult factory.

Special Application Options

Lead Lined Lock Case

Part #	Description	List Add \$
660001	Lead lining plate for M9000 Series Mortise Locks	233.00

Occupancy Indicators



Part #	Description	List Add \$
79019	Occupancy indicator for rose trim used w/cylinder, reading OCCUPIED/VACANT or SECURED/UNSECURED. Both readings supplied. Specify finish.	97.00
	Optional RG — Solid red/green indicator inserts. Specify 79019 630 RG.	8.00
	M9072 indicator inserts (LOCKED/UNLOCKED with red/green background). Specify 79019 630 M9072.	8.00
79020	Occupancy indicator for rose trim used without cylinder, emergency access, reading OCCUPIED/VACANT. Specify finish.	97.00
79021	Occupancy indicator for rose trim used without cylinder, reading SECURED/UNSECURED. No emergency access. Used on inside of door with 79019 on outside.	97.00
79022	Occupancy indicator w/cointurn for rose trim used without cylinder, reading OCCUPIED/VACANT. Specify finish.	97.00

NOTES:

- 1-3/4"-2-1/8" thick doors.
- Specify finish. Example: 79019 626.
- Specify fillish: Example: 7901 200.
 Indicators will work on the following functions but may have unexpected operation on lock sets that remain locked when the dead bolt is retracted: M9046, 9056, 9072, 9940, 9942, 9953, 9956, 9957, 9959, 9960, 9961, 9962, 9966, 9967, 9968, 9973, 9974, 9980, 9985, 9986, 9996

Tactile Markings

	Part #	Description	List Add \$
	660002	Knurled or grooved lever (LR, LT, and LG designs only)	67.00
	660003	Abrasive coated lever or knob (all designs)	47.00
6)		

NOTE: Tactile marking is applied to outside knob or lever only, unless otherwise specified. Prices shown per single lever or knob.



Request to Exit/Latch Monitoring

Suffix	Description	List Add \$
RX	Request to exit, M9025/ 9050/ 9080 / 9080EU/ 9080EL/ 9082EU/ 9082EL. Specify RX. Example: M9010RX.	175.00
LM	Latch Monitoring, M9010/ 9025/ 9050/ 9053/ 9070/ 9071/ 9080/ 9080EL/ 9080EU/ 9082/ 9082EL/ 9082EU. Specify LM. Example: M9080EULM.	175.00
RXLM	Request to Exit & Latch Monitoring, M9025/ 9050/ 9080/ 9080EL/ 9080EU. Specify RXLM. Example: M9050RXLM.	347.00

Security Screws

Specify	Description	List Add \$
TX A/B/D	Security screws for all exposed fasteners (sectional trim and dead bolts only).	18.00
TX H	Security screws for all exposed fasteners (H escutcheon only).	20.00
TX M	Security screws for all exposed fasteners (M escutcheon only).	20.00

NOTE: Only available for use with 619, 625, 626, and 630 finish locksets.

Special Strikes (Non-Standard Lip Lengths)

		630	612, 613, 622
Part #	Description	Li	st Add \$
5006-XXX	1-1/4" × $4-7/8$ ", special lip length (greater than $2-1/4$ "). Specify lip length.	89.00	111.00

Example: 5006-312 630 for a 2-1/2" lip length strike in 630 finish.

NOTE: Non-standard items are considered to be special request items and have an extended lead time. Consult factory for more information.

PROUDLY DISTRIBUTED BY

ACCESS
HARDWARE
SUPPLY

605, 606,

626,

Exit Devices

Surface Closers

> -ire/Lire Safety

Closers/Pivots

Non-Standard Door Thickness

Charges include special strike and cylinder requirements. Extended lead time may be required, check with factory. For functions requiring an indicator, add \$75.


Description	Туре	List Add \$
Functions without a Cylinder		
Doors >1-3/4" to 2-1/2"	EE, EI, EO, ED	N/C
Doors >2-1/2" to 4"	EE, EI, EO, ED	84.00
Single Cylinder Functions		
Doors >1-3/4" to 2-1/2"	EE, EI, EO, ED	N/C
Doors >2-1/2" to 4"	EI	84.00
Doors >2-1/2" to 4"	EE, EO, ED	231.00
Double Cylinder Functions		
Doors >1-3/4" to 2-1/2"	EE, EI, EO, ED	N/C
Doors >2-1/2" to 4"	EI	84.00
Doors >2-1/2" to 4"	EE, EO, ED	406.00

NOTES:

EE — Door thickness extended equally (lock is centered)
EI — Door thickness extended inside only
EO — Door thickness extended outside only

ED — Door thickness extended differently inside and outside

Required Information — For Non-Standard Door Thickness



Special Requests:


Customized products may be available to solve unusual functions or applications.

Contact Technical Services for assistance.



D900 Series

Ordering Guide



^{*} D963 function available in 613, 619, 626, and 630 finish only.

Finish

			626, 630, 619	605, 606, 612, 613, 622, 625
ANSI#	Function	Description	Lis	t \$
E06071	D960	Cylinder × Turn	347.00	368.00
E06061	D962	Cylinder × Cylinder	398.00	419.00
E06091	D963	Cylinder × Classroom	398.00	419.00
E06081	D961	Cylinder × Blank	329.00	348.00
_	D971	Cylinder Indicator × Turn	398.00	423.00
E06181	D981	Turn Only	260.00	273.00



Cylinder Types, Keying Options, and Keyways

Cylinder	Option	Description		List Add/Deduct \$
Convention	nal Cylinders	(non-interchangeable core)		
D		Conventional cylinder	Example: D960D	
	KD	Keyed differently to a random combination; SC keyway with 2 keys (default)		N/C
	KA2	Keyed alike in pairs to a random combination; SC keyway with 2 keys		N/C
	NSK	Keyed alike, sets of three or more; SC keyway with 2 keys		13.00
	NS2	Keyed alike double cylinder locks; SC keyway with 2 keys		26.00
	1-Bit	Operated by 1-bit cut key; SC, SE keyway with 2 key blanks (order 1-bit key separately)		N/C
	1-Bit	Operated by 1-bit cut key; D100 keyway − ⊘ Keys sold separately		N/C
	0-Bit	Operated by 0-bit cut key; AA, CA, CB, CC, CD, CE, RA, RB, GA, SF, YA, YG keyways with 2 key blanks		13.00
	MKD	Master keyed; SC, SE, or D100 keyway — ⊘ Keys sold separately		17.00
	MK2	Master keyed double cylinder lock; SC, SE, or D100 keyway — ⊘ Keys sold s	separately	34.00
	СМК	Construction master keyed single cylinder locks — $igotimes$ Keys sold separately		19.00
	CM2	Construction master keyed double cylinder locks $-igotimes$ Keys sold separately	,	38.00
L		Lock less conventional cylinder and collar	Example: D960L	Deduct 30.00
Interchang	eable Core C	ylinders		
Т		SFIC — Housing with keyed temporary SFIC construction core (Core may be returned for a full refund) — \bigotimes Keys sold separately	Example: D960T	42.00
J		SFIC — Housing with disposable plastic SFIC plug	Example: D960J	N/C
С		SFIC — Housing with combinated SFIC core installed at the factory¹; BA (default), BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, D100 keyway — ⊘ Keys sold separately	Example: D960C	48.00
G		Schlage LFIC — Housing with keyed temporary Schlage LFIC construction core (Core may be returned for full refund) — \bigotimes Keys sold separately	Example: D960G	42.00
R		Schlage LFIC — Housing less core	Example: D960R	9.00
F		Schlage LFIC — Housing with combinated Schlage LFIC installed at the factory (SC keyway) — ⊘ Keys sold separately	Example: D960F	48.00

^{1.} For uncombinated cores, UNC, cores must be ordered separately, see Cylinders, Keys & Keying. Locks will be supplied w/plastic construction core, Option J.

igotimes Denotes keys must be ordered separately.

Cut Keys Ordered Separately				
Part #	Description	List \$		
45101	SFIC Cut key — Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	7.00		
45401	SFIC Cut key — Change key, master key, or control key; SKC keyways — D100 etc.	11.00		
45404	CONV/LFIC Cut key—1-bit key for operating 1-bit cylinders— SC, SE keyways	5.00		
45405	LFIC Cut key — 1-bit control key (to install/remove "1-bit" LFIC cores) — SC keyway	5.00		
44101SC	CONV/LFIC Key blank — SC keyway	2.00		
44104SC	LFIC Key blank — Control key (to install/remove LFIC Cores) — SC keyway	4.00		

NOTES:

- Distribution of DORMA SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for DORMA SKC policies.
- 1 bit cylinder comes with (2) uncut keys and will require a 1 bit cut key, sold separately, to operate cylinder. SC and SE keyways only.
- See Keys and Key Blanks section for complete list.



D900 Accessories

Antimicrobial Coating

Descript	Description of Components Coated				
Available	Available on 626 and 630 finished. Specify AM. Example 626AM or 630AM.				
Inside	Thumb Turn and Rose if applicable to function	36.00			

NOTE: AM Coating not available on Cylinders (AM Coating not available on outside). Extended lead time required, consult factory.

Locks

Security Screws

Specify	Description	List \$
TX	Security Screws for Strike, Armor Plate, Thumb Turn	18.00

NOTE: Only available for use with 619, 625, 626, and 630 finish locksets.





dormakaba 🚧



dormakaba 🚧 T900 Series Locks

T900 Series





- 1. D rose not available in 625 or 626.
- 2. See Finish Availability chart, page 21.
- For split finishes, consult factory. Specify in-swing or out-swing.
- Available on 626/630 finishes only.
- 5. Fire rated latch available on T925 (standard) and T910 (optional). Not available on T
- Example shows default values. Refer to Configuration Options section for full detai
- 7. Standard door thickness is 1-3/8"-1-3/4". Contact factory for other thicknesses.







Trim Options


Lever Options


Standard


2-1/4 (57) 4-11/16 (119)



















Premium


























Wrought Roses




Finish Availability Chart									
	605	606	612	613	619	622	625	626	630
Standard Lev	ers								
LR	•	•	•	•	•	•	•	•	•
LC	•	•	•	•	•	•	•	•	•
LG	•	•	•	•	•	•	•	•	•
LF	•	•	•	•	•	•	•	•	
LT	•	•	•	•	•	•	•	•	•
LV	•	•	•	•	•	•	•	•	
L118		•	•	•	•	•			•
Premium Leve	ers								
LA	•	•	•	•	•	•	•	•	•
LD	•	•	•	•	•	•	•	•	
LN	•	•	•	•	•	•	•	•	
L109		•	•	•	•	•			•
L110	•	•	•	•	•	•	•	•	•
L112		•	•	•	•	•			•
L114	•	•	•	•	•	•	•	•	
L117	•	•	•	•	•	•			•
Knob									
КВ		•	•	•	•	•			•



PROUDLY DISTRIBUTED BY



T900 Series



Standard Levers

L118 not available in 605, 625, or 626 finish. LF and LV not available in 630 finish. See Lever Finish Availability Chart, page 21. D rose not available in 625 or 626.

626 605, 606, 612, 619, 622, 625, 613, 630

ANSI#	Function	Description	List \$		
Keyless					
_	T901	Single dummy, surface mounted	153.00	161.00	
_	T902	Double dummy	210.00	224.00	
F75	T910	Passage/closet	252.00	268.00	
F111	T925	Exit/communicating	252.00	268.00	
F76	T940	Privacy, bedroom or bath	269.00	284.00	

NOTE: Split finishes will be priced at the higher finish list price.

Premium l	Levers	L109, L112, and L117 not available in 625 or 626 finishes. LD, LN, and L114 not available in 630 finish. See Lever Finish Availability Chart, page 21. D rose not available in 625 or 626.	626	605, 606, 612, 619, 622, 625, 613, 630
ANSI#	Function	Description		#
Keyless			L	st\$
_	T901	Single dummy, surface mounted	166.00	175.00
_	T902	Double dummy	233.00	248.00
F75	T910	Passage/closet	279.00	293.00
F111	T925	Exit/communicating	279.00	293.00

NOTE: Split finishes will be priced at the higher finish list price.

Privacy, bedroom or bath

T940



294.00


311.00

F76

dormakaba 🚧 T900 Series Locks

Configuration Options

Non-Fire Latch Bolts



Part #	Backset	Description	List Add \$
90202	2-3/4"	1-1/8" faceplate, passage, square corner, non-fire, T910 only	N/C
90200	2-3/4"	1" faceplate, passage, square corner, non-fire, T910 only	N/C
90100	2-3/8"	1" faceplate, passage, square corner, non-fire, T910 only	N/C
90101	2-3/8"	1" faceplate, passage, 1/4" radius corner, non-fire, T910 only	N/C
90232	2-3/4"	1-1/8" faceplate, privacy, square corner, non-fire, T940 only	N/C
90230	2-3/4"	1" faceplate, privacy, square corner, non-fire, T940 only	N/C
90130	2-3/8"	1" faceplate, privacy, square corner, non-fire, T940 only	N/C
90131	2-3/8"	1" faceplate, privacy, 1/4" radius corner, non-fire, T940 only	N/C


Fire-Rated Latch Bolts



Part #	Backset	Description	List Add \$
91202	2-3/4"	1-1/8" faceplate, passage, square corner, 90 min fire-rated, T910	14.00
91200	2-3/4"	1" faceplate, passage, square corner, 90 min fire-rated, T910	14.00
91100	2-3/8"	1" faceplate, passage, square corner, 90 min fire-rated, T910	14.00
91101	2-3/8"	1" faceplate, passage, 1/4" radius corner, 90 min fire-rated, T910	14.00

NOTE: List add for fire-rated latch with T910 only. Fire-rated latch standard for T925 – no list add. Not available on T940.

Strikes



Part #	Description	List Add \$
5101 — T Str	ike with Dust Box	
5101-118	1-1/8" × 2-3/4", 1-1/8" lip length, square corner	N/C
5101-112	1-1/8" × 2-3/4", 1-1/2" lip length, square corner	20.00
5102-118	1-1/8" × 2-3/4", 1-1/8" lip length, radius corner	N/C

NOTE: Default strike shown in bold.




Part #	Description	List Add \$
5201, 5202 —	Full Lip Strike	
5201-118	1-5/8" × 2-1/4", 1-1/8" lip length, square corner	N/C
5202-118	$1-5/8" \times 2-1/4"$, $1-1/8"$ lip length, $1/4"$ radius corner	N/C

PROUDLY DISTRIBUTED BY



Strikes Continued



Part #	Description	List Add \$
5001 — ANSI St	trike, includes Dust Box	
5001-1316	1-1/4" × 4-7/8", 1-3/16 lip length, square corner	N/C
5001-112	1-1/4" × 4-7/8", 1-1/2 lip length, square corner	20
5001-078	1-1/4" × 4-7/8", 7/8 lip length	20

Special Application Options


Antimicrobial Coating

Available on 626 and 630 finish. Specify AM. Example: 626AM

Description of Components Coated		List Add \$
Lever trim	Inside: Lever and rose Outside: lever and rose	46.00

NOTE: Extended leadtime, consult factory.

Tactile Markings



 $\textbf{NOTE:} \ \mathsf{Tactile} \ \mathsf{marking} \ \mathsf{is} \ \mathsf{applied} \ \mathsf{to} \ \mathsf{outside} \ \mathsf{knob} \ \mathsf{or} \ \mathsf{lever} \ \mathsf{only,} \ \mathsf{unless} \ \mathsf{otherwise} \ \mathsf{specified.} \ \mathsf{Prices} \ \mathsf{shown} \ \mathsf{per} \ \mathsf{single} \ \mathsf{lever} \ \mathsf{or} \ \mathsf{knob}.$

Special Strikes (Non-Standard Lip Lengths)


Part #	Part # Description	
5001 – ANSI	Strike with Tubular Lock Cutout, includes Dust Box	
5001-XXX	1-1/4" × $4-7/8$ ", special lip length (longer than $1-1/2$ "). Specify length and finish.	88.00

Example: 5001-200 630 for a 2" lip length in 630 finish.

NOTE: Non-standard items are considered to be special request items and have an extende lead time. Consult factory for more information.





C800 Series





- Faculty restroom/hotel function available in SC and SE keyway only. Not available in SFIC or prepared for competitor cylinders.
- 2. Request to exit option only available on lever locks. Available with C810, C850, C853, C870, C880, C880EL & C880EU functions only.
- 3. KB knob not available with Schlage LFIC. Conventional and SFIC only.
- 4. Consult factory for other cylinder options.
- Rose B applicable to knob designs only. Roses C, D, E, and F applicable to lever designs only. Split design roses not available.
- 6. F Rose design in 626 only.
- Split finishes, available on levers only, consult factory. Specify in-swing or out-swing.
- **8.** Antimicrobial coating available on lever trim, 626 finish only. Consult factory for other finishes.
- 9. Door thickness range: Lever locks 1-3/4"-2-1/4" without spacers, 1-3/8"- 1-5/8" with spacers. Knob locks 1-3/8"-2" without spacers or special tools.


Lever Designs





















Rose Designs









27

Lever Locks




(O)		Leve	r Locks
		626	605, 606, 612, 619, 625, 613, 622
SI # Function	Description		

ANSI#	Function	Description	1.	
Keyless				ist \$
F75	C810	Passage/closet	477.00	514.00
F89	C812	Exit	477.00	514.00
F111	C825	Exit/communicating passage	477.00	514.00
F77A	C830	Patio	564.00	604.00
F76A	C840	Privacy, bedroom or bath	546.00	585.00
_	C844	Hospital privacy	546.00	585.00
_	C801	Single dummy	205.00	224.00
_	C802	Double dummy	393.00	434.00
Keyed, S	ingle Cylinder			
F112	C848	Exit/communicating storeroom	634.00	685.00
F82	C850	Entry/office	634.00	685.00
F109	C853	Entry	634.00	685.00
F84	C870	Classroom	634.00	685.00
F92	C855	Service station	634.00	685.00
F113	C865	Exit/communicating classroom	634.00	685.00
F86	C880	Storeroom	634.00	685.00
F90	C873	Corridor/dormitory	654.00	693.00
F93	C885¹	Faculty restroom/hotel	741.00	780.00
_	C880EL	Electrically locked (fail safe)	864.00	905.00
_	C880EU	Electrically unlocked (fail secure)	864.00	905.00
Keyed, D	ouble Cylinder			
F80	C872	Communicating	768.00	809.00
F87	C882	Asylum	768.00	809.00
F88	C860	Apartment	768.00	809.00
F91	C866	Store door	768.00	809.00
F110	C877	Classroom intruder (includes LOCK rose on inside)	768.00	809.00

^{*} Split finishes priced at higher finish list price. Available on levers only.

NOTE: 1. Faculty restroom/hotel function available in SC and SE keyway only. Not available in SFIC or prepared for competitor cylinders.

Knob Locks



			Knob Locks
			630
ANSI#	Function	Description	List \$
Keyless			LIST \$
F75	C810	Passage/closet	487.00
F76A	C840	Privacy, bedroom or bath	605.00
_	C801	Single dummy	222.00
Keyed, S	ingle Cylinder		
F109	C853	Entry	703.00
F84	C870	Classroom	703.00
F86	C880	Storeroom	703.00
F90	C873	Corridor	711.00

- List prices for keyed locks include standard (D) cylinder, keyed different (KD) with two (2) nickel silver keys.
 For functions not shown, consult factory. Special order functions require extended lead times.
 Knob locks not available prepared for competitor cylinder options.



Cylinder Types, Keying Options, and Keyways

Cylinder	Option	Description		List Add/Deduct \$
Conventio	nal Cylinders	(non-interchangeable core)		
D		Conventional cylinder	Example: C853D	
	KD	Keyed differently to a random combination; SC keyway with 2 keys (default))	N/C
	KA2	Keyed alike in pairs to a random combination; SC keyway with 2 keys		N/C
	NSK	Keyed alike, sets of three or more; SC keyway with 2 keys		13.00
	NS2	Keyed alike double cylinder locks; SC keyway with 2 keys		26.00
	1-Bit	Operated by 1-bit cut key; SC, SE keyway with 2 key blanks (order 1-bit key separately)		N/C
	0-Bit	Operated by 0-bit key; D100 keyway − ⊘ Keys sold separately		N/C
	0-Bit	Operated by 0-bit cut key; AA, CA, CB, CC, CD, CE, RA, RB, GA, SF, YA, YG keyways with 2 key blanks		13.00
	MKD	Master keyed; SC, SE, or D100 keyway — $oldsymbol{arphi}$ Keys sold separately		17.00
	MK2	Master keyed double cylinder lock; SC, SE, or D100 keyway — $oldsymbol{arphi}$ Keys sold se	parately	34.00
	СМК	Construction master keyed single cylinder locks — $igotimes$ Keys sold separately		19.00
	CM2	Construction master keyed double cylinder locks — ⊘ Keys sold separately		38.00
L		Lock less conventional cylinder	Example: C853L	Deduct 30.00
Interchang	geable Core C	ylinders		
т		SFIC — Housing with keyed temporary SFIC construction core (Core may be returned for a full refund) — \bigotimes Keys sold separately	Example: C870T	42.00
J		SFIC — Housing with disposable plastic SFIC plug	Example: C870J	N/C
С		SFIC — Housing with combinated SFIC core installed at the factory¹; BA (default), BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, D100 keyway — ⊘ Keys sold separately	Example: C870C	48.00
G		Schlage LFIC — Housing with keyed temporary Schlage LFIC construction core (Core may be returned for full refund) — ⊗ Keys sold separately	Example: C870G	42.00
R		Schlage LFIC — Housing less core	Example: C870R	9.00
F		Schlage LFIC — Housing with combinated Schlage LFIC installed at the factory (SC keyway) — \bigotimes Keys sold separately	Example: C870F	48.00
	0 " -			
	or Cylinder Ty	•		105.00
A/M/N/Y		Other manufacturer IC core prep, less core	Evenenda, COESE	105.00
E		Lock prepared for Corbin/Russwin 2000 Series	Example: C853E	N/C
		6-pin KIL cylinder, less cylinder (all designs)		
<u>s</u>		Lock prepared for Sargent 10 line KIL, less cylinder (all designs)	Example: C853S	N/C

 $[\]textbf{1.} \ \mathsf{For} \ \mathsf{uncombinated} \ \mathsf{cores}, \ \mathsf{UNC}, \mathsf{cores} \ \mathsf{must} \ \mathsf{be} \ \mathsf{ordered} \ \mathsf{separately}, \mathsf{see} \ \mathsf{Cylinders}, \ \mathsf{Keys} \ \& \ \mathsf{Keying}.$



igotimes Denotes keys must be ordered separately.

Cut Keys Ordered Separately			
Part #	Description	List \$	
45101	SFIC Cut key — Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	7.00	
45401	SFIC Cut key — Change key, master key, or control key; SKC keyways — D100 etc.	11.00	
45404	CONV/LFIC Cut key $-$ 1-bit key for operating 1 bit cylinders $-$ SC, SE keyways	5.00	
45405	LFIC Cut key — 1-bit control key (to install/remove "1-bit" LFIC cores) — SC keyway	5.00	
44101SC	CONV/LFIC Key blank — SC keyway	2.00	
44104SC	LFIC Key blank — Control key (to install/remove LFIC Cores) — SC keyway	4.00	

NOTES:

- Distribution of DORMA SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for DORMA SKC policies.
 1-bit cylinder comes with (2) uncut keys and will require a 1-bit cut key, sold separately, to operate cylinder.
 See Keys and Key Blanks section for complete list.



Configuration Options

Latch Bolts



1/2" Throw, 2	1/2" Throw, 2-3/4" Backset			
Part #	Description	List Add \$		
For 810, 840,	and 844 Functions			
10202	1-1/8" × 2-1/4" front, 1" diameter, square corner	N/C		
For All Other	Functions			
10252	1-1/8" × 2-/4" front, 1" diameter, square corner	N/C		



1/2" Throw, 2-3/8" Backset		
Part #	Description	
For 810, 840	0, and 844 Functions	
10100	$1" \times 2-1/4"$ front, $7/8"$ diameter, square corner	11.00
10101	$1" \times 2-1/4"$ front, $7/8"$ diameter, $1/4"$ radius corner	11.00
10102	$1-1/8" \times 2-1/4"$ front, 7/8" diameter, square corner	11.00
For All Othe	er Functions	
10150	1" × 2-1/4" front, 7/8" diameter, square corner	11.00
10151	$1" \times 2-1/4"$ front, 7/8" diameter, 1/4" radius corner	11.00
10152	1-1/8" × 2-1/4" front, 7/8" diameter, square corner	11.00



1/2" Throw, 3	3-3/4" Backset	
Part #	Description	List Add \$
For 810, 840,	and 844 Functions	
10302	1-1/8" × 2-1/4" front, 1" diameter, square corner	23.00
For All Other	Functions	
10352	1-1/8" × 2-1/4" front, 1" diameter, square corner	23.00



1/2" Throw, 5" Backset				
Part #	Description	List Add \$		
For 810, 840,	and 844 Functions			
10502	1-1/8" × 2-1/4" front, 1" diameter, square corner	23.00		
For All Other	Functions			
10552	1-1/8" × 2-1/4" front, 1" diameter, square corner	23.00		



3/4" Throw, 2-3/4" Backset		
Part #	Description	List Add \$
800 Locks	(605 and 626 finishes only, Non-Restoring)	
18262	1-1/8" \times 2-1/4" front, 1" diameter, square corner. Available in 605 or 626 only.	110.00

Strikes




Part #	Description	List Add \$	
5001 — ANSI	5001 — ANSI Strike Includes Dust Box		
5001-1316	1-1/4" × 4-7/8", 1-3/16" lip length, square corner	N/C	
5001-112	1-1/4" × 4-7/8", 1-1/2" lip length, square corner	20.00	
5001-078	1-1/4" × 4-7/8", 7/8" lip length	20.00	

NOTE: Default strike shown in bold.



Part #	Description	List Add \$
5101 — T Sti	rike with Dust Box	
5101-118	1-1/8" × 2-3/4", 1-1/8" lip length, square corner	N/C
5101-112	1-1/8" × 2-3/4", 1-1/2" lip length, square corner	20.00
5102-118	1-1/8" × 2-3/4", 1-1/8" lip length, radius corner. Available only in 630 for use with 626 and 619.	N/C



Part #	Description	List Add \$
5201, 5202 -	- Full Lip Strike	
5201-118	1-5/8" × 2-1/4", 1-1/8" lip length, square corner	N/C
5202-118	1-5/8" × 2-1/4", 1-1/8" lip length, 1/4" radius corner	N/C

Antimicrobial Coating Available on 626 finish. Specify AM. Example: 626AM

Description (of Components Coated	List Add \$
Lever trim	Inside: Lever and rose Outside: lever and rose	46.00

NOTE: Extended leadtime, consult factory.



Special Application Options

Knurled Knob and Levers (Tactile Markings)

Part #	Description	List Add \$
660002	Knurled or grooved lever (LR or LG designs only)	70.00
660003	Abrasive coated lever or knob (all designs)	47.00

Locks

NOTE: Tactile marking is applied to outside knob or lever only, unless otherwise specified. Prices shown are for one lever only.

Lead Lining Plate

Part #	Description	List Add \$
660004	Lead lining plate for C800, CL700	184.00

Spacers for 1-3/8" Doors, C800 Series

Part #	Description	605, 606, 612, 613, 622, 625, 626 List Add \$
660005	Spacers for thin door, 1 pair (2 spacers) 1-3/8" door – Specify finish.	46.00

NOTE: Spacers are included if 1-3/8" door thickness is specified.

Security Screws

Part #	Description	List Add \$
TX	Security screws for latch and strike.	16.00

NOTE: Only available for use with 619, 625, 626, and 630 finish locksets.

Special Strikes (Non-Standard Lip Lengths)

Part #	Description	List Add \$
5001-XXX	1-1/4" × 4-7/8", special lip length (longer than 1-1/2"). Specify length.	88.00

NOTE: Non-standard items are considered to be special request items and have an extended lead time. Consult factory for more information. Lip length is distance from center of mounting holes to edge of strike.




Non-Standard Door Thickness

Description	List Add \$
Doors 2" to 4" thick extended inside (EI)	270.00
Example: 2-1/2" door, 1-3/4" door extended 3/4" inside only	
Doors 2" to 4" thick extended outside (EO)	270.00
Example: 2-1/2" door, 1-3/4" door extended 3/4" outside only	
Doors over 2-5/16 to 4" thick extended equally (EE)	453.00

Locks

NOTE: Non-standard items are considered to be special request items and have an extended lead time. Consult factory for more information.

Required Information — For Non-Standard Door Thickness



Request to Exit

Specify	Description	List Add \$
RX	Request to exit, available on C800 lever models: 853, 870, 880, 880EL, 880EU	161.00

Indicator Rose



Specify	Description	List Add \$
D Rose*	Stamped LOCK on inside rose (specify finish)	N/C
F Rose*	Stepped, stamped LOCK on inside rose (specify finish)	N/C




^{*} Optional on inside of C860 Apartment function; Standard on inside of C877 Intruder function.

Drilling Jig

	Part #	Description	List \$
	76004795	Drilling Jig for C800, CL700, and C500 Locksets	13.00
OB	640003	Mount, C800 lever, CL700, and C500 Series — 1-1/8" \times 2-1/4" faceplate	104.00


D800 Series



- The Less Conventional Cylinder option is not available for the D800 Series.
 For split finishes, consult factory. Specify In-Swing or Out-Swing.
 Example shows default values. Refer to Configuration Options section for full details.
- 4. Available on 626 finish only. Consult factory for other finishes.
 5. Door range 1-3/8"-1-3/4" default (1-13/16"-2" optional). Consult factory for applications over 2".
- $\textbf{6.} \ \mathsf{Special} \ \mathsf{Order} \ \mathsf{Finish} \mathsf{May} \ \mathsf{require} \ \mathsf{additional} \ \mathsf{lead} \ \mathsf{time}.$



D800 Series



			626	605, 606, 612, 619, 625, 613	
ANSI #	Function	Description			
Keyless				List \$	
E21111	D880	Thumb turn × blank plate	168.00	187.00	
E2191	D881	Thumb turn only	160.00	179.00	
_	D882	Thumb turn × thumb turn (windstorm)	200.00	220.00	
_	D871	Thumb turn × occupancy indicator w/coin turn	164.00	183.00	
Keyed, Sing	le Cylinder				
E2151	D860	Cylinder × turn	200.00	220.00	
E2161	D861	Cylinder × blank	200.00	220.00	
E2171	D863	Cylinder × classroom turn	210.00	229.00	
Keyed, Dou	ble Cylinder**				
E2141	D862	Cylinder × cylinder	258.00	276.00	

^{**} CAUTION: Double cylinder locks used on residences and any door in a structure which is used for egress are a life safety hazard in times of emergency and their use is not recommended. Installation should be in accordance with existing codes only.

NOTE: List prices for keyed locks include standard DORMA (D) cylinder, keyed different (KD) with two (2) nickel silver keys.

Cylinder Types, Keying Options, and Keyways

Cylinder	Option	Description		List Add/Deduct \$
Convention	onal Cylinde	ers (non-interchangeable core)		
D	,	Conventional cylinder	Example: D860D	
	KD	Keyed differently to a random combination; SC keyway with 2 keys (defaul	t)	N/C
	KA2	Keyed alike in pairs to a random combination; SC keyway with 2 keys		N/C
	NSK	Keyed alike, sets of three or more; SC keyway with 2 keys		13.00
	NS2	Keyed Alike double cylinder locks; SC keyway with 2 keys		26.00
	1-Bit	Operated by 1-bit cut key; SC, SE keyway with 2 key blanks (order 1-bit key separately)		N/C
	0-Bit	Operated by 0-bit key; D100 keyway — $oldsymbol{arphi}$ Keys sold separately		N/C
	0-Bit	Operated by 0-bit cut key; AA, CA, CB, CC, CD, CE, RA, RB, GA, SF, YA, YG keyways with 2 key blanks		13.00
	MKD	Master keyed; SC, SE, or D100 keyway — $oldsymbol{arphi}$ Keys sold separately		17.00
	MK2	Master keyed double cylinder lock; SC, SE, or D100 keyway — $igotimes$ Keys sold s	eparately	34.00
	СМК	Construction master keyed single cylinder locks — $igotimes$ Keys sold separately		19.00
	CM2	Construction master keyed double cylinder locks — $igotimes$ Keys sold separately		38.00
Interchan	geable Core	e Cylinders		
т		Lock with keyed temporary SFIC construction core (cores may be returned for a full refund) — ⊘ Keys sold separately	Example: D860T	42.00
J		Lock with disposable plastic SFIC plug	Example: D860J	N/C
С		Lock with combinated SFIC core installed at the factory¹; BA (default), BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, D100 keyway — ⊘ Keys sold separately	Example: D860C	48.00
G		Schlage LFIC — Housing with keyed temporary Schlage LFIC construction core (Core may be returned for full refund) — \bigotimes Keys sold separately	Example: D862G	42.00
R		Schlage LFIC — Housing less core	Example: D860R	9.00
F		Schlage LFIC — Housing with combinated Schlage LFIC installed at the factory (SC keyway) — ⊘ Keys sold separately	Example: D862F	48.00

 $^{^{\}star}$ The Less Cylinder option is not available for the D800 Series.

Cut Keys Ordered Separately

Part #	Description	List \$
45101	SFIC Cut key — Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	7.00
45401	SFIC Cut key — Change key, master key, or control key; SKC keyways — D100 etc.	11.00
45404	CONV/LFIC Cut key—1-bit key for operating 1-bit cylinders — SC, SE keyways	5.00
45405	LFIC Cut key — 1-bit control key (to install/remove "1-bit" LFIC cores) — SC keyway	5.00
44101SC	CONV/LFIC Key blank — SC keyway	2.00
44104SC	LFIC Key blank — Control key (to install/remove LFIC Cores) — SC keyway	4.00

NOTES

- · Distribution of DORMA SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for DORMA SKC policies.
- 1-bit cylinder comes with (2) uncut keys and will require a 1-bit cut key, sold separately, to operate
- See Keys and Key Blanks section for complete list.

PROUDLY DISTRIBUTED BY



^{1.} For uncombinated cores, UNC, cores must be ordered separately, see Cylinders, Keys & Keying. Locks will be supplied w/plastic construction core, Option J.

igotimes Denotes keys must be ordered separately.

Configuration Options

Dead Bolts



1" Throw			
Part #	Description	List Add \$	
28752	1-1/8" × 2-1/4" faceplate, 2-3/4" backset, square corner	N/C	
28652	1-1/8" × 2-1/4" faceplate, 2-3/8" backset, square corner	N/C	

 $\textbf{NOTE:} \ \mathsf{Default} \ \mathsf{configuration} \ \mathsf{shown} \ \mathsf{above} \ \mathsf{in} \ \mathsf{bold}.$

Strikes



Part #	Description	List Add \$
5103 —	Standard Strike for Dead Bolt	
5103	1-1/8" × 2-3/4", no lip, square corner	N/C
	2 - Carlotte and C	

NOTE: Default strike shown above in bold.



Part #	Description	List Add \$
5004 —	ANSI Strike with Dead Bolt Cutout	
5004	1-1/4" × 4-7/8", no lip, square corner	7.00



Part #	Description	List Add \$
5203 — Full	Lip Strike with Dead Bolt Cutout	
5203-118	1-5/8" × 2-1/4", 1-1/8" lip length, square corner	N/C
5204-118	1-5/8" × 2-1/4", 1-1/8" lip length, 1/4" radius corner	N/C



Part #	Description	List Add \$
5006 — ANS	il Strike with Lip and Dead Bolt Cutout	
5006-114	1-1/4" × 4-7/8", 1-1/4" lip length, square corner	9.00
5006-112	1-1/4" × 4-7/8", 1-1/2" lip length, square corner	20.00

Antimicrobial Coating

Description of Components Coated	List Add \$
Available on 626 finish. Specify AM. Example: 626AM	
Inside: thumbturn, rose, or same as outside for double cylinder	45.00
Outside: trim ring and cylinder faceplate	

NOTE: Extended leadtime, consult factory.

Security Screws


Specify	Description	List Add \$
TX	Security screws for all exposed fasteners.	20.00

NOTE: Only available for use with 619, 625, 626, and 630 finish locksets.

Non-Standard Door Thickness

	1-3/8"-1-3/4" Door Thickness	To 2-1/2" Door Thickness	To 3" Door Thickness	
Cylinder Type		List Add \$		
Standard	Standard	26	N/A	
SFIC	Standard	42	42	
LFIC	Standard	42	42	

Required Information — For Non-Standard Door Thickness






800) 348 – 226

dormakaba 🚧


dormakaba 🚧


CL700/CK700 Series


Ordering Guide




- 1. Rose B is applicable to knob lock only. Rose E is applicable to lever lock designs only.
- 2. Example shows default values. Refer to Configuration Options section for full details.
- 3. For split finishes, consult factory. Specify in-swing or out-swing.










Exit Devices

Surface Closers

Architectural Pulls & Handles

Lever Locks



Lever I	Locks
---------	-------

605, 606, 612, 626 625, 613

ANSI#	Function	Description			
	ronction	description Description		List \$	
Keyless					
F75	CL710	Passage/closet	215.00	247.00	
F89	CL712	Exit	238.00	270.00	
F111	CL725	Exit/communicating passage	238.00	270.00	
F77A	CL730	Patio	245.00	276.00	
F76A	CL740	Privacy, bedroom or bath	245.00	276.00	
_	CL701	Single dummy	123.00	141.00	
Keyed, S	ingle Cylinder				
F82	CL750	Entry/office	313.00	345.00	
F109	CL753	Entry	313.00	345.00	
F84	CL770	Classroom	313.00	345.00	
F86	CL780	Storeroom	313.00	345.00	

NOTES:

- Split finishes will be priced at the higher finish list price.Split trim not available.



Knob Locks



		9	Knob Locks
			630
ANSI#	Function	Description	List \$
Keyless			List #
F75	CK710	Passage/closet	140.00
F77A	CK730	Patio	186.00
F76A	CK740	Privacy, bedroom or bath	145.00
_	CK701	Single dummy	79.00
Keyed, Si	ngle Cylinder		
F109	CK753	Entry	250.00
F84	CK770	Classroom	250.00
F86	CK780	Storeroom	250.00

NOTE: List prices for keyed locks include standard DORMA (D) cylinder, keyed different (KD) with two (2) nickel silver keys.



Cylinder Types, Keying Options, and Keyways

Cylinder	Option	Description	List A	dd/Deduct \$
Conventio	nal Cylinders (r	non-interchangeable core)		
D		Conventional cylinder	Example: CL753D	
	KD	Keyed differently to a random combination; SC keyway with 2 keys (def	ault)	N/C
	KA2	Keyed alike in pairs to a random combination; SC keyway with 2 keys		N/C
	NSK	Keyed alike, sets of three or more; SC keyway with 2 keys		13.00
	NS2	Keyed alike double cylinder locks; SC keyway with 2 keys		26.00
	1-Bit	Operated by 1-bit cut key; SC, SE keyway with 2 key blanks (order 1-bit key separately)		N/C
	0-Bit	Operated by 0-bit key; D100 keyway $ \bigcirc$ Keys sold separately		N/C
	0-Bit	Operated by 0-bit cut key; AA, CA, CB, CC, CD, CE, RA, RB, GA, SF, YA, Y keyways with 2 key blanks	′G	13.00
	MKD	Master keyed; SC, SE, or D100 keyway — ⊘ Keys sold separately		17.00
	MK2	Master keyed double cylinder lock; SC, SE, or D100 keyway — ⊘ Keys so l	d separately	34.00
	СМК	Construction master keyed single cylinder locks $-oldsymbol{arphi}$ Keys sold separate	ly	19.00
	CM2	Construction master keyed double cylinder locks — $oldsymbol{arphi}$ Keys sold separato	ely	38.00
L		Lock less conventional cylinder	Example: CL753L	Deduct 30.00
Small For	nat Interchang	eable Core Cylinders		
Т		Lock with keyed temporary SFIC construction core (cores may be returned for a full refund) — \bigotimes Keys sold separately	Example: CL753T	42.00
J		Lock with disposable plastic SFIC plug	Example: CL753J	N/C
С		Lock with combinated SFIC core installed at the factory 1 ; BA (default), BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, D100 keyway — \textcircled{E} Keys sold separately	Example: CL753C	48.00

For uncombinated cores, UNC, cores must be ordered separately, see Cylinders, Keys & Keying. Locks will be supplied w/plastic construction core, Option J.

O Denotes keys must be ordered separately.

Cut Keys Ord	Cut Keys Ordered Separately		
Part #	Description	List \$	
45101	SFIC Cut key — Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	7.00	
45401	SFIC Cut key — Change key, master key, or control key; SKC keyways — D100 etc.	11.00	
45404	CONV/LFIC Cut key $-$ 1-bit key for operating 1-bit cylinders $-$ SC, SE keyways	5.00	

NOTES

- $\bullet \quad \text{Distribution of DORMA SKC keys (listed as D100) is restricted}. \ \ \text{See Cylinders, Keys} \ \& \ \ \text{Keying section for DORMA SKC policies}.$
- 1-bit cylinder comes with (2) uncut keys and will require a 1-bit cut key, sold separately, to operate cylinder.
- See Keys and Key Blanks section for complete list.



Configuration Options

Latch Bolts

	1/2" Thro	w, 2-3/8" Backset	
	Part #	Description	List Add \$
	For 710 Fu	unction	
	17100	1" × 2-1/4" front, 7/8" diameter, square corner	N/C
	17101	$1" \times 2-1/4"$ front, $7/8"$ diameter, $1/4"$ radius corner	N/C
	17102	1-1/8" × 2-1/4" front, 1" diameter, square corner	N/C
	For 725, 7	50, 753, 770, or 780 Functions	
0	17150	1" × 2-1/4" front, 7/8" diameter, square corner	N/C
	17151	$1" \times 2-1/4"$ front, $7/8"$ diameter, $1/4"$ radius corner	N/C
	17152	1-1/8" × 2-1/4" front, 1" diameter, square corner	N/C
\supset	For 730 Fu	unction	
	17180	1" × 2-1/4" front, 7/8" diameter, square corner	N/C
	17181	$1" \times 2-1/4"$ front, $7/8"$ diameter, $1/4"$ radius corner	N/C
	17182	1-1/8" × 2-1/4" front, 1" diameter, square corner	N/C
	For 740 Fu	unction	
	17130	1" × 2-1/4" front, 7/8" diameter, square corner	N/C
	17131	1" × 2-1/4" front, 7/8" diameter, 1/4" radius corner	N/C
	17132	1-1/8" × 2-1/4" front, 1" diameter, square corner	N/C



Part #	Description	List Add \$	
For 710	For 710 Function		
17200	1" × 2-1/4" front, 7/8" diameter, square corner	N/C	
17201	1" × 2-1/4" front, 7/8" diameter, 1/4" radius corner	N/C	
17202	1-1/8" × 2-1/4" front, 1" diameter, square corner	N/C	
For 725,	750, 753, 770, or 780 Functions		
17250	1" × 2-1/4" front, 7/8" diameter, square corner	N/C	
17251	1" × 2-1/4" front, 7/8" diameter, 1/4" radius corner	N/C	
17252	1-1/8" × 2-1/4" front, 1" diameter, square corner	N/C	
For 730	Function		
17280	1" × 2-1/4" front, 7/8" diameter, square corner	N/C	
17281	1" × 2-1/4" front, 7/8" diameter, 1/4" radius corner	N/C	
17282	1-1/8" × 2-1/4" front, 1" diameter, square corner	N/C	
For 740	Function		
17230	1" × 2-1/4" front, 7/8" diameter, square corner	N/C	
17231	1" × 2-1/4" front, 7/8" diameter, 1/4" radius corner	N/C	
17232	1-1/8" × 2-1/4" front, 1" diameter, square corner	N/C	

 $\textbf{NOTE:} \ \mathsf{Default} \ \mathsf{configurations} \ \mathsf{for} \ \mathsf{CL700} \ \mathsf{shown} \ \mathsf{above} \ \mathsf{in} \ \mathsf{bold}.$


1/2" Throw, 2-3/4" Backset

Locks



Latch Bolts (continued)

1/2" Throw, 3-3/4" Backset		
Part #	Description	List Add \$
For 710 Func	tion	
17300	1" × 2-1/4" front, 7/8" diameter, square corner	23.00
17301	1" × 2-1/4" front, 7/8" diameter, 1/4" radius corner	23.00
17302	1-1/8" × 2-1/4" front, 1" diameter, square corner	23.00
For 725, 750,	, 753, 770, or 780 Functions	
17350	1" × 2-1/4" front, 7/8" diameter, square corner	23.00
17351	$1" \times 2-1/4"$ front, $7/8"$ diameter, $1/4"$ radius corner	23.00
17352	1-1/8" × 2-1/4" front, 1" diameter, square corner	23.00
For 730 Func	tion	
17380	1" × 2-1/4" front, 7/8" diameter, square corner	23.00
17381	1" × 2-1/4" front, 7/8" diameter, 1/4" radius corner	23.00
17382	1-1/8" × 2-1/4" front, 1" diameter, square corner	23.00
For 740 Func	tion	
17330	1" × 2-1/4" front, 7/8" diameter, square corner	23.00
17331	1" × 2-1/4" front, 7/8" diameter, 1/4" radius corner	23.00
17332	1-1/8" × 2-1/4" front, 1" diameter, square corner	23.00



1/2" Throw,	1/2" Throw, 5" Backset			
Part #	Description	List Add \$		
For 710 Fund	ction			
17500	1" × 2-1/4" front, 7/8" diameter, square corner	23.00		
17501	1" × 2-1/4" front, 7/8" diameter, 1/4" radius corner	23.00		
17502	1-1/8" × 2-1/4" front, 1" diameter, square corner	23.00		
For 725, 750	, 753, 770, or 780 Functions			
17550	1" × 2-1/4" front, 7/8" diameter, square corner	23.00		
17551	$1" \times 2-1/4"$ front, $7/8"$ diameter, $1/4"$ radius corner	23.00		
17552	1-1/8" × 2-1/4" front, 1" diameter, square corner	23.00		
For 730 Fund	ction			
17580	1" × 2-1/4" front, 7/8" diameter, square corner	23.00		
17581	1" × 2-1/4" front, 7/8" diameter, 1/4" radius corner	23.00		
17582	1-1/8" × 2-1/4" front, 1" diameter, square corner	23.00		
For 740 Fund	ction			
17530	1" × 2-1/4" front, 7/8" diameter, square corner	23.00		
17531	1" × 2-1/4" front, 7/8" diameter, 1/4" radius corner	23.00		
17532	1-1/8" × 2-1/4" front, 1" diameter, square corner	23.00		



Strikes



Part #	Description	List Add \$
5001 – ANSI	i001 — ANSI Strike with Cylindrical Lock Cutout	
5001-1316	1-1/4" × 4-7/8", 1-3/16" lip length, square corner	N/C
5001-112	1-1/4" × 4-7/8", 1-1/2" lip length, square corner	20.00

NOTE: Default strike for CL700 lock shown above in bold.



Part #	Description	List Add \$
5101 — T St	rike with Dust Box	
5101-118	1-1/8" × 2-3/4", 1-1/8" lip length, square corner	N/C
5101-112	1-1/8" × 2-3/4", 1-1/2" lip length, square corner	20.00
5102-118	$1-1/8" \times 2-3/4"$, $1-1/8"$ lip length, radius corner. Available only in 630 for use with 626 and 619.	N/C



Part # Description		List Add \$
5201, 5202	— Full Lip Strike	
5201-118	$1-5/8" \times 2-1/4"$, $1-1/8"$ lip length, square corner	N/C
5202-118	1-5/8" × 2-1/4", 1-1/8" lip length, 1/4" radius corner	N/C

Special Application Options

Abrasive Coated Knobs and Levers (Tactile Markings)

Part #	Description	List Add \$
660003	Abrasive coated lever or knob (all designs)	47.00

NOTE: Tactile marking is applied to outside knob or lever only, unless otherwise specified.

Lead Lining Plate

Part #	Description	List Add \$
660004	Lead lining plate for C800, CL700	184.00

Security Screws

Specify	Description	List Add \$
TX	Security screws for latch and strike. 626 Finish Only	16.00

NOTE: Only available for use with 619, 625, 626, and 630 finish locksets.

Special Strikes (Non-Standard Lip Lengths)

Part #	Description	List Add \$
5001-078	1-1/4" × 4-7/8", 7/8" lip length	N/C
5001-XXX	1-1/4" × $4-7/8$ ", special lip length (other than $7/8$ ", $1-3/16$ ", or $1-1/2$ "). Specify length.	88.00


Drilling Jig


Part #	Description	List \$
76004795	Drilling jig for C800, CL700, and C500 locksets	13.00
640003	Mount, C800 lever, CL700, and C500 Series — 1-1/8" \times 2-1/4" faceplate	104.00



C500 Series


Finish Availability Chart							
613 619 626 605 606 625							
LR	•	•	•	•	•	•	
LC	•	•	•	•	•	•	
LG	•	•	•	_	_	_	







- The C500 is not available less conventional cylinder.
 All keyed functions are available with or without SFIC cores.
- $\textbf{2.} \ \mathsf{For} \ \mathsf{split} \ \mathsf{finishes}, \ \mathsf{consult} \ \mathsf{factory}. \ \mathsf{Specify} \ \mathsf{in\text{-}swing} \ \mathsf{or} \ \mathsf{out\text{-}swing}.$
- **3.** Example shows default values. Refer to Configuration Options section for full details.

NOTE: SFIC available on LR and LC lever designs only, not available on LG lever.







PROUDLY DISTRIBUTED BY



Lever Locks

			Leve	er Locks
			626	605, 606, 613, 619, 625
ANSI#	Function	Description	_	:_+ #
Keyless				ist \$
F75	C510	Passage/closet	129.00	143.00
F111	C525	Exit/Communicating passage	129.00	143.00
F77A	C530	Patio	132.00	145.00
F76A	C540	Privacy, bedroom or bath	132.00	145.00
_	C501	Single dummy	76.00	82.00
Keyed, Sir	ngle Cylinder			
F82A	C550	Entry/Office	141.00	156.00
F109	C553	Entry	141.00	156.00
F84	C570	Classroom	141.00	156.00
F86	C580	Storeroom	141.00	156.00

NOTE: Split finishes will be priced at the higher finish list price.

Cylinder Types, Keying Options & Keyways

Cylinder	Option	Description		List Add/Deduct \$
Convention	nal Cylinde	ers (non-interchangeable core)		
D	Conventi	onal cylinder	Example: C553D	
	KD	Keyed differently to a random combination; SC keyway with 2 keys (defac	ult)	N/C
	KA2	Keyed alike in pairs to a random combination; SC keyway with 2 keys		N/C
	NSK	Keyed alike, sets of three or more; SC keyway with 2 keys		13.00
	1-Bit	Operated by 1-bit cut key; D100 keyway — $\textcircled{8}$ Keys sold separately		N/C
	0-Bit	Operated by 0-bit key; SC, SE keyway with 2 key blanks (order 1-bit key sep	arately)	N/C
	0-Bit	Operated by 0-bit cut key; SC, SE, AA, CA, CB, CC, CD, CE, RA, RB, GA, SF, YA, YG keyways with 2 key blanks		13.00
	MKD	Master keyed; SC, SE, or D100 keyway − ⊘ Keys sold separately		17.00
	СМК	Construction master keyed single cylinder locks — $igotimes$ Keys sold separately		19.00
Small For	mat Interch	nangeable Core Cylinders		
т		Temporary SFIC construction core (Cores may be returned for a full refund) — ⊘ Keys sold separately	Example: C553T	42.00
J		SFIC core sold separately (see Cylinders & Keying)	Example: C553J	N/C
С		Lock with combinated SFIC core installed at the factory¹; BA (default), BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, D100 keyway — ⊘ Keys sold separately	Example: C553C	48.00

^{*}The Less Cylinder option is not available for the C500 Series

 $[\]ensuremath{ igoplus }$ Denotes keys must be ordered separately.

Cut Keys Ordered Separately			
Part #	Description	List \$	
45101	SFIC Cut key — Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	7.00	
45401	SFIC Cut key — Change key, master key, or control key; SKC keyways — D100 etc.	11.00	
45404	CONV/LFIC Cut key $-$ 1-bit key for operating 1-bit cylinders $-$ SC, SE keyways	5.00	

NOTES:


- · Distribution of DORMA SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for DORMA SKC policies.
- 1-bit cylinder comes with (2) uncut keys and will require a 1-bit cut key, sold separately, to operate cylinder.

 $[\]textbf{1.} \ \mathsf{For} \ \mathsf{uncombinated} \ \mathsf{cores}, \ \mathsf{UNC}, \ \mathsf{cores} \ \mathsf{must} \ \mathsf{be} \ \mathsf{ordered} \ \mathsf{separately}, \ \mathsf{see} \ \mathsf{Cylinders}, \ \mathsf{Keys} \ \& \ \mathsf{Keying}.$

⁻ See Keys and Key Blanks section for complete list.

Configuration Options

Latch Bolts



Locks



Part #	Description	List Add \$
For 510 or	540 Functions	
15230	1" × 2-1/4" front, 7/8" diameter, square corner	N/C
15231	1" × 2-1/4" front, 7/8" diameter, 1/4" radius corner	N/C
15232	1-1/8" × 2-1/4" front, 7/8" diameter, square corner	N/C
For 525, 5	50, 553, 570, or 580 Functions	
15250	1" × 2-1/4" front, 7/8" diameter, square corner	N/C
15251	1" × 2-1/4" front, 7/8" diameter, 1/4" radius corner	N/C
15252	1-1/8" × 2-1/4" front, 7/8" diameter, square corner	N/C
For 530 Fu	unction	
15280	1" × 2-1/4" front, 7/8" diameter, square corner	N/C
15281	1" × 2-1/4" front, 7/8" diameter, 1/4" radius corner	N/C
15282	1-1/8" × 2-1/4" front, 7/8" diameter, square corner	N/C

NOTE: Default configurations for C500 shown above in bold.


1/2" Throw, 2-3/4" Backset



51

Special Application Options

Drilling Jig



Strikes



Part #	Description	List Add \$
5001 — ANSI Strike with Cylindrical Lock Cutout		
5001-1316	1-1/4" × 4-7/8", 1-3/16" lip length, square corner	N/C
5001-112	1-1/4" × 4-7/8", 1-1/2" lip length, square corner	20.00

NOTE: Default strike for C500 lock shown above in bold.



Part #	Description	List Add \$	
5101, 5102 -	5101, 5102 — "T" Strike with Dust Box		
5101-118	1-1/8" × 2-3/4", 1-1/8" lip length, square corner	N/C	
5101-112	1-1/8" × 2-3/4", 1-1/2" lip length, square corner	20.00	
5102-118	1-1/8" × 2-3/4", 1-1/8" lip length, 1/4" radius corner	N/C	
5102-112	1-1/8" x 2-3/4". 1-1/2" lip length. 1/4" radius corner	20.00	



Part #	Description	List Add \$
5201, 5202 -	- Full Lip Strike	
5201-118	$1-5/8" \times 2-1/4"$, $1-1/8"$ lip length, square corner	N/C
5202-118	$1-5/8" \times 2-1/4"$, $1-1/8"$ lip length, $1/4"$ radius corner	N/C


Abrasive Coated Levers (Tactile Markings)


Part #	Description	List Add \$
660003	Abrasive coated lever (all designs)	47.00

NOTE: Tactile marking is applied to outside lever only, unless otherwise specified.

DB600 Series

Ordering Guide





Locks

- 1. DB680 not available in 605 finish.
- **2.** 619 finish available standard cylinder only.
- 3. 629 finish only available for DB660 (standard and SFIC)
- 4. For split finishes, consult factory. Specify in-swing or out-swing.
- **5.** The Less Conventional Cylinder option is not available for the DB600 Series.
- 6. Example shows default values. Refer to Configuration Options section for full details.



DB600 Series

			626, 630	605, 613, 619* 629**
ANSI#	Function	Description	L	ist \$
E2152	DB660	Cylinder × turn	96.00	103.00
E2142	DB662	Cylinder × cylinder	122.00	131.00
	DB680	Turn × blank	72.00	79.00

 $^{^{\}star}$ 619 finish available standard cylinder only.

NOTES:

- · List prices for keyed locks include standard DORMA (D) cylinder, keyed different (KD) with two (2) nickel silver keys.
- Split finishes will be priced at the higher finish list price.

Cylinder Types, Keying Options & Keyways

Cylinder	Option	Description	List A	dd/Deduct \$
Convention	nal Cylinders	(non-interchangeable core)		
D	Conventi	onal cylinder	Example: DB660D	
	KD	Keyed differently to a random combination; SC keyway with 2 keys (def	ault)	N/C
	KA2	Keyed alike in pairs to a random combination; SC keyway with 2 keys		N/C
	NSK	Keyed alike, sets of three or more; SC keyway with 2 keys		13.00
	NS2	Keyed alike double cylinder locks; SC keyway with 2 keys		26.00
	1-Bit	Operated by 1-bit cut key; SC, SE keyway with 2 key blanks (order 1-bit key separately)		N/C
	0-Bit	Operated by 0-bit key; D100 keyway − ⊗ Keys sold separately		N/C
	0-Bit	Operated by 0-bit cut key; AA, CA, CB, CC, CD, CE, RA, RB, GA, SF, YA, Y keyways with 2 key blanks	G	13.00
	MKD	Master keyed; SC, SE, or D100 keyway — ⊘ Keys sold separately		17.00
	MK2	Master keyed double cylinder lock; SC, SE, or D100 keyway — ⊘ Keys sol	d separately	34.00
	СМК	Construction master keyed single cylinder locks — $oldsymbol{arphi}$ Keys sold separatel	у	19.00
	CM2	Construction master keyed double cylinder locks — $oldsymbol{oldsymbol{arphi}}$ Keys sold separate	ely	38.00
Small Forn	nat Intercha	ngeable Core Cylinders		
т		Locks with keyed temporary SFIC construction cores (Cores may be returned for a full refund) — & Keys sold separately	Example: DB660T	42.00
J		SFIC core sold seperately	Example: DB660J	N/C
С		Lock with combinated SFIC core installed at the factory ¹ ; BA (default), EBL, BM, BQ, D100 keyway — Keys sold separately Example: DB660C	BB, BC, BD, BE, BF, BG, BH, BJ, BK,	48.00

^{*} The Less Cylinder option is not available for the DB600 Series.

O Denotes keys must be ordered separately.

Cut Keys Ordered Separately		
Part #	Description	List \$
45101	SFIC Cut key — Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	7.00
45401	SFIC Cut key — Change key, master key, or control key; SKC keyways — D100 etc.	11.00
45404	CONV/LFIC Cut key $-$ 1-bit key for operating 1-bit cylinders $-$ SC, SE keyways	5.00

NOTES:

- Distribution of DORMA SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for DORMA SKC policies.
- 1-bit cylinder comes with (2) uncut keys and will require a 1-bit cut key, sold separately, to operate cylinder.
- See Keys and Key Blanks section for complete list.

^{**629} finish only available for DB660 – standard and SFIC

^{1.} For uncombinated cores, UNC, cores must be ordered separately, see Cylinders, Keys & Keying.

Configuration Options

Dead Bolts



1" Throw, 2-3/8" - 2-3/4" Adjustable Backset		
Part #	Description	List Add \$
26170	1" × 2-1/4" faceplate, square corner (1-1/8" wide w/filler)	N/C
26171	1" × 2-1/4" Faceplate, Radius Corner	N/C
26173	1" diameter, drive in (626 Finish only)	N/C

NOTE: Default configuration shown above in bold.

Strikes



Part #	Description	List Add \$
5103 — Standard Strike for Dead Bolt		
5103	1-1/8" × 2-3/4", no lip, square corner	N/C

NOTE: Default strike shown above in bold.



Part #	Description	List Add \$
5203 — Full Lip Strike with Dead Bolt Cutout		
5203-118	1-5/8" × 2-1/4", 1-1/8" lip length, square corner	N/C
5204-118	1-5/8" × 2-1/4", 1-1/8" lip length, 1/4" radius corner	N/C



Part #	Description	List Add \$
5004 —	ANSI Strike with Dead Bolt Cutout	
5004	1-1/4" × 4-7/8", no lip, square corner	7.00


PROUDLY DISTRIBUTED BY


dormakaba 🚧



C300 Series


Finish Availability Chart					
	626	613	619	605	
LR	•	•			
LC	•	•			
LG	•	•	•		
LS		•	•		
L118	•	•	•		








*C353 and C330 only available with fire rated latch.

Levers











Strikes







		626	605, 613, 619
Function	Description		List \$
C301	Single dummy	37.00	39.00
C310	Passage/closet	73.00	75.00
C330	Patio	83.00	86.00
C340	Privacy, bedroom, or bath	77.00	79.00
C353	Entry	95.00	98.00
	C301 C310 C330 C340	C301 Single dummy C310 Passage/closet C330 Patio C340 Privacy, bedroom, or bath	Function Description C301 Single dummy 37.00 C310 Passage/closet 73.00 C330 Patio 83.00 C340 Privacy, bedroom, or bath 77.00

Strikes

Option	Description	List \$
5202	Full lip strike, radius corner — default	N/C
5001	ANSI strike	9.00
5101	T strike, square corner	N/C
5102	T strike, radius corner	N/C
5201	Full lip strike, square corner	N/C

Latches

Option	Description	List \$	
C310/C340 Latches			
234N	2-3/4" Backset non-fire	N/C	
238N	2-3/8" Backset non-fire	N/C	
234F	2-3/4" Backset fire rated	10.00	
238F	2-3/8" Backset fire rated	10.00	
C330/C353 L	atches		
234F	2-3/4" Backset fire rated	N/C	
238F	2-3/8" Backset fire rated	N/C	

Abrasive Coated Levers (Tactile Markings)

Part #	Description	List \$
660003	Abrasive coated lever (all designs)	47.00

NOTE: Tactile marking is applied to outside lever only, unless otherwise specified.

Keying

Option	Description	List \$
KD	Keyed differently to a random combination; SC keyway with 2 keys (default)	N/C
KA2	Keyed alike in pairs to a random combination; SC keyway with 2 keys	13.00
NSK	Keyed alike, sets of three or more; SC keyway with 2 keys	13.00
1-Bit	Operated by 1-bit cut key, SC, SE keyway with 2 key blanks (order 1-bit key separately)	13.00
0-Bit	Operated by 0-bit key, D100 keyway — ⊘ Keys sold separately	13.00
0-Bit	Operated by 0-bit cut key; AA, CA, CB, CC, CD, CE, RA, RB, GA, SF, YA, YG keyways with 2 key blanks	13.00
MKD	Master keyed; SC, SE, or D100 keyway − ⊘ Keys sold separately	17.00
СМК	Construction master keyed single cylinder locks — ⊘ Keys sold separately	19.00

NOTE: Less Cylinder option is not available on the C300 series. Openotes keys must be ordered separately.

Keys

Part #	Description	List \$
45101	SFIC Cut key — Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	
45401	SFIC Cut key — Change key, master key, or control key; SKC keyways — D100 etc.	13.00
45404	CONV/LFIC Cut key — 1-bit key for operating 1-bit cylinders – SC, SE keyways	5.00


NOTES


- Distribution of DORMA SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for DORMA SKC policies.
- 1-bit cylinder comes with (2) uncut keys and will require a 1-bit cut key, sold separately, to operate cylinder.
- See Keys and Key Blanks section for complete list.

C300 Series

J300 Series


Finish Availability Chart				
	626	613	619	605¹
LR	•	•		
LC	•	•		•
LG	•	•	•	
LS		•	•	•
L118	•	•	•	








- **1.** J346 not available in 605.
- 2. SFIC core on C353 function available with LR lever only.

Levers












Strikes







59



			All Leve	rs — Per Chart
			626	605, 613, 619
ANSI#	Function	Description		List \$
F95	J310	Entrance, Single Locking	388.00	403.00
_	J346	Privacy with Indicator	388.00	403.00
F97	J353	Entrance, Double Locking	485.00	497.00

Strikes

Option	Description	List Add \$
5701	Lock — T strike square/Deadbolt — no lip square (default)	N/C
5703	Lock — full lip square/Deadbolt — no lip square	N/C
5704	Lock — full lip radiused/Deadbolt — no lip radiused	N/C
5705	Lock — full lip square/Deadbolt — full lip square	N/C
5706	Lock — full lip radiused/Deadbolt — full lip radiused	
Description		
Split Finish		34.00

Cylinder Types, Keying Options and Keyways

Cylinder	Option	Description	List Add/Deduct \$	
Convention	nal Cylinders	(non-interchangeable core)		
D	Conventi	onal cylinder		
	KD	Keyed differently to a random combination; SC keyway with 2 keys (default)		N/C
	KA2	Keyed alike in pairs to a random combination; SC keyway with 2 keys		13.00
	NSK	Keyed alike, sets of three or more; SC keyway with 2 keys		13.00
	1-Bit	Operated by 1-bit cut key; SC, SE keyway with 2 key blanks (order 1-bit key se	parately)	13.00
	0-Bit	Operated by 0-bit key; D100 keyway — $oldsymbol{arphi}$ Keys sold separately		13.00
	0-Bit	Operated by 0-bit cut key; AA, CA, CB, CC, CD, CE, RA, RB, GA, SF, YA, YG keyways with 2 key blanks		13.00
	MKD	Master keyed; SC, SE, or D100 keyway — ⊘ Keys sold separately		17.00
	MK2	Master keyed double cylinder lock; SC, SE, or D100 keyway — ⊘ Keys sold sepc	ırately	34.00
	СМК	Construction master keyed single cylinder locks — $oldsymbol{arphi}$ Keys sold separately		19.00
	CM2	Construction master keyed double cylinder locks — ⊘ Keys sold separately		38.00
L		Lock less conventional cylinder, per cylinder	Example: J310L	Deduct 30.00
Small Forn	nat Intercha	ngeable Core Cylinders		
Т		Lock with keyed temporary SFIC construction core, per cylinder (cores may be returned for a full refund) — \bigotimes Keys sold separately	Example: J310T	42.00
J		Lock with disposable plastic SFIC construction core	Example: J353J	N/C
С		Lock with combinated SFIC core installed at the factory¹; BA (default), BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, D100 keyway — ⊗ Keys sold separately	Example: J310C	48.00

 $\textbf{NOTE:} \ \mathsf{The \ Less \ Cylinder \ option \ is \ not \ available \ on \ the \ C500 \ Series.}$

Openotes keys must be ordered separately.

Cut.	Kove	Order	مک لمم	narately

Cut Keys Orde	red Separatery	
Part #	Description	List \$
45101	SEIC Cut key — Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	7.00
45401	SFIC Cut key — Change key, master key, or control key; SKC keyways — D100 etc.	11.00
45404	CONV/LFIC Cut key $-$ 1-bit key for operating 1-bit cylinders $-$ SC, SE keyways	5.00

NOTES:

- 1-bit cylinder comes with (2) uncut keys and will require a 1-bit cut key, sold separately, to operate cylinder. SC and SE keyways only.
- See Keys and Key Blanks section for complete list.

Exit Devices

Cylinders, Keys, and Keying

Product Guide

CYLINDER AVAILABILITY	Conventional	Interchangeable Core 6-Pin	Interchangeable Core 7-Pin	Conventional Hotel	Interchangeable Core Hotel
Mortise Cylinder	90	96	97	ı	98
Rim Cylinder	80	86	87	-	-
KIL Cylinder	70	-	-	75	-
KIK Cylinder	71	-	-	_	-
Small Format Interchangeable Core	_	76	77	-	_

Cylinders, Keys, and Keying

KEYWAY AVAILABILITY Yes No	SC Keyway	SE Keyway	Retrofit Keyways AA, CA, CB, CC, CD, CE, RA, RB, GA, SF, WA, YA,YG	SFIC Keyways BA, BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ	DORMA SKC Keyways D100
KD Keyed different to a random combination	•	0	0	0	0
KA2 Keyed alike in pairs to a random combination	•	0	0	0	0
NSK Keyed alike in sets of 3 or more	•	0	0	0	0
MKD Master keyed or keyed to a specific combination	•	•	0	•	•
CMK Construction master keyed	•	•	0	0	(Not available SFIC)





dormakaba 🚧

Master Keying

Master keying charges do not include keys. Always order and price keys as a separate line item.

A completed Key System Specification Form is required for every new master key system ordered. Orders and keying schedules must use BHMA/ANSI Standard Key Coding Symbols. See ANSI 156.28 for reference.

Keying capacity varies greatly with product and system architecture. Check keying requirements prior to selecting product. Expressions like "Plan for maximum expansion" have no meaning. The table below is a very general guide and can be misinterpreted. For more information, please contact Customer Service.

Cylinder/Core Mechanism	Theoretical Number of Changes Under the Top Master Key	System Capacity	Example of Theoretical Keying Capacity in Three Levels of Keying (Grand Master, Master and Changes)
SC Keyway with	4 ⁵ = 1,024	Smaller	GMK and
Construction Keying		Projects	16 Masters of 64 Changes Each
SC Keyway without	4° = 4,096	Medium	GMK and
Construction Keying		Projects	16 Masters of 256 Changes Each
77BA, BB etc. SFIC only	4 ⁷ = 16,384	Larger Projects	GMK and 64 Masters of 256 Changes Each
DORMA SKC with	6 × 4° = 24,576	Very Large	GMK and
Construction keying		Projects	96 Masters of 256 Changes Each
DORMA SKC without Construction Keying	6 × 4 ⁷ = 98,304	Extremely Large Projects	GMK and 384 Masters of 256 Changes Each

DORMA SKC

Distribution of DORMA SKC (Shown in the price list as D100 keyway) is restricted. Possession of a price list does not constitute authorization to purchase DORMA SKC. Contact your local representative for information about authorization to purchase DORMA SKC.

DORMA SKC may only be used in the USA and Canada.



Mortise Cylinder

Length Includes Cam

Cylinders, Keys, and Keying Conventional (Non-IC) Length 300 **Mortise Cylinders** - 2-3/4" 234 Ordering Guide 212 **-** 2-1/2" **—** 2-1/4" Keying 214 SC & D100 provided in 1-bit - 1-bit key sold separately; other keyways provided in 0-bit **-** 2" 200 **OBIT** — 1-3/4" 134 СМК — Construction Master Keyed Cylinder Ring 158 -1-5/8" **MKD** (List Add) — Master Keyed — 1-1/2" 112 Keyed Alike, sets of 3 or More NSK 138 — 1-3/8" **Cylinder Type** KA2 Keyed Alike, Sets of 2 114 — 1-1/4" 90 Keyed Different Conventional Mortise — — 1-1/8¹ KD 118 SC 118 ΚD Adams Rite & dormakaba 1340KR Key Removable Mullion SC – Schlage C 605 Bright Brass 01 SE — Schlage E Satin Brass Adams Rite 4070 -02 D100 - DORMA SKC 612 - Satin Bronze dormakaba 9600, 9700 & 9800 Exit Z Trim w/09 or 12 Functions 09 - Dark Oxidized Satin Bronze 613 AΑ - Arrow A dormakaba M9050, 9080 & 9082 (2) Mortise Locks; dormakaba 9100, 9300, 9400 & 9500 Exit Y Trim/Options & Other Straight Cam Applications 625 Bright Chrome 10 CA – Corbin 60 Satin Chrome 626 dormakaba M9056, 9080EL/EU, 9080ELRX/EURX СВ – Corbin 67 11 Satin Stainless 9082EL/EU & M9900 Mortise Locks w/Dead Bolts – Corbin 77 (also for use with 619) CC dormakaba M9053, 9070, 9071 (2), 9076, 9077 (2) & 9060 Insider Cylinder Mortise Locks 12 **Finish** - Corbin 59A1 CD dormakaba M9060 Outside Cylinder Mortise Locks; dormakaba 9600, 9700 & 9800 CorbinRusswin I 4 NOTE: For Cylinder Rings, refer to page 67 13 CE Exit Z Trim w/08 or 11 Functions RΑ Russwin 981 Schlage Style Clover (L) _ 15 NOTE: Not all keyways available in all cylinder lengths. Russwin D1 Consult factory. dormakaba 5000 Series Exit J Trim, Sargent & Yale Narrow 16 – Saraent LA GΑ – Schlage F SF — Length 19 Best & CorbinRusswin Style Clover -YΑ – Yale 8 30 Falcon Dead Bolt Style Clover -- Yale GA ΥG 31 CorbinRusswin DL4000 Style -Keyway

Option	Keyway	Example	Keys	All Finishes \$
KD (standard)/KA2	SC	90X10 SC 118 626 KD	2 keys ea.	71.00
NSK (keyed alike, sets of 3 or more)	SC	90X10 SC 118 626 NSK KA31	2 keys ea.	Add 24.00
Master keyed	SC, SE, D100	90X10 SC 118 626 MKD		Add 24.00
Construction master keyed	SC, SE, D100	90X10 SC 118 626 CMK		Add 29.00
O-Bit	SC, SE	90X10 SC 118 626 0BIT	2 key blanks provided (1-bit key needed to operate).	71.00
0-Bit	D100	90X10 D100 118 626 0BIT		71.00
O-Bit	Retro	90X10 RB 118 626 0BIT	2 key blanks	71.00
138, 112, 158, 134, or 200 length		90X10 SC 112 626 KD		Add 59.00
214, 212, 234, or 300 length		90B10 SC 200 626 KD		Add 231.00

Retrofit Keyways

Available 0-Bitted Only

Denotes keys must be ordered separately.

Part #	Description	List \$
45101	Cut key — change key, master key, construction key; SC, SE keyways	7.00
45401	Cut key — change key, master key, construction key; SKC keyways — D100 etc.	11.00
45404	CONV Cut key — 1-bit key for operating 1-bit cylinders; SC, SE keyways only	5.00

NOTES:

- D100 keyway cylinders must be ordered 0-bitted or MKD; keys sold separately.
- Other restrictions apply. See Cylinders, Keys & Keying section for DORMA SKC policies.
- 1-bit cylinder comes with (2) uncut keys and will require a 1-bit cut key, sold separately, to operate cylinder. SC and SE keyways only.

32


Cam

D900 -

See Keys and Key Blanks section for complete list.

Small Format Interchangeable Core Mortise Housings

Ordering Guide




NOTES:


- For Cylinder Rings, refer to page 67.
- To order cores, refer to page 73.

Description	Example	All Finishes \$
Housing less core	97X10 00 138 626	66.00
Housing less core — 200 or 214 length (extended leadtime)	97X10 00 200 626	Add 231.00
Housing less core — 212 or 300 length (extended leadtime)	97X10 00 212 626	Add 290.00

Dummy and Thumbturn Cylinders

Ordering Guides





NOTE: For Cylinder Rings, refer to page 67.


NOTE: For special arm applications, consult Technical Services.


Description	Example	All Finishes \$
91 Series dummy cylinder	91X 118 626	53.00
92 Series thumbturn cylinder	92X 10 118 626	71.00

NOTE: For cylinders over 1-1/4" long, contact the factory.

Mortise Cylinder Cams for DORMA Products

Ordering Guide






Description	U/M	List \$
Cams — 6301D, 6302D, 6309D, 6310D, 6311D, 6312D, 6313D, 6315D, 6316D, 6319D, 6332D	ea.	7.00
Cams — 6301C, 6309C, 6310C, 6311C, 6312C, 6313C, 6315C, 6316C	ea.	7.00

Part#	Description	U/M	List \$
76007125	Cam screws, DORMA I/C mortise housing (used with "C" suffix cams) – pack of 20	pack	23.00
76019185	Cam screws, DORMA standard mortise cylinder (used with "D" suffix cams) – pack of 20	pack	23.00

Retrofit Mortise Cylinder Cams

Ordering Guide for other manufacturers' cylinders when used in M9000 Series Locks



GR — Arrow and Sargent Conventional Cylinders

— CorbinRusswin Conventional Cylinders

Cylinders, Keys, and Keying

 O9 cam required for dormakaba Z09 & Z12 exit trim. For this, or any other application not shown, contact Technical Services.



311SG

6311CR

Retrofit cams are configured to fit non-dormakaba cylinders. Use of incorrect cams can cause lockouts.

Description	List \$
Cams — 6311CR, 6312CR, 6313CR	10.00
Cams — 6311SG, 6312SG, 6313SG	10.00


Mortise Cylinder Rings Cylinder Ring Ordering Guide – 13/16" Tapered Ring raises cylinder 5/8" off door G – 11/16" Tapered Ring raises cylinder 1/2" off door Κ – 17/32" Tapered Ring raises cylinder 7/16" off door J — 7/16" Tapered Ring raises cylinder 1/4" off door Α – 9/32" Tapered Ring raises cylinder 3/32" off door **Product Type** D — 1/4" Blocking Ring Mortise Cylinder Ring 64 С 1/8" Blocking Ring 626 605 — Bright Brass 606 – Satin Brass Satin Bronze 612 613 Dark Oxidized Satin Bronze 622 — Satin Black 625 — Bright Chrome – Satin Chrome Cylinder with Cylinder with Satin Stainless 630 Blocking Ring **Tapered Ring** (also for use with 619) 605, 606, **Finish** 626 612, 619, 625, 630

Description	Li	st \$
Blocking rings — 64C, 64D	8.00	10.00
Tapered rings — 64A, 64J, 64K (includes wave washer)	24.00	26.00
Tapered rings — 64G, 64H (includes wave washer)	25.00	27.00
Wave washer (sold in multiples of 25 only)	28.00 (pack)	

Example: 64J 626

Conventional (Non-IC) Rim Cylinders

Ordering Guide



Option	Keyway	Example	Keys	All Finishes \$
KD (standard)/KA2/KA4	SC	80R40 SC 626 KD	2 keys ea.	53.00
NSK (KA other than KA2/KA4)	SC	80R40 SC 626 NSK KA31	2 keys ea.	Add 24.00
Master keyed	SC, SE, D100	80R40 SC 626 MKD		Add 24.00
Construction master keyed	SC, SE, D100	80R40 SC 626 CMK		Add 29.00
0-Bit	SC, SE	80R40 SC 626 0BIT	2 keys ea.	53.00
0-Bit	D100	80R40 D100 626 0BIT		53.00
0-Bit	Retro	80R40 RB 626 0BIT	2 keys ea.	53.00

Denotes keys must be ordered separately.

Keys Ordered Separately for MKD, CMK, and SKC			
Part #	Description	List \$	
45101	Cut key — change key, master key, construction key; SC, SE keyways	7.00	
45401	Cut key — change key, master key, construction key; SKC keyways — D100 etc.	11.00	
45404	CONV Cut key — 1-bit key for operating 1-bit cylinders; SC, SE keyways only	5.00	


NOTES:

- D100 keyway cylinders must be ordered 0-bitted or MKD; keys sold separately.
- Other restrictions apply. See Cylinders, Keys & Keying section for DORMA SKC policies.
- 1-bit cylinder comes with (2) uncut keys and will require a 1-bit cut key, sold separately, to operate cylinder. SC and SE keyways only.
- See Keys and Key Blanks section for complete list.

Rim Cylinders Cylinders, Keys, and Keying

Small Format Interchangeable Core Rim Housings

Ordering Guide




NOTES: • To order cores, refer to page 73.

Description	Example	All Finishes \$
Housing less core	87R40 00 626	50.00

Conventional (Non-IC) Key-in-Knob/Lever Cylinders

Ordering Guide (Except Hotel Function)



Option	Keyway	Example	Keys	All Finishes \$
KD (standard)/KA2	SC	7010 SC 626 KD2 keys ea.	2 keys ea.	48.00
NSK (keyed alike, sets of 3 or more)	SC	7010 SC 626 NSK KA31	2 keys ea.	Add 24.00
Master keyed	SC, SE, D100	7010 SC 626 MKD		Add 24.00
Construction master keyed	SC, SE, D100	7010 SC 626 CMK		Add 29.00
0-Bit	SC, SE	7010 SC 626 0BIT	2 keys ea.	48.00
0-Bit	D100	7010 D100 626 0BIT		48.00
0-Bit	Retro	7010 RB 626 0BIT	2 keys ea.	48.00

NOTE: For locksets in 619, 625, 626, 629, and 630 finish, order cylinders in 626. For locksets in 605, 606, 612, and 613, order in 606.

Denotes keys must be ordered separately.


Keys Ordered Separately for MKD, CMK, and SKC			
Part #	Description	List \$	
45101	Cut key — change key, master key, construction key; SC, SE keyways	7.00	
45401	Cut key — change key, master key, construction key; SKC keyways — D100 etc.	11.00	
45404	CONV Cut key $-$ 1-bit cut key for operating 1-bit cylinders; SC, SE keyways only	5.00	

NOTES:

- D100 keyway cylinders must be ordered 0-bitted or MKD; keys sold separately.
- Other restrictions apply. See Cylinders, Keys & Keying section for DORMA SKC policies.
- · 1-bit cylinder comes with (2) uncut keys and will require a 1-bit cut key, sold separately, to operate cylinder. SC and SE keyways only.
- See Keys and Key Blanks section for complete list.

Conventional (Non-IC) Hotel Cylinders

Ordering Guide



Description	Example	All Finishes \$
Key-in-Lever Cylinders		
Key-in-lever hotel cylinder	7585 SC 626 0BIT	77.00
Key-in-lever master keyed cylinder $- \oslash$ Keys sold separately	7585 SC 626 MKD	Add 24.00
Key-in-lever construction keyed cylinder — $\mathop{\hbox{$\noto$}}$ Keys sold separately	7585 SC 626 CMK	Add 29.00

Cylinders, Keys, and Keying

- · For key-in-lever locksets in 619, 625, and 626 finish, order cylinders in 626. For key-in-lever locksets in 605, 606, 612, and 613, order in 606.
- Key-in-lever hotel cylinders are not available in D100 keyway.
- O Denotes keys must be ordered separately.

Keys Ordered Separately for MKD and CMK cylinders			
Part #	Description	List \$	
45101	Cut key — change key, master key, construction key; SC, SE keyways	7.00	
45401	Cut key — change key, master key, construction key; SKC keyways — D100 etc.	11.00	
45102	Cut key — emergency key 75CYL; SC, SE keyways	21.00	


NOTES:

- D100 keyway cylinders must be ordered 0-bitted or MKD; keys sold separately.
- Other restrictions apply. See Cylinders, Keys & Keying section for DORMA SKC policies.
- See Keys and Key Blanks section for complete list.



Small Format Interchangeable Core Hotel Cylinder

Ordering Guide



^{*} Extended length cylinders not available.

NOTES: • To order cores, refer to page 73.


Description	Example	All Finishes \$
Housing less core	98H11 00 158 626	68.00

 $[\]textbf{1.} \ \mathsf{For} \ \mathsf{uncombinated} \ \mathsf{cores}, \ \mathsf{UNC}, \ \mathsf{cores} \ \mathsf{must} \ \mathsf{be} \ \mathsf{ordered} \ \mathsf{separately}.$



Small Format Interchangeable Cores

Ordering Guide



Example	All Finishes \$
77 BA 606 UNC	36.00
77 BA 606 MKD	Add 24.00
77 XX 606 TMP	47.00
	77 BA 606 UNC 77 BA 606 MKD

NOTES:

- For locksets in 619, 625, 626, 629, and 630 finish, order cores in 626. For locksets in 605, 606, 612, and 613, order cores in 606.
- SFIC cores are not available 0-Bitted.
- Openotes keys must be ordered separately.

Keys Ordered Separately

Part #	Description	List \$
45101	Cut key — change key, master key, control key; "B" keyways	7.00
45401	Cut key — change key, master key, control key; SKC keyways — D100 etc.	11.00
45103	Cut key — emergency key for M9985C "B" keyways	21.00
45403	Cut key — emergency key for M9985C D100 keyway	21.00

NOTES:


- D100 keyway cylinders must be ordered UNC or MKD; keys sold separately.
- Other restrictions apply. See Cylinders, Keys & Keying section for DORMA SKC policies.
- See Keys and Key Blanks section for complete list.

Service Items

Part #	Description	List \$
860051	Plastic construction core	6.00

Large Format Interchangeable Core

Ordering Guide



Large Format Interchangeable Cores

Keway	Option	Example	Keys	All Finishes \$
SC	0-BIT	73 SC 626 0-BIT	2 Keys Ea. (Control Key Sold Separately)	52.00
SC	MKD	73 SC 626 MKD	Keys Sold Separately	76.00
D100	0-BIT	73 D100 626 0-BIT	Keys Sold Separately	52.00
D100	MKD	73 D100 626 MKD	Keys Sold Separately	76.00
SC	Temp Construction Core	73 BLK 626 TMP	Keys Sold Separately	66.00

NOTES:

- "0-bitted" SC cores come with (2) uncut keys, a 1-bit cut key is required to operate cylinder and must be ordered separately. Control key for removing and installing core must be ordered separately.
- installing core must be ordered separately.

 "0-bitted" D100 cores do not come with keys. Keys must be ordered separately (pages 77–78).
- Distribution of DORMA SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for DORMA SKC policies.


Keys

Part #	Description	List \$
45101	Cut key — change key, master key, construction key — SC keyway	7.00
45401	Cut key — change key, master key, construction key — D100 keyway	11.00
45404	Cut key — 1-bit change key (to operate "1-bit" cores) — SC keyway	5.00
45405	Cut key — 1-bit control key (to install/remove "1-bit" LFIC cores) — SC keyway	5.00
44101SC	Key blank — SC keyway	2.00
44104SC	Key blank — Control key (to install/remove LFIC Cores) — SC keyway	4.00
44404D100	Key blank — control key — D100 76014824	16.00
45404D100	Cut key — control key — D100	21.00



Retrofit Interchangeable Core Cylinder Housings

Ordering Guides



Cylinders, Keys, and Keying

Retrofit	Description	Example	All Finishes \$
Full Size	Interchangeable Core Housing — Less Core		
R	Housing prepared for Schlage FSIC	83 R R 40 00 626 or 93 R G 10 00 112 626	61.00
Small For	rmat Interchangeable Core Housings — Less Core		
X7¹	Housing prepared for Sargent XC 7P and Arrow Choice 7P	83 X7 R 40 00 626 or 93 X7 G 10 00 112 626	61.00
X6¹	Housing prepared for Arrow Choice 6P	83 X6 R 40 00 626 or 93 X6 G 10 00 112 626	61.00

NOTE: If temporary construction cores are required, consult technical services. SFIC housings X6 require 6-pin temporary cores; X7 require 7-pin temporary cores.

Tailpieces

C800 Lever	Tailpiece	Cylinder Type	Application	List \$
	6727D	Standard	All functions except C873, C885	7.00
	6728D	Standard	C873 function only	7.00
	6785D	Standard	C885 function only (hotel)	7.00
	6727C	SFIC	All functions except C873, C885	7.00
	6728C	SFIC	C873 function only	7.00
	6727R	R (Schlage FSIC)	All functions except C873	7.00
	6728R	R (Schlage FSIC)	C873 function only	7.00
	6727A	A (Corbin FSIC)	All functions except C873	7.00
	6728A	A (Corbin FSIC)	C873 function only	7.00
	6727M	M (Medeco 32 FSIC)	All functions except C873	7.00
	6728M	M (Medeco 32 FSIC)	C873 function only	7.00
	6727E	E (Corbin 2000 KIL)	All functions except C873	7.00
	6728E	E (Corbin 2000 KIL)	C873 function only	7.00
	6727N	N (Sargent 6300 FSIC)	All functions except C873	7.00
	6728N	N (Sargent 6300 FSIC)	C873 function only	7.00
	6727S	S (Sargent 10 Line KIL)	All functions except C873	7.00
	6728S	S (Sargent 10 Line KIL)	C873 function only	7.00
	6727Y	Y (Yale 1210/Medeco 31 FSIC)	All functions except C873	7.00
	6728Y	Y (Yale 1210/Medeco 31 FSIC)	C873 function only	7.00
C800 Knob				
	6727D	Standard	All functions except C873	7.00
	6728D	Standard	C873 function only	7.00
	6712C	SFIC	All functions except C873	7.00
	6729C	SFIC	C873 function only	7.00
CL700 Lever				
	6713D	Standard	All functions	7.00
	6713C	SFIC	All functions	7.00
CK700 Knob				
	6712D	Standard	All functions	7.00
	6712C	SFIC	All functions	7.00
C500 Tailpieces				
	6724D	Standard	All functions except C570	7.00
	6725D	Standard	C570 function only	7.00
	6724C	SFIC	All functions except C570	7.00
	6725C	SFIC	C570 function only	7.00
J300 Tailpieces				
	6732D	Standard	J353 (lever)	7.00
	6733D	Standard	All functions (deadbolt)	7.00
	6733C	SFIC	All functions (deadbolt)	7.00
	6732C	SFIC	J353 (lever)	7.00
C300 Tailpieces				
	6732D	Standard	C353	7.00

NOTE: 6727C & 6728C tailpieces for C800C accommodate both 6 & 7-pin cores.

D800 Tailpieces	Tailpiece	Cylinder Type	Application	List \$
	6718C	SFIC	D861	7.00
	6718D	Standard	D861	7.00
	6719C	SFIC	D860/D863	7.00
	6719D	Standard	D860/D863	7.00
	6720C	SFIC	D862	7.00
	6720D	Standard	D862	7.00
	6721C		D862	7.00 7.00 7.00
	6721D		D862	
	6726C	SFIC	D860/D863 long (4.5" door)	
	6726D	Standard	D860/D863 (1-3/4"-2" door)	7.00
DB600 Tailpieces				
	6716D	Standard	D660	7.00
	6717D	Standard	D662	7.00
	6716C	SFIC	D660	7.00
	6717C	SFIC	D662	7.00

Miscellaneous Tailpieces/Parts

Part #	Description	List \$
76008829	Tailpiece, Rim cylinder	7.00
76009468	SFIC tailpiece spacer for use with 6-pin cores (except C800C Series)	3.00

Keys and Key Blanks

Key Blanks

Part #	Description	List \$
44101SC	SC section 6-pin (order in multiples of 50), w/DORMA logo	2.00
44101SE	SE section 6-pin (order in multiples of 50), w/DORMA logo	2.00
44101BA	BA section 7-pin (order in multiples of 50), w/DORMA logo and stamped DO NOT DUPLICATE	2.00
44401D100	D100 section 7-pin (order in multiples of 50), w/DORMA logo and stamped DO NOT DUPLICATE	5.00
44102SC	SC section emergency blank for C885D	18.00
44102SE	SE section emergency blank for C885D	18.00
44103BA	BA section emergency blank for M9985C and M9986C	21.00
44104SC	Key Blank — Control key (to install/remove LFIC Cores) SC keyway.	4.00
44403D100	D100 section emergency blank for M9985C and M9986C	21.00
44404D100	Key blank – control key – (to install/remove LFIC cores) D100 keyway	16.00
44303D400	D400 Emergency key blank for M9985 and M9986C	23.00

NOTE: Distribution of DORMA SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for DORMA SKC policies.

Cut Keys

Use cut key for master keys, change keys, control keys, construction keys, and emergency key for M9985 and M9986			
Part #	Description	List \$	
45101	Cut key SC, SE, or B sections	7.00	
45401D100	Cut key D100 section	11.00	
45102SC	SC section emergency key for C885D	21.00	
45102SE	SE section emergency key for C885D	21.00	
45103	Emergency keys for SFIC, M9985C, and M9986C (specify B keyway)	21.00	
45403D100	D100 section emergency key for M9985C and M9986C	21.00	
45404D100	Cut key - control key (to install/remove LFIC cores) D100 keyway	21.00	

NOTE: Distribution of DORMA SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for DORMA SKC policies.

Key Stamping

Part #	Description	List Add \$
_	Alpha-numeric non-standard key symbols, up to 6 characters	6.00
_	Do not duplicate or US Property Do Not Duplicate	6.00


 $\textbf{NOTE:} \ \texttt{BB} \ \texttt{through} \ \texttt{BQ} \ \texttt{section} \ \texttt{key} \ \texttt{stamped} \ \texttt{DUPLICATION} \ \texttt{PROHIBITED}$



Cylinders, Keys, and Keying

SFIC Padlocks

Ordering Guides



Description	List \$
P110 J 626 — SFIC Padlock with 1" shackle, less core	53.00
P120 J 626 — SFIC Padlock with 2" shackle, less core	62.00

Small Format Interchangable Cores		List Add \$
T	Temporary construction core — Cores may be returned for a full refund	42.00
J	SFIC Core sold seperately	N/C
С	Padlock with combinated SFIC core; BA (default). Shipped seperately BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, D100 Keyway — Keys sold seperately	48.00

Cut Keys Ordered Seperately

Part #	Description	List \$
45101	Change key, master key, construction master key or control key; BA, BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	7.00
45401	Change key, master key or control key; SKC keyways — D100 etc.	11.00

Service Parts

Pin Kits

Part #	Description	List \$
76006942	Pin kit for SC and SE keyway conventional cylinders (0.015 dia. pins)	157.00
76006943	Pin kit for dormakaba small format IC (BA, BB, etc., A2 system; 0.108 dia. pins)	157.00
76007399	Pin kit for DORMA SKC (D100) SFIC and conventional cylinders (A2 system)	369.00

 $\textbf{NOTE:} \ 7\text{-pin kit for DORMA SKC also pins B keyway SFIC}.$

Key Machine

Part #	Description	List \$
76007932	Code key machine for originating DORMA SKC keys, 120 VAC 60 Hz. 4 week lead time.	4,841.00
76007934	Code key machine for originating DORMA SKC keys, 220 VAC 60 Hz. 4 week lead time.	5,082.00
76007936	Replacement cutter for dormakaba key machines	462.00
76007938	Replacement belt for dormakaba key machines	74.00
76010077	DORMA SKC code card for HPC1200/Ilco Universal code machines	28.00



IC Capping Equipment

Part #	Description	List \$
76007939	Capsaver press for D100	1,907.00
76010091	Manual capping set for D100 and B keyways (capping block and capping tool)	209.00
76010076	SFIC decombinating block and ejector tool (for B keyways only)	186.00
76010074	Capping tool for manual capping	49.00
76010075	Ejector tool for decombinating	28.00
76010068	Capping strips (pack of 50)	71.00
76010069	Individual caps for manual capping (pack of 500)	21.00

Cylinders, Keys, and Keying

Capsaver Press



Capping Block



Capping Tool



Tools and Service Items

Part #	Description	List \$
76010070	Small format IC housing installation wrench	98.00
76010071	Pin tumbler tweezers	40.00
76010072	Cylinder shims (pack of 25; for servicing conventional cylinders)	15.00
76007846	Follower (for servicing all dormakaba conventional cylinders)	13.00
76010246	DORMA SKC sample set	143.00
76010534	BA sample set, 626	71.00
76010535	BA sample set, 606	71.00

Replacement Pins, A2 System

Part #	Description (Order in multiples o	f 100) — Price is per pin	List \$
76007952	SKC Spring		.11.00
76007953	SKC full size 0 bottom pin	.185"	24.00
76007954	SKC full size 1 bottom pin	.1975"	24.00
76007955	SKC full size 2 bottom pin	.210"	24.00
76007956	SKC full size 3 bottom pin	.2225"	24.00
76007957	SKC full size 4 bottom pin	.235"	24.00
76007958	SKC full size 5 bottom pin	.2475"	24.00
76007959	SKC full size 6 bottom pin	.260"	24.00
76007960	SKC full size 7 bottom pin	.2725"	24.00
76007961	SKC full size 8 bottom pin	.285"	24.00
76007962	SKC full size 9 bottom pin	.2975"	24.00
76007963	SKC full size A top pin	.200"	24.00
76007964	SKC full size B top pin	.235"	24.00
76007965	SKC full size C top pin	.285"	24.00
76007966	SKC full size D top pin	.2975"	24.00
76010031	SFIC/SKC size 2 top	.025"	13.00
76010032	SFIC/SKC size 3 top	.0375"	13.00
76010033	SFIC/SKC size 4 top	.050"	13.00
76010034	SFIC/SKC size 5 top	.0625"	13.00
76010035	SFIC/SKC size 6 top	.075"	13.00
76010036	SFIC/SKC size 7 top	.0875"	13.00
76010037	SFIC/SKC size 8 top	.100"	13.00

Part #	Description (Order in multiples of	100) — Price is Per Pin	List \$
76010038	SFIC/SKC size 9 top	.1125"	13.00
76010039	SFIC/SKC size 10 top	.125"	13.00
76010040	SFIC/SKC size 11 top	.1375"	13.00
76010041	SFIC/SKC size 12 top	.150"	13.00
76010042	SFIC/SKC size 13 top	.1625"	13.00
76010043	SFIC/SKC size 14 top	.175"	13.00
76010044	SFIC/SKC size 15 top	.1875"	13.00
76010045	SFIC/SKC size 16 top	.200"	13.00
76010046	SFIC/SKC size 17 top	.2125"	13.00
76010047	SFIC/SKC size 18 top	.225"	13.00
76010048	SFIC/SKC size 19 top	.2375"	13.00
76010049	SFIC/SKC size 0 bottom pin	.110"	13.00
76010050	SFIC/SKC size 1 bottom pin	.1225"	13.00
76010051	SFIC/SKC size 2 bottom pin	.135"	13.00
76010052	SFIC/SKC size 3 bottom pin	.1475"	13.00
76010053	SFIC/SKC size 4 bottom pin	.160"	13.00
76010054	SFIC/SKC size 5 bottom pin	.1725"	13.00
76010055	SFIC/SKC size 6 bottom pin	.185"	13.00
76010056	SFIC/SKC size 7 bottom pin	.1975"	13.00
76010057	SFIC/SKC size 8 bottom pin	.210"	13.00
76010058	SFIC/SKC size 9 bottom pin	.2225"	13.00

Labeling and Cylinder Marking


Each product on a contract order is automatically labeled with door number, keying information, and hardware set information. This information is placed on a special secondary label. **There is no extra charge for this service.**

In addition to the secondary label, we mark our cylinders with our key symbol in a concealed location using a water-resistant marker. If the cylinder needs to be rekeyed, the marking can be rubbed off without damaging the cylinder.


We do not recommend permanent marking for cylinders, but if required, we can mark the cylinder in a concealed location with up to six characters, or in a visible location (plug or core face) with up to four characters.


Permanent marking voids the warranty with regards to finish and adds \$5 list to the price of each cylinder.


Visible Cylinder Marking Locations





Concealed Cylinder Marking Locations
















19075 RH 630

Lock Display Mounts

Part #	Description	Size	List \$
Solid Maple Mo	ounts (all bored mounts are 2-3/4" backset)		
640002	Mount, C300, CK700, C800 knob, DB600, and D800 Series — 1-1/8" × 2-1/4" faceplate	6" × 9-1/2"	104.00
640003	Mount, C800 lever, CL700, and C500 Series — 1-1/8" × 2-1/4" faceplate	6" × 9-1/2"	104.00
640004	Mount, M9000 lever and knob	8" × 13"	133.00
640007	Mount, J300 Series — 1-1/8" × 2-1/4" faceplate	8" × 13"	128.00
640008	Mount, D900 Series small case mortise deadbolt	8" × 13"	133.00

NOTE: Price does not include lock.

Part #	Description	Size	List \$
Clear Plastic R	ing Mount		
640005	Mount, Plastic Ring	2-1/2" dia.	36.00

Mortise Lock Chassis with Cover				
Part #	Description	List \$		
19075 RH 630	Chassis, M9953 with clear cover installed	346.00		

dormakaba 🚧



Exit Devices

Product Guide (1 of 2)

GRADE 1 EXIT DEVICES	Concealed Vertical Rod	Rim	Surface Vertical Rod	Mortise
Architectural Wide Stile 9000 Series Panic and Fire Rated	9100	9300	9400	9500
Architectural Narrow Stile 9000 Series Panic and Fire Rated	9600	9700	9800	_
Wide Stile 8000 Series Panic and Fire Rated	-	8300	8400	-

Exit Devices

Architectural Mullions 1300 Series Panic/Fire Rated	Aluminum 1-5/8" × 2-5/8" 1310 Panic Rated	Steel 1-1/2" × 2-1/2" 1330 Panic Rated	Steel 2" × 3" 1300 Panic/Fire Rated	Steel 2" × 3" HC1300 Hurricane Rated	Steel 2" × 3" 1340 Key Removable Panic/Fire Rated
--	--	---	--	---	---

Exit Devices


Product Guide (1 of 2)

Yes No	A156.3 Grade 1	EN1125 Grade 1	5 Mil Extended Cycle Test	Latch Bolt Load Rated	Hurricane Rated	Plated Finishes	Powder Coat Finishes	Fire Rated	Panic Rated	Escutcheon Trim	Sectional Trim	Plate and Pull Trim	Electric Latch Retraction	Delayed Egress
8300 Rim Wide Stile	•	0	0	0	•	0	•	•	•	•	•		•	\bigcirc
8400 SVR Wide Stile	•	0		0	•	0		•			•	•		
9300 Rim Wide Stile		0				•	•	•			•			•
9100 CVR Wide Stile	•	0		0	0	•	•		•	•	•	•	•	•
9400 SVR Wide Stile	•	0	•	0	•	•	•	•	•	•	•	•	•	
9500 Mortise Wide Stile	•	0	•	0	•	•	•	•	•	•	0	•	0	•
9700 Rim Narrow Stile	•	•	•		0		•	•	•	•	•	•	•	•
9600 CVR Narrow Stile				0	0	•								
9800 SVR Narrow Stile	•	•	•	0	0	•	•	•	•	•	•	•	•	

Barrier-free (BF) Model Availability


ANSI Exit Device Type	dormakaba Exit Device Model	Functions	Electric Options	Device Lengths	Ratings
	8300BF				
Type 1 – Rim	9300BF	01, 02,			
		03, 05,		36" & 48"	Panic & Fire
Type 3 – Mortise	9500 BF	08, 23	BPA, BPAR		
Type 4 – Narrow Rim	9700BF				

Handing



9000 Series Exit Devices

How to Order






ACCESS HARDWARE SUPPLY

9100 Series

Wide Stile Concealed Vertical Rod Exit Device



9000 Series - Wide Stile Applications

	All Device Options (except BPA, DWA, or DE)		BPA or DWA Device Options	DE Device Option	
Device Length	Maximum Door Width ¹	Minimum Door Width ²	Minimum Door Width ²	Minimum Door Width ²	
Α	48" (1220 mm)	34" (864 mm)	39" (991 mm)	41" (1042 mm)	
В	36" (915 mm)	28" (712 mm)	33" (839 mm)	35" (889 mm)	
С	30" (762 mm)	25" (635 mm)	30" (762 mm)	N/A	

^{1.} As delivered from factory, device will fit doors of this width. For other widths, consult Technical Services.

^{2.} Touch bar and rail assembly can be shortened at time of installation to fit doors down to this width.

^{*}Antimicrobial available to 626 and 630 finishes only

^{**}PC - Clear Powder Coat available over 630 - Stainless Steel

Function

01

Description


Panic

605, 611, 625,

626, 629**

2,452.00

9000 Series Exit Devices



Device, Exit Only

9100 Concealed vertical rod

Available Finishes \$

630

2,282.00

112.00

606, 612,

613, 619

2,305.00

689, 691, 693,

695, 696

1,934.00

01	Fire	F9100 Concealed vertical rod	2,148.00	2,488.00	2,512.00	2,653.00	
Typical O	ptions		,				
Item	Description List Ad						
ALD	Wide Stile alu	minum door bracket (9100 Series)				N/C	
CD	Cylinder doggi	ing (Includes cylinder)				93.00	
LD	Less dogging ((Standard with fire rated device)				N/C	
AM	Antimicrobial of Note: Antimicr	coating robial available to 626 and 630 finishes only				82.00	
SNB	Sex nuts (Inclu	uded with F and HC Options)				17.00	
TX	Security screw	/S				35.00	
FL	Full length tou	rchbar (Not Available DE)				N/C	
LB	Less bottom re	od				N/C	
PB	Pullman botto	m latch				56.00	
SB	Slide bolt (Def	fault)				N/C	
Up to 8'	7' to 8' Adjust	able				N/C	

Door Heights over 8' to 10'

NOTES:

Up to 10'

- Prices shown apply to A, B, or C length devices.
- Specify door width and handing. If not specified, Size B, RHR is the standard default.
- List price includes default strikes. For optional strikes, specify strike number and adjust list price accordingly.
- List price for the device does not include trim.
- Devices include wood and machine screws standard.
- Fire and hurricane rated devices include SNB sex nuts standard.
- For options requiring a cylinder, the option list price includes the default cylinder.
- Device includes precut and drilled rods for 7' to 8' doors. For 9° doors, device includes precut and drilled rods for a 7° door and a 2° rod extension for the top rod. Specify 9° on
- order. For 10' doors, device includes precut and drilled rods for an 8' door and a 2' rod extension for the top rod. Specify 10' on order.
- See Device Options for pricing information. For special lengths and/or door heights over 10', consult Technical Service.
- All standard devices and trim are designed for 1-3/4" -2-1/4" thick doors. For door thickness greater than 2-1/4", consult Technical Service.
- ALD for Wide and Narrow Stile aluminum.


PROUDLY DISTRIBUTED BY



^{**} For 629 finish, please allow 4 week lead time.

9300 Series

Wide Stile Rim Exit Device



** Barrier Free option availability:

Exit Device	Functions	Electric Options	Device Lengths	Ratings
9300BF	01, 02, 03, 05, 08, 23	ES, ESB, BPA, BPAR, LM, MS, LM/MS, LM/MS/BP	36" & 48"	Panic & Fire

9000 Series - Wide Stile Applications

	All Device Options (except BPA, DWA, or DE)		BPA or DWA Device Options DE Device Option		
Device Length	Maximum Door Width ¹	Minimum Door Width ²	Minimum Door Width ²	Minimum Door Width ²	
Α	48" (1220 mm)	34" (864 mm)	39" (991 mm)	41" (1042 mm)	
В	36" (915 mm)	28" (712 mm)	33" (839 mm)	35" (889 mm)	
С	30" (762 mm)	25" (635 mm)	30" (762 mm)	N/A	


^{1.} As delivered from factory, device will fit doors of this width. For other widths, consult Technical Services.

^{2.} Touch bar and rail assembly can be shortened at time of installation to fit doors down to this width.

^{*}Antimicrobial available to 626 and 630 finishes only

^{**}PC - Clear Powder Coat available over 630 - Stainless Steel

dormakaba 🚧



Available Finishes \$

			689, 691, 693, 695, 696	630	606, 612, 613, 619	605, 611, 625, 626, 629**
Function	Description	Device, Exit Only				
01	Panic	9300 Rim	945.00	1,466.00	1,480.00	1,593.00
01	Fire	F9300 Rim	1,132.00	1,646.00	1,662.00	1,769.00

Exit Devices

Typical Options

Item	Description	List Add \$
CD	Cylinder dogging (Includes cylinder)	93.00
LD	Less dogging (Standard with fire rated device)	N/C
AM	Antimicrobial coating Note: Antimicrobial available to 626 and 630 finishes only	82.00
SNB	Sex nuts (Included with F and HC Options)	17.00
TX	Security screws	35.00
HC	Hurricane (Includes SNB)	173.00
BF	Barrier free exit device, meets California Building Code (Section 11B-309.4) requirements for maximum 5 lb operating force. See page 86 for compatible functions/options.	50.00
FL	Full length touchbar (Not Available DE)	N/C

** For 629 finish, please allow 4 week lead time.

NOTES:


- · Prices shown apply to A, B, or C length devices.
- Specify door width. If not specified, Size B is the standard default.
- · List price includes default strikes. For optional strikes, specify strike number and adjust list price accordingly.
- · List price for the device does not include trim.
- Devices include wood and machine screws standard.
- Fire and hurricane rated devices include 463 rim strike and SNB sex nuts standard.
- For options requiring a cylinder, the option list price includes the default cylinder.
- For special lengths, consult Technical Service.
- All standard devices and trim are designed for 1-3/4" -2-1/4" thick doors. For door thickness greater than 2-1/4", consult Technical Service.

PROUDLY DISTRIBUTED BY



9400 Series

Wide Stile Surface Vertical Rod Exit Device



9000 Series — Wide Stile Applications


	All Device Options (excep	BPA or DWA Device Options	
Device Length	Maximum Door Width ¹	Minimum Door Width ²	Minimum Door Width ²
Α	48" (1220 mm)	34" (864 mm)	39" (991 mm)
В	36" (915 mm)	28" (712 mm)	33" (839 mm)
С	30" (762 mm)	25" (635 mm)	30" (762 mm)

- 1. As delivered from factory, device will fit doors of this width. For other widths, consult Technical Services.
- 2. Touch bar and rail assembly can be shortened at time of installation to fit doors down to this width.



^{*}Antimicrobial available to 626 and 630 finishes only

^{**}PC - Clear Powder Coat available over 630 - Stainless Steel



Available Finishes \$

			689, 691, 693, 695, 696	630	606, 612, 613, 619	605, 611, 625, 626, 629**
Function	Description	Device, Exit Only				
01	Panic	9400 Surface vertical rod	1,890.00	2,136.00	2,157.00	2,327.00
01	Fire	F9400 Surface vertical rod	2,105.00	2,343.00	2,366.00	2,526.00
Typical Or	tions	·				

Exit Devices

Typical Options

Item	Description				List Add \$
CD	Cylinder dogging (Includes Cylinder)				93.00
LD	Less dogging (Standard with fire rated device)				N/C
AM	Antimicrobial coating Note: Antimicrobial available to 626 and 630 finishes only				82.00
SNB	Sex nuts (included with F and HC options)				17.00
TX	Security screws				35.00
HC	Hurricane (Includes SNB)				173.00
FL	Full length touchbar (Not Available DE)				N/C
LB	Less bottom rod				N/C
РВ	Pullman bottom latch				56.00
SB	Slide bolt (Default)				N/C
Up to 8'	7' Default				N/C
Up to 10'	Door Heights over 8' to 10'	57.00	112.00	112.00	112.00

** For 629 finish, please allow 4 week lead time.


- · Prices shown apply to A, B, or C length devices.
- Specify door width and handing. If not specified, Size B, RHR is the standard default.
- List price includes default strikes. For optional strikes, specify strike number and adjust list price accordingly.
- List price for the device does not include trim.
- Devices include wood and machine screws standard.
- Fire and hurricane rated devices include SNB sex nuts standard.
- For options requiring a cylinder, the option list price includes the default cylinder.
- Device includes precut and drilled rods for 7' or 8' doors as specified on order.
- For 9' doors, device includes precut and drilled rods for a 7' door and a 2' rod extension for the top rod. For 10' doors, device includes precut and drilled rods for a 8' door and a 2' rod extension for the top rod. See Device Options for pricing information.
- For special lengths and/or door heights over 10', consult Technical Service.
 All standard devices and trim are designed for 1-3/4"-2-1/4" thick doors. For door thickness greater than 2-1/4", consult Technical Service.

PROUDLY DISTRIBUTED BY



9500 Series

Wide Stile Mortise Exit Device



** Barrier Free option availability:

Exit Device	Functions	Electric Options	Device Lengths	Ratings
9500BF	01, 02, 03, 05, 08, 23	ES, ESB, BPA, BPAR, LM, MS, LM/MS, LM/MS/BP	36" & 48"	Panic & Fire

9000 Series — Wide Stile Applications

	All Device Options (except BPA, DWA, or DE)		BPA or DWA Device Options DE Device Option		
Device Length	Maximum Door Width ¹ Minimum Door Width ² N		Minimum Door Width ²	Minimum Door Width ²	
Α	48" (1220 mm)	34" (864 mm)	39" (991 mm)	41" (1042 mm)	
В	36" (915 mm)	28" (712 mm)	33" (839 mm)	35" (889 mm)	
С	30" (762 mm)	25" (635 mm)	30" (762 mm)	N/A	


^{1.} As delivered from factory, device will fit doors of this width. For other widths, consult Technical Services.

^{2.} Touch bar and rail assembly can be shortened at time of installation to fit doors down to this width.

^{*}Antimicrobial available to 626 and 630 finishes only

^{**}PC - Clear Powder Coat available over 630 - Stainless Steel

dormakaba 🚧



Available Finishes \$

			689, 691, 693, 695, 696	630	606, 612, 613, 619	605, 611, 625, 626, 629**
Function	Description	Device, Exit Only				
01	Panic	9500 Mortise	1,690.00	2,052.00	2,073.00	2,167.00
01	Fire	F9500 Mortise	1,876.00	2,233.00	2,255.00	2,342.00

Exit Devices

Typical Options

Item	Description	List Add \$
CD	Cylinder dogging (Includes Cylinder)	93.00
LD	Less dogging (Standard with fire rated device)	N/C
AM	Antimicrobial coating Note: Antimicrobial available to 626 and 630 finishes only	82.00
SNB	Sex nuts (Included with F and HC options)	17.00
TX	Security screws	35.00
HC	Hurricane (Includes SNB)	173.00
FL	Full length touchbar (Not Available DE)	N/C
BF	Barrier free exit device, meets California Building Code (Section 11B-309.4) requirements for maximum 5 lb operating force. See page 86 for compatible functions/options.	50.00
LFSF	Fail safe, electric locking of mortise lock (requires DKPS-2A power supply and ES105 power transfer)	1,017.00
LFSC	Fail secure, electric unlocking of mortise lock (requires DKPS-2A power supply and ES105 power transfer)	1,017.00

** For 629 finish, please allow 4 week lead time.

- Prices shown apply to A, B, or C length devices.
- Prices snown apply to A, B, or C length devices.
 Specify door width and handing. If not specified, Size B, RHR is the standard default.
 List price includes default strikes. For optional strikes, specify strike number and adjust list price accordingly.
 List price for the device does not include trim.
 Devices include wood and machine screws standard.
 Fire and hurricane rated devices include SNB sex nuts standard.
 For options requiring a cylinder, the option list price includes the default cylinder.
 For special lengths, consult Technical Service.

- For special lengths, consult Technical Service.
- All standard devices and trim are designed for 1-3/4" -2-1/4" thick doors. For door thickness greater than 2-1/4", consult Technical Service.





Wide Stile Dummy Bars

Available Finishes \$

		689, 691, 693, 695, 696	630	606, 612, 613, 619	605, 611, 625, 626, 629**
Item	Description				
Dummy Touchbars					
9030	Rigid dummy touchbar	602.00	869.00	899.00	899.00
9030MS	Dummy touchbar w/ microswitch	891.00	1,111.00	1,124.00	1,124.00
9035	Rigid touchbar	602.00	869.00	899.00	899.00
9036	Moveable touchbar	602.00	869.00	899.00	899.00
9036MS	Moveable touchbar w/ microswitch	891.00	1,111.00	1,124.00	1,124.00

^{**} For 629 finish, please allow 4 week lead time.

NOTE: Dummy touchbars available in all rail sizes: A, B or C



Service

Wide Stile Options

Option Code	Description	List Add \$
Strikes		
9100, 9400 Concea	led and Surface Vertical Rods	
340	Flat slide bolt bottom strike (9100 and 9400 Series)	N/C
416V	Surface bottom strike for pullman latch (9400)	N/C
418	Standard top strike (9100 Series)	N/C
419	Wood frame top strike (9100 Series)	17.00
426	Standard top strike (9400 Series)	N/C
426A	Top strike w/angle (9400 Series)	29.00
431	Recessed bottom strike for pullman latch (9100 and 9400 Series)	29.00
439	Standard slide bolt bottom strike (9100 and 9400 Series)	N/C
9300 Rim Devices		
320	Overlap strike	29.00
430	Rim box strike	46.00
463	Standard rim strike (default/no charge for 9300/F9300)	N/A
486	Roller strike	17.00
9500 Mortise		
465	Standard mortise strike	N/C
565	Open back strike	29.00
Special Finishes an		
•	Antimicrobial protected coating	02.00
AM	Note: Antimicrobial available to 626 and 630 finishes only	82.00
PC	Clear Powder Coat available over 630 – Stainless Steel	82.00
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.	
	Per order, setup charge (Net)	132.00
	per exit device only, list add	72.00
	per trim only, list add	72.00
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" × 3" color chip samples required. For details, see Finishes Cross Reference , page viii.	
	per order, non-refundable development/setup charge (Net)	469.00
	per exit device only, list add	72.00
	per trim only, list add	72.00
Bottom Latches fo	r 9100 Concealed Vertical Rods & 9400 Surface Vertical Rods	
LB	Less bottom rod	N/C
PB	Pullman bottom latch	56.00
SB	Slide bolt (Default)	N/C
Door Height Design	nation	
9100 Concealed Ve	ertical Rods	
7 or 8	Door heights from 7' to 8' adjustable	N/C
9 or 10	Door heights over 8', up to 10'	57.00
Over 10'	Contact DORMA Technical Service for assistance	
9400 Surface Verti	cal Rods	
7 or 8	Door heights from 7' to 8' (7' Default)	N/C
9 or 10	Door heights over 8', up to 10'	
	For 689, 691, 693, 695, 696 finishes	57.00
	For 605, 606, 611, 612, 613, 619, 625, 626, 630 finishes	112.00

Exit Devices

PROUDLY DISTRIBUTED BY





Wide Stile Options (continued)

Option Code	Description	List Add \$
Over 10'	Consult DORMA Technical Service	
Special Application	n Packages	
HC	Hurricane (9300, 9400, and 9500 Series only) Includes SNB	173.00
FL	Full length touchbar (Not Available DE)	N/C
BF	Barrier free exit device, meets California Building Code (Section 11B-309.4) requirements for maximum 5 lb operating force. See page 86 for compatible functions/options.	50.00
Fastener Package		
SK	Shim kit	92.00
SNB	Sex nuts	17.00
TX	Security screws	35.00
SKTX	Shim kit and security screws	144.00
SKSNB	Shim kit and sex nuts	108.00
TXSNB	Security screws and sex nuts	71.00
SKTXSNB	Shim kit, security screws, and sex nuts	161.00
Electronic Contro	ls	
DE*	Delayed egress (requires ES100 power supply and ES105 power transfer)	1,687.00
DE30*	Delayed egress, 30 second (requires special approval from authority having jurisdiction)	2,087.00
DECBC*	Delayed egress, CBC compliant	2,087.00
MLR	Motorized Latch Retraction/dogging (use DKPS-2A or DKPS-2A power supply—2 MLR's)	945.00
ES	Electric latch retraction (requires PS501 power supply and ES105 power transfer)	909.00
ESB	Electric latch retraction option for battery back-up power supply (requires PS406BB or PS426BB power supply and ES105 power transfer	1,042.00
IMPORTANT NOT	E: ESB can not be used with any other power supplies.	
Alarm		
BPA*	Battery powered alarm	630.00
BPAR*	Battery powered alarm, 4 minute reset	671.00
DWA*	Direct wired alarm	630.00
Monitoring		
LM	Latch bolt monitoring	248.00
MS	Monitor switch in touchbar	248.00
LMMS	Latch bolt and touchbar monitor	495.00
LMMSBP*	Latch bolt and touchbar monitor with bypass	495.00
Dogging		
CD*	Cylinder dogging (panic devices only)	93.00
LD	Less dogging (panic devices only)	N/C
Power Supplies, P	ower Transfers, Power Modules	
AD100	Export power supply for up to 2 ES or LFSF/LFSC or 1 DE device 220 V.	755.00
ES101	Delay module	140.00
ES103	Relay module	88.00
ES100	Power supply for DE devices and LFSC/LFSF trims. Powers 1 DE device or 2 trims.	642.00
ES105	Power transfer (recommended for ES, DE & MLR options)	215.00
PS501	Power supply for ES9000 devices. Powers up to 2 devices.	755.00
PS501220	Export power supply, 220 VAC. Powers up to 2 ES9000 devices.	755.00
ES2	Power supply card for PS501. Powers an additional 2 devices.	411.00
DKPS-2A	Power supply for 9500 LFSC/LFSF, or MLR. Powers 1 device.	578.00
DKPS-2A	Power supply for 9500 LFSC/LFSF powers 2 devices (will also power 1 MLR device).	578.00
DKPS-2A	Power supply for MLR. Powers 2 devices.	578.00
PS406BB	Power supply with battery back-up for ESB solenoid electric latch retraction option.	1,079.00
PS426BB	Power supply with battery back-up for ESB solenoid electric latch retraction option.	1,079.00
P3420DD	Jappi, misi passo, passi ap for Lou Jordina arcenie intellifeti dell'il Optioni.	±,077.00


 $^{^{\}star}$ List price includes default cylinder.

Locks

dormakaba 🚧 9000 Series Exit Devices


9000 Series Exit Trim

How to Order





Lever and Knob Styles





































Description	Y Series Raised Escutcheon 2-3/4" W × 8-1/2"	Sectional Trim 3-3/8"	Plate 2" W × 16" H	Plate 3" W × 16"H	Pulls	Cylinder Only Pull by	
Dummy trim	H×15/16" D	Diameter Rose				Others	Cylinders,
Entrance by trim when touchbar is dogged		T 7			·		
Entrance by trim when latch bolt is retracted by key. Key removable only when trim is locked.					$\overline{\circ}$	(a)	Exit Devices
Entrance by thumbpiece. Key locks or unlocks thumbpiece.							
Entrance by thumbpiece only when released by key. Key removable only when locked.	I						Electronic Access Control
Entrance by lever or knob. Key locks or unlocks lever or knob.							
Entrance by lever with clutch option. Key locks or unlocks lever.							Low Energy
Entrance by knob or lever. Outside or inside key locks or unlocks knob or lever. (9300 only)							
Entrance by lever or knob only when unlocked by key. Key removable only when locked.							Surface
Entrance by lever with clutch option trim unlocked by key. Key removable only when locked.							ø
Entrance by thumbturn and pull. Key locks or unlocks thumbturn.	8						Fire/Life
Entrance by thumbturn and pull only when released by key. Key removable only when locked.	8						eq
Entrance by thumbpiece (no cylinder). Thumbpiece always active.							Concealed
Entrance by lever or knob (no cylinder). Lever or knob always active.		T 7					
Entrance by thumbturn and pull (no cylinder). Thumbturn always active.							Stops/
	Entrance by trim when touchbar is dogged Entrance by trim when latch bolt is retracted by key. Key removable only when trim is locked. Entrance by thumbpiece. Key locks or unlocks thumbpiece. Entrance by thumbpiece only when released by key. Key removable only when locked. Entrance by lever or knob. Key locks or unlocks lever or knob. Entrance by lever with clutch option. Key locks or unlocks lever. Entrance by knob or lever. Outside or inside key locks or unlocks knob or lever. (9300 only) Entrance by lever or knob only when unlocked by key. Key removable only when locked. Entrance by lever with clutch option trim unlocked by key. Key removable only when locked. Entrance by thumbturn and pull only when locked. Entrance by thumbturn and pull only when released by key. Key removable only when locked. Entrance by thumbturn and pull only when released by key. Key removable only when locked. Entrance by thumbturn and pull only when released by key. Key removable only when locked. Entrance by thumbturn and pull only when released by key. Key removable only when locked. Entrance by thumbturn and pull only when released by key. Key removable only when locked. Entrance by thumbturn and pull only when released by key. Key removable only when locked. Entrance by thumbturn and pull only when released by key. Key removable only when locked. Entrance by thumbturn and pull only when released by key. Key removable only when locked.	Description Escutcheon 2-3/4" W x 8-1/2" H x 15/16" D Dummy trim Entrance by trim when touchbar is dogged Entrance by trim when latch bolt is retracted by key. Key removable only when trim is locked. Entrance by thumbpiece. Key locks or unlocks thumbpiece only when locked. Entrance by thumbpiece only when released by key. Key removable only when locked. Entrance by lever or knob. Key locks or unlocks lever or knob. Entrance by lever with clutch option. Key locks or unlocks lever. Entrance by knob or lever. Outside or inside key locks or unlocks knob or lever. Entrance by lever with clutch option trim unlocked by key. Key removable only when locked. Entrance by lever with clutch option trim unlocked by key. Key removable only when locked. Entrance by thumbturn and pull. Key locks or unlocks thumbturn. Entrance by thumbturn and pull only when locked. Entrance by thumbturn and pull only when released by key. Key removable only when locked. Entrance by thumbturn and pull only when locked. Entrance by thumbturn and pull only when released by key. Key removable only when locked. Entrance by thumbturn and pull only when locked. Entrance by thumbturn and pull only when locked. Entrance by thumbturn and pull only when locked. Entrance by lever or knob (no cylinder). Thumbpiece always active. Entrance by thumbturn and pull (no cylinder). Thumbturn always	Description East/Www.x.e.1/2" may 3.3/8" planet Rose Dummy trim Image: Common strict of the common stri	Description Entrance by trim when latch bolt is retracted by key. Key removable only when locked on lyokes or unlocks lever or knob only when unlocked by key. Key removable only when locked by key. Key removable only when locked only when unlocked by key. Key removable only when locked. Entrance by thumbturn and pull. Key locks or unlocks lower with clutch option trim unlocked by key. Key removable only when released by key known and the locked. Entrance by thumbturn and pull. Key locks or unlocks lower with clutch option trim unlocked by key. Key removable only when locked. Entrance by lever with clutch option. Key locks or unlocks lever. Entrance by lever with clutch option is locked. Entrance by lever with clutch option trim unlocked by key. Key removable only when locked by key. Key removable only when locked by key. Key removable only when unlocked by key. Key removable only when locked Entrance by thumbturn and pull only when released by key. Key removable only when locked. Entrance by thumbturn and pull only when released by key. Key removable only when locked. Entrance by thumbturn and pull only when released by key. Key removable only when locked. Entrance by thumbturn and pull only when released by key. Key removable only when locked. Entrance by thumbturn and pull only when released by key. Key removable only when locked. Entrance by thumbturn and pull only when locked.	Description E3-JA-W was 8-J2" H x 15/16" D 3-J3-W Na 16" H 3" W x 16" H 15/16" D 10 mmy trim Float 2 J4-W x 16" H 3" W x 16" H 3" W x 16" H 15/16" D 10 mmy trim Float 2 J4-W x 16" H 15/16" D 10 mmy trim	Description Escuther (3,44 m. v. 8-1/2)** (3,44 m. v.	Description Escute Asia, Are with 1.2° aligned and politic and

Exit Devices



9000 Series Wide Stile Y Escutcheon Trim



^{*}Antimicrobial available to 626 and 630 finishes only



^{**}PC - Clear Powder Coat available over 630 - Stainless Steel

dormakaba 🚧 Exit Devices Concealed Surface Mortise **Available Finishes \$** Rim **Vertical Rod** Vertical Rod 605, 606, 611,

		9100 F9100	9300 F9300	9400 F9400	9500 F9500	689, 691, 693, 695, 696	630	605, 606, 611, 612, 613, 619, 625, 626, 629**
ANSI Function	Description		-					
DT	Dummy trim		YOI	OT .		138.00	199.00	229.00
02	Entrance by trim when touchbar is dogged.		YP02, YK02	2R, Yx02R		292.00	425.00	469.00
03	Entrance by trim when latch bolt is retracted by key. Key		YO03*		YO03M*	216.00	289.00	305.00
	removable only when trim is locked.	YP03	3, YKO3R, Yx	03R	YP03M YK03R Yx3MR	385.00	500.00	545.00
08	Entrance by lever or knob. Key locks or unlocks lever or knob.		YK08, Yx08		YK08M Yx08M	507.00	585.00	674.00
08 w/clutch	Entrance by lever with clutch option. Key locks or unlocks lever. (Handed)		Yx08C		Yx08MC	719.00	833.00	878.00
0808 (9300)	Entrance by lever. Outside or inside key locks or unlocks lever.	-	Yx0808	-	-	888.00	1,006.00	1,044.00
09	Entrance by lever or knob only when unlocked by key. Key removable only when locked.		YK09, Yx09		-	507.00	585.00	674.00
09 w/clutch	Entrance by lever with clutch option trim unlocked by key. Key removable only when locked. (Handed)		Yx09C		-	719.00	833.00	878.00
11	Entrance by thumbturn. Key locks or unlocks thumbturn.		YP11		-	478.00	574.00	593.00
12	Entrance by thumbturn when unlocked by key. Key removable only when locked.		YP12		-	478.00	574.00	593.00
11	Entrance by thumbturn. Key locks or unlocks thumbturn.		Y011		-	417.00	537.00	553.00
12	Entrance by thumbturn when unlocked by key. Key removable only when locked.		Y012		-	417.00	537.00	553.00
23	Entrance by lever or knob (no cylinder). Lever or knob always active.		YK23, Yx23		YK23M Yx23M	335.00	469.00	500.00

NOTES:


- Where x appears above, x = lever styles A, C, D, F, G, N, R, T, V, L109, L110, L112, L114, L117 or L118. (Handed Levers — D, F, V, L114)

 • List price includes the default cylinder.



^{*} Requires Pull by Others
** For 629 finish, please allow 4 week lead time.

9000 Series Wide Stile Sectional Trim







οĸ

*Patented Key Control

D100 is the keyway for our patented SKC serialized key control system. SKC is internet based and provides added layers of security. For more information, contact your local sales representative or Technical Service at 800-387-4938.

*Antimicrobial available to 626 and 630 finishes only

**PC - Clear Powder Coat available over 630 - Stainless Steel




		Concealed Vertical Rod	Rim	Surface Vertical Rod	Mortise		Available Finishe	s \$
		9100 F9100	9300 F9300	9400 F9400	9500 F9500	689, 691, 693, 695, 696	630	605, 606, 611, 612, 613, 619, 625, 626
ANSI Function	Description							
02	Entrance by trim when touchbar is dogged.		9C02R 9G02R 9K02R 9R02R		-	323.00	-	364.00
03	Entrance by trim when latch bolt is retracted by key. Key removable only when trim is locked.		9C03 9G03 9K03 9R03		-	396.00	-	440.00
08	Entrance by lever or knob. Key locks or unlocks lever or knob.		9C08 9G08 9K08 9R08		-	396.00	-	440.00
23	Entrance by lever or knob (no cylinder). Lever or knob always active.		9C23 9G23 9K23 9R23		-	323.00	-	364.00

NOTE: List price includes the default cylinder.

Locks

9000 Series Wide Stile 3" Plate Trim



^{1.} R1 available for 9300 series devices only.



^{*}Antimicrobial available to 626 and 630 finishes only

^{**}PC - Clear Powder Coat available over 630 - Stainless Steel


		Concealed Vertical Rod	Rim	Surface Vertical Rod	Mortise	Avo	ailable Fini	shes \$
		9100 F9100	9300 F9300	9400 F9400	9500 F9500	689, 691, 693, 695, 696	630	605, 606, 611, 612, 613, 619, 625, 626
ANSI Function	Description							
DT	Dummy Trim	NPTDTCV		NPTDT		129.00	175.00	191.00
02	Entrance by trim when touchbar is dogged.	NPTDTCV		RT02 TT02	PRT02M PTT02M	143.00	206.00	239.00
03	Entrance by trim when latch bolt is retracted by key. Key removable only when trim is locked.	NPT03CV* PRT03CV PTT03CV	Р	PT03* RT03 TT03	NPT03M* PRT03M PTT03M	224.00	301.00	317.00
05	Entrance by thumbpiece. Key locks or unlocks thumbpiece.	HRT05CV HTT05CV		RT05 TT05	HRT05M HTT05M	255.00	317.00	346.00
06	Entrance by thumbpiece only when released by key. Key removable only when locked.	HRT06CV HTT06CV		RT06 TT06	_	255.00	317.00	346.00
22	Entrance by thumbpiece (no cylinder). Thumb- piece always active.	HRT22CV HTT22CV		RT22 TT22	HRT22M HTT22M	209.00	252.00	286.00

Exit Devices

NOTE: List price includes the default cylinder.

^{*} Requires Pull by Others

9000 Series Wide Stile 2" Plate Trim





Locks


		Concealed Vertical Rod	Rim	Surface Vertical Rod	Mortise	Available Fi		ishes \$	
		9100 F9100	9300 F9300	9400 F9400	9500 F9500	689, 691, 693 695, 696	630	605, 606, 611, 612, 613, 619, 625, 626	
ANSI Function	Description								
DT	Dummy Trim	VODTCV		VODT	_	129.00	142.00	191.00	
02	Entrance by trim when touchbar is dogged.	V102CV V302CV		V102 V302	_	143.00	191.00	239.00	
03	Entrance by trim when latch bolt is retracted by key. Key removable only when trim is locked.	VO03CV* V103CV V303CV		VO03* V103 V303	VO03M* V103M V303M	224.00	268.00	317.00	

^{*} Requires Pull by Others

NOTE: List price includes the default cylinder.



9000 Series Wide Stile Pull Trim



^{1.} 9PBO not applicable on 9500 Device. 03 Function only. Not available in 693 finish.



^{*}Antimicrobial available to 626 and 630 finishes only

^{**}PC - Clear Powder Coat available over 630 - Stainless Steel

dormakaba 🚧 9000 Series Exit Devices

		Concealed Vertical Rod	Rim	Surface Vertical Rod	Mortise	Available Finishes \$		
ANSI Function	Description	9100 F9100	9300 F9300	9400 F9400	9500 F9500	689, 691, 693, 695, 696	630	605, 606, 611, 612, 613, 619 625, 626
02	Entrance by trim when		OP02)		129.00	159.00	188.00
	touchbar is dogged.	_	VRF02SPM	_	-	_	647.00	_
03	Entrance by trim when	_	POF03HDA	_	_	_	914.00	_
	latch bolt is retracted by key. Key removable		9PBO03		_	144.00	143.00	143.00
	only when trim is locked.	-	VRF03SPM	_	_	_	647.00	_

NOTES:

- List price includes the default cylinder.
 9PBO03 trim not recommended for wood doors. For hollow metal and aluminum door applications. Not applicable on 9500 devices. Not available in 693 finish.

PROUDLY DISTRIBUTED BY




Trim Options

Option Code	Description	List Add \$
Special Finishes an	d Coatings	
AM	Antimicrobial protected coating Note: Antimicrobial available to 626 and 630 finishes only	82.00
PC	Clear Powder Coat available over 630 – Stainless Steel	82.00
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference, page viii.	
	Per order, setup charge (Net)	132.00
	per exit device only, list add	72.00
	per trim only, list add	72.00
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" × 3" color chip samples required. For details, see Finishes Cross Reference , page viii.	
	per order, non-refundable development/setup charge (Net)	469.00
	per exit device only, list add	72.00
	per trim only, list add	72.00
Electric Locking Tri	m for 9100 Concealed Vertical Rods, 9300 Rim & 9400 Surface Vertical Rods	
LFSC	Fail secure (requires DORMA ES100 power supply)	581.00
LFSF	Fail safe (requires DORMA ES100 power supply)	581.00
Retrofit		
R1	Von Duprin® retrofit. For Y series and wide stile plate trims (9300 Series devices only)	N/C
Door Thickness (inc	cludes extended spindle and fasteners)	
Ext3	Door thickness from 2-1/4"-3-1/4" (57 mm to 83 mm)	86.00
Ext4	Door thickness from 3-1/4"-4-1/4" (83 mm to 108 mm)	86.00




Cylinders

Rim Cylinders




Mortise Cylinders



Key-in-Lever Cylinders

dormakaba 🚧



Wide Stile

Application	ANSI Function	Cylinder Type	Conventional (Default)	Cam	SFIC 7-Pin
Cylinders for 9100/F9100 Concealed Vertical Roc	I, 9300/F9300 Ri	m, and 9400/F	9400 Surface Vertical R	od Wide	Stile Devices
Sectional Trim (Key-in-Lever)	03, 08	Key-in-lever	7013SC	NA	77BA
Wide Plate Trim	03	Rim	80R40SC	NA	87R40BA
Wide Plate Trim	05, 06	Mortise	90A10BA118	#10	97A10BA138
Narrow Plate Trim	03	Rim	80R40SC	NA	87R40BA
Y Escutcheon Trim	03	Rim	80R40SC	NA	87R40BA
Y Escutcheon Trim	08	Mortise	90X10SC118	#10	97D10BA138
Y Escutcheon Trim	09	Mortise	90X09SC118	#9	97D09BA138
Cylinders for 9500/F9500 Mortise Devices shipped pr	ior to 11/2014				
Wide Plate Trim	03, 05	Mortise	90A10SC118	#10	97B10BA138
Wide Plate Trim	03	Mortise	90A10SC118	#10	97B10BA138
Y Escutcheon Trim	03, 08	Mortise	90X10SC158	#10	97D10BA134
Cylinders for 9500/F9500 Mortise Devices shipped 11	./2014 or after				
Wide Plate Trim	03	Mortise	90A13SC118	#13	97B13BA138
Wide Plate Trim	05	Mortise	90A12SC118	#12	97B12BA138
Narrow Plate Trim	03	Mortise	90A13SC118	#13	97B13BA138
Y Escutcheon Trim	03	Mortise	90X13SC118	#13	97C13BA138
Y Escutcheon Trim	05, 08	Mortise	90X12SC118	#12	97C12BA138
Cylinders for Device Options					
CD, BPA, BPAR, DE, DE30, DECBC, DWA, LMMSBP	_	Mortise	90X10SC118	#10	97D10BA138



Cylinder Types, Keying Options and Keyways for Removable Mullions and Exit Devices

Cylinder	Option	Description	List Add/Deduct \$
Conventio	nal Cylinder	rs (non-interchangeable core)	
D		Keying for exit device or removable mullions with conventional cylinder (default)	
	KD	Keyed differently to a random combination; SC keyway with 2 keys (default)	N/C
	KA2	Keyed alike in pairs to a random combination; SC keyway with 2 keys	N/C
	NSK	Keyed alike, sets of three or more; SC keyway with 2 keys	13.00
	1-Bit	Operated by a 1-bit key (sold separately); SC, SE keyway with 2 key blanks	N/C
	1-Bit	Operated by a 1-bit key (sold separately); D100 keyway — $oldsymbol{arphi}$ Keys sold separately	N/C
	0-Bit	Operated by a key blank; CA, CD, CE, RA, RB, GA, SF, YA, YG keyways with 2 key blanks	13.00
	MKD	Master keyed; SC, SE, or D100 keyway — $oldsymbol{arnothing}$ Keys sold separately	17.00
	СМК	Construction master keyed single cylinder locks — $oldsymbol{arphi}$ Keys sold separately	19.00
L		Keying for exit device or removable mullions less conventional cylinder	Deduct 30.00
Interchan	geable Core	Cylinders	
Т		Keying for exit device or removable mullions with keyed temporary SFIC construction core Keying for exit trim with keyed temporary SFIC construction core (cores may be returned for a full refund) — ⊘ Keys sold separately	42.00
J		Keying for exit device or removable mullions with disposable plastic SFIC construction core	N/C
С		Keying for exit device or removable mullions with combinated SFIC core installed at factory¹ Keying for exit trim with combinated core installed at factory; BA (default), BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, D100 keyway — ② Keys sold separately	48.00
G		Schlage LFIC — Housing with keyed temporary Schlage LFIC construction core (Core may be returned for full refund) — ⊗ Keys sold separately	42.00
F		Schlage LFIC — Housing with combinated Schlage LFIC installed at the factory (SC keyway) — ⊘ Keys sold separately	48.00
Cylinder H	lousings Les	ss Cores	
R		Housing prepared for Schlage LFIC	9.00
X7		Housing prepared for Sargent XC 7P and Arrow Choice 7P SFIC	9.00
X6		Housing prepared for Arrow Choice 6P SFIC	9.00

^{1.} For uncombinated cores, UNC, cores must be ordered separately, see Cylinders, Keys & Keying. Exits/trim will be supplied w/ plastic construction core, Option J. Θ Denotes keys must be ordered separately.

Cut Keys Orde	Cut Keys Ordered Separately				
Part #	Description	List \$			
45101	SFIC Cut key — Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	7.00			
45401	SFIC Cut key — Change key, master key, or control key; D100 keyways — D100 etc.	11.00			
45404	CONV/LFIC Cut key $ 1$ bit key for operating 1 bit cylinders $-$ SC, SE keyways	5.00			
45405	LFIC Cut key -1 bit control key (to install/remove "0-bit" LFIC cores) $-$ SC keyway	5.00			
44101SC	CONV/LFIC Key blank — SC keyway	2.00			
44104SC	LFIC Key blank — Control key (to install/remove LFIC Cores) — SC keyway	4.00			

NOTES:

- Distribution of DORMA SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for DORMA SKC policies.
- For additional information, please refer to Cylinders, Keys, and Keying
- See Keys and Key Blanks section for complete list.



Locks

Mullions


Item	Description	List \$
Aluminum Mullions × 628 ((clear anodized), 1-5/8" × 2-5/8"	
1310-8	8'	980.00
1310-8 × 443	8', recessed strike	1,141.00
WS1310-8	8', weatherstrip	1,042.00
WS1310-8 × 443	8', weatherstrip and recessed strike	1,152.00
1310-10	10'	1,042.00
1310-10 × 443	10', recessed strike	1,251.00
WS1310-10	10', weatherstrip	1,141.00
WS1310-10 × 443	10', weatherstrip and recessed strike	1,322.00
Aluminum Mullions × 695 ((painted), 1-5/8" × 2-5/8"	
1310-8	8'	1,189.00
1310-8 × 443	8', recessed strike	1,347.00
WS1310-8	8', weatherstrip	1,251.00
WS1310-8 × 443	8', weatherstrip and recessed strike	1,423.00
1310-10	10'	1,287.00
1310-10 × 443	10', recessed strike	1,459.00
WS1310-10	10', weatherstrip	1,373.00
WS1310-10 × 443	10', weatherstrip and recessed strike	1,385.00
Steel Mullions × 600 (prim	ned for paint), 1-1/2" × 2-1/2"	
1330-8	8'	491.00
1330-10	10'	516.00
Steel Mullions × 600 (prim	ed for paint), 2" × 3"	
1300-8	8'	638.00
F1300-8	8', fire-rated	822.00
F1300-10	10', fire-rated	1,097.00
1340KR-8	8', key removable (includes standard cylinder using 01 cam)	1,079.00
F1340KR-8	8', fire-rated mullion, key removable (includes standard cylinder using 01 cam)	1,263.00
F1340KR-10	10', fire-rated mullion, key removable (includes standard cylinder using 01 cam)	1,480.00
1300-10	10'	735.00
1340KR-EL	8', key removable, electrified mullion	1,251.00
1340KR-10	10', key removable (includes standard cylinder using 01 cam)	1,141.00
1340KR-EL-10	10', key removable, electrified mullion	1,312.00
HC1300-8	8', design pressure rated 80PSF for openings up to 8' × 8' with HC9300 device.	1,189.00
Mullion Storage Kit		
1340SK	Storage kit for 1340/F1340 Series key removable mullion.	320.00

Cylinders for 1340KR/F1340KR Mullions and 1340SK Storage Kit

Туре	Standard	7-pin IC	Cam
Mortise	90X01SC118	97D01BA138	01 (AR)

9600 Series

Narrow Stile Concealed Vertical Rod Exit Device



9000 Series — Narrow Stile Applications: Standard Glass AL Doors

	All Device Options (except BPA, DWA, or DE)		BPA or DWA Device Option	ons DE Device Option
Device Length	Maximum Door Width ¹	Minimum Door Width ²	Minimum Door Width ²	Minimum Door Width ²
AA	48" (1220 mm)	32-1/2" (826 mm)	37.5" (952.5 mm)	40" (1016 mm)
ВВ	36" (915 mm)	27" (686 mm)	31.5" (800.1 mm)	32" (812.8 mm)
СС	36" (915 mm)	23-1/2" (597 mm)	28.5" (723.9 mm)	N/A

9000 Series — Narrow Stile with Full Length Touchbar Applications

	All Device Options (except BPA, DWA, or DE)		BPA or DWA Device Option	ns DE Option
Device Length	Maximum Door Width ¹	Minimum Door Width ²	Minimum Door Width ²	N/A on FL Touchbar
AA	48" (1220 mm)	33" (839 mm)	34" (837 mm)	-
ВВ	36" (915 mm)	27" (686 mm)	28" (711 mm)	_
СС	36" (915 mm)	24" (610 mm)	25" (635 mm)	

^{1.} As delivered from factory, device will fit doors of this width. For other widths, consult Technical Services.

^{2.} Touch bar and rail assembly can be shortened at time of installation to fit doors down to this width. Varies by installations.

^{*}Antimicrobial available to 626 and 630 finishes only

^{**}PC - Clear Powder Coat available over 630 - Stainless Steel


605, 611, 625,

626, 629**

56.00

N/C N/C

9000 Series **Exit Devices**



Description

Available Finishes \$

630

112.00

606, 612,

613, 619

689, 691, 693,

695, 696

01	Panic	9600 Concealed vertical rod	2,133.00	2,497.00	2,402.00	2,538.00
01	Fire	F9600 Concealed vertical rod	2,235.00	2,705.00	2,603.00	2,729.00
Typical	Options					
Item	Description					List Add \$
ALD	Wide Stile alum	ninum door bracket (9600 Series)				N/C
NS	2-1/8" narrow s	stile aluminum door bracket (default, 9600 Series only)				N/C
WD	Narrow stile wo	ood or hollow steel door bracket (9600 Series only)				N/C
CD	Cylinder dogging (includes cylinder)					93.00
LD	Less dogging (S	Standard with fire rated device)				N/C
AM	Antimicrobial coating Note: Antimicrobial available to 626 and 630 finishes only					82.00
SNB	Sex nuts (Includ	led with F and HC options)				17.00
TX	Security screws					35.00
FL	Full length touchbar (Not Available DE)					N/C
LB	Less bottom ro	d				N/C

** For 629 finish, please allow 4 week lead time.

РΒ

SB

Up to 8'

Up to 10'

Function

Prices shown apply to AA, BB, or CC length devices.

Pullman bottom latch

Door heights over 8' to 10'

Slide Bolt (Default)


7' to 8' adjustable

- Specify door width and handing. If not specified, Size BB, RHR is the standard default.
- List price includes default strikes. For optional strikes, specify strike number and adjust list price accordingly.

Device, Exit Only

- List price for the device does not include trim.
- Devices include wood and machine screws standard.
- Specify door latch brackets: NS (default) for 2-1/8" narrow stile aluminum, ALD for Wide Stile aluminum, or WD for wood or hollow steel.
- Fire rated devices include SNB sex nuts standard.
- For options requiring a cylinder, the option list price includes the default cylinder. Device includes precut and drilled rods for 7' to 8' doors as specified on order
- For 9' doors, device includes precut and drilled rods for a 7' door and a 2' rod extension for the top rod. Specify 9' on order.
 - For 10' doors, device includes precut and drilled rods for an 8' door and a 2' rod extension for the top rod. Specify 10' on order. See Device Options for pricing information.
- For special lengths and/or door heights over 10', consult Technical Service.
- All standard devices and trim are designed for 1-3/4"-2-1/4" thick doors. For door thickness greater than 2-1/4", consult Technical Service.
- FL (full length touchbar) and METRIC (metric installation fasteners) must be specified when ordered and included in the model number. Example: 9600 BB FL RHR 430 630 METRIC
- Full length touchbar not available with DE. CD option on FL devices supplied with U.S. mortise cylinder.
- ALD wide stile aluminum door bracket (9100 and 9600 Series) N/C
- NS 2-1/8" narrow stile aluminum door bracket (9600 Series only) N/C
- WD narrow stile wood or hollow steel door bracket (9600 Series only) N/C

9700 Series



9000 Series — Narrow Stile Applications: Standard Glass AL Doors

	All Device Options (exce	All Device Options (except BPA, DWA, or DE)		ons DE Device Options
Device Length	Maximum Door Width¹	Minimum Door Width ²	Minimum Door Width ²	Minimum Door Width ²
AA	48" (1220 mm)	32-1/2" (826 mm)	37.5" (952.5 mm)	40" (1016 mm)
ВВ	36" (915 mm)	27" (686 mm)	31.5" (800.1 mm)	32" (812.88 mm)
СС	36" (915 mm)	23-1/2" (597 mm)	28.5" (723.9 mm)	N/A

9000 Series — Narrow Stile with Full Length Touchbar Applications

	All Device Options (except BPA, DWA, or DE)		BPA or DWA Device Options	DE Device Option
Device Length	Maximum Door Width ¹	Minimum Door Width ²	Minimum Door Width ²	N/A on FL touchbar
AA	48" (1220 mm)	33" (839 mm)	34" (837 mm)	_
ВВ	36" (915 mm)	27" (686 mm)	28" (711 mm)	_
СС	36" (915 mm)	24" (610 mm)	25" (635 mm)	_

^{1.} As delivered from factory, device will fit doors of this width. For other widths, consult Technical Services.

^{2.} Touch bar and rail assembly can be shortened at time of installation to fit doors down to this width.

^{*}Antimicrobial available to 626 and 630 finishes only

^{**}PC - Clear Powder Coat available over 630 - Stainless Steel

Available Finishes \$

			689, 691, 693, 695, 696	630	606, 612, 613, 619	605, 611, 625, 626, 629**
Function	Description	Device, Exit Only				
01	Panic	9700 Rim	1,146.00	1,790.00	1,720.00	2,014.00
01	Fire	F9700 Rim	1,269.00	1,970.00	1,896.00	2,182.00

Exit Devices

Typical Options

Item	Description	List Add \$
CD	Cylinder dogging (Includes cylinder)	84
LD	Less dogging (Standard with fire rated device)	N/C
AM	Antimicrobial coating Note: Antimicrobial available to 626 and 630 finishes only	
SNB	Sex nuts (Included with F and HC options)	17.00
TX	Security screws	35.00
HC	Hurricane (Includes SNB)	173.00
BF	Barrier free exit device, meets California Building Code (Section 11B-309.4) requirements for maximum 5 lb operating force. See page 86 for compatible functions/options.	50.00
FL	Full length touchbar (Not Available DE)	N/C

** For 629 finish, please allow 4 week lead time.

NOTES:

- Prices shown apply to AA, BB, or CC length devices.
- Specify door width. If not specified, Size BB is the standard default.
- · List price includes default strikes. For optional strikes, specify strike number and adjust list price accordingly.
- List price for the device does not include trim.
- Devices include wood and machine screws standard.
- Fire and hurricane rated devices include 463 rim strike and SNB sex nuts standard.
- For options requiring a cylinder, the option list price includes the default cylinder.
 All standard devices and trim are designed for 1-3/4" -2-1/4" thick doors. For door thickness greater than 2-1/4", consult Technical Service.
- FL (full length touchbar) and METRIC (metric installation fasteners) must be specified when ordered and included in the model number.

Example: 9700 BB FL RHR 430 630 METRIC


- For special lengths, consult Technical Service.
- · Full length touchbar not available with DE. CD option on FL devices supplied with U.S. mortise cylinder.





9800 Series

Narrow Stile Surface Vertical Rod Exit Device



9000 Series — Narrow Stile Applications: Standard Glass AL Doors

	All Device Options (except	BPA or DWA)	BPA or DWA Device Options
Device Length	Maximum Door Width ¹	Minimum Door Width ²	Minimum Door Width ²
AA	48" (1220 mm)	32-1/2" (826 mm)	37.5" (952.5 mm)
ВВ	36" (915 mm)	27" (686 mm)	31.5" (800.1 mm)
СС	36" (915 mm)	23-1/2" (597 mm)	28.5" (723.9 mm)

9000 Series — Narrow Stile with Full Length Touchbar Applications

	All Device Options (except	BPA or DWA Device Options	
Device Length	Maximum Door Width ¹	Minimum Door Width ²	Minimum Door Width ²
AA	48" (1220 mm)	33" (839 mm)	34" (837 mm)
ВВ	36" (915 mm)	27" (686 mm)	28" (711 mm)
СС	36" (915 mm)	24" (610 mm)	25" (635 mm)

^{1.} As delivered from factory, device will fit doors of this width. For other widths, consult Technical Services.

^{2.} Touch bar and rail assembly can be shortened at time of installation to fit doors down to this width. Varies by installation.

^{*}Antimicrobial available to 626 and 630 finishes only

^{**}PC - Clear Powder Coat available over 630 - Stainless Steel

605, 611, 625,


626, 629**

2,418.00

Function

01

dormakaba 🚧 9000 Series Exit Devices



Description

Panic

Available Finishes \$

630

2,352.00

606, 612,

613, 619

2,261.00

689, 691, 693,

695, 696

2,089.00

01	Tarric	7000 Sorrace verticarroa	2,007.00	2,552.00	2,201.00	2,410.00
01	Fire	F9800 Surface vertical rod	2,194.00	2,559.00	2,462.00	2,610.00
Typical Op	otions					
Item	Description					List Add \$
CD	Cylinder doggin	g (Inculdes Cylinder)				93.00
LD	Less dogging (S	tandard with fire rated device)				N/C
AM	Antimicrobial co Note: Antimicro	pating bial available to 626 and 630 finishes only				82.00
SNB	Sex nuts (Includ	ed with F and HC options)				17.00
TX	Security screws					35.00
НС	Hurricane (Inclu	des SNB)				173.00
FL	Full length touc	hbar (Not available DE)				N/C
LB	Less bottom roo	d				N/C
PB	Pullman bottom	n latch				56.00
SB	Slide bolt (Defa	ult)				N/C
TGD	Tempered glass	doors—9800 only	_	723.00	-	
Up to 8'	7' Default					N/C
Up to 10'	Door Heights o	ver 8' to 10'	57.00	112.00	112.00	112.00

** For 629 finish, please allow 4 week lead time.

- Prices shown apply to AA, BB, or CC length devices.
- Specify door width and handing. If not specified, Size BB, RHR is the standard default.
- List price includes default strikes. For optional strikes, specify strike number and adjust list price accordingly.
- List price for the device does not include trim. Devices include wood and machine screws standard.
- Fire and hurricane rated devices include SNB sex nuts standard.
- For options requiring a cylinder, the option list price includes the default cylinder.
- Device includes precut and drilled rods for 7' or 8' doors as specified on order.
- For 9' doors, device includes precut and drilled rods for a 7' door and a 2' rod extension for the top rod. For 10' doors, device includes precut and drilled rods for an 8' door and a 2' rod extension for the top rod.

Device, Exit Only

9800 Surface vertical rod

- See Device Options for pricing information.

 For special lengths and/or door heights over 10', consult Technical Service.
- All standard devices and trim are designed for 1-3/4"-2-1/4" thick doors. For door thickness greater than 2-1/4", consult Technical Service.

 FL (full length touchbar) and METRIC (metric installation fasteners) must be specified when ordered and included in the model number.
- Example: 9800 BB FL RHR 430 630 METRIC
- Full length touchbar not available with DE. CD option on FL devices supplied with U.S. mortise cylinder.

Narrow Stile Dummy Bars

Available Finishes \$

		689, 691, 693, 695, 696	630	606, 612, 613, 619	605, 611, 625, 626, 629**
Item	Description				
Dummy Touchbars					
9230	Rigid dummy touchbar	602.00	869.00	899.00	899.00
9230MS	Dummy touchbar with microswitch	891.00	1,111.00	1,124.00	1,124.00
9235	Rigid touchbar	602.00	869.00	899.00	899.00
9236	Moveable touchbar	602.00	869.00	899.00	899.00
9236MS	Moveable touchbar with microswitch	891.00	1,111.00	1,124.00	1,124.00

^{**} For 629 finish, please allow 4 week lead time.

NOTE: Dummy touchbars available in all rail sizes: AA, BB or CC



Locks

Narrow Stile Options

Option Code	Description	List Add \$
Strikes		
9600, and 9800 Cor	ncealed and Surface Vertical Rods	
340	Flat slide bolt bottom strike (9600, and 9800 Series)	N/C
416V	Surface bottom strike for pullman latch (9800 Series)	N/C
418	Standard top strike (9600 Series)	N/C
419	Wood frame top strike (9600 Series)	17.00
426	Standard top strike (9800 Series)	N/C
426A	Top strike w/angle (9800 Series)	29.00
431	Recessed bottom strike for pullman latch (9600, and 9800 Series)	29.00
439	Standard slide bolt bottom strike (9600, and 9800 Series)	N/C
9700 Rim Devices		
320	Overlap strike	29.00
430	Rim box strike (default/no charge for 9700 Series panic devices)	46.00
463	Standard rim strike (default/no charge for F9700 devices)	74.00
486	Roller strike	17.00
Special Finishes an	d Coatings	
AM	Antimicrobial protected coating Note: Antimicrobial available to 626 and 630 finishes only	82.00
PC	Clear Powder Coat available over 630 – Stainless Steel	82.00
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.	
	Per order, setup charge (Net)	132.00
	per exit device only, list add	72.00
	per trim only, list add	72.00
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" × 3" color chip samples required. For details, see Finishes Cross Reference , page viii.	
	per order, non-refundable development/setup charge (Net)	469.00
	per exit device only, list add	72.00
	per trim only, list add	72.00
Bottom Latches fo	r 9600 Concealed Vertical Rods & 9800 Surface Vertical Rods	
LB	Less bottom rod	N/C
PB	Pullman bottom latch	56.00
SB	Slide bolt (Default)	N/C
Door Height Design	nation	
9600 Concealed Ve	rtical Rods	
7 or 8	Door heights from 7' to 8' adjustable	N/C
9 or 10	Door heights over 8', up to 10'	57.00
Over 10'	Contact DORMA Technical Service for assistance	
9800 Surface Verti	cal Rods	
7 or 8	Door heights from 7' to 8' (7' Default)	N/C
9 or 10	Door heights over 8', up to 10'	
	For 689, 691, 693, 695, 696 finishes	57.00
	For 605, 606, 611, 612, 613, 619, 625, 626, 630 finishes	112.00

Exit Devices



dormakaba 🚧

Option Code	Description	List Add \$
Over 10'	Consult Technical Service	
Special Applicatio	n Packages	
HC	Hurricane (9700, 9800) Includes SNB	173.00
BF	Barrier free exit device (9700), meets California Building Code (Section 11B-309.4) requirements for maximum 5 lb operating force. See page 86 for compatible functions/options.	50.00
FL	Full length touchbar (Not Available DE)	N/C
Fastener Package		
SK	Shim kit	92.00
SNB	Sex nuts	17.00
TX	Security screws	35.00
SKTX	Shim kit and security screws	144.00
SKSNB	Shim kit and sex nuts	108.00
TXSNB	Security screws and sex nuts	71.00
SKTXSNB	Shim kit, security screws, and sex nuts	161.00
METRIC	Metric installation fasteners (9600, 9700, and 9800 Series only)	N/C
Tempered Glass D	oor Applications (9800 Series Only)	
TGD	Tempered glass doors in 630 finish	723.00
Electronic Control		
DE*	Delayed egress (requires ES100 power supply and ES105 power transfer)	1,687.00
 DE30*	Delayed egress, 30 second (requires special approval from authority having jurisdiction)	2,087.00
DECBC*	Delayed egress, CBC compliant	2,087.00
MLR	Motorized Latch Retraction/dogging (use DKPS-2A or DKPS-2A power supply—2 MLR's)	945.00
ES	Electric latch retraction (requires PS501 power supply and ES105 power transfer)	909.00
ESB	Electric latch retraction option for battery back-up power supply (requires PS406BB or PS426BB power supply and ES105 power transfer	1,042.00
IMPORTANT NOT	E: ESB can not be used with any other power supplies.	
Alarm		
BPA*	Battery powered alarm	630.00
BPAR*	Battery powered alarm, 4 minute reset	671.00
DWA*	Direct wired alarm	630.00
Monitoring		
LM	Latch bolt monitoring	248.00
MS	Monitor switch in touchbar	248.00
LMMS	Latch bolt and touchbar monitor	495.00
LMMSBP*	Latch bolt and touchbar monitor with bypass	495.00
Dogging		
CD*	Cylinder dogging (panic devices only)	93.00
LD	Less dogging (panic devices only)	N/C
	ower Transfers, Power Modules	
		755.00
AD100 ES101	Export power supply for up to 2 ES or 1 DE device 220 V. Delay module	140.00
ES103	Relay module	88.00
ES100	Power supply for DE devices. Powers 1 DE device.	642.00
ES105	Power transfer (recommended for ES, DE & MLR options)	215.00 755.00
PS501	Power supply for ES9000 devices. Powers up to 2 devices.	
PS501220	Export power supply, 220 VAC. Powers up to 2 ES9000 devices.	755.00
ES2 DKPS-2A	Power supply for MLP. Powers 1 dovices	411.00 578.00
	Power supply for MLR. Powers 1 device.	
DKPS-2A	Power supply for Powers 2 devices (will also power 1 MLR device).	578.00
DKPS-2A	Power supply for MLR. Powers 2 devices.	578.00
PS406BB	Power supply with battery back-up for ESB solenoid electric latch retraction option.	1,079.00
PS426BB	Power supply with battery back-up for ESB solenoid electric latch retraction option.	1,079.00


^{*} List price includes default cylinder.

Locks

dormakaba 🚧 Exit Devices 9000 Series

9000 Series Exit Trim


How to Order



*Antimicrobial available to 626 and 630 finishes only

^{**}PC - Clear Powder Coat available over 630 - Stainless Steel

Lever and Knob Styles


































Service Parts


	7.50	ries Raised
9000 Series	Exit Devices	dormakaba 🚧

ANSI Function	Description	Z Series Raised Escutcheon 1-5/8" W × 8-1/2" H × 15/16" D	Cylinder Only Pull by Others
DT	Dummy trim		
02	Entrance by trim when touchbar is dogged		
03	Entrance by trim when latch bolt is retracted by key. Key removable only when trim is locked.		(b)
08	Entrance by lever or knob. Key locks or unlocks lever or knob.		
08C w/ clutch (Handed)	Entrance by lever with clutch option. Key locks or unlocks lever.		
09	Entrance by lever or knob only when unlocked by key. Key removable only when locked.		
09C w/ clutch (Handed)	Entrance by lever with clutch option trim unlocked by key. Key removable only when locked.		
11	Entrance by thumbturn and pull. Key locks or unlocks thumbturn.		
12	Entrance by thumbturn and pull only when released by key. Key removable only when locked.		
23	Entrance by lever or knob (no cylinder). Lever or knob always active.		
25	Entrance by thumbturn and pull (no cylinder). Thumbturn always active.		

PROUDLY DISTRIBUTED BY



9000 Series Narrow Stile Z Trim



*Patented Key Control

D100 is the keyway for our patented SKC serialized key control system. SKC is internet based and provides added layers of security. For more information, contact your local sales representative or Technical Service at 800-387-4938.



^{*}Antimicrobial available to 626 and 630 finishes only

^{**}PC - Clear Powder Coat available over 630 - Stainless Steel

Concealed

Vertical Rod

9600

F9600

Rim

9700

F9700

ZODT

ZPO2

ZK02R, Zx02R

ZO03

ZP03, ZK03R, Zx03R

ZK08, Zx08

Zx08C

ZK09, Zx09

Zx09C

Z011

Z012

ZP11

ZP12

ZK23, Zx23

ZP25

Surface

Vertical Rod

9800

F9800

689, 691, 693

695, 696

138.00

260.00

194.00

216.00

385.00

507.00

719.00

417.00

417.00

478.00

478.00

335.00

415.00

605, 606, 611,

612, 613,

619, 625, 626, 629**

229.00

394.00

382.00

305.00

545.00

674.00

878.00

553.00

553.00

593.00

593.00

500.00

618.00

Locks

719.00	833.00	878.00	w Energy perators
507.00	585.00	674.00	Low

833.00

537.00

537.00

574.00

574.00

469.00

507.00

Available Finishes \$

630

199.00

348.00

313.00

289.00

500.00

585.00

** For 629 finish, please allow 4 week lead time.

NOTES:

ANSI

02

03

08

08 w/

clutch

09 w/

clutch

11

12

11

12

23

25

(Handed)

(Handed) 09

Function DT

Description

Dummy trim

Entrance by trim when touchbar is dogged.

Entrance by trim when latch bolt

is retracted by key. Key removable only when trim is locked.

Entrance by lever or knob. Key

locks or unlocks lever or knob.

Entrance by lever with clutch

Entrance by lever or knob only when unlocked by key. Key removable only when locked.

Entrance by lever with clutch

removable only when locked.

Entrance by thumbturn. Key

locks or unlocks thumbturn

only when locked.

only when locked.

active.

Entrance by thumbturn when

Entrance by thumbturn. Key

Entrance by thumbturn when

Entrance by lever or knob (no

cylinder). Lever or knob always

Entrance by thumbturn and pull

(no cylinder). Thumbturn always

unlocked by key. Key removable

locks or unlocks thumbturn

unlocked by key. Key removable

option trim unlocked by key. Key


option. Key locks or unlocks lever.

- Where x appears above, x = lever styles A, C, D, F, G, N, R, T, V, L109, L110, L112, L114, L117 or L118. (Handed - D, F, V, L114)
- · List price includes the default cylinder.

PROUDLY DISTRIBUTED BY

PROUDLY DISTRIBUTED	BY
AHS	ACCESS Hardware Supply
(800) 348 - 2263	

9000 Series Narrow Stile Pull Trim



		Concealed Vertical Rod	Rim	Surface Vertical Rod	Available Finishes \$		es \$
		9600 F9600	9700 F9700	9800 F9800	689, 691, 693, 695, 696	630	605, 606, 611, 612, 613, 619, 625,626
ANSI Function	Description						
02	Entrance by trim when touchbar is dogged.		OP02		129.00	159.00	188.00
03	Entrance by trim when latch bolt is retracted by key. Key removable only when trim is locked.		9PBO03		144.00	143.00	143.00

NOTES:

- List price includes the default cylinder.
- 9PBO03 trim not recommended for wood doors. For hollow metal and aluminum door applications. Not available in 693 finish.

*Antimicrobial available to 626 and 630 finishes only



^{**}PC - Clear Powder Coat available over 630 – Stainless Steel


Trim Options

Option Code	Description	List Add \$
Special Finishes an	d Coatings	
AM	Antimicrobial protected coating Note: Antimicrobial available to 626 and 630 finishes only	82.00
PC	Clear Powder Coat available over 630 – Stainless Steel	82.00
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference, page viii.	
	Per order, setup charge (Net)	132.00
	per exit device only, list add	72.00
	per trim only, list add	72.00
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" × 3" color chip samples required. For details, see Finishes Cross Reference , page viii.	
	per order, non-refundable development/setup charge (Net)	469.00
	per exit device only, list add	72.00
	per trim only, list add	72.00
Tempered Glass Do	por Applications	
TGD	Tempered glass doors (Z series trim only), available in 630 finish only	42.00
Door Thickness (in	cludes extended spindle and fasteners)	
Ext3	Door thickness from 2-1/4" –3-1/4" (57 mm to 83 mm)	86.00
Ext4	Door thickness from 3-1/4"-4-1/4" (83 mm to 108 mm)	86.00


Exit Devices

Cylinders


Rim Cylinders



Mortise Cylinders



Key-in-Lever Cylinders



Narrow Stile

Application	ANSI Function	Cylinder Type	Conventional (Default)	Cam	SFIC 7-Pin
Cylinders for 9600/F9600 Concealed Vertical Rod, 9700/F9700 Rim, and 9800/F9800 Surface Vertical Rod Narrow Stile Devices					
Z Escutcheon Trim	03	Rim	80R40SC	NA	87R40BA
Z Escutcheon Trim	08, 11	Mortise	90x13SC118	#13	97C13BA138
Z Escutcheon Trim	09, 12	Mortise	90x09SC118	#9	97C09BA138
Cylinders for Device Options					
CD, BPA, BPAR, DE, DE30, DECBC, DWA, LMMSBP	_	Mortise	90×10SC118	#10	97D10BA138

NOTE: For additional information, please refer to Cylinders, Keys & Keying.

Cylinder Types, Keying Options and Keyways for Removable Mullions and Exit Devices

Cylinder	Option	Description	List Add/Deduct \$
Conventio	nal Cylinder	rs (non-interchangeable core)	
D		Keying for exit device or removable mullions with conventional cylinder (default)	
	KD	Keyed differently to a random combination; SC keyway with 2 keys (default)	N/C
	KA2	Keyed alike in pairs to a random combination; SC keyway with 2 keys	N/C
	NSK	Keyed alike, sets of three or more; SC keyway with 2 keys	13.00
	1-Bit	1-bit key (sold separately); SC, SE keyway with 2 key blanks	N/C
	1-Bit	1-bit key (sold separately); D100 keyway — $oldsymbol{arphi}$ Keys sold separately	N/C
	0-Bit	Operated by a key blank; CA, CD, CE, RA, RB, GA, SF, YA, YG keyways with 2 key blanks	13.00
	MKD	Master keyed; SC, SE, or D100 keyway — ⊘ Keys sold separately	17.00
	СМК	Construction master keyed single cylinder locks — $oldsymbol{arphi}$ Keys sold separately	19.00
L		Keying for exit device or removable mullions less conventional cylinder	Deduct 30.00
Interchang	geable Core	Cylinders	
т		Keying for exit device or removable mullions with keyed temporary SFIC construction core Keying for exit trim with keyed temporary SFIC construction core (cores may be returned for a full refund) — **Reyer Sold separately**	42.00
J		Keying for exit device or removable mullions with disposable plastic SFIC construction core	N/C
С		Keying for exit device or removable mullions with combinated SFIC core installed at factory ¹ Keying for exit trim with combinated core installed at factory; BA (default), BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, D100 keyway — Expression Expression Expression Expression Expression Expression Expression Expression Expression Expression Expression Expression Expression Expression Expression Expression Expression Expression Expression Expression Expression Expression Expression Expression Expression Expression Expression Expression 	48.00
G		Schlage LFIC — Housing with keyed temporary Schlage LFIC construction core (Core may be returned for full refund) — ⊗ Keys sold separately	42.00
F		Schlage LFIC — Housing with combinated Schlage LFIC installed at the factory (SC keyway) — \otimes Keys sold separately	48.00
Cylinder H	ousings Les	ss Cores	
EP	,	Euro profile half cylinder housing	N/C
R		Housing prepared for Schlage LFIC	9.00
X7		Housing prepared for Sargent XC 7P and Arrow Choice 7P SFIC	9.00
X6		Housing prepared for Arrow Choice 6P SFIC	9.00

^{1.} For uncombinated cores, UNC cores must be ordered separately, see Cylinders, Keys & Keying. Exits/trim will be supplied w/ plastic construction core, Option J.

Cut Keys Ordered Separately

Part #	Description	List \$
45101	SFIC Cut key — Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	7.00
45401	SFIC Cut key — Change key, master key, or control key; D100 keyways — D100 etc.	11.00
45404	CONV/LFIC Cut key -1 bit key for operating 1 bit cylinders $-$ SC, SE keyways	5.00
45405	LFIC Cut key -1 bit control key (to install/remove "0-bit" LFIC cores) $-$ SC keyway	5.00
44101SC	CONV/LFIC Key blank — SC keyway	2.00
44104SC	LFIC Key blank — Control key (to install/remove LFIC Cores) — SC keyway	4.00

- Distribution of DORMA SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for DORMA SKC policies.
- For additional information, please refer to Cylinders, Keys, and Keying
 See Keys and Key Blanks section for complete list.

igotimes Denotes keys must be ordered separately.

Locks

Mullions

Item	Description	List \$
Aluminum Mullions × 628 ((clear anodized), 1-5/8" × 2-5/8"	
1310-8	8'	980.00
1310-8 × 443	8', recessed strike	1,141.00
WS1310-8	8', weatherstrip	1,042.00
WS1310-8 × 443	8', weatherstrip and recessed strike	1,152.00
1310-10	10'	1,042.00
1310-10 × 443	10', recessed strike	1,251.00
WS1310-10	10', weatherstrip	1,141.00
WS1310-10 × 443	10', weatherstrip and recessed strike	1,322.00
Aluminum Mullions × 695 ((painted), 1-5/8" × 2-5/8"	
1310-8	8'	1,189.00
1310-8 × 443	8', recessed strike	1,347.00
WS1310-8	8', weatherstrip	1,251.00
WS1310-8 × 443	8', weatherstrip and recessed strike	1,423.00
1310-10	10'	1,287.00
1310-10 × 443	10', recessed strike	1,459.00
WS1310-10	10', weatherstrip	1,373.00
WS1310-10 × 443	10', weatherstrip and recessed strike	1,385.00
Steel Mullions × 600 (prim	ed for paint), 1-1/2" × 2-1/2"	
1330-8	8'	491.00
1330-10	10'	516.00
Steel Mullions × 600 (prim	ed for paint), 2" × 3"	
1300-8	8'	638.00
F1300-8	8', fire-rated	822.00
F1300-10	10', fire-rated	1,097.00
1340KR-8	8', key removable (includes standard cylinder using 01 cam)	1,079.00
F1340KR-8	8', fire-rated mullion, key removable (includes standard cylinder using 01 cam)	1,263.00
F1340KR-10	10', fire-rated mullion, key removable (includes standard cylinder using 01 cam)	1,480.00
1300-10	10', fire-rated	735.00
1340KR-EL	8', key removable, electrified mullion	1,251.00
1340KR-10	10', key removable (includes standard cylinder using 01 cam)	1,141.00
1340KR-EL-10	10', key removable, electrified mullion	1,312.00
HC1300-8	8', design pressure rated 80PSF for openings up to 8' \times 8' with HC9300 device.	1,189.00
Mullion Storage Kit		
1340SK	Storage kit for 1340/F1340 Series key removable mullion.	320.00

Cylinders for 1340KR/F1340KR Mullions and 1340SK Storage Kit

Туре	Standard	7-pin IC	Cam
Mortise	90X01SC118	97D01BA138	01 (AR)

dormakaba 🛰




Locks

dormakaba 🚧 8000 Series Exit Devices

8000 Series Exit Devices


How to Order





8300 Series

Rim Exit Device



** Barrier Free option availability:

Exit Device	Functions	Device Lengths	Ratings
8300BF	01, 02, 03, 05, 08, 23	36" & 48"	Panic & Fire

8000 Series — Wide Stile Applications

	All Device Options (excep	All Device Options (except BPA or DWA)	
Device Length	Maximum Door Width ¹	Minimum Door Width ²	Minimum Door Width ²
Α	48" (1220 mm)	34" (864 mm)	39" (991 mm)
В	36" (915 mm)	28" (712 mm)	33" (839 mm)
С	36" (915 mm)	22" (559 mm)	22" (559 mm)


^{1.} As delivered from factory, device will fit doors of this width. For other widths, consult Technical Services.

^{2.} Touch bar and rail assembly can be shortened at time of installation to fit doors down to this width.

^{*}PC - Clear Powder Coat available over 630 – Stainless Steel

Locks





Available Finishes \$

			689, 691, 693, 695, 696	689 w/ 630 TB
Function	Description	Device, Exit Only		
01	Panic	8300 Rim	536.00	808.00
01	Fire	F8300 Rim	733.00	1,008.00

Exit Devices

Typical Options

Item	Description	List Add \$
LD	Less dogging (Standard with fire rated device)	N/C
SNB	Sex nuts (Included with F and H options)	17.00
TX	Security screws	35.00
HC	Hurricane (includes SNB)	173.00
BF	Barrier free exit device, meets California Building Code (Section 11B-309.4) requirements for maximum 5 lb operating force. See page 86 for compatible functions/options.	23.00
320	Overlap strike	29.00
430	Rim box strike	46.00
463	Standard rim strike	N/C
486	Roller strike	17.00

NOTES:


- · Prices shown apply to A, B, or C length devices.
- Specify door width. If not specified, Size B is the standard default.
 List price includes default strikes. For optional strikes, specify strike number and adjust list price accordingly.
- List price for the device does not include trim.
- Devices include wood and machine screws standard.
- Fire and hurricane rated devices include SNB sex nuts standard.
- For options requiring a cylinder, the option list price includes the default cylinder.
- · For special lengths, consult Technical Service.
- All standard devices and trim are designed for 1-3/4" –2-1/4" thick doors. For door thickness greater than 2-1/4", consult Technical Service.





8400 Series

Surface Vertical Rod Exit Device



8000 Series — Wide Stile Applications

	All Device Options (excep	All Device Options (except BPA or DWA)		
Device Length	Maximum Door Width ¹	Minimum Door Width ²	Minimum Door Width ²	
Α	48" (1220 mm)	34" (864 mm)	39" (991 mm)	
В	36" (915 mm)	28" (712 mm)	33" (839 mm)	
С	36" (915 mm)	22" (559 mm)	22" (559 mm)	


^{1.} As delivered from factory, device will fit doors of this width. For other widths, consult Technical Services.

*PC - Clear Powder Coat available over 630 - Stainless Steel



^{2.} Touch bar and rail assembly can be shortened at time of installation to fit doors down to this width.

Exit Devices



Available Finishes \$

			689, 691, 693, 695, 696	689 w/ 630 TB
Function	Description	Device, Exit Only		
01	Panic	8400 Surface vertical rod	887.00	1,171.00
01	Fire	F8400 Surface vertical rod	1,127.00	1,410.00

Typical Options

Item	Description	List Add \$
LD	Less dogging (Standard with fire rated device)	N/C
SNB	Sex nuts (Included with F and HC options)	17.00
TX	Security screws	35.00
HC	Hurricane (Includes SNB)	173.00
LB	Less bottom rod	N/C
PB	Pullman bottom latch	56.00
SB	Slide bolt (Default)	N/C
Up to 8'	7' default	N/C
Up to 10'	Door heights over 8' to 10' (over 10', call Technical Service)	54.00
340	Flat slide bolt bottom strike	N/C
416V	Surface bottom strike for pullman latch	N/C
426	Standard top strike	N/C
426A	Top strike with angle	29.00
431	Recessed bottom strike for pullman latch	29.00
439	Standard slide bolt bottom strike	N/C

NOTES:

- Prices shown apply to A, B, or C length devices.
- Specify door width and handing. If not specified, Size B, RHR is the standard default.
- List price includes default strikes. For optional strikes, specify strike number and adjust list price accordingly. List price for the device does not include trim.
- Devices include wood and machine screws standard.
- Fire and hurricane rated devices include SNB sex nuts standard.
- For options requiring a cylinder, the option list price includes the default cylinder. Device includes precut and drilled rods for 7' or 8' doors as specified on order.
- For 9' doors, device includes precut and drilled rods for a 7' door and a 2' rod extension for the top rod.

 For 10' doors, device includes precut and drilled rods for an 8' door and a 2' rod extension for the top rod. See Device Options for pricing information.
- For special lengths and/or door heights over 10', consult Technical Service.
- All standard devices and trim are designed for 1-3/4" -2-1/4" thick doors. For door thickness greater than 2-1/4", consult Technical Service.

Options

Option Code	Description	List Add \$
Special Finishes an	d Coatings	
PC	Powder Coat available over 630 – Stainless Steel	82.00
Custom Color	Custom painted finish selected from RAL color pallet book.	
	For details, see Finishes Cross Reference , page viii.	
	Per order, setup charge (Net)	132.00
	per exit device only, list add	72.00
	per trim only, list add	72.00
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" × 3" color chip samples required. For details, see Finishes Cross Reference , page viii.	
	per order, non-refundable development/setup charge (Net)	469.00
	per exit device only, list add	72.00
	per trim only, list add	72.00
Fastener Package		
SK	Shim kit	92.00
SNB	Sex nuts	17.00
TX	Security screws	35.00
SKTX	Shim kit and security screws	144.00
SKSNB	Shim kit and sex nuts	108.00
TXSNB	Security screws and sex nuts	71.00
SKTXSNB	Shim kit, security screws, and sex nuts	161.00
Special Application	n Packages	
HC	Hurricane. Includes SNB	173.00
BF	Barrier free exit device (8300), meets California Building Code (Section 11B-309.4) requirements for maximum 5 lb operating force. See page 86 for compatible functions/options.	23.00
Alarm		
BPA*	Battery Power Alarm	630.00
BPAR*	Battery Power Alarm, 4 minute reset	671.00
Power Supplies, Po	wer Transfers, Power Modules	
ES101	Delay module	140.00
ES103	Relay module	88.00
ES100	Power supply. Powers (2) 8000 ES devices.	642.00
ES105	Power transfer for ES devices	215.00




8000 Series

Architectural Hardware Price List #32

8000 Series Exit Trim

How to Order




Lever and Knob Styles










Locks

ANSI Function	Description	Escutcheon	Sectional 3-3/8" Diameter Rose	Wide Plate 3" W × 16" H	Pulls	Cylinder Only Pull by Others
DT	Dummy trim	0				
02	Entrance by trim when touchbar is dogged		TU 8			
03	Entrance by trim when latch bolt is retracted by key. Key removable only when trim is locked.	0	r i			(a)
05	Entrance by thumbpiece. Key locks or unlocks thumbpiece.		r r			
06	Entrance by thumbpiece only when released by key. Key removable only when locked.					
08	Entrance by lever or knob. Key locks or unlocks lever or knob.					
09	Entrance by lever or knob when unlocked by key. Key removable only when locked.					
22	Entrance by thumbpiece (no cylinder). Thumbpiece always active.					
23	Entrance by lever or knob (no cylinder). Lever or knob always active.		T 7			

PROUDLY DISTRIBUTED BY

ACCESS
HARDWARE
SUPPLY

8000 Series Escutcheon Trim



8Hx23

8HK23

NOTES:

23

• List price includes the default cylinder.

always active.

• Where x appears above, x = lever style. See page 142 for details.

Entrance by lever or knob (no cylinder). Lever or knob


278.00

315.00

^{*}PC - Clear Powder Coat available over 630 - Stainless Steel

rim Exit Devices dormakaba 🕍

8000 Series Sectional Trim




ANSI Function	Description			
02	Entrance by trim when touchbar is dogged.	8x02R 8K02R	278.00	315.00
03	Entrance by trim when latch bolt is retracted by key. Key removable onlywhen trim is locked.	8x03 8K03	340.00	381.00
08	Entrance by lever or knob. Key locks or unlocks lever or knob.	8×08 8K08	340.00	381.00
23	Entrance by lever or knob (no cylinder). Lever or knob always active.	8x23 8K23	278.00	315.00

Notes:

- List price includes the default cylinder.
- Where x appears above, x = lever style. See page 142 for details.
- *PC Clear Powder Coat available over 630 Stainless Steel

8000 Series Wide Plate Trim



*PC - Clear Powder Coat available over 630 – Stainless Steel




		Rim	Surface Vertical Rod	Available F	inishes \$
		8300 F8300	8400 F8400	689, 691, 693 695, 696	630
ANSI Function	Description				
DT	Dummy trim	NPS	DT	123.00	173.00
		108	OT	76.00	-
02	Entrance by trim when touchbar is dogged.	PRS PTS		173.00	216.00
03	Entrance by trim when latch bolt is retracted by key. Key removable only when trim is locked.	NPS	603	173.00	231.00
		PRS PTS		216.00	278.00
05	Entrance by thumbpiece. Key locks or unlocks thumbpiece.	HRS HTS		246.00	323.00
06	Entrance by thumbpiece only when released by key. Key removable only when locked.	HRS HTS		246.00	323.00
22	Entrance by thumbpiece (no cylinder). Thumbpiece always active.	HRS HTS		202.00	246.00

Exit Devices

NOTE:

 $^{{\}boldsymbol \cdot}$ $\;$ List price includes the default cylinder.

8000 Series Pull Trim



- 1. Specify hand.
- 2. 8PBO available for 03 Function only. Not available in 693 finish.

		Rim	Surface Vertical Rod	Available Finishes \$	
		8300 F8300	8400 F8400	689, 691, 693 695, 696	
ANSI Function	Description				
02	Entrance by trim when touchbar is dogged.	8	P02	246.00	
		80	DTP	171.00	
		8	PDT	94.00	
03	Entrance by trim when latch bolt is retracted by key. Key removable only	80	003P	231.00	
	when trim is locked.	8	3003	123.00	
		8	P03	155.00	
			BO03	138.00	

NOTES:

- · List price includes the default cylinder.
- 8PBO03 trim not recommended for wood doors. Hollow metal and aluminum door applications.

8PBO

^{*}PC - Clear Powder Coat available over 630 – Stainless Steel


Trim Options

Option Code	Description	List Add \$
Special Finishes an	d Coatings	
P	Clear powder coat	82.00
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference, page viii.	
	Per order, setup charge (Net)	132.00
	per exit device only, list add	72.00
	per trim only, list add	72.00
Designer Color Designer painted color matched to supplied samples. Three (3) each 2" × 3" color chip samples For details, see Finishes Cross Reference , page viii.		
	per order, non-refundable development/setup charge (Net)	469.00
	per exit device only, list add	72.00
	per trim only, list add	72.00


Exit Devices

Cylinders


Rim Cylinders



Mortise Cylinders



Key-in-Lever Cylinders



ov in lover		
ov in lover		
sy-iii-levei .	70135C	77
m 8	80R40SC	87A40
ortise ⁽	90X10SC118	97C10138
m 8	80R40SC	87A40
ortise ⁽	90X10SC118	97D10138
0	rtise '	80R40SC rtise 90X10SC118 n 80R40SC

NOTE:

• For additional information, please refer to Cylinders, Keys, and Keying.

Cylinder Types, Keying Options and Keyways for Removable Mullions and Exit Devices

Cylinder	Option	Description	List Add/Deduct \$
Conventio	nal Cylinder	rs (non-interchangeable core)	
D		Keying for exit device or removable mullions with conventional cylinder (default)	
	KD	Keyed differently to a random combination; SC keyway with 2 keys (default)	N/C
	KA2	Keyed alike in pairs to a random combination; SC keyway with 2 keys	N/C
	1-Bit	1-bit key (sold separately); SC, SE keyway with 2 key blanks	N/C
	1-Bit	1-bit key (sold separately); D100 keyway — $igotimes$ Keys sold separately	N/C
	0-Bit	Operated by a key blank; CA, CD, CE, RA, RB, GA, SF, YA, YG keyways with 2 key blanks	13.00
	NSK	Keyed alike, sets of three or more; SC keyway with 2 keys	13.00
	MKD	Master keyed; SC, SE, or D100 keyway — $oldsymbol{arphi}$ Keys sold separately	17.00
	СМК	Construction master keyed single cylinder locks — $oldsymbol{arphi}$ Keys sold separately	19.00
L		Keying for exit device or removable mullions less conventional cylinder	Deduct 30.00
Interchang	geable Core	Cylinders	
Т		Keying for exit device or removable mullions with keyed temporary SFIC construction core Keying for exit trim with keyed temporary SFIC construction core (cores may be returned for a full refund) — **May SFIC Construction** **Construction** 42.00	
J		Keying for exit device or removable mullions with disposable plastic SFIC construction core	N/C
С		Keying for exit device or removable mullions with combinated SFIC core installed at factory¹ Keying for exit trim with combinated core installed at factory; BA (default), BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, D100 keyway — ⊘ Keys sold separately	48.00
G		Schlage LFIC — Housing with keyed temporary Schlage LFIC construction core (Core may be returned for full refund) — ⊗ Keys sold separately	42.00
F		Schlage LFIC — Housing with combinated Schlage LFIC installed at the factory (SC keyway) — Θ Keys sold separately	48.00
Cylinder H	lousings Les	ss Cores	
R		Housing prepared for Schlage FSIC	9.00
X7		Housing prepared for Sargent XC 7P and Arrow Choice 7P SFIC	9.00
X6		Housing prepared for Arrow Choice 6P SFIC	9.00

^{1.} For uncombinated cores, **UNC** cores must be ordered separately, see **Cylinders, Keys & Keying.** Exits/trim will be supplied w/ plastic construction core, Option J.

Cut Keys Ordered Separately

Part #	Description	List \$
45101	SFIC Cut key — Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	7.00
45401	SFIC Cut key — Change key, master key, or control key; D100 keyways — D100 etc.	11.00
45404	CONV/LFIC Cut key -1 bit key for operating 1 bit cylinders $-$ SC, SE keyways	5.00
45405	LFIC Cut key -1 bit control key (to install/remove "0-bit" LFIC cores) $-$ SC keyway	5.00
44101SC	CONV/LFIC Key blank — SC keyway	2.00
44104SC	LFIC Key blank — Control key (to install/remove LFIC Cores) — SC keyway	4.00

NOTES

- Distribution of DORMA SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for DORMA SKC policies.
- For additional information, please refer to Cylinders, Keys, and Keying
- See Keys and Key Blanks section for complete list.

Denotes keys must be ordered separately.

Mullions

Item	Description	List \$
Aluminum Mullions × 628 (clear anodized), 1-5/8" × 2-5/8"	
1310-8	8'	980.00
1310-8 × 443	8', recessed strike	1,141.00
WS1310-8	8', weatherstrip	1,042.00
WS1310-8 × 443	8', weatherstrip and recessed strike	1,152.00
1310-10	10'	1,042.00
1310-10 × 443	10', recessed strike	1,251.00
WS1310-10	10', weatherstrip	1,141.00
WS1310-10 × 443	10', weatherstrip and recessed strike	1,322.00
Aluminum Mullions × 695 (painted), 1-5/8" × 2-5/8"	
1310-8	8'	1,189.00
1310-8 × 443	8', recessed strike	1,347.00
WS1310-8	8', weatherstrip	1,251.00
WS1310-8 × 443	8', weatherstrip and recessed strike	1,423.00
1310-10	10'	1,287.00
1310-10 × 443	10', recessed strike	1,459.00
WS1310-10	10', weatherstrip	1,373.00
WS1310-10 × 443	10', weatherstrip and recessed strike	1,385.00
Steel Mullions × 600 (prime	ed for paint), 1-1/2" × 2-1/2"	
1330-8	8'	491.00
1330-10	10'	516.00
Steel Mullions × 600 (prime	ed for paint), 2" × 3"	
1300-8	8'	638.00
F1300-8	8', fire-rated	822.00
F1300-10	10', fire-rated	1,097.00
1340KR-8	8', key removable (includes standard cylinder using 01 cam)	1,079.00
F1340KR-8	8', fire-rated mullion, key removable (includes standard cylinder using 01 cam)	1,263.00
F1340KR-10	10', fire-rated mullion, key removable (includes standard cylinder using 01 cam)	1,480.00
1300-10	10'	735.00
1340KR-EL	8', key removable, electrified mullion	1,251.00
1340KR-10	10', key removable (includes standard cylinder using 01 cam)	1,141.00
1340 KR-EL-10	10', key removable, electrified mullion	1,312.00
HC1300-8	8', design pressure rated 80PSF for openings up to 8' × 8' with HC9300 device.	1,189.00
Mullion Storage Kit		
1340SK	Storage kit for 1340/F1340 Series key removable mullion.	320.00

Exit Devices

Cylinders for 1340KR/F1340KR Mullions and 1340SK Storage Kit


Туре	Standard	7-pin IC	Cam
Mortise	90X01SC118	97D01BA138	01 (AR)

dormakaba 🛰



DKPS Power Supply Series

Ordering Guide



DKPS Power Supply Series

Item	Description	List \$
DKPS-2A	110 V/2.0 A @ 24 VDC filter/reg, class 2 selectable output	578.00
DKPS-4A	110 V/4.0 A @ 24 VDC filter/reg, class 2 selectable output, (2) 2.0 A or (1) 4.0 A	1,068.00
DKPS-6A	110 V/6.0 A @ 24 VDC filter/reg, class 2 selectable output, (3) 2.0 A or (1) 6.0 A	1,286.00

DKPS Series Specifications

Features	DKPS-2A	DKPS-4A	DKPS-6A
Enclosure dimensions	I	tric 338mm X 448mm X 110mm, rd 13-5/16" X 17-41/64" X 4-21/6	54"
UL294, CAN/ULC -60839-11-1	Y	Y	Y
CAN/ULC-S533, CE, FCC	Y	Y	Y
Input Requirements	100-240VAC, 50-60Hz. 2.4A Max draw	100-240VAC, 50-60Hz. 1.8A Max draw	100-240VAC, 50-60Hz. 2.5A Max draw
Output Performance	2.5 Amps continuous supply current at Nominal 12/24 VDC	4 Amps continuous supply current at Nominal PF 0.6 at nominal 12/24 VDC	6 Amps continuous supply current at Nominal PF 0.6 at nominal 12/24 VDC
Battery Back-Up Charger (ordered separately)	Standard	Standard	Standard
Keyed Cabinet	Standard (Keyed alike)	Standard (Keyed alike)	Standard (Keyed alike)
LED Power Status Indicator	Standard	Standard	Standard
Fire Alarm Termination	Standard	Standard	Standard
Power Distribution Board	4 Outputs	8 Outputs	8 Outputs
Warranty		Limited Lifetime	

dormakaba 🚧 Power Supplies Electronic Access Control Components

DKPS Power Supply Series

Ordering Guide



DKPS Power Supply Series

ltem	Description	List \$
DKPS-2A	110 V/1.0 A @ 24 VDC OR 110 V/1.5A @24 VDC filter/reg, class 2 selectable output	578.00

Options

Item	Description	List \$
BB12-4	4.5 Ahr battery backup for 12 V	53.00
BB12-7	7 Ahr battery backup for 12 V	83.00
BB24-4	4.5 Ahr battery backup for 24 V	108.00
BB24-7	7 Ahr battery backup for 24 V	165.00





Power Supplies for Use with Exit Devices

Item	Description	List \$
ES100	110 V/24 VDC, 6 A surge, 0.65 A continuous per zone. Use with delayed egress (DE) exit device or LFSC/LFSF electrified exit device trim.	642.00
PS501	110 V/36 VDC, 14-18 A surge, 2 A continuous per zone. Use with solenoid latch retraction (ES) exit devices (UL requirement)	755.00
AD100	220 V/24 VDC, 6 A surge, 0.65 A continuous per zone. Use with solenoid latch retraction (ES) exit devices (UL requirement)	755.00
PS406BB*	Power supply with battery backup for ESB solenoid latch retraction	1,079.00
PS426BB*	Power supply with battery backup for ESB solenoid latch retraction	1,079.00

 $\textbf{Note:} \ \mathsf{PS406BB} \ \mathsf{and} \ \mathsf{PS426BB} \ \mathsf{can} \ \mathsf{only} \ \mathsf{be} \ \mathsf{used} \ \mathsf{with} \ \mathsf{ESB} \ \mathsf{latch} \ \mathsf{retraction} \ \mathsf{option}$

Power Supply Options for Use with Exit Devices


Item	Description	List \$
ES101	Delay module (ES100 only)	140.00
ES103	Relay module (ES100 only)	88.00
ES105	Power transfer (recommended for ES and DE option)	215.00
ES2	Power card (PS501 only), powers an additional 2 devices (4 total)	411.00



Electric Strikes

ES62 Ordering Guide

Application — Rim Exit Device




ES62 Electric Strikes				
Item	Description	List \$		
ES62 FSV 630	Surface mount rim exit strike, UL 1034 (CVXY), 12/24 V	583.00		
ES62F FSV 630	3 Hour fire rated surface mount rim exit strike, UL 1034 (CVXY), 12/24 V	643.00		
ES62 FSV LM 630	Surface mount rim exit strike with Latch Monitor switch, UL 1034 (CVXY), 12/24 V	700.00		
ES62F FSV LM 630	Fire rated surface mount rim exit strike with Latch Monitor switch, UL 1034 (CVXY), 12/24 V	726.00		
ES62 Accessories				
DPH62	Door pair housing, ES62, 628 finish only	185.00		
MSK62	Shim mounting kit, ES62	14.00		

Electronic Access Control Components



ES96F Ordering Guide


Application – Mortise Lock / Cylindrical Lock



ES96F Electric Strikes				
Item	Description	List \$		
ES96F FSV 630	Heavy duty, fire rated mortise strike, 12/24 V, 3 hr	638.00		
ES96F Accessories				
96LM	Latch monitor switch, ES96F	57.00		

ES72F Ordering Guide

Application — Fire Rated Cylindrical Lock




ES72F Electric Strikes				
Item	Description	List \$		
ES72F 12V 630	Commercial duty, fire rated cylindrical strike, 12 V, 90 minute fire rated	491.00		
ES72F 24V 630	Commercial duty, fire rated cylindrical strike, 24 V, 90 minute fire rated	491.00		



Locks

ES84/86 Ordering Guide

Application – Non-Fire Rated Cylindrical Lock



Electronic Access Control Components

NOTE: Field Selectable. Fail safe/ fall secure.

ES84/86 Electric Strikes				
Item	Description	List \$		
ES84 FSV U 630	Low profile, commercial duty cylindrical strike, 12/24 V	246.00		
ES84 FSV LM U 630	Low profile, commercial duty cylindrical strike with Latch Monitor switch, 12/24 V	307.00		
ES86 FSV U 630	Standard profile, commercial duty cylindrical strike, 12/24 V	246.00		
ES86 FSV LM U 630	Standard profile, commercial duty cylindrical strike with Latch Monitor strike, $12/24\mathrm{V}$	307.00		
Strike Plate Options (E	S84/86, 630 finish)			
U	Universal strike kit standard with ES84/86 electric strikes includes (3) face plates S4, S4S, and S7	N/C		
S4*	1-1/4" × $4-7/8$ " with radius corners	Deduct 6.00		
S4S*	1-1/4" × 4-7/8" with square corners	Deduct 6.00		
S5	$1-1/8" \times 5-7/8"$ with radius corners	Deduct 6.00		
S6	1-1/4" × 6-7/8" with radius corners	Deduct 6.00		
S7*	1-7/16" × 7-15/16" with radius corners	Deduct 6.00		


^{*} Included with "U" kit



ES84/86 Ac	ES84/86 Accessories		
Item	Description	List \$	
84LE1	1" Lip extension, ES84	70.00	
84LE2	2" Lip extension, ES84	80.00	
84LE3	3" Lip extension, ES84	93.00	
86LE1	1" Lip extension, ES86	70.00	
86LE2	2" Lip extension, ES86	80.00	
86LE3	3" Lip extension, ES86	93.00	
84JIG	Frame prep jig, ES84	93.00	
86JIG	Frame prep jig, ES86	93.00	
84TP5	Trim plate, ES84	30.00	
86TP5	Trim plate, ES86	30.00	
86LG	Latch guard, ES84/86	30.00	
84/86HK	Mounting hardware kit, ES84/86	87.00	
84S4DD	Face plate kit – 1-1/4" × 4-7/8" with radius corners, bullnose for double door, low profile (ES84)	55.00	
86S4DD	Face plate kit – 1-1/4" × 4-7/8" with radius corners, bullnose for double door, standard profile (ES86)	55.00	

ES74F Ordering Guide

Application — Heavy Duty Fire Rated Cylindrical Lock — BHMA Listed






NOTE: Fail secure only.

ES74F Electric Strikes		
Item	Description	List \$
ES74F 12V 630	Heavy duty, fire rated cylindrical strike, 12 V, 90 minute fire rated	460.00
ES74F 24V 630	Heavy duty, fire rated cylindrical strike, 24 V, 90 minute fire rated	460.00




Electromagnetic Locks

EML310/320 Ordering Guide







Electronic Access Control Components

EML310

EML320

PROUDLY DISTRIBUTED BY





EML310/320 Electromagnetic Locks

Item	Description	628 Finish \$	Painted Finishes \$	Plated Finishes \$
EML310 Series Single	Door, 1500 lb Holding Force			
EML310	Single lock	527.00	627.00	670.00
EML310 DP	Single lock w/ DP sensor	614.00	713.00	755.00
EML310 BA DP	Single lock w/ BA sensor, DP sensor	700.00	798.00	840.00
EML310TP Series Sin	gle Door, 1500 lb Holding Force			
EML310TP	Single lock w/ encoded armature	738.00	_	_
EML320 Series Doubl	e Door, 1500 lb Holding Force			
EML320	Double lock	1,007.00	1,124.00	1,174.00
EML320 DP	Double lock w/ DP sensor	1,168.00	1,285.00	1,338.00
EML320 BA DP	Double lock w/ BA sensor, DP sensor	1,323.00	1,441.00	1,494.00
EML320TP Series Do	uble Door, 1500 lb Holding Force			
EML320TP	Double lock w/ encoded armature	1,470.00	_	_

EML310/320 Options

Item	Description	628 List Add \$	695 List Add \$
Angle Brackets			
AB11	1"H × 1"W × 10-1/2"L, EML310	49.00	58.00
AB12	1-1/2"H × 1"W × 10-1/2"L, EML310	51.00	61.00
AB13	1-1/2"H × 1-1/4"W × 10-1/2"L , EML310	53.00	63.00
AB20	1"H × 1"W × 21"L, EML320	70.00	88.00
AB21	1-1/2"H × 1"W × 21"L, EML320	78.00	100.00
AB22	1-1/2"H × 1-1/2"W × 21"L, EML320	88.00	107.00
L Brackets			
LB10	2-1/2"H × 2"W × 10-1/2"L, EML310	87.00	_
LB20	2-1/2"H × 2"W × 21"L, EML320	173.00	_
Filler Bars			
FB11	1/8"H × 3/4"W × 10-1/2"L, EML310	36.00	_
FB12	1/4"H × 3/4"W × 10-1/2"L, EML310	38.00	42.00
FB14N	1/2"H × 5/8"W × 10-1/2"L, EML310	47.00	51.00
FB14	1/2"H × 3/4"W × 10-1/2"L, EML310	42.00	47.00
FB15	5/8"H × 3/4"W × 10-1/2"L, EML310	45.00	49.00
FB21	1/8"H × 3/4"W × 21"L, EML320	51.00	_
FB22	1/4"H × 3/4"W × 21"L, EML320	51.00	58.00
FB24N	1/2"H × 5/8"W × 21"L, EML320	61.00	68.00
FB24	1/2"H × 3/4"W × 21"L, EML320	55.00	63.00
FB25	5/8"H × 3/4"W × 21"L, EML320	58.00	66.00
Blade Stop Spacers	s		
BSS14	1/2"H × 1-1/2"W × 10-1/2"L, EML310	52.00	63.00
BSS15	5/8"H × 1-1/2"W × 10-1/2"L, EML310	57.00	68.00
BSS24	1/2"H × 1-1/2"W × 10-1/2"L, EML320	104.00	124.00
BSS25	5/8"H × 1-1/2"W × 10-1/2"L, EML320	113.00	134.00

Item	Description	628 List Add \$	695 List Add \$
Top Jam Brackets	5		
TJ10	Top jamb bracket, EML310	156.00	166.00
TJ20	Top jamb bracket, EML320	309.00	333.00
Conduit Mountin	g Bracket		
CMB10	1"H × 2-1/4"W × 10-9/16"L, EML310	87.00	_
Armature Plates			
AP02	5/8" (15.9 mm) thick, EML310/EML320	69.00	_
AP21	5/8" (15.9 mm) thick, EML310/EML320 with DP function	107.00	_
Armature Plate H	Holders		
APH10	Armature plate holder, EML310	87.00	93.00
APH15	Armature plate holder, EML310 with DP function	58.00	65.00
APH20	Armature plate holder, EML320	173.00	179.00
APH25	Armature plate holder, EML320 with DP function	115.00	121.00
Armature Mount	ing Bolts		
AMB225	Extended length for doors 1-3/4" to 2-1/4" thick	11.00	_
AMB275	Extended length for doors 2-1/4" to 2-3/4" thick	11.00	
AMB300	Extended length for doors 2-3/4" to 3" thick	11.00	

Electronic Access Control Components

Item	Description	630 List Add \$
GDB14	1/2" thick glass, EML310	194.00
GDB16	3/4" thick glass, EML310	194.00
GDB24	1/2" thick glass, EML320	367.00
GDB26	3/4" thick glass, EML320	367.00


Split Armature Plate		
ltem	Description	List Add \$
SAP	Split armature plate, EML310	114.00

EML310/320 Accessories

Item	Description	Painted Finishes \$	Plated Finishes \$
MCW310	Cover wrap for EML310	93.00	133.00
MCW320	Cover wrap for EML320	115.00	161.00
MCW310TP	Cover wrap for EML310TP	93.00	133.00



EML371/372 Ordering Guide



- 1. Lock body supplied in 628. All other finishes supplied as a cover.
- 2. Specify 628 or 695 finish, except BSS752 available in 628 only.





EML371/372 Electromagnetic Locks

Item	Description	628 Finish \$	Painted Finishes \$	Plated Finishes \$
EML371 Single Door, 7	750 lb Holding Force			
EML371	Single lock	405.00	491.00	521.00
EML371 DP	Single lock w/ DP sensor	473.00	558.00	591.00
EML371 BA DP	Single lock w/ BA sensor, DP sensor	548.00	633.00	665.00
EML372 Double Door,	750 lb Holding Force			
EML372	Single lock	810.00	914.00	960.00
EML372 DP	Single lock w/ DP sensor	945.00	1,048.00	1,096.00
EML372 BA DP	Single lock w/ BA sensor, DP sensor	1,092.00	1,195.00	1,244.00

Electronic Access Control Components

EML371/372 Options

Item	Description	628 List Add \$	695 List Add \$
Angle Brackets			
AB710	1"H × 1"W × 9-3/8"L, EML371	49.00	53.00
AB711	1-1/2"H × 1"W × 9-3/8"L, EML371	51.00	55.00
AB712	1-1/2"H × 1-1/2"W × 9-3/8"L, EML371	53.00	58.00
AB713	1-1/2"H × 2"W × 9-3/8"L, EML371	55.00	61.00
AB720	1"H × 1"W × 18-3/4"L, EML372	76.00	84.00
AB721	1-1/2"H × 1"W × 18-3/4"L, EML372	78.00	88.00
AB722	1-1/2"H × 1-1/2"W × 18-3/4"L, EML372	80.00	91.00
AB723	1-1/2"H × 2"W × 18-3/4"L, EML372	82.00	93.00
Filler Bars			
FB712	1/4"H × 3/4"W × 9"L, EML371	38.00	42.00
FB713	3/8"H × 3/4"W × 9"L, EML371	40.00	45.00
FB714	1/2"H × 3/4"W × 9"L, EML371	42.00	47.00
FB715	5/8"H × 3/4"W × 9"L, EML371	45.00	49.00
FB722	1/4"H × 3/4"W × 18-3/4"L, EML372	51.00	58.00
FB724	1/2"H × 3/4"W × 18-3/4"L, EML372	53.00	61.00
FB725	5/8"H × 3/4"W × 18-3/4"L, EML372	58.00	66.00
Blade Stop Space	rs		
BSS714	1/2"H × 1"W × 9-3/8"L, EML371	47.00	57.00
BSS715	5/8"H × 1"W × 9-3/8"L, EML371	51.00	62.00
BSS724	1/2"H × 1"W × 18-3/4"L, EML372	93.00	113.00
BSS725	5/8"H × 1"W × 18-3/4"L, EML372	102.00	122.00
Top Jam Brackets			
TJ71	Top jamb bracket, EML371	156.00	166.00
TJ72	Top jamb bracket, EML372	309.00	333.00



Exit Devices



Item	Description	628 List Add \$	695 List Add \$
Armature Plate			
AP03	3/8" (9.5 mm) thick, EML371/EML372	69.00	_
Armature Plate H	olders		
APH71	Armature plate holder, EML371	87.00	93.00
Armature Mounti	ng Bolts		
AMB225	Extended length for doors 1-3/4" to 2-1/4" thick	11.00	_
AMB275	Extended length for doors 2-1/4" to 2-3/4" thick	11.00	_
AMB300	Extended length for doors 2-3/4" to 3" thick	11.00	_
APH72	Armature plate holder, EML372	173.00	179.00


Glass Door Brackets

Item	Description	630 List Add \$
GDB714	1/2" thick glass, EML371	184.00
GDB716	3/4" thick glass, EML371	184.00
GDB724	1/2" thick glass, EML372	367.00
GDB726	3/4" thick glass, EML372	367.00

EML371/372 Accessories

Item	Description	Painted Finishes \$	Plated Finishes \$
MCW371	Cover wrap for EML371	87.00	115.00
MCW372	Cover wrap for EML372	104.00	151.00

EML375 Ordering Guide







EML375 Electromagnetic Locks

Item	Description	628 Finish \$	Painted Finishes \$	Plated Finishes \$
EML375 Single Doo	or, 300 lb Holding Force			
EML375	Single lock	271.00	375.00	405.00

Electronic Access Control Components

EML375 Options

Item	Description	628 List Add \$	695 List Add \$
Blade Stop Space	rs		
BSS752	1/4"H × 13/16"W × 6-9/16"L, EML375	52.00	_
Top Jam Brackets	1		
TJ75	Top jamb bracket, EML375	138.00	144.00
Armature Plate			
AP04	5/16" (7.9 mm) thick, EML375	61.00	_
Armature Plate H	olders		
APH75	Armature plate holder, EML375	87.00	93.00
Armature Mounti	ng Bolts		_
AMB225	Extended length for doors 1-3/4" to 2-1/4" thick	11.00	_
AMB275	Extended length for doors 2-1/4" to 2-3/4" thick	11.00	_
AMB300	Extended length for doors 2-3/4" to 3" thick	11.00	

Glass Door Brackets

Item	Description	630 List Add \$
GDB754	1/2" thick glass, EML375	184.00
GDB756	3/4" thick glass, EML375	184.00

EML375 Accessories

Item	Description	Painted Finishes \$	Plated Finishes \$
MCW375	Cover wrap for EML375	104.00	151.00

(800) 348 –

dormakaba⊯

Specialized Electromagnetic Locks

EMLSG360/365 Ordering Guide








Electronic Access Control Components

EMLSG380 Ordering Guide







168



EMLSG Series Specialized Electromagnetic Locks

Item	Description	628 Finish \$	630 Finish \$
EMLSG360	Mortise lock for sliding doors, 750 lb	539.00	_
EMLSG365	Mortise lock for sliding drawers, 300 lb	320.00	_
EMLSG380	Weather-resistant gate lock with stainless steel housing	_	539.00

EMLSG Option

Item	Description	628 List Add \$	695 List Add \$
TJ80	Top jamb bracket, EMLSG380	133.00	_
PB80	Post bracket, EMLSG380	_	87.00
AP03	3/8" (9.5 mm) thick, EMLSG360	69.00	_
AP04	5/16" (7.9 mm) thick, EMLSG365	61.00	_



Shear Locks

EMSL Ordering Guide

		Options (multiple options may be ordered)	
	orcement Box (2700-65, 2700-6 orcement Box (2000-61, 2000-6 External LE	6) - WDRB 2) - WDRBM	
Shear Lock, Concealed, 2700 lb Holding Force 2700	Door Position Swite Bond Alert Sens	ch – DPS F	Satin Aluminum
Micro Shear Lock, Concealed, 2000 lb Holding Force 2000	Top Rail Brack		628 - (2061S & 2061TJ Surface Series only)
Micro Shear Lock Built-In Auto Re-Lock and Time Delay Micro Shear Lock Surface, Push Side	61S	Mounting Kit - Alu (suffix "M" for Mic Mounting Kit - Flu	ro Shear Locks)
Micro Shear Lock Surface, Pull Side Micro Shear Lock Built-In Auto Re-Lock and External Time Delay Micro Shear Lock Semi-Concealed, Push Side	y – 62 AHC	— (suffix "M" for Mic Mounting Kit - Wo — w/7/8" to 1-1/8" W (suffix "M" for Mic	ood or Metal Doors Veb
Micro Shear Lock Semi-Concealed with Glass Door Bracket ** Built-In Auto Re-Lock and Time Delay (EMSL2700 only) Built-In Auto Re-Lock and External Time Delay (EMSL2700 only)	65	nting Kit Option	IS
	Function		

Electronic Access Control Components

^{**} Specify 1/2" or 3/4" for glass thickness







170



EMSL Series Micro Shear Locks (2,000 lb Holding Force)

Item	Description	List \$
EMSL2000-61	Concealed mount with integral time delay. 1-5/8" projection (fits 1-3/4"-2" frame).	1,322.00
EMSL2000-61S	Surface mount push side of door	1,837.00
EMSL2000-61TJ	Surface mount pull side of door	1,837.00
EMSL2000-62	Concealed mount with external time delay. 1-1/4" projection (fits 1-1/4"-1-3/4" frame).	1,322.00
EMSL2000-62SC	Semi-concealed push side of door. Lock is mortised.	1,563.00
EMSL2000-62SCGDB- KT1/2	Semi-concealed w/glass door bracket, 1/2" glass. Lock is mortise	1,929.00
EMSL2000-62SCGDB- KT3/4	Semi-concealed w/glass door bracket, 3/4" glass. Lock is mortised	1,929.00

^{*} Specify mounting kit for all locks (see options below).

EMSL Series High Shear Locks (2,700 lb Holding Force)

Item	Description	List \$
EMSL2700-65	Built-in auto re-lock and time delay to ensure alignment before re-locking. 1-5/8" projection (fits 1-3/4"-2" frame).	1,433.00
EMSL2700-66	Built-in auto re-lock and external time delay. $1-1/4$ " projection (fits $1-1/4$ " $-1-1/2$ " frame).	1,433.00

^{*} Specify mounting kit for all locks (see options below).

EMSL Series Options

Item	Description	List Add \$
*AHC	Standard mounting armature kit for aluminum and hollow metal doors w/ 7/8" to 1-1/8" deep top channels, wood doors, and factory prepared hollow metal flush edge doors	N/C
*FC	Mounting kit for field prepared horizonal mounting in hollow metal doors w/flush edge	N/C
*AC	Mounting kit for aluminum doors with 1-15/16" web (1 pack of two 1" shims)	N/C
Must specify one	e of the above options for every shear lock ordered. Add Suffix "M" for Micro Shear Lock Armatures: i.e. AHC	CM
ATR	Aluminum top rail armature bracket for leading edge adjustments	584.00
BA	Bond sensor (Not available on 2062 or 2766)	189.00
DPS	Door position switch	87.00
L3	External LED. Mounted separately through the frame 🥙	28.00
WDRBM	Wood door reinforcement box (Micro-shear)	70.00
WDRB	Wood door reinforcement box (High-shear)	70.00


L3 option may use one, two, or three colors.



dormakaba 🚧

Delayed Egress Electromagnetic locks

EMDE Series Ordering Guide





Item	Description	628 Finish \$
EMDE SE	Lock with external sounder, 1200 lb	1,288.00
EMDE SI	Lock with integral sounder, 1200 lb	1,470.00

Electronic Access Control Components



dormakaba 🛰



eries Electronic Access Control Components **dormak**(

AC Series

Available Items

AC200 Keypads					
Item	Description	List \$			
AC217 630	Keypad, Indoor 120 user code, satin stainless face plate	460.00			
AC217 605	Keypad, Indoor 120 user code, bright brass face plate	588.00			
AC225 630	Keypad, Outdoor, 480 user code, satin stainless face plate	669.00			
	,				







dormakaba 🛰



Red Mushroom Push Buttons

Available Items

Item	Color	Label	Diameter	Faceplate	Switch	Faceplate Finish	List \$
PB RE2 MA 628	Red	Exit	1-9/16"	Narrow	Maintained	Brushed Aluminum	164.00
PB RE2 MO 628	Red	Exit	1-9/16"	Narrow	Momentary	Brushed Aluminum	164.00
PB RE2 MA 710	Red	Exit	1-9/16"	Narrow	Maintained	Dark Bronze	164.00
PB RE2 MO 710	Red	Exit	1-9/16"	Narrow	Momentary	Dark Bronze	164.00
PB EP0 PA 630	Red	Push to exit	1-5/8"	Narrow	Momentary with pneumatic time delay	Satin Stainless	493.00
PB RE3 MA 628	Red	Exit	1-9/16"	Single Gang	Maintained	Brushed Aluminum	164.00
PB RE3 MO 628	Red	Exit	1-9/16"	Single Gang	Momentary	Brushed Aluminum	164.00
PB RE3 MA 710	Red	Exit	1-9/16"	Single Gang	Maintained	Dark Bronze	164.00
PB RE3 MO 710	Red	Exit	1-9/16"	Single Gang	Momentary	Dark Bronze	164.00
PB E03 MA 628	Red	Exit	2-3/8"	Single Gang	Maintained	Brushed Aluminum	191.00
PB E03 MO 628	Red	Exit	2-3/8"	Single Gang	Momentary	Brushed Aluminum	191.00
PB E03 MA 710	Red	Exit	2-3/8"	Single Gang	Maintained	Dark Bronze	191.00
PB E03 MO 710	Red	Exit	2-3/8"	Single Gang	Momentary	Dark Bronze	191.00
PB EP3 PA 630	Red	Push to exit	1-5/8"	Single Gang	Momentary with pneumatic time delay	Satin Stainless	454.00

Electronic Access Control Components

Accessories

Description	
Field Selectable Timer — 0-30 seconds — wire inline	96.00
Fixed Timer — 30 seconds — wire inline	96.00
Surface mounting box, single gang — PBBH2 MO 630 SBX	65.00
	Field Selectable Timer — 0-30 seconds — wire inline Fixed Timer — 30 seconds — wire inline





Single Gang Narrow #3 Faceplate



#2 Faceplate



PBEO



PBRE



PBEP


Blue Mushroom Push Buttons

Available Items

Item	Color	Label	Diameter	Faceplate	Switch	Faceplate Finish	List \$
PB BH2 MA 628	Blue	Handicap	1-9/16"	Narrow	Maintained	Brushed Aluminum	164.00
PB BH2 MO 628	Blue	Handicap	1-9/16"	Narrow	Momentary	Brushed Aluminum	164.00
PB BH2 MA 710	Blue	Handicap	1-9/16"	Narrow	Maintained	Dark Bronze	164.00
PB BH2 MO 710	Blue	Handicap	1-9/16"	Narrow	Momentary	Dark Bronze	164.00
PB HP2 PA 630	Blue	Handicap	1-5/8"	Narrow	Momentary with pneumatic time delay	Satin Stainless	493.00
PB BH3 MA 628	Blue	Handicap	1-9/16"	Single Gang	Maintained	Brushed Aluminum	164.00
PB BH3 MO 628	Blue	Handicap	1-9/16"	Single Gang	Momentary	Brushed Aluminum	164.00
PB BH3 MA 710	Blue	Handicap	1-9/16"	Single Gang	Maintained	Dark Bronze	164.00
PB BH3 MO 710	Blue	Handicap	1-9/16"	Single Gang	Momentary	Dark Bronze	164.00
PB HO3 MA 628	Blue	Handicap	2-3/8"	Single Gang	Maintained	Brushed Aluminum	191.00
PB HO3 MO 628	Blue	Handicap	2-3/8"	Single Gang	Momentary	Brushed Aluminum	191.00
PB HO3 MA 710	Blue	Handicap	2-3/8"	Single Gang	Maintained	Dark Bronze	191.00
PB HO3 MO 710	Blue	Handicap	2-3/8"	Single Gang	Momentary	Dark Bronze	191.00
PB HP3 PA 630	Blue	Handicap	1-5/8"	Single Gang	Momentary with pneumatic time delay	Satin Stainless	454.00
Accessories							

Accessories

ltem	Description	
TD-ADJ	Field Selectable Timer — 0-30 seconds — wire inline	96.00
TD-FIX	Fixed Timer — 30 seconds — wire inline	96.00
SBX	Surface mounting box, single gang — PBBH2 MO 630 SBX	65.00





#3 Faceplate



#2 Faceplate



РВНО





PBBH

PROUDLY DISTRIBUTED BY

ACCESS
HARDWARE
SUPPLY

Illuminated Push Buttons

Available Items

Item	Button	Faceplate	Switch	Faceplate Finish	List \$
PB 731 MO 630	2" × 2" LED	Single Gang	Momentary	Brushed Stainless	61.00
PB 752 MO 628	1" × 1" LED	Narrow	Momentary	Brushed Aluminum	202.00
PB 752 MO 710	1" × 1" LED	Narrow	Momentary	Dark Bronze	202.00
Accessories					

Electronic Access Control Components

Item	Description	
TD-ADJ	Field Selectable Timer — 0-30 seconds — wire inline	96.00
TD-FIX	Fixed Timer — 30 seconds — wire inline	96.00
SBX	Surface mounting box, single gang — PB731 MO 630 SBX	65.00








PB75

PROUDLY DISTRIBUTED BY



Rotary/Key Release Switches

Ordering Guide



Item	Description	630 Finish \$	628 Finish \$	710 Finish \$
Red Rotary/I	Key Release Switches, 12/24 VDC			
PBRR	1-3/4" Dia MA, 2A SPDT, rotary release, single gang aluminum	_	210.00	210.00
PBKR	1-9/16" Dia MA, 2A SPDT, key release, single gang stainless steel	259.00	_	_

Mounting Box Options for PB Series


Item	Description	List \$
SBX	Surface Mount	65.00



Electronic Access Control Components

39 Series Sounders

Ordering Guide









39 Series Alerts/Sounders/Specialty Switches

Item	Description	List \$	628 Finish \$	710 Finish \$
Alerts				
39032	Audible alert, narrow		196.00	196.00
39033	Audible alert	_	196.00	196.00
Sounders				
3914	Sounder, red w/ weatherproof gasket	125.00	_	_
3914W	Sounder, white	179.00	_	_




dormakaba 🛰



KS Series

Ordering Guide



Electronic Access Control Components







KS5 Narrow Aluminum




KS Series Key Switches

Item	Description	List \$				
KS800 Series S	KS800 Series Single Gang Aluminum					
KS801	MA SPDT	185.00				
KS802	MO SPDT	185.00				
KS 802 EA	MO SPDT, electronic timer, 1–30 sec adjustable	285.00				
KS 802 EF	MO SPDT, electronic timer, 30 sec fixed	285.00				
KS 803	MA DPDT	185.00				
KS 804	MO DPDT	185.00				
KS 503	MA DPDT	185.00				
KS 504	MA DPDT	185.00				
KS807	MO (2) SPDT	234.00				
KS808	MO SPDT/MA SPDT	234.00				
KS817	MO (2) SPDT, labeled Reset/Bypass	234.00				
KS500 Series N	Narrow Aluminum					
KS501	MA SPDT	185.00				
KS502	MO SPDT	185.00				
KS502 EA	MO SPDT, electronic timer, 1–30 sec adjustable	285.00				
KS502 EF	MO SPDT, electronic timer, 30 sec fixed	285.00				
KS 502 PA	(2) SPDT, pneumatic timer, 2–60 sec adjustable	504.00				

Options

Item	Description	List Add \$
Key Switch (Options	
L1	One (1) bicolor (red/green) LED added to faceplate	23.00
Mounting Bo	ox Options	
SBX	Surface mount, single gang	65.00



Cylinder, Keying, and Keyway Options for KS Series

	Option	Description E	Examples	List Add/Deduct \$
Conventio	nal Cylinders	(non-interchangeable core)		
		Keying with conventional cylinder (default)	<s02628< td=""><td></td></s02628<>	
	KD	Keyed differently to a random combination; SC keyway with 2 keys (default)		N/C
	KA2	Keyed alike in pairs to a random combination; SC keyway with 2 keys		N/C
	NSK	Keyed alike, sets of three or more; SC keyway with 2 keys		14.00
	NS2	Keyed alike double cylinder locks; SC keyway with 2 keys		27.00
	1-Bit	Operated by 1-bit cut key; SC, SE keyway with 2 key blanks (order 1-bit key separately)		14.00
	0-Bit	Operated by 0-bit key; D100 keyway − ⊘ Keys sold separately		14.00
	0-Bit	Operated by 0-bit cut key; AA, CA, CB, CC, CD, CE, RA, RB, GA, SF, YA, YG keyways with 2 key blanks		14.00
	MKD	Master keyed; SC, SE, or D100 keyway $ igotimes$ Keys sold separately		18.00
	MK2	Master keyed double cylinder lock; SC, SE, or D100 keyway — ⊘ Keys sold separately		36.00
	CMK	Construction master keyed single cylinder locks — $igotimes$ Keys sold separately		20.00
	CM2	Construction master keyed double cylinder locks — ⊘ Keys sold separately		40.00
L		Keying less conventional cylinder	(S02628L	Deduct 32.00
Interchang	jeable Core C	ylinders		
т		SFIC — Housing with keyed temporary SFIC construction core (Core may be returned for a full refund) — \bigotimes Keys sold separately		45.00
T J		9 , , ,		
T C		(Core may be returned for a full refund) — ⊗ Keys sold separately		45.00 N/C 50.00
T J C		(Core may be returned for a full refund) — Keys sold separately SFIC — Housing with disposable plastic SFIC plug SFIC — Housing with combinated SFIC core installed at the factory¹; BA (default), BB, BC, BD, BE, BF, BG, BH, BJ,		N/C 50.00
<u>с</u>		(Core may be returned for a full refund) — Keys sold separately SFIC — Housing with disposable plastic SFIC plug SFIC — Housing with combinated SFIC core installed at the factory¹; BA (default), BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, D100 keyway — Keys sold separately Schlage LFIC — Housing with keyed temporary Schlage LFIC construction		N/C
G F	ousings Less	(Core may be returned for a full refund) — Keys sold separately SFIC — Housing with disposable plastic SFIC plug SFIC — Housing with combinated SFIC core installed at the factory¹; BA (default), BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, D100 keyway — Keys sold separately Schlage LFIC — Housing with keyed temporary Schlage LFIC construction core (Core may be returned for full refund) — Keys sold separately Schlage LFIC — Housing with combinated Schlage LFIC installed at the factory (SC keyway) — Keys sold separately		N/C 50.00 45.00
G F	ousings Less	(Core may be returned for a full refund) — Keys sold separately SFIC — Housing with disposable plastic SFIC plug SFIC — Housing with combinated SFIC core installed at the factory¹; BA (default), BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, D100 keyway — Keys sold separately Schlage LFIC — Housing with keyed temporary Schlage LFIC construction core (Core may be returned for full refund) — Keys sold separately Schlage LFIC — Housing with combinated Schlage LFIC installed at the factory (SC keyway) — Keys sold separately		N/C 50.00 45.00 50.00
G F Cylinder H	ousings Less	(Core may be returned for a full refund) — ★ Keys sold separately SFIC — Housing with disposable plastic SFIC plug SFIC — Housing with combinated SFIC core installed at the factory¹; BA (default), BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, D100 keyway — ★ Keys sold separately Schlage LFIC — Housing with keyed temporary Schlage LFIC construction core (Core may be returned for full refund) — ★ Keys sold separately Schlage LFIC — Housing with combinated Schlage LFIC installed at the factory (SC keyway) — ★ Keys sold separately		N/C 50.00 45.00

Electronic Access Control Components

O Denotes keys must be ordered separately

Cut Keys	Oraerea	Separately

Item	Description	List \$
45101	SFIC Cut key — Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	8.00
45401	SFIC Cut key — Change key, master key, or control key; D100 keyways — D100 etc.	12.00
45404	CONV/LFIC Cut key —1-bit key for operating 1-bit cylinders — SC, SE keyways	6.00
45405	LFIC Cut key — 1-bit control key (to install/remove "1-bit" LFIC cores) — SC keyway	6.00
44101SC	CONV/LFIC Key blank — SC keyway	3.00
44104SC	LFIC Key blank — Control key (to install/remove LFIC Cores) — SC keyway	5.00

NOTES:

^{1.} For uncombinated cores, **UNC**, cores must be ordered separately.

[•] Distribution of DORMA SKC keys (listed as D100) is restricted. See Cylinders, Keys & Keying section for DORMA SKC policies

 $[\]boldsymbol{\cdot}$ See Keys and Key Blanks section for complete list.

Accessories

Available Items

Item	Description	List \$
Power Transfer		
ES105	Power transfer conduit — satin chrome finish	215.00
Flex Loops		
3118 628	Loop, 18", surface mount flex, satin aluminum finish	41.00
3118 695	Loop, 18" flex, surface mount, less wires, dark bronze painted	61.00
3118 714	Loop, 18" flex, surface mount, less wires, white painted	61.00
3218 630	Loop, 18" flex, heavy duty, less wires, satin stainless	79.00
Wired Hinges		STD/DPS
PTH4 626 / PTH4 DPS 626	Hinge, 4 wire power transfer, 4-1/2" × 4-1/2", satin chrome finish	306.00/406.00
PTH4 613 / PTH4 DPS 613	Hinge, 4 wire power transfer, 4-1/2" × 4-1/2", dark bronze finish	306.00/406.00
PTH4 605 / PTH4 DPS 605	Hinge, 4 wire power transfer, 4-1/2" × 4-1/2", bright brass finish	306.00/406.00
PTH6 626 / PTH6 DPS 626	Hinge, 6 wire power transfer, 4-1/2" \times 4-1/2", satin chrome finish	482.00/456.00
PTH6 613 / PTH6 DPS 613	Hinge, 6 wire power transfer, 4-1/2" × 4-1/2", dark bronze finish	482.00/456.00
PTH6 605 / PTH6 DPS 605	Hinge, 6 wire power transfer, 4-1/2" \times 4-1/2", bright brass finish	482.00/456.00
PTH10 626 / PTH10 DPS 626	Hinge, 10 wire power transfer, 4-1/2" \times 4-1/2", satin chrome finish	406.00/510.00
PTH10 613 / PTH10 DPS 613	Hinge, 10 wire power transfer, 4-1/2" \times 4-1/2", dark bronze finish	406.00/510.00
PTH10 605 / PTH10 DPS 605	Hinge, 10 wire power transfer, 4-1/2" \times 4-1/2", bright brass finish	406.00/510.00
Wired Pivots		
75200 626 (standard)	Pivot, 3/4" offset intermediate, electrified, 8 wire, satin chrome finish	615.00
75200 605	Pivot, 3/4" offset intermediate, electrified, 8 wire, bright brass finish	615.00
75200 606	Pivot, 3/4" offset intermediate, electrified, 8 wire, satin brass finish	615.00
75200 611	Pivot, 3/4" offset intermediate, electrified, 8 wire, bright bronze finish	615.00
75200 612	Pivot, 3/4" offset intermediate, electrified, 8 wire, satin bronze finish	615.00
75200 613	Pivot, 3/4" offset intermediate, electrified, 8 wire, dark bronze finish	615.00
75200 619	Pivot, 3/4" offset intermediate, electrified, 8 wire, satin nickel finish	615.00
75200 625	Pivot, 3/4" offset intermediate, electrified, 8 wire, bright chrome finish	615.00
E80622 630 (Standard)	Pivot, center hung top, electrified, 2 wire, satin chrome finish	671.00
E80622 605	Pivot, center hung top, electrified, 2 wire, bright brass finish	671.00
E80622 606	Pivot, center hung top, electrified, 2 wire, satin brass finish	671.00
E80622 611	Pivot, center hung top, electrified, 2 wire, bright bronze finish	671.00
E80622 612	Pivot, center hung top, electrified, 2 wire, satin bronze finish	671.00
E80622 613	Pivot, center hung top, electrified, 2 wire, dark bronze finish	671.00
<u>E80622 619</u>	Pivot, center hung top, electrified, 2 wire, satin nickel finish	671.00
<u>E80622 629</u>	Pivot, center hung top, electrified, 2 wire, bright stainless finish	671.00
E80622 689	Pivot, center hung top, electrified, 2 wire, aluminum painted finish	671.00
E80622 695	Pivot, center hung top, electrified, 2 wire, dark bronze painted finish	671.00
E80624 630 (Standard)	Pivot, center hung top, electrified, 4 wire, satin chrome finish	671.00
E80624 605	Pivot, center hung top, electrified, 4 wire, bright brass finish	671.00
E80624 606	Pivot, center hung top, electrified, 4 wire, satin brass finish	671.00
E80624 611	Pivot, center hung top, electrified, 4 wire, bright bronze finish	671.00
E80624 612	Pivot, center hung top, electrified, 4 wire, satin bronze finish	671.00
E80624 613	Pivot, center hung top, electrified, 4 wire, dark bronze finish	671.00
E80624 619	Pivot, center hung top, electrified, 4 wire, satin nickel finish	671.00
E80624 629	Pivot, center hung top, electrified, 4 wire, bright stainless finish	671.00
E80624 689	Pivot, center hung top, electrified, 4 wire, aluminum painted finish	671.00
<u>E80624 695</u>	Pivot, center hung top, electrified, 4 wire, dark bronze painted finish	671.00

Request to Exit Touch Bars (No latch assembly)

		628, 711	605, 629, 630
Item	Description	Standard Finish \$	Plated Finish \$
MSD550	Exit touch bar with mechanical switch (power transfer required), 628 or 711 finish standard, optional plated finishes 605, 629, 630	418.00	666.00

Electronic Access Control Components

Timers/Relays

Item	Description	List \$
14-2	7-day programmable timer with memory and battery back-up. Specify 12 or 24 V	438.00
TD-ADJ	0-30 second adjustable timer	96.00
TD-FIX	30 second fixed timer	96.00
TDM	Time delay module sequencer relay	265.00
	Time delay modele sequencer relay	

Desk Switches

Item	Description	List \$
PD15-1	MA SPDT	197.00
PD15-2	MO SPDT	135.00
PD15-3	MA SPDT (Toggle)	236.00

Desk Top Models for One or Two Doors

Item	Description	List \$
CC401DTM	One Momentary (MO) switch and one LED	397.00
CC402DTM	Two Momentary (MO)switches and two LE Ds	494.00
CC403DTM	One Momentary (MO) and one Maintained (MA) switch and two LEDs	594.00
CC402DTMA	Two Maintained (MA) switches and two LEDs	494.00

Specialty Switches

Item	Description	List \$
3909S MA	Rocker switch, maintained	72.00
3909S MO	Rocker switch, momentary	72.00
39043B	Emergency pull station, blue with red pull	202.00
39043Y	Emergency pull station, yellow with red pull	228.00







Door Position Sensors (SPDT)

Item	Description	List \$
DPS11	Adjustable ball type SPDT, 5 amp	80.00
DPS112	Adjustable ball type 2 SPDT, 5 amp	121.00
MC4	Recessed magnetic	49.00
MC4M	Recessed magnetic mounted on plate	156.00
МС7	Biased high security recessed magnetic	121.00

Passive Infrared Egress Control


Item	Description	List \$
MS1RV1	Motion sensor (Requires PS1 RMT)	405.00
PS1RMT	Remote control for motion sensor	69.00
MD31DOW	Motion sensor with time delay — off white	405.00
MD31DB	Motion sensor with time delay — black	405.00


Monitor Strikes

Item	Description	List \$
MS12	Cylindrical latch monitor, 2-3/4" SPDT	222.00
MS12D	Cylindrical latch monitor, 2-3/4" DPDT	285.00
MS14	Cylindrical latch monitor, 4-7/8" SPDT	222.00
MS14D	Cylindrical latch monitor, 4-7/8" DPDT	285.00
MS16	Mortise lock latch monitor SPDT	222.00
MS16D	Mortise lock latch monitor DPDT	285.00
MS18	Mortise lock dead bolt monitor SPDT	222.00
MS18D	Mortise lock dead bolt monitor DPDT	305.00
MS20	Mortise lock latch and bolt monitor SPDT	285.00
MS20D	Mortise lock latch and bolt monitor DPDT	378.00



ED900 Series





Low Energy Operators

ED900 Series Low Energy Operators

Single Door Applications

Model	Arm	Mounting	List Add Painted \$
ED900	T	Pull-side, regular mount, track arm, 0"-1" reveal	6,233.00
ED900	T275	Pull-side, regular mount, track arm, 1" – 2-3/4" reveal	6,402.00
ED900	J8	Push-side, top jamb mount, 0"-8" reveal, mechanical arm stop	6,233.00
ED900	J12	Push-side, top jamb mount, 8"–12" reveal, mechanical arm stop	6,402.00
Covers			
SW		Standard width cover, 27", included with ED900	N/C
FWS		Full width cover for single door (door widths from 29"–48"), double mode switch and cable included.	266.00
FW2		A 27" standard cover, with field cut cover and mounting plate, (door width up to 48"), seam concealer, double mode switch and cable included.	266.00

Pair of Door Applications (Includes two ED900 Operators)

Model	Arm	Mounting	List Add Painted \$
ED900PR	Т	Two ED900 operators, pull-side mount with track arms, 0"-1" reveal for pairs of doors	12,463.00
ED900PR	T275	Two ED900 operators, pull-side mount with track arms, 1" – 2-3/4" reveal, for pairs of doors	12,813.00
ED900PR	J8	Two ED900 operators, push-side, top jamb mount arms, 0"–8" reveal, for pairs of doors	12,463.00
ED900PR	J12	Two ED900 operators, push-side, top jamb mount arms, 8"-12" reveal, for pairs of doors	12,813.00
ED900PRCMP	Т	ED900 operator with manual door closer for second door, single full length cover, pull-side mount with track arms, 0"-1" reveal for pairs of doors	10,031.00
ED900PRCMP	T275	ED900 operator with manual door closer for second door, single full length cover, pull-side mount with track arms, 1"-2-3/4" reveal for pairs of doors	10,031.00
ED900PRCMP	J8	ED900 operator with manual door closer for second door, single full length cover, push-side, top jamb mount arms, 0"–8" reveal for pairs of doors	10,031.00
ED900PRCMP	J12	ED900 operator with manual door closer for second door, single full length cover, push-side, top jamb mount arms, 8"–12" reveal for pairs of doors	10,031.00
Covers			
SW	Two standard width covers, 27", for two ED900 operators		N/C
FWPRS	Seamless full width cover for pair of doors (door widths from 56"–96"), includes center mounting plate, control switch wiring harness, synchronizing cable, mode switch with cable, and power harness jumper.		550.00
FWPR3	Two 27" standard covers with field cut cover and mounting plate (door widths from 56"–96"), with seam concealers, control switch wiring harness, synchronizing cable, mode switch with cable, and power harness jumper.		550.00

NOTE: ED900 T, J8, J12 and ED900PR T, J8, J12 models include all axle extension 5/16" (9mm), 3/4" (20mm), 1-1/8" (30mm), and 2-3/8" (60mm).



Options

Item	Description	List Add \$
Special Finishes		
Custom Color	Custom painted finish selected from DORMA RAL color pal book. For details, see DORMA Finishes Cross Reference, page viii.	
	Per operator, set-up charge (Net)	72.00
	Per operator, list add	67.00
Designer Color	Designer painted color matched to supplied samples. Three (3) each, 2" × 2" color chip samples required. For details, see DORMA Finishes Cross Reference, page viii.	
	Per operator, non-refundable development/set-up charge (Net)	262.00
	Per operator, list add	82.00
Electrical Connec	tion Options	
СВ	Conduit box (only)	69.00
PC	Power cord (includes conduit box and power cord)	133.00

Low Energy Operators

Accessories

Item	Description	List \$
Hard Wired Switch	es and Accessories	
WS1	Wall Switch — 6" square	317.00
WS 1 LOGO	Wall switch — with wheelchair logo only, 6" square	317.00
WS 1 SQ4	Wall switch, 4-1/2" square	351.00
WS 1 RND4	Wall switch, 4-1/2" round	351.00
WSTLS	Wall switch, touch-less sensor (available in white, gray, black)	541.00
FS 1	Frame switch, 1-3/4" × 4-1/2"	217.00
FS 1 LOGO	Frame switch with wheelchair logo only, 1-3/4" × 4-1/2"	217.00
UMB	Universal mounting box, for surface mounting WS-1, where no junction box is supplied	139.00
UMBFR	Universal mounting box flush mount ring, dress ring for WS-1	92.00
UMBRFT	Universal mounting box only, for 6" square WS/RFT 1 type switches (includes circuit board)	323.00



Item	Description	List \$
RF Switches and Accessorie	es	
WSRFT 1	Wall switch — RF 300 MHz, 6" square	520.00
WSRFT 1 LOGO	Wall switch — RF 300 MHz, 6" square, with wheelchair logo only	520.00
WSRFT 1 433	Wall switch — RF 433 MHz, 6" square	509.00
WSRFT 1 433 SQ4	Wall switch — RF 433 MHz, 4-1/2" square	509.00
WSRFT 1 433 RND4	Wall switch — RF 433 MHz, 4-1/2" round	509.00
RFR	RF receiver, 300 MHz, 12 or 24 AC/DC (can be powered from ED900)	359.00
RFR 433	RF receiver, 433 MHz, 12 or 24 VAC/DC, 24AC (can be powered from ED900)	255.00
HHRFT 1 433	Hand held transmitter, 433 MHz	155.00
HHRFT 2 433	Hand held dual transmitter, 433 MHz	212.00
HHRFT 4 433	Hand held four button transmitter, 433 MHz	267.00
KCRFT 2 433	Key chain dual transmitter, 433 MHz	139.00
Miscellaneous Accessories		
SP1	Axle adaptor, zero extension	74.00
SP2	Axle adaptor, 3/4" (20mm) extension	74.00
SP3	Axle adaptor, 1-1/8" (30mm) extension	74.00
SP6	Axle adaptor, 2-3/8" (60mm) extension	87.00
SCRPK, ED900 Track	ED900 track arm, screwpack	14.00
970	Angle bracket	288.00
SCRPK900970	ED900 970 bracket, screwpack	14.00
930	Drop plate for arm shoe	75.00
SCRPK900930	930 drop plate, screwpack	14.00
BSTP25	Bumper/stop (1/4" thick plate)	80.00
BSTP50	Bumper/stop (1/2" thick plate)	80.00
BSTPSHM25	Bumper/stop shim, 1/4" thick	80.00
BSTPSHM50	Bumper/stop shim, 1/2" thick	80.00
BUMPER BLK	Bumper only	28.00
HEXKEYT	Hex key, 5mm, T-handle	20.00
DECAL ED900	Decal, ED900 door set	53.00
PRCONKIT96	Pair connection kit up to 96" opening width	203.00
TERMCONBD	Terminal Connection Board	91.00
Т	Pull side track mount arm, 0"-1" reveal	293.00
T275	Pull side deep reveal track mount arm, 1"-2-3/4" reveal	458.00
J8	Push side top jamb mount arm, 0"-8" reveal	293.00
J12	Push side top jamb deep reveal mount arm, 8"-12" reveal	458.00
CAPSCOVS	Plastic endcaps/pinion cover	27.00



ED50LE

The ED50LE low energy swing door operator is easy to install and is the perfect solution for touch-free access applications, offering a true manual door closer experience.

This medium-duty swing door operator can automate new or existing manual swing doors with a wave plate (RCI 946T, 950T Series; 910TC Series or 912 Series), or other "knowing act" device. The ED50LE combines advanced automatic power assist, minimal push forces (as low as ANSI size 1) and reliable closing. Outswing or inswing doors can be adapted for touch-free access with push or pull arms suited to a wide variety of door usage options.

Item	Description	Finish	List \$
ED50LE			
7266003	34" Single Operator, PULL ARM	CL - Clear anodized	3,150.00
7266004	34" Single Operator, PULL ARM	DB - Dark bronze anodized	3,150.00
7266005	34" Single Operator, PUSH ARM	CL - Clear anodized	3,150.00
7266006	34" Single Operator, PUSH ARM	DB - Dark bronze anodized	3,150.00



ED100LE

The ED100LE low energy swing door operator is the perfect solution for touch free access applications, a versatile operator ideal for ADA-compliant applications.

This medium or heavy-duty swing door operator can automate new or existing manual swing doors with a wave plate (RCI 946T, 950T Series; 910TC Series or 912 Series) or other "knowing act" device. The ED100LE combines advanced power assist, reliable closing, and special firmware capabilities to help manage the combination of wind and building pressure. With a multitude of adjustable features, you have the flexibility to fine tune the operator to meet opening requirements.

Finish	Description	Item
		ED100LE
CL - Clear anodized	34" Single Operator, PULL ARM	7265853
DB - Dark bronze anodized	34" Single Operator, PULL ARM	7265854
CL - Clear anodized	34" Single Operator, PUSH ARM	7265855
DB - Dark bronze anodized	34" Single Operator, PUSH ARM	7265856
	CL - Clear anodized DB - Dark bronze anodized CL - Clear anodized	34" Single Operator, PULL ARM CL - Clear anodized 34" Single Operator, PULL ARM DB - Dark bronze anodized 34" Single Operator, PUSH ARM CL - Clear anodized





Surface Closers

Product Guide (1 of 2)

SURFACE MOUNTED CLOSERS	Full Cover	Slimline Cover	No Cover
Grade 1 — Cam Action Fully Adjustable (Power) Size	TS93	-	-
Grade 1 — Heavy Duty	8900	-	_
Fully Adjustable (Power) Size	STA8900	-	-
Grade 1 —	8600 × FC/FMC/ FCSL	8600 × COV	-
Fully Adjustable (Power) Size	STA8600 × FC/FMC/ FCSL	STA8600 × COV	-
	7400 × FC/FCSL	7400 × COV	7400
Grade 1 — Adjustable (Power) Size	STA7400 × FC/FCSL	STA7400 × COV	STA7400
	-	U1500 × COV 15	U1500
Grade 1 — Sized (Power) per Application	_	7300 × COV	7300



Surface Closers

Product Guide (2 of 2)

Yes No	A156.4 Grade1	UL10C	Advanced Cam and Roller Design	Rack and Pinion Design	Stainless	Plated or Decorative Finishes	Standard Painted Finishes	Custom Painted Finishes	Adjustable Power	Fixed Power
TS93	•	•	•	0	0	•	•	•	•	0
8900	•	•	0	•	0	•	•	•	•	0
STA8900	•	•	0	•	•	•	•	•	•	0
8600	•	•	0	•	0	•	•	•	•	0
STA8600	•	•	0	•	•	•	•	•	•	0
7400	•	•	0	•	0	•	•	•	•	0
U1500	•	•	0	•	0	0	•*	0	•	0
7300	•	•		•	0		•	•	0	•
GSR	•	•	•	0	0	•	•		•	0

Surface Closers



Access Compo

Low Energ Operator

Surface Closers


Safety


Closers/Pivots

^{* 689} and 695 only.

TS93 Series

Ordering Guide





* Available for use with T, TH, PT, PTH arms only.

- All combinations of features and options are not available for all models.
- Please refer to TS93 Series product brochure for details.



Body	Arm	Mounting	Painted Finish \$	605/630 \$
Slide Track Non-Hold	Open			
TS9315, TS9356	Т	Door mounted (pull side)	607.00	1,006.00
	PT	Soffit mounted (push side)	607.00	1,006.00
Slide Track Hold Oper	1			
TS9315, TS9356	TH	Door mounted (pull side)	636.00	1,036.00
	PTH	Soffit mounted (push side)	636.00	1,036.00
Slide Track Non-Hold	Open w/Spring Cu	ushion		
TS9315, TS9356	ST	Door mounted w/ stop (pull side)	874.00	1,319.00
	SPT	Soffit mounted w/ stop (push side)	874.00	1,319.00
Slide Track Hold Oper	n w/Spring Cushio	n		
TS9315, TS9356	STH	Door mounted w/ stop (pull side)	906.00	1,351.00

Surface Closers

NOTE: S-track (stop) units ordered in 630 finish are furnished as a combination of 619 and 630 finish components.

Body	Arm	Mounting	Painted Finish \$
90° Slide Tra	ck/Pocket Pivot App	olications	
TS9356	TPKT90	90° track application less pocket pivots	651.00
		For nonfire-rated applications, order (3 ea.) plated finish 75520 pocket pivots, separately	
		For 3-hour fire-rated applications, order (3 ea.) plated finish 75523 pocket pivots, separately	
90°-180° Sli	de Track/Pocket Pivo	ot Applications	
TS9356	TPKT119	90° to 119°, offset pivots or hinges, closer on door, track in pocket. Order EM504 electromagnet separately.	786.00
	TPKT170	120° to 170°, closer on wall in pocket, track on door. Order EM504 electromagnet separately.	831.00
	TPKT180	171° to 180°, closer on wall in pocket, track on door. Order EM504 electromagnet separately.	871.00



Options

(List Price 'add' when ordered with complete closer)

Item	Description	List Add/Deduct \$
CS	Cushion stop/bumper to help slow door in normal opening cycle (for T, TH, PT, PTH arms only)	41.00
SN4	(4) each 10-32 aluminum sex nuts for 1-3/8" door	N/C
LSN	Less sex nuts (less SN3 pack)	Deduct 5.00
Custom Color	Custom painted finish selected from RAL color pallet book.For details, see Finishes Cross Reference, page viii.	
	per order, setup charge (Net)	121.00
	per closer, list add	39.00
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" × 3" color chip samples required. For details, see Finishes Cross Reference , page viii.	
	per order, non-refundable development/ setup charge (Net)	294.00
	per closer, list add	39.00


- Painted finish price includes full metal cover with plastic end caps.
 Specify closer and arm designation and finish when ordering
 TS93 packaged (2) units per master carton.

- SN3 sex nuts and (DA) delayed action is standard with all TS93 closers.



8900 Series

Ordering Guide



Double Lever Flat Form,

180° Pocket Door (8907 only)

AFPKT180

Arm Type

Surface Closers

- bracket must be used with a special length arm. Specify AF8MJ.
- **Optional 630 stainless satin finish with stainless base material only available for SIS/SISJ arms or FMC.
- ***For optional dormakaba custom color or designer Color Finishes, contact Customer Service.

Body	Arm	Mounting	Painted Finish \$	Plated Finish \$
Non-Hold Open				
8916, 8956	AF89P	PA, REG & TJ fpr reveals to 4" (flat)	559.00	936.00
	AF89J	TJ for reveals 4" to 8" (flat)	555.00	871.00
	AF89	REG or TJ for reveals to 4" (flat)	549.00	864.00
	RRA	REG, rigid regular mount arm (flat)	616.00	_
Bumper or Spring	Cushion			
8916, 8956	DS	Heavy-duty door saver cushion parallel arm	621.00	1,003.00
	DST	w/thumb turn hold open	674.00	1,049.00
	SDS	Extra heavy-duty door saver spring cushion parallel arm	783.00	1,259.00
	SDST	w/thumb turn hold open	835.00	1,313.00
	IS	Heavy-duty cushion arm, REG and TJ for 0" to 3-1/2" reveal	772.00	1,126.00
	ISH	Heavy-duty cushion arm, w/ hold openREG and TJ for 0" to 3-1/2" reveal (not available on 8956)	827.00	_
	SIS	Extra heavy-duty spring cushion arm, REG and TJ for 0" to 3-1/2" reveal	827.00	*1,279.00
	SISH	w/hold open, REG and TJ for 0" to 3-1/2" reveal (not available on 8956)	915.00	_
	ISJ	Heavy-duty cushion arm, TJ for 3-1/2" to 6-1/2" reveal	800.00	1,147.00
	ISJH	Heavy-duty cushion arm w/hold open, TJ for $3-1/2$ " to $6-1/2$ " reveal (not available on 8956)	853.00	_
	SISJ	Extra heavy-duty spring cushion arm, TJ for 3-1/2" to 6-1/2" reveal	888.00	*1,306.00
	SISJH	w/hold open, TJ for 3-1/2" to 6-1/2" reveal (not available on 8956)	939.00	_
Heavy Duty PA				
8916, 8956	SPA	Super parallel arm	581.00	958.00
	SPAT	w/thumb turn hold open	635.00	1,003.00
Hold Open				
8916, 8956	FHP	Friction PA, REG & TJ for reveals to 4"	600.00	_
	FHJ	TJ for reveals 4" to 8"	596.00	_
	FH	REG or TJ for reveals to 4"	592.00	_
	PHP	Plunger PA & TJ for reveals 1-1/4" to 3-1/4"	690.00	1,062.00
	PH	REG or TJ for reveals 0" to 1-1/4"	686.00	989.00

 $^{^{\}star}$ Available in 630 finish only and not intended for corrosive environments.

 $\textbf{NOTE:} \ \textbf{Standard} \ \textbf{arm configuration} \ \textbf{is indicated in } \textbf{bold}.$



dormakaba 🚧

Body	Arm	Mounting	Painted Finish \$	Plated Finish \$
Slide Track				
8916, 8956	T	Door mounted (pull side)	596.00	958.00
	JT	Frame mounted (pull side)	596.00	958.00
	FT	Flush transom mounted (push side)	596.00	958.00
	PT	Soffit mounted (push side)	596.00	958.00
	TDE	Frame mounted double egress frame (pull side), specify hand	663.00	1,023.00
Track Hold Open	,			
8916, 8956	TH	Door mounted (pull side)	623.00	985.00
	JTH	Frame mounted (pull side)	623.00	985.00
	FTH	Flush transom mounted (push side)	623.00	985.00
	PTH	Soffit mounted (push side)	623.00	985.00
	TDEH	Frame mounted double egress frame (pull side), specify hand	689.00	1,055.00
Pocket Applicat	ions			
8956	TPKT90	Track application, 90 degree pocket door	596.00	958.00
8907	AFPKT90	Double lever flat form arm, 90 degree pocket door	596.00	971.00
	AFPKT180	Double lever flat form arm, 180 degree pocket door	596.00	1,017.00

PROUDLY DISTRIBUTED BY ACCESS HARDWARE

8900 Series

Options

Item	Description	List Add/Deduct \$
DA	Adjustable delayed action (suffix to model)	39.00
TEL	Telephone booth closer (size 2 spring only, holds door ajar, suffix to model)	39.00
FCSL	Full plastic slotted cover (low ceiling conditions)	N/C
FMC	Full metal cover (handed for TJ or T [FMCL/FMCR])	9.00
FMCLL	Full metal cover, lead lined. Handed & non-handed.	124
SN2	(4) each 1/4-20 aluminum sex nuts for 1-3/8" thick door	N/C
LSN	Less sex nuts (less SN1 pack)	Deduct 5.00
DPK89	All fasteners to be self-drilling (in lieu of standard fasteners)	N/C
SNDPK	Standard fasteners and DPK89	13.00
TPK89	All fasteners to be self-tapping (in lieu of standard fasteners)	N/C
SNTPK	Standard fasteners and TPK89	13.00
TX89	All exposed fasteners to be Torx security fasteners (n/a with track applications)	32.00
TANDEM	Dual closer body system for extra heavy or wide doors or doors with difficult air handling conditions 8916 or 8956 (select one). SPA, FMC.	641.00
TANDEM	Dual closer body system for extra heavy or wide doors or doors with difficult air handling conditions. 8907, SPA, FMC.	672.00
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.	
	per order, setup charge (Net)	121.00
	per closer, list add	39.00
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" × 3" color chip samples required. For details, see Finishes Cross Reference , page viii.	
	per order, non-refundable development/setup charge (Net)	294.00
	per closer, list add	39.00

- All painted components w/plated line item will be painted complementary finish.
- **Example**: For a line item ordered w/plated 626 FMC only, all other components will be 689.
- Painted finish price includes full plastic cover.
- Plated finish price includes optional full metal cover.
- Specify closer and arm designation, hand (when required), finish, and options when ordering.
- All spring cushion, heavy-duty PA, tracks, and top jamb (J) configurations packaged (4) units per master carton.
- All others are packaged (6) units per master carton.
- · FMC is only cover available in plated finishes.
- $\bullet \quad \text{Sex nuts for 1-3/4" door (SN1) furnished standard with all 8900 and included in price. Specify (SN2) for 1-3/8" door.}$



Accessories

Item	Description	List \$
BP89	Backplate for top jamb with frame < 2-7/8" wide	37.00
DP89	Drop plate for PA where top rail is < 5-3/4"	37.00
AB89	Angle bracket for closer with full plastic cover	67.00
PFT	Parallel flush transom bracket	28.00
PD	Parallel drop bracket, non-hold open arms (AF89 only)	37.00
MJ	Mortised jamb bracket, non-hold open arms (AF89 only)	26.00
BS	Blade stop spacer (P89, PHB, and PD)	26.00
BSHD	Blade stop spacer for use with heavy duty door saver and super parallel arms	29.00
NFHD	Narrow frame bracket for use with heavy duty door saver and super parallel arms	29.00
FTHD	Flush transom bracket for use with heavy duty door saver and super parallel arms	51.00
000,,,,		

Surface Closers




When used with flat form non-hold open arms, the MJ bracket must be used with a special length arm. Specify AF8MJ for 8600 or 8900 Series closers.

dormakaba 🚧



8600 Series



Surface Closers

To simplify initial installation, a range of back plates (BPxx), drop plates (DPxx), brackets, and spacers are listed under 8600 Accessories in this section. Refer to 8600 Series

product brochure for details.

Body	Arm	Mounting	Painted Finish \$	Plated Finish \$
Non-Hold Open	<u> </u>			
8616	AF86P	PA, REG and TJ for reveals to 4" (flat)	397.00	774.00
	AF86J	TJ for reveals 4" to 8" (flat)	385.00	702.00
	AF86	REG or TJ for reveals to 4" (flat)	381.00	691.00
	ARP	PA, REG and TJ for reveals to 4" (round)	383.00	734.00
	ARNP	Narrow profile, REG or TJ for reveals to 4" (round)	368.00	666.00
	ARJ	TJ for reveals 4" to 8" (round)	372.00	670.00
	AR	REG or TJ for reveals to 4" (round)	368.00	666.00
	AO8P	PA, REG and TJ secured elbow for reveals to 4" (round)	383.00	_
	A08	REG or TJ secured elbow for reveals to 4" (round)	378.00	_
Bumper or Spr	ing Cushion			
8616	DS	Heavy-duty door saver cushion parallel arm	464.00	823.00
	DST	w/ thumb turn hold open	519.00	875.00
	SDS	Extra heavy-duty door saver spring cushion parallel arm	608.00	1,077.00
	SDST	w/ thumb turn hold open	661.00	1,128.00
	IS	Heavy-duty cushion arm, REG and TJ for 0" to 3-1/2" reveal	601.00	932.00
	ISH	Heavy-duty cushion arm w/hold open, REG and TJ for 0" to 3-1/2" reveal	653.00	_
	SIS	Extra heavy-duty spring cushion arm, REG and TJ for 0" to 3-1/2" reveal	684.00	*1,091.00
	SISH	w/ hold open, REG and TJ for 0" to 3-1/2" reveal	733.00	_
	ISJ	Heavy-duty cushion arm, TJ for 3-1/2" to 6-1/2" reveal	626.00	966.00
	ISJH	Heavy-duty cushion arm w/hold open, TJ for 3-1/2" to 6-1/2" reveal	679.00	_
	SISJ	Extra heavy-duty spring cushion arm, TJ for 3-1/2" to 6-1/2" reveal	709.00	*1,119.00
	S-ISJH	w/ hold open, TJ for 3-1/2" to 6-1/2" reveal	759.00	_
Heavy Duty P	Α			
8616	SPA	Super parallel arm	417.00	787.00
	SPAT	w/ thumb turn hold open	469.00	840.00
Hold Open				
8616	FHP	Friction PA, REG and TJ for reveals to 4"	447.00	_
	FHJ	TJ for reveals 4" to 8"	430.00	_
	FH	REG or TJ for reveals to 4"	426.00	_
	PHP	Plunger PA and TJ for reveals 1-1/2" to 3-1/2"	523.00	890.00
	PH	REG or TJ for reveals 0" to 1-1/2"	518.00	833.00
Slide Track				
8616	T	Door mounted (pull side)	430.00	776.00
	JT	Frame mounted (pull side)	430.00	776.00
	FT	Flush transom mounted (push side)	430.00	776.00
	PT	Soffit mounted (push side)	430.00	776.00
	TDE	Frame mounted double egress frame (pull side), specify hand	495.00	844.00

 $^{^{\}star}$ Available in 630 finish only and not intended for corrosive environments. * FMC is the only cover available in 630 finish

NOTE: Standard arm configuration is indicated in **bold**



Body	Arm	Mounting	Painted Finish \$	Plated Finish \$
Track Hold O	pen			
8616	TH	Door mounted (pull side)	457.00	870.00
	JTH	Frame mounted (pull side)	457.00	870.00
	FTH	Flush transom mounted (push side)	457.00	870.00
	PTH	Soffit mounted (push side)	457.00	870.00
	TDEH	Frame mounted double egress frame (pull side), specify hand	521.00	838.00

Options

(List Price 'add' when ordered with complete closer)

Item	Description	List Add/Deduct \$
DA	Adjustable delayed action (suffix to model)	39.00
LCOV	Less slim plastic cover, Deduct	Deduct 15.00
FC	Full plastic cover	8.00
FCSL	Full plastic slotted cover (low ceiling conditions)	8.00
FMC	Full metal cover (handed for TJ or JT [FMCL/FMCR])	13.00
FMCLL	Full metal cover, lead lined. Handed & non-handed.	130.00
SNB2	(4) each 1/4-20 aluminum sex nuts and bolts for 1-3/8" door	N/C
LSN	Less sex nuts (less SN1 pack)	Deduct 5.00
AWS	All wood screws	11.00
DPK86	All fasteners to be self-drilling (in lieu of standard fasteners)	N/C
SNDPK	Standard fasteners and DPK86	13.00
TPK86	All fasteners to be self-tapping (in lieu of standard fasteners)	N/C
SNTPK	Standard fasteners and TPK86,	13.00
METRIC	All metric fasteners	N/C
TX86	All exposed fasteners to be Torx security fasteners (n/a with track applications)	30.00

Item	Description	List Add/Deduct \$
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.	
	per order, setup charge (Net)	121.00
	per closer, list add	39.00
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" × 3" color chip samples required. For details, see Finishes Cross Reference , page viii.	
	per order, non-refundable development/setup charge (Net)	292.00
	per closer, list add	39.00

NOTES:

- All painted components w/plated line item will be painted complementary finish.
 Example: For a line item ordered w/plated 626 FMC only, all other components will be 689.
- · Painted finish price includes slim plastic cover.
- · Plated finish price includes optional full metal cover.
- · Specify closer and arm designation, hand (when required), and finish when ordering.
- · All spring cushion, heavy-duty PA, tracks, and top jamb (J) configurations packaged (4) units per master carton.
- · All others are packaged (6) units per master carton.
- · FMC is only cover available in plated finishes.
- All 8600 closers standard with SNB1.
- T, TH, FT, FTH include backplate standard.
- 8600 Series closer prepared standard to accept COV, FC, FCSL, or FMC.

Accessories

dormakaba 🚧


Item	Description	List \$
BP86	Backplate for closer with slim cover	35.00
BP86FC	Backplate for closer with full cover	35.00
BP86T	Backplate for slide track closer with slim cover	35.00
BP86TFC	Backplate for slide track closer with full cover	35.00
BP86FTFC	Backplate for flush transom slide track closer w/wo/cover or full cover	35.00
DP86	Drop plate for closer with slim cover	35.00
DP86FC	Drop plate for closer with full cover	35.00
BP86C	Backplate for conversion of 7600 Series to 8600 Series	35.00
AB86	Angle bracket for closer with slim cover	63.00
PFT	Parallel flush transom bracket	28.00
PD	Parallel drop bracket, non-hold open arms (AF86, AR, AO8 only)	37.00
MJ Ø	Mortised jamb bracket, non-hold open arms (AF86, AR, AO8 only)	26.00
BS	Blade stop spacer (P86, PHB, and PD)	26.00
BSHD	Blade stop spacer for use with heavy duty door saver and super parallel arms	29.00
NFHD	Narrow frame bracket for use with heavy duty door saver and super parallel arms	29.00
FTHD	Flush transom bracket for use with heavy duty door saver and super parallel arms	51.00

When used with flat form non-hold open arms, the MJ bracket must be used with a special length arm. Specify AF8MJ for 8600 or 8900 Series closers.




7400 Series

Ordering Guide



Surface Closers







Body	Arm	Mounting	Painted Finish \$
Non-Hold Open			
7414, 7436	ARP	PA, REG & TJ for reveals to 4" (round)	267.00
	ARJ	TJ for reveals 4" to 8" (round)	261.00
	AR	REG or TJ for reveals to 4" (round)	256.00
	AO8P	PA, REG & TJ secured elbow for reveals to 4" (round)	268.00
	AO8	REG or TJ secured elbow for reveals to 4" (round)	256.00
Bumper or Spring	Cushion		
7414, 7436	DS	Heavy-duty door saver cushion parallel arm	345.00
	DST	w/thumb turn hold open	398.00
	SDS	Extra heavy-duty door saver spring cushion parallel arm	503.00
	SDST	w/thumb turn hold open	554.00
	IS	Heavy-duty cushion arm, REG and TJ for 0" to 3-1/2" reveal	494.00
	ISH	Heavy-duty cushion arm w/hold open, REG and TJ for 0" to 3-1/2" reveal	546.00
	SIS	Extra heavy-duty spring cushion arm, REG and TJ for 0" to 3-1/2" reveal	577.00
	SISH	w/hold open, REG and TJ for 0" to 3-1/2" reveal	630.00
	ISJ	Heavy-duty cushion arm, TJ for 3-1/2" to 6-1/2" reveal	519.00
	ISJH	Heavy-duty cushion arm w/hold open, TJ for 3-1/2" to 6-1/2" reveal	573.00
	SISJ	Extra heavy-duty spring cushion arm, TJ for 3-1/2" to 6-1/2" reveal	604.00
	SISJH	w/hold open, TJ for 3-1/2" to 6-1/2" reveal	658.00
Heavy Duty PA			
7436	SPA	Super parallel arm	307.00
	SPAT	w/thumb turn hold open	360.00
Friction Hold Oper	า		
7414, 7436	FHP	PA, REG & TJ for reveals to 4"	335.00
	FHJ	TJ for reveals 4" to 8"	322.00
	FH	REG or TJ for reveals to 4"	317.00
Slide Track			
7436	Т	Door mounted (pull side)	322.00
	JT	Frame mounted (pull side)	322.00
	FT	Flush transom mounted (push side)	322.00
	PT	Soffit mounted (push side)	322.00
Track Hold Open			
7436	TH	Door mounted (pull side)	348.00
	JTH	Frame mounted (pull side)	348.00
	FTH	Flush transom mounted (push side)	348.00
	PTH	Soffit mounted (push side)	348.00

NOTE: Standard arm configuration is indicated in bold.



211

Options

(List Price 'add' when ordered with complete closer)

Item	Description	List Add \$
DA	Adjustable delayed action (suffix to model number)	39.00
COV	Slim plastic cover	20.00
FC	Full plastic cover	26.00
FCSL	Full plastic slotted cover (low ceiling conditions)	26.00
SNB1	(4) each 1/4-20 sex nuts and machine screws for 1-3/4" door	9.00
SNB2	(4) each 1/4-20 sex nuts and machine screws for 1-3/8" door	9.00
AWS	All wood screws	11.00
DPK86	All fasteners to be self-drilling fasteners (In lieu of combo screws)	N/C
CMBDPK	Standard and DPK86 fasteners	13.00
TPK86	All fasteners to be self-tapping fasteners (In lieu of combo screws)	N/C
СМВТРК	Standard and TPK86 fasteners	13.00
TX86	All exposed fasteners to be Torx security fasteners (n/a with track applications)	30.00
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.	
	per order, setup charge (Net)	121.00
	per closer, list add	39.00
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" × 3" colorchip samples required. For details, see Finishes Cross Reference , page viii.	
	per order, non-refundable development/setup charge (Net)	294.00
	per closer, list add	39.00

- Standard price does not include cover.
- Specify closer and arm designation, hand (when required), and finish when ordering.

 All dead stop, heavy-duty PA, tracks, and top jamb (J) configurations packaged (4) units per master carton.
- All others are packaged (6) units per master carton. T, TH, FT, FTH include backplate standard.
- 7400 closers are not furnished to accept FC or FCSL unless specified at time of order.
- Sex nuts and bolts standard with cushion or dead stop arms and included in list price.




Accessories

Item	Description	List \$
BP74	Backplate for 7400	35.00
BP74T	Backplate for 7400 slide track closer without cover	35.00
BP640C	Back plate to retrofit 9 1/16" hole spacing with 7400.	7.00
	Examples: DORMA 640, Norton 1600 or Yale 50.	
BP86	Backplate for closer with slim cover	35.00
BP86T	Backplate for 7400 slide track closer with slim cover	35.00
BP86FC	Backplate for closer with full cover	35.00
DP74	Drop plate for 7400	35.00
DP86	Drop plate for closer with slim cover	35.00
DP86FC	Drop plate for closer with full cover	35.00
AB74	Angle bracket for 7400 without cover	63.00
AB86	Angle bracket for 7400 with slim cover	63.00
PFT	Parallel flush transom bracket	28.00
PD	Parallel drop bracket, non-hold open arms (AR, AO8 only)	37.00
MJ	Mortised jamb bracket, non-hold open arms (AR, AO8 only)	26.00
BS	Blade stop spacer (P86, PHB, and PD)	26.00
BSHD	Blade stop spacer for use with heavy duty door saver and super parallel arms	29.00
NFHD	Narrow frame bracket for use with heavy duty door saver and super parallel arms	29.00
FTHD	Flush transom bracket for use with heavy duty door saver and super parallel arms	51.00




U1500 Series

Ordering Guide



Surface Closers



NOTE: All combinations of features and options are not available for all models.

* To simplify initial installation, back plate (BP73) or drop plate (DP73) are listed under U1500 Accessories in this section.
** Supplied in addition to non-hold open arm.



Body	U/M	Arm	Mounting	Painted Finish \$
Non-Hold Ope	en			689/695
U1500 1-5	Ea.	ARP15	PA, REG and TJ for reveals to 4" (round)	198.00

NOTES:

- Standard arm configuration is indicated in **bold**.
- Minimum order quantity of 1 case (6 each units) required per purchase order.
- · Case quantity discounts available below.

Options

(List Price 'add' when ordered with complete closer)

Item	U/M	Description	List Add \$
FHP15	Ea.	Friction hold open arm and bracket. Can be used in the field in place of standard non-hold open arm configuration.	75.00
COV15	Ea.	Slim plastic cover U1500	16.00

NOTES:

- Standard price does not include cover.
- Specify finish when ordering.
- Standard configuration includes non-hold open tri-pack arm and parallel arm bracket assembly in cases of six.

Accessories

Item	Description	List \$
P15	Parallel arm soffit bracket, U1500 non-hold open (689/695 only)	16.00
PH15	Parallel arm soffit bracket, U1500 friction hold open (689/695 only)	16.00
COV15	Slim plastic cover, U1500 (689/695 only)	16.00
CAP15	Dust cap to cover exposed pinion of U1500 (689/695 only)	6.00
ARP15	Arm, round U1500 complete tri-pack, NHO 10 mm rod with P15 bracket, 0"-4" reveal (689/695 only)	58.00
FHP15	Friction hold open arm complete U1500 tri-pack, 0"-4" reveal (689/695 only)	75.00
U15NHPK	All wood and machine fasteners required to install one each U1500 non-hold open closer (689/695 only)	9.00
U15HPK	All wood and machine fasteners required to install one each U1500 friction hold open closer (689/695 only)	9.00
SN1	(4) each 1/4-20 sex nuts for 1-3/4" door	9.00
SN2	(4) each 1/4–20 sex nuts for 1-3/8" door	9.00
TPK15	All self-tapping fasteners to install U1500 NHO/FHO	9.00
BP73	Backplate for U1500 or 7300	35.00
DP73	Drop plate for U1500 or 7300	35.00


U1500 Quantity Discount Program

- Case quantities of 18-35 receive a 3% additional discount, quantities of 36-71 receive a 4% additional discount, case quantities >72 receive a 5% additional discount.
- Tiered discounts apply to entire quantity once tier quantity is reached. Example: 40 cases receives 4%.
- $\bullet \quad \text{Orders must be on one purchase order for one ship to location to qualify for the quantity discount.}\\$
- Freight policy and other standard terms and conditions apply. See intro for details. Visit go.dorma.com/terms for details.
- Quantity discounts apply only to U1500 closers and do not apply to accessories.
- Qualified orders must be placed in case quantity (6 each units per case).
- · This promotional program is subject to change without notice.

Surface Closers

7300 Series

Ordering Guide



Pull Side Frame Face Mounted

FTH

Arm Type

- All combinations of features and options are not available for all models. Please refer to 7300 Series product brochure for details.
- To simplify initial installation, a range of back plates (BPxx), drop plates (DPxx), brackets, and spacers are listed under 7300 Accessories in this section. Refer to 7300 Series product brochure for details.

PROUDLY DISTRIBUTED BY



Architectural Hardware Price List #32



Body	Arm	Mounting	Painted Finish \$
Non-Hold Open			
7303, 7304,	ARP	PA, REG and TJ for reveals to 4" (round)	283.00
7305	ARJ	TJ for reveals 4" to 8" (round)	277.00
	AR	REG or TJ for reveals to 4" (round)	271.00
	AO8P	PA, REG and TJ secured elbow for reveals to 4" (round)	283.00
	AO8	REG or TJ secured elbow for reveals to 4" (round)	271.00
Bumper or Spring	Cushion		
7303, 7304,	DS	Heavy-duty door saver cushion parallel arm (size 5)	366.00
7305	DST	w/ thumb turn hold open (size 5)	422.00
	SDS	Extra heavy-duty door saver spring cushion parallel arm (size 5)	533.00
	SDST	w/ thumb turn hold open (size 5)	587.00
	IS	Heavy-duty cushion arm, REG and TJ for 0" to 3-1/2" reveal	523.00
	ISH	Heavy-duty cushion arm w/ hold open, REG and TJ for 0" to 3-1/2" reveal	577.00
	SIS	Extra heavy-duty spring cushion arm, REG and TJ for 0" to 3-1/2" reveal	609.00
	SISH	w/ hold open, REG and TJ for 0" to 3-1/2" reveal	666.00
	ISJ	Heavy-duty cushion arm, TJ for 3-1/2" to 6-1/2" reveal	550.00
	ISJH	Heavy-duty cushion arm w/ hold open, TJ for 3-1/2" to 6-1/2" reveal	605.00
	SISJ	Extra heavy-duty spring cushion arm, TJ for 3-1/2" to 6-1/2" reveal	639.00
	SISJH	w/ hold open, TJ for 3-1/2" to 6-1/2" reveal	695.00
Heavy Duty PA			
7305	SPA	Super parallel arm	324.00
	SPAT	w/ thumb turn hold open	380.00
Friction Hold Ope	en		
7303, 7304,	FHP	PA, REG and TJ for reveals to 4"	345.00
7305	FHJ	TJ for reveals 4" to 8"	340.00
	FH	REG or TJ for reveals to 4"	335.00
Track Units			
7305	Т	Door mounted (pull side)	340.00
	JT	Frame mounted (pull side)	340.00
	FT	Flush transom mounted (push side)	340.00
	PT	Soffit mounted (push side)	340.00
	TH	Door mounted (pull side)	368.00
	JTH	Frame mounted (pull side)	368.00
	FTH	Flush transom mounted (push side)	368.00
	PTH	Soffit mounted (push side)	368.00

NOTE: Standard arm configuration is indicated in **bold**.



Options

(List Price 'add' when ordered with complete closer)

Item	Description	List Add \$
COV	Slim plastic cover	20.00
SNB1	(4) each 1/4-20 sex nuts and machine screws for 1-3/4" door	9.00
SNB2	(4) each 1/4-20 sex nuts and machine screws for 1-3/8" door	9.00
AWS	All wood screws	11.00
DPK86	All fasteners to be self-drilling fasteners (In lieu of combo screws)	N/C
CMBDPK	Standard and DPK86 fasteners	13.00
TPK86	All fasteners to be self-tapping fasteners (In lieu of combo screws)	N/C
СМВТРК	Standard and TPK86 fasteners	13.00
TX86	All exposed fasteners to be Torx security fasteners (n/a with track applications)	30.00
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.	
	per order, setup charge (Net)	121.00
	per closer, list add	39.00
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" × 3" color chip samples required. For details, see Finishes Cross Reference , page viii.	
	per order, non-refundable development/setup charge (Net)	294.00
	per closer, list add	39.00

Surface Closers

- · Standard price does not include cover.
- Specify closer and arm designation, hand (when required), and finish when ordering.
- All spring cushion, heavy-duty PA, tracks, and top jamb (J) configurations packaged (4) units per master carton.
- All others are packaged (6) units per master carton.



Accessories


Item	Description	List \$
BP73	Backplate for 7300	35.00
BP73T	Backplate for 7300 slide track closer without cover	35.00
BP86	Backplate for closer with slim cover	35.00
BP86T	Backplate for 7300 slide track closer with slim cover	35.00
DP73	Drop plate for 7300	35.00
DP86	Drop plate for closer with slim cover	35.00
AB73	Angle bracket for 7300 without cover	63.00
AB86	Angle bracket for 7300 with slim cover	63.00
PFT	Parallel flush transom bracket	28.00
PD	Parallel drop bracket, non-hold open arms (AR, AO8 only)	37.00
MJ	Mortised jamb bracket, non-hold open arms (AR, AO8 only)	26.00
BS	Blade stop spacer (P86, PHB, and PD)	26.00
BSHD	Blade stop spacer for use with heavy duty door saver and super parellel arms	29.00
NFHD	Narrow frame bracket for use with heavy duty door saver and super parallel arms	29.00
FTHD	Flush transom bracket for use with heavy duty door saver and super parallel arms	51.00



dormakaba 🚧 Surface Closers

STA Series

Ordering Guide



NOTE: Because STA is specified in the beginning of the model description, it does not need to be specified at the component level.

Example: STA8616 ARP FC SN1 689



Body	Arm	Mounting	Painted Finish \$	630 \$
STA 8900				
STA 8916/8956	ARP	PA, REG & TJ for reveals to 4" (painted price w/FC)	1,029.00	1,470.00
	AR	REG or TJ for reveals to 4" (painted price w/FC)	960.00	1,364.00
STA 8600				
STA 8616	ARP	PA, REG & TJ for reveals to 4" (painted price w/COV)	882.00	1,388.00
	AR	REG or TJ for reveals to 4" (painted price w/COV)	811.00	1,278.00

Options

(List Price 'add' when ordered with complete closer)


Item	Model	Description	List Add/Deduct \$
DA	8000	Adjustable delayed action (suffix to model number) (Only for 8616, 8916, and 8966)	39.00
LSN	8000	Less sex nuts (less SN1 pack)	Deduct 5.00
SN2	8000	(4) each 1/4-20 aluminum sex nuts for 1-3/8" door	N/C
LCOV	8600	Less slim plastic cover for 8600	Deduct 11.00
FC or FCSL	8600	Full plastic cover for 8600(FC standard w/8900)	9.00
FCSL	8900	Full plastic slotted cover for 8900	N/C
Custom Color		Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.	
		per order, setup charge (Net)	121.00
		per closer, list add	39.00
Designer Color		Designer painted color matched to supplied samples. Three (3) each 2" × 3" color chip samples required. For details, see Finishes Cross Reference , page viii.	
		per order, non-refundable development/setup charge (Net)	294.00
		per closer, list add	39.00

- Architectural finish price (630) includes optional full stainless metal cover.
- Specify closer and arm designation and finish when ordering.
- All STA Series closers are packaged (6) units per master.
 STA full metal cover (FMC) is the only cover available in architectural finish 630.
- STA closers are supplied standard with SN1. Specify LSN for less SN1 deduct.
 STA 8900 standard with FC, 8600 standard with COV.



GSR Series

Ordering Guide



^{*} Stainless steel base material with Satin Finish

NOTES:

- All combinations and options are not available for all models.
- Please refer to EMR/EMF Series Product Brochure for details.
- EMR/EMF accepts 24 VAC/DC.
- Transformer must be purchased if power source is 120 VAC.



(800) 348 – 2263

Body	Arm	Mounting	Painted Finish \$	605/630
TS93 Coordinators				
TS9315, TS9356	GSR/T	Door closer/coordinator system only (pull side)	1,584.00	2,616.00
TS9315, TS9356	GSR/PT	Door closer/coordinator system only (push side)	2,114.00	3,526.00
	GSR/T EMF/1A	A Electromagnetic holder/release device (active door) closer/coordinator system (pull)	2,308.00	3,240.00
	GSR/T EMF/1I	Electromagnetic holder/release device (inactive door) with door closer/coordinator system (pull)	2,308.00	3,240.00
	GSR/T EMF/2	Electromagnetic holder/release device (both doors) with door closer/coordinator system (pull)	2,963.00	3,890.00
	GSR/PT EMF/2	Electromagnetic holder/release device (both doors) with door closer/coordinator system (push)	3,905.00	5,191.00

NOTE: Standard GSR is packaged for installation on openings 53" to 98" wide. For narrower or wider openings, contact the factory. Opening size is derived from measuring centerline of hinge on one door to centerline of hinge on second door.

Options

(List Price 'add' when ordered with complete closer)


Item	Description	Painted Finish \$
SN4	(4) each 10-32 sex nuts for 1-3/8" door	N/C
LSN	Less sex nuts (less SN3 pack)	Deduct 3.00
MK397	Carry bar — up to 3' 6" wide doors (included with GSR/PT variants option for GRS/PT variants)	48.00
MK398	Carry bar — 3' 6" and wider doors (included with GSR/PT variants option for GRS/PT variants)	52.00
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.	
	per order, setup charge (Net)	121.00
	per closer, list add	39.00
Designer Color	Designer painted color matched to supplied samples. Three (3) Color each 2" × 3" colorchip samples required. For details, see Finishes Cross Reference, page viii.	
	per order, non-refundable development/setup charge (Net)	294.00
	per closer, list add	39.00

- Specify body and arm designation, centerline to centerline of hinge or hanging means (indicate type), hand of active door, and finish, when ordering.
- · Closer cover and/or track main arm only are electroplated when specified. Frame unit cover and closer cover caps are furnished primed or in complementing color.
- MK carry bars will be painted complementary color when ordered for plated units.



8900/8600/7400

Closer Bodies





Item	Description	Painted Finish \$
MOD, 8916 FCXX	Closer body × full plastic cover and mounting screws	428.00
MOD, 8916 FCSL	Closer body × slotted full plastic cover and mounting screws	428.00
MOD, 8916 FMC	Closer body × full metal cover and mounting screws	436.00
MOD, 8916DA FC	Delay closer body × full plastic cover and mounting screws	469.00
MOD, 8916DA FCSL	Delay closer body × slotted full plastic cover and mounting screws	469.00
MOD, 8916DA FMC	Delay closer body × full metal cover and mounting screws	477.00
MOD, 8956 FC	Closer body × full plastic cover and mounting screws	428.00
MOD, 8956 FCSL	Closer body × slotted full plastic cover and mounting screws	428.00
MOD, 8956 FMC	Closer body × full metal cover and mounting screws	436.00
MOD, 8956DA FC	Delay closer body × full plastic cover and mounting screws	469.00
MOD, 8956DA FCSL	Delay closer body × slotted full plastic cover and mounting screws	469.00
MOD, 8956DA FMC	Delay closer body × full metal cover and mounting screws	477.00
MOD, 8616 COV	Closer body × slim plastic cover and mounting screws	272.00
MOD, 8616 FC	Closer body × full plastic cover and mounting screws	278.00
MOD, 8616 FCSL	Closer body × slotted full plastic cover and mounting screws	278.00
MOD, 8616 FMC	Closer body × full metal cover and mounting screws	282.00
MOD, 8616DA COV	Delay closer body × slim plastic cover and mounting screws	312.00
MOD, 8616DA FC	Delay closer body × full plastic cover and mounting screws	320.00
MOD, 8616DA FCSL	Delay closer body × slotted full plastic cover and mounting screws	320.00
MOD, 8616 DA FMC	Delay closer body × full metal cover and mounting screws	327.00
MOD, 7414	Closer body and mounting screws	160.00
MOD, 7414 COV	Closer body × slim plastic cover and mounting screws	182.00
MOD, 7414 FC	Closer body × full plastic cover and mounting screws	187.00
MOD, 7414 FCSL	Closer body × slotted full plastic cover and mounting screws	187.00
MOD, 7414DA	Delay closer body and mounting screws	200.00
MOD, 7414DA COV	Delay closer body × slim plastic cover and mounting screws	221.00
MOD, 7414DA FC	Delay closer body × full plastic cover and mounting screws	227.00
MOD, 7414DA FCSL	Delay closer body × slotted full plastic cover and mounting screws	227.00
MOD, 7436	Closer body and mounting screws	160.00
MOD, 7436 COV	Closer body × slim plastic cover and mounting screws	182.00
MOD, 7436 FC	Closer body × full plastic cover and mounting screws	187.00
MOD, 7436 FCSL	Closer body × slotted full plastic cover and mounting screws	187.00
MOD, 7436DA	Delay closer body and mounting screws	200.00
MOD, 7436DA COV	Delay closer body × slim plastic cover and mounting screws	221.00
MOD, 7436DA FC	Delay closer body × full plastic cover and mounting screws	227.00
MOD, 7436DA FCSL	Delay closer body × slotted full plastic cover and mounting screws	227.00

Arms (All arms include "all" mounting screws and installation instructions)

Item	Description	Painted Finish \$
MOD, AF89P (8900 only)	Arm, flat tri-pack NHO w/P89 bracket	122.00
MOD, AF89J (8900 only)	Arm, flat NHO TJ 4" to 8" reveal	117.00
MOD, AF89 (8900 only)	Arm, flat NHO Reg./TJ 0" to 4" reveal	113.00
MOD, AF86P (8600 only)	Arm, flat tri-pack NHO w/P86 bracket	111.00
MOD, AF86J (8600 only)	Arm, flat NHO TJ 4" to 8" reveal	107.00
MOD, AF86 (8600 only)	Arm, flat NHO Reg./TJ 0" to 4" reveal	102.00
MOD, ARP (8600/7400)	Arm, round tri-pack NHO w/P86 bracket	100.00
MOD, ARJ (8600/7400)	Arm, round NHO TJ 4" to 8" reveal	94.00
MOD, AR (8600/7400)	Arm, round NHO Reg./TJ 0" to 4" reveal	88.00
MOD, AO8P (8600/7400)	Arm, round secure tri-pack NHO w/P86 bracket	105.00
MOD, AO8 (8600/7400)	Arm, round secure Reg./TJ 0" to 4" reveal	101.00
MOD, DS	Arm, heavy-duty door saver cushion parallel	171.00
MOD, DST	Arm, heavy-duty door saver cushion parallel with thumb turn hold open	220.00
MOD, SDS	Arm, extra heavy-duty door saver spring cushion parallel	314.00
MOD, SDST	Arm, extra heavy-duty door saver spring cushion parallel with thumb turn hold open	364.00
MOD, FHP	Arm, friction hold open w/PHB bracket (0" to 4" reveal)	155.00
MOD, FHJ	Arm, friction hold open TJ 4" to 8" reveal	150.00
MOD, FH	Arm, friction hold open Reg./TJ 0" to 4" reveal	144.00
MOD, IS	Arm, heavy-duty cushion, Reg./TJ 0" to 3-1/2" reveal	307.00
MOD, ISH	Arm, heavy-duty cushion with hold open, Reg./TJ 0" to 3-1/2" reveal	353.00
MOD, SIS	Arm, extra heavy-duty spring cushion	383.00
MOD, SISH	Arm, extra heavy-duty spring cushion with hold open	432.00
MOD, ISJ	Arm, heavy-duty cushion, TJ 3-1/2" to 6-1/2" reveal	332.00
MOD, ISJH	Arm, heavy-duty cushion with hold open, TJ 3-1/2" to 6-1/2" reveal	378.00
MOD, SISJ	Arm, extra heavy-duty spring cushion, top jamb and mount for 3-1/2" to 6-1/2" reveal	408.00
MOD, SISJH	Arm, extra heavy-duty spring cushion with hold open, top jamb and mount for $3-1/2$ " to $6-1/2$ " reveal	456.00
MOD, PHP	Arm, plunger hold open w/ P89 bracket 1-1/2" to 3-1/2"	234.00
MOD, PH	Arm, plunger hold open Reg. 0" to 1-1/2" reveal	229.00
MOD, SPA	Arm, parallel heavy duty (Super Parallel Arm)	137.00
MOD, SPAT	Arm, parallel heavy duty thumb turn hold open (Super Parallel Arm)	185.00
MOD, T	Arm, track (T, JT and FT)	150.00
MOD, TH	Arm, track hold open (TH, JTH and FTH)	173.00
MOD, TDE	Arm, track double egress	209.00
MOD, TDEH	Arm, track double egress hold open	233.00

- $\bullet \quad \mathsf{MOD}, 8600 \, \mathsf{Series} \, \mathsf{includes} \, \mathsf{SNB1} \, \mathsf{standard}. \, \, \mathsf{Deduct} \, \$6.00 \, \mathsf{list} \, \mathsf{when} \, \mathsf{ordering} \, \mathsf{MOD}, 8600 \, \mathsf{Series} \, \mathsf{less} \, \mathsf{SNB1}.$
- Modular packaging is designed to save you, our valued stocking distributor up to 15% on your inventory dollars. Instead of stocking all door closer requirements in complete units in various arm types, dormakaba produces a packaging option to allow a mixed stock of closer body combinations and arm types in separate packaging that easily combine later in the stocking distributor warehouse.
- Determine the arm type required to be packaged with a particular closer body, place the closer body package inside the arm pack, mark the appropriate check list on the carton label and deliver the product. It's that simple.
- dormakaba recommends that the 80% usage items such as 8916 AF89P FC SN1 689 and 8616 AF86P COV 689 be packaged complete and the remainder of inventory
 be packaged in modular packaged items. This allows the 20% mixed variations to be handled with much less inventory. Arm mix inventory can be cut in half since the
 majority of arms can be used with the 8900, 8600, or 7400 Series closer.

Fire/Life Safety

Product Guide (1 of 2)

FIRE/LIFE SAFETY CLOSER/HOLDERS	Surface Mount	Floor-Mount	Wall-Mount
	TS93 EMF	_	
Closer/Holder Only	8900 EMF	_	
	8600 EMF	_	
	TS93 EMR	_	
Closer/Holder with	8900 EMR	_	
Integral Smoke Detector	8600 EMR	_	
	1800 Series	_	
	-	EM501	EM504
Electron anotic Deer Helder	-	EM502	EM505
Electromagnetic Door Holders	-	_	EM508
	-	-	EM509

Fire/Life Safety

Fire/Life Safety

Product Guide (2 of 2)


Yes No	A156.15	UL10C	Includes Smoke Detector	No Smoke Detector	Advanced Cam & Roller Design	Rack & Pinion Design	Plated Finishes	Custom Painted Finishes	Adjustable Power
TS93 EMF	•	•	0	•	•		•	•	•
8900 EMF	•	•	0	•	0	•	•	•	•
8600 EMF	•	•	0	•	0	•	•	•	•
TS93 EMR	•	•	•	0	•		•	•	•
8900 EMR	•	•			0	•	•	•	•
8600 EMR	•	•		0	0			•	•
1800 SD	•	•	•	0	0	•	•	•	•
1800	•	•	0	•	0	•	•	•	•




dormakaba 🚧 EMR/EMF Series Fire/Life Safety

EMR/EMF Series

Ordering Guide





- All combinations of features and options are not available for all models.
- Please refer to EMR/EMF Series product brochure for details.



EMR Series (with Detector)

Body	Arm	Mounting	Painted Finish \$
Premium Electromo	agnetic Slide Track Hold	er/Closing Device with Detector — 24 VAC/DC	
TS9315, TS9356	EMR/T	Frame mounted (pull side)	2,378.00
	EMR/PT	Soffit mounted (push side)	2,378.00
	EMR/TDE	Frame mounted (pull side; double egress), handed	2,446.00
Heavy-Duty Electro	omagnetic Slide Track H	lolder/Closing Device with Detector — 24 VAC/DC	
8916, 8956	EMR/T	Frame mounted (pull side)	2,321.00
	EMR/PT	Soffit mounted (push side)	2,321.00
	EMR/TDE	Frame mounted (pull side; double egress), handed	2,388.00
Electromagnetic SI	ide Track Holder/Closin	g Device with Detector — 24 VAC/DC	
8656	EMR/T	Frame mounted (pull side)	2,170.00
	EMR/PT	Soffit mounted (push side)	2,170.00
	EMR/TDE	Frame mounted (pull side; double egress), handed	2,237.00

EMF Series (No Detector)

Body	Arm	Mounting	Painted Finish \$
Premium Electromo	agnetic Slide Track Hold	der/Closing Device -24 VAC/DC. Transformer required if power source is	120 VAC.
TS9315, TS9356	EMF/T	Frame mounted, (pull side)	1,061.00
	EMF/PT	Soffit mounted (push side)	1,061.00
	EMF/TDE	Frame mounted (pull side; double egress), handed	1,129.00
Heavy-Duty Electro	omagnetic Slide Track H	Holder/Closing Device — 24 VAC/DC. Transformer required if power source	is 120 VAC.
8916, 8956	EMF/T	Frame mounted, (pull side)	1,017.00
	EMF/PT	Soffit mounted (push side)	1,017.00
	EMF/TDE	Frame mounted (pull side; double egress), handed	1,085.00
Electromagnetic SI	ide Track Holder/Closir	g Device -24 VAC/DC. Transformer required if power source is 120 VAC.	
8656	EMF/T	Frame mounted (pull side)	867.00
	EMF/PT	Soffit mounted (push side)	867.00
	EMF/TDE	Frame mounted (pull side; double egress), handed	934.00



Options

(List Price 'add' when ordered with complete closer)

Item	Description	List Add \$		
FC	Full plastic closer body cover, 8600	9.00		
FMC	Full metal closer body cover (Handed), used w/8900	9.00		
FMC	Full metal closer body cover (Handed), used w/8600	14.00		
BYP	Concealed switch to bypass hold open function	61.00		
TRANSF	120 VAC to 24 VAC transformer (installed separately)	69.00		
EXP	Exposed wiring preparation	29.00		
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference, page viii.			
	per order, setup charge (Net)	121.00		
	per closer, list add	39.00		
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" × 3" colorchip samples required. For details, see Finishes Cross Reference , page viii.			
	per order, non-refundable development/setup charge (Net)			
	per closer, list add	39.00		

Fire/Life Safety

- Specify body and arm designation, voltage, hand (when required), and finish when ordering.
 EMF/EMR powered from 120 VAC power source requires optional "external" 120 VAC to 24 VAC transformer (TRANSF).
- MF Series unit must be ordered 24 V when used as a companion to an EMR Series unit.

Accessories


Item	Series	Applicable Description	List \$
COV	8600	Slim plastic closer body cover	20.00
FC	8900/8600	Full plastic closer body cover	26.00
FMC	8900/8600	Full metal closer body cover (specify hand)	32.00
SN1	8900	(4) each 1/4-20 sex nuts for 1-3/4" door	9.00
SN3	TS93	(4) each 10-32 sex nuts for 1-3/4" door	9.00
SNB1	8600	(4) each 1/4-20 sex nuts and machine screws for 1-3/4" door	9.00
SD2	EMR	Replacement detector module	532.00
RFR	All	Radio frequency receiver for wireless release of hold open 272	344.00
HHRFT1	All	Hand held transmitter for wireless release of hold open	171.00
TRANSF	All	120 VAC to 24 VAC Transformer (External)	69.00
SCRPKEMRDET	EMR	Standoff for SD-2 Detector Replacement (EMR)	7.00



dormakaba




1800 Series



Electrical Specifications

Fire/Life Safety



- All combinations of features and options are not available for all models.
- Please refer to 1800 Series product brochure for details.





1800 SD Series (with Detector)

Body	Arm	Mounting	Painted Finish \$	
Electromagnet	tic Holder/Closing De	vice with Integral Smoke Detector – 24 VAC/DC and 120 VAC		
1856	HT SD	Frame mounted slide track (pull side)	2,702.00	
1816	HJ SD	Frame mounted top jamb (push side)	2,702.00	
Electromagne	tic Swing Free/Closir	g Device with Integral Smoke Detector – 24 VAC/DC and 120 VAC		
1856	SFT SD	Frame mounted slide track (pull side)	2,757.00	
1816	SFJ SD	Frame mounted top jamb (push side)	2,757.00	

1800 Series (No Detector)

Body	Arm	Mounting	Painted Finish \$
Electromagnet	tic Holder/Closing D	Device – 24VAC/DC and 120VAC	
1856	HT	Frame mounted slide track (pull side)	1,364.00
1816	HJ	Frame mounted top jamb (push side)	1,364.00
Electromagnet	tic Swing Free/Clos	ing Device – 24VAC/DC and 120VAC	
1856	SFT	Frame mounted slide track (pull side)	1,420.00
1816	SFJ	Frame mounted top jamb (push side)	1,420.00

- Specify body, arm, hand, and finish for all units.
 Specify if less than 2" frame face for (T) track mounted units. Specify <2" (no additional charge).
 Specify DROP for top jamb drop applications (no additional charge if noted at time of order).
 1800 Series can be used as a companion to the 1800 SD Series, bypass 120 VAC transformer when making wiring connections or order less transformer for deduct.



Options

(List Price 'add' when ordered with complete closer)

Item	Description	List Add/Deduct \$
LTRANSF	1800 Less 120 VAC transformer (deduct)	Deduct 29.00
<2"	T mount <2" frame face	N/C
DROP	Top jamb drop applications (configure at factory)	N/C
BYP	Concealed switch to bypass hold open function	61.00
EXP	Exposed wiring preparation	29.00
AR	Complete arm for top jamb 0"-4" reveal	Deduct 3.00
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.	
	per order, setup charge (Net)	121.00
	per closer, list add	39.00
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" × 3" color chip samples required. For details, see Finishes Cross Reference , page viii.	
	per order, non-refundable development/setup charge (Net)	294.00
	per closer, list add	39.00

Fire/Life Safety

Accessories

Item	Applicable Description	List \$
SN1	(4) each 1/4-20 sex nuts for 1-3/4" door	9.00
SNB1	(4) each 1/4-20 sex nuts and machine screws for 1-3/4" door	9.00
EXPKIT	Exposed wiring bracket	38.00
SFKIT	Swing free kit	52.00
SOL1800	1800 replacement solenoid 24 VAC/DC	360.00
SD2	Replacement detector module	532.00
RFR	Radio frequency receiver for wireless release of hold open	344.00
HHRFT1	Hand held transmitter for wireless release of hold open	171.00
CAMDRIVE	Replacement Hold Open Cam/Cam Drive	24.00
TRANSF	120 VAC to 24 VAC Transformer	69.00




dormakaba 🚧




EM SERIES

Ordering Guide



Fire/Life Safety



- All combinations of features and options are not available for all models. Please refer to EM Series product brochure for details.



Body	Mounting	689/695 Finish \$	696 Finish \$
Electromagnetic Floo			
EM 501-24120	Floor mount, single unit	827.00	880.00
EM 502-24120	Floor mount, double unit	1,029.00	1,085.00
Electromagnetic Wall	Mounted Holder – 24 VDC, 24 VAC, or 120 VAC		
EM 504-24120	Semi-flush mount, (recessed) long catch plate	446.00	498.00
EM 505-24120	Semi-flush mount, (recessed) short catch plate	446.00	498.00
EM 508-24120	Surface mount	473.00	525.00
EM 509-24120*	Completely flush mount	473.00	525.00

 $^{^{\}star}$ The EM509 is shipped with a 630 faceplate when ordered in 689 finish.

Options

Item	Description	689 Finish \$
ER1.5	1-1/2" extension rod	73.00
ER2.0	2" extension rod	81.00
ER7	6-3/8"-8" adjustable extension rod	92.00
ER12	8-3/8"-12" adjustable extension rod	101.00

Accessories

Item	Description	689/695 Finish \$	696 Finish \$
CPSHORT	2" projection catch plate (door portion)	105.00	121.00
CPLONG	2-5/8" projection catch plate (door portion)	120.00	137.00
EMDPPK**	Door plate pack, (plate, bracket and fasteners)	40.00	_
EMSCRPK**	Universal fastener pack for all EM models	27.00	_
EMSURFPK**	Surface mount box and fastener pack for EM 509	93.00	_
EMFACEPLTPK**	Brackets and fastener pack for all EM face plates	26.00	_

^{**} Available in 689 finish only.



Exit Devices

Concealed Door Closers

Product Guide (1 of 2)

CONCEALED DOOR CLOSERS	CONCEALED IN THE FLOOR	CONCEALED IN THE FRAME	CONCEALED IN THE DOOR
Grade 1 Heavy-Duty Sized (Power) per Application	BTS80	-	_
Grade 1 Heavy-Duty Sized (Power) per Application Hold Open	BTS80 EMB	-	_
Grade 1 Commercial Adjustable (Power) Size	BTS75V	ITS96	ITS96
Commercial Sized (Power) per Application	-	RTS88	_

Concealed Closers/Pivots



800) 348 – 2263

Service Parts

Concealed Door Closers


Product Guide (2 of 2)

Yes No	A156.4 Grade1	A156.4 Grade 3	UL10 C UBC 7-2	Advanced Cam &Roller Design	Plated Finishes	Standard Painted Finishes	Custom Painted Finishes	Adjustable Power	Fixed Power
BTS75V		0	•		•	•		•	\bigcirc
BTS80	•		•		•	•			
BTS80 EMB	•			•	•	•	•	0	•
ITS96	0				•	•	•	•	0
RTS88	0	0	0		•	•	•	0	•



BTS80 SERIES

Ordering Guide



Concealed Closers/Pivots

- · All combinations of features and options are not available for all models.
- Please refer to BTS80 Series product brochure for details
- When replacing standard package hardware with optional hardware, adjust list price accordingly.

Package	Description	Painted Finish \$	Plated Finish \$
Center Hung, Double A	cting, Aluminum Door and Frame (Non-Handed)		
BTS80A	Complete package	<u> </u>	1,777.00
	BTS80-4, 74010, 7410, 7422, 8062		
BTS80/A LFP	Complete package, less floor plate	_	1,632.00
Center Hung, Double A	cting, Wood or Steel Door and Frame (Non-Handed)		
BTS80B	Complete package	_	1,742.00
	BTS80-4, 74010, 7410, 7421, 8062		
BTS80/B LFP	Complete package, less floor plate	_	1,599.00
1-1/2" Offset, Single A	cting, Wood, Steel or Aluminum Door and Frame (Specify Hand)		
BTS80C	Complete package	<u> </u>	2,165.00
	BTS80-4, 74010, 7410, 15323, 15120		
BTS80C LFP	Complete package, less floor plate	_	2,020.00
1-1/2" Offset, Single A	cting, 20 Minute Rated Fire Door and Frame (Specify Hand)		
BTS80CE	Complete package	2,234.00	2,234.00
	BTS80 F-5, 74010, 7410, 15323, 15122		
BTS80CE LFP	Complete package, less floor plate	2,088.00	2,088.00
1-1/2" Offset, Single A	cting, 3 Hour Rated Fire Door and Frame (Specify Hand)		
BTS80CF	Complete package	2,268.00	2,621.00
	BTS80 F-5, 74010, 7410, 15323, 15133		
BTS80CF LFP	Complete package, less floor plate	2,122.00	2,475.00
3/4" Offset, Single Act	ing, Wood, Steel or Aluminum Door and Frame (Specify Hand)		
BTS80D	Complete package	_	1,841.00
	BTS80-4, 74010, 7410, 75323, 75120		
BTS80D LFP	Complete package, less floor plate	_	1,695.00
3/4" Offset, Single Act	ing, 20 Minute Rated Fire Door and Frame (Specify Hand)		
BTS80E	Complete Package	1,894.00	1,894.00
	BTS80 F-5, 74010, 7410, 75323, 75122		
BTS80E LFP	Complete package, less floor plate	1,748.00	1,748.00
3/4" Offset, Single Act	ing, 3 Hour Rated Fire Door and Frame (Specify Hand)		
BTS80F	Complete package	1,941.00	2,198.00
	BTS80 F-5, 74010, 7410, 75323, 75133		
BTS80F LFP	Complete package, less floor plate	1,795.00	2,052.00
Center Hung, Single Ac	ting, Aluminum Door and Frame (Specify Hand)		
BTS80G	Complete package	_	1,777.00
	BTS80-4, 80010, 7410, 7422, 8062		
BTS80G LFP	Complete package, less floor plate		1,631.00
Center Hung, Single Ac	ting, Wood or Steel Door and Frame (Specify Hand)		
втѕ80Н	Complete package	_	1,742.00
	BTS80-4, 80010, 7410, 7421, 8062		
BTS80H LFP	Complete package, less floor plate	_	1,596.00

NOTE: See BTS80 Accessories for intermediate pivots and individual component list prices.



Package	Description	Painted Finish \$	Plated Finish \$
Independent Hu	ng, on Hinges, etc. (Non-Handed)		
BTS80I	Complete package	1,743.00	1,879.00
	BTS80-4, 74003, 7410, 7451N-A**		
BTS80I LFP	Complete package, less floor plate	1,597.00	1,733.00
Independent Hu	ng, 3 Hour Rated Steel, 1-1/2 hour Rated Wood Fire Doors Hung o	n Hinges, etc. (Specify Hand)	
BTS80IF	Complete package	1,772.00	2,034.00
	BTS80 F-5, 74003, 7410, 7451N		
BTS80IF LFP	Complete package, less floor plate	1,626.00	1,888.00
3/4" Offset, Sin	gle Acting, Wood or Steel Lead Lined Door and Frame, for 1-3/4"	thick door (Specify Hand)	
BTS80L	Complete package	_	2,325.00
	BTS80-4, 74010, 7410, 75343, 75140		
BTS80L LFP	Complete package, less floor plate	_	2,179.00
3/4" Offset, Sin	gle Acting, Lead Lined 20 Minute Rated Fire Door and Frame, for 3	1-3/4" thick door (Specify Hand)	
BTS80LE	Complete package	2,381.00	2,381.00
	BTS80 F-5, 74010, 7410, 75343, 75142		
BTS80LE LFP	Complete package, less floor plate	2,235.00	2,235.00
3/4" Offset, Sin	gle Acting, Lead Lined 3 Hour Rated Fire Door and Frame, for 1-3/	4" thick door (Specify Hand)	
BTS80LF	Complete package	2,439.00	2,623.00
	BTS80 F-5, 74010, 7410, 75343, 75143		
BTS80LF LFP	Complete package, less floor plate	2,293.00	2,477.00
Independent Hu	ng, on Pocket Pivots (Non-Handed)		
BTS80P	Complete package (priced w/ 3 pivots)	3,242.00	3,675.00
	BTS80-4, 74003, 7410, 7451N-A, 75520		
BTS80P LFP	Complete package, less floor plate	3,096.00	3,529.00
	(priced w/ 3 pivots)		
Independent Hu	ng, 3 Hour Rated Steel, 1-1/2 Hour Rated Wood Fire Doors Hung o	on Pocket Pivots (Specify Hand)	
BTS80PF	Complete package (priced w/ 3 pivots)	3,372.00	3,934.00
	BTS80 F-5, 74003, 7410, 7451N, 75523		
BTS80PF LFP	Complete package, less floor plate	3,226.00	3,788.00
	(priced w/ 3 pivots)		

Concealed Closers/Pivots

Spindle is available in zinc plated finish only.
Center hung bottom arms are available in zinc plated finish only (7421/7422).

Floor plate is only available in plated finishes.

See BTS80 Accessories for intermediate pivots. See BTS Accessories for individual component list prices.

See Options for Less Cement Box.



^{*} Floor closer is painted black only. Cement case is galvanized steel.

 $^{^{**}}$ Bottom arm for painted finish would be 7451N.

Options

(List Price 'add' when ordered with complete closer)

Item	Description	Painted Add \$	Plated Add \$
3	ANSI size 3, light opening force, non-fire rated doors (previously BFE)	N/C	_
6	ANSI size 6, spring for up to 4'0" exterior or 4'6" interior non-fire rated doors (previously Sz 3)	N/C	_
AMS	All metal screws	N/C	_
AMSAWS	All metal screws, all wood screws	12.00	16.00
W1	Half wood screws	6.00	7.00
W2	All wood screws	8.00	10.00
74003, 74005, 74007, 74010	5/16", 1/2", 5/8", or 3/4" clearance spindle	N/C	_
74012, 74015, 74020	13/16", 7/8", or 1-1/8" clearance spindle	27.00	_
74025, 74030, 74035	1-5/16", 1-1/2", or 1-11/16" clearance spindle	27.00	_
74040, 74045, 74050	1-7/8", 2-1/16", or 2-5/16" clearance spindle	27.00	_
TP80	▲ Terrazo pan for BTS 80, 80 F, 80 EMB — 3/4" offset (handed)	_	603.00
TP80CH	▲ Terrazo pan for BTS 80, 80 F, 80 EMB — Center hung or 1-1/2" offset	_	549.00
SC2	Sealing compound	83.00	_
LBX	Less cement box	Deduct 24.00	_
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.		
	per order, setup charge (Net)	121.00	_
	per closer, list add	72.00	_
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" × 3" colorchip samples required. For details, see Finishes Cross Reference, page viii.		
	per order, non-refundable development/ setup charge (Net)	294.00	_
	per closer, list add	72.00	_

Spindle Inserts for Center Hung Single Acting Packages

Item	Description	Painted Add \$	Plated Add \$
80003, 80005, 80010	5/16", 1/2" or 3/4" clearance spindle (specify hand)	N/C	_
80015, 80020, 80025, 80030	7/8", 1-1/8", 1-5/16" or 1-1/2" clearance spindle (specify hand)	27.00	_

[▲] Terrazo pans are available stainless steel only.



Accessories

Pivots

Item	Description	Painted Finish \$	Plated Finish \$
3/4" Offset	: Hung Intermediate Pivots**		
75220	Full mortise standard intermediate pivot	330.00	330.00
75222	Full mortise intermediate pivot — 20 minute rated fire door	352.00	352.00
75233	Full mortise intermediate pivot — 3 hour rated fire door	371.00	716.00
75240	Full mortise intermediate pivot $-1 ext{-}3/4 ext{"}$ lead lined doors	496.00	496.00
75242	Full mortise intermediate pivot — 20 minute rated, 1-3/4" lead-lined doors	524.00	524.00
75243	Full mortise intermediate pivot -3 hour rated, $1-3/4$ " lead-lined doors	537.00	1,002.00
1-1/2" Offs	et Hung Intermediate Pivots**		
15220	Full mortise standard intermediate pivot	496.00	496.00
15222	Full mortise intermediate pivot — 20 minute rated fire door	537.00	537.00
15233	Full mortise intermediate pivot -3 hour rated fire door	551.00	964.00
Power Tran	sfer Pivots		
75200	Through-wire 3/4" offset intermediate pivot — 8 wire**	615.00	615.00
E80622	Through-wire center hung top pivot (2 wire)	671.00	671.00
E80624	Through-wire center hung top pivot (4 wire)	671.00	671.00

Concealed Closers/Pivots

- $\bullet \ \ \, \text{Only packages with an "E" or "F" designation in the package description are available in painted finishes.}$
- Specify package designation, hand (when required), finish, and options or accessories when ordering.
- · Complete package prices are indicated in bold.
- When ordering a package "less components," deduct the list price for the component removed.
- · Cover plate not available in painted finish. Cover plate will be plated to match when ordering with painted finishes.
- All packages furnished with all machine screws standard (AMS).
- Lead-lined packages shown are for 1-3/4" thick doors. For lead-lined doors from 2" up to 3" thick, add \$107.00 list to the package price. Example, specify: BTS80L-3 for a 3" thick door.
- Lead-lined packages are designed for doors with lead in center of door thickness.
- Package price for P or PF packages includes 3 pocket pivots.


^{**} All intermediate pivots are handed.

dormakaba 🚧



BTS80 EMB Series

Ordering Guide



Concealed Closers/Pivots

Package	Description	Painted Finish \$	Plated Finish \$
1-1/2" Offset, Singl	e Acting, Wood, Steel or Aluminum Door and Frame (Specify Hand)		
BTS80 EMBC	Complete package	_	4,160.00
	80 EMB-5, 74010, 7410, 15323, 15120		
BTS80 EMBC LFP	Complete package, less floor plate	_	4,014.00
1-1/2" Offset, Singl	e Acting, 20 Minute Rated Fire Door and Frame (Specify Hand)		
BTS80 EMBCE	Complete package	4,203.00	4,203.00
	80 EMB-5, 74010, 7410, 15323, 15122		
BTS80 EMBCE LFP	Complete package, less floor plate	4,057.00	4,057.00
1-1/2" Offset, Singl	e Acting, 3 Hour Rated Fire Door and Frame (Specify Hand)		
BTS80 EMBCF	Complete package	4,236.00	4,588.00
	80 EMB-5, 74010, 7410, 15323, 15133		
BTS80 EMBCF LFP	Complete package, less floor plate	4,090.00	4,442.00
3/4" Offset, Single	Acting, Wood, Steel or Aluminum Door and Frame (Specify Hand)		
BTS80 EMBD	Complete package	_	3,836.00
	80 EMB-5, 74010, 7410, 75323, 75120		
BTS80 EMBD LFP	Complete package, less floor plate	_	3,690.00
3/4" Offset, Single	Acting, 20 Minute Rated Fire Door and Frame (Specify Hand)		
BTS80 EMBE	Complete package	3,861.00	3,861.00
	80 EMB-5, 74010, 7410, 75323, 75122		
BTS80 EMBE LFP	Complete package, less floor plate	3,715.00	3,715.00
3/4" Offset, Single	Acting, 3 Hour Rated Fire Door and Frame (Specify Hand)		
BTS80 EMBF	Complete package	3,910.00	4,127.00
	80 EMB-5, 74010, 7410, 75323, 75133		
BTS80 EMBF LFP	Complete package, less floor plate	3,764.00	3,981.00
Center Hung, Single	Acting, Aluminum Door and Frame (Specify Hand)		
BTS80 EMBG	Complete package	_	3,771.00
	80 EMB-5, 80010, 7410, 7422, 8062		
BTS80 EMBG LFP	Complete package, less floor plate	_	3,625.00
Center Hung, Single	Acting, Wood or Steel Door and Frame (Specify Hand)		
BTS80 EMBH	Complete package	_	3,737.00
	80 EMB-5, 80010, 7410, 7421, 8062		
BTS80 EMBH LFP	Complete package, less floor plate	_	3,591.00
Independent Hung, o	on Hinges, etc. (Specify Hand)		
BTS80 EMBI	Complete package	3,741.00	3,873.00
	80 EMB-5, 74003, 7410, 7451N-A		
BTS80 EMBI LFP	Complete package, less floor plate	3,595.00	3,727.00
Independent Hung, 3	B Hour Rated Steel, 1-1/2 Hour Rated Wood Fire Door Hung on Hinges, etc. (Specify Hand	l)	
BTS80 EMBIF	Complete package	3,741.00	4,001.00
	80 EMB-5, 74003, 7410, 7451N**		
BTS80 EMBIF LFP	Complete package, less floor plate	3,595.00	3,855.00

NOTE: See BTS80 EMB Accessories for intermediate pivots. See BTS Accesssories for individual component list prices.

BTS80 EMB Series

Package	Description	Painted Finish \$	Plated Finish \$
3/4" Offset, Single	Acting, Lead Lined, Wood, or Steel Door and Frame, for 1-3/4" th	ick door (Specify Hand)	
BTS80 EMBL	Complete package	-	4,320.00
	80 EMB-5, 74010, 7410, 75343, 75140		
BTS80 EMBL LFP	Complete package, less floor plate	-	4,174.00
3/4" Offset, Single	Acting, Lead Lined 20 Minute Rated Fire Door and Frame, for 1-3/	/4" thick door (Specify Hand)	_
BTS80 EMBL-E	Complete package	4,346.00	4,346.00
	80 EMB-5, 74010, 7410, 75343, 75142		
BTS80 EMBLE LFP	Complete package, less floor plate	4,200.00	4,200.00
3/4" Offset, Single	Acting, Lead Lined 3 Hour Rated Fire Door and Frame, for 1-3/4"	thick door (Specify Hand)	
BTS80 EMBL-F	Complete package	4,405.00	4,589.00
	80 EMB-5, 74010, 7410, 75343,75143		
BTS80 EMBLF LFP	Complete package, less floor plate	4,259.00	4,443.00

Concealed Closers/Pivots

Spindle is available in zinc plated finish only.

Center hung bottom arms are available in zinc plated finish only (7421/7422).

Floor plate is only available in plated finishes.

See BTS80 EMB Accessories for intermediate pivots. See BTS Accessories for individual component list prices. See Options for Less Cement Box.



^{*} Floor closer is painted black only. Cement case is galvanized steel.

 $^{^{**}}$ Bottom arm for painted finish would be 7451N.

dormakaba Options

(List Price 'add' when ordered with complete closer)

Item	Description	Painted Add \$	Plated Add \$
AMS	All metal screws	N/C	_
AMSAWS	All metal screws, all wood screws	12.00	16.00
W1	Half wood screws	6.00	7.00
W2	All wood screws	7.00	10.00
74003, 74005, 74007, 74010	5/16", 1/2", 5/8", or 3/4" clearance spindle	N/C	_
74012, 74015, 74020	13/16", 7/8", or 1-1/8" clearance spindle	27.00	_
74025, 74030, 74035	1-5/16", 1-1/2", or 1-11/16" clearance spindle	27.00	_
74040, 74045, 74050	1-7/8", 2-1/16", or 2-5/16" clearance spindle	27.00	_
TP80	Terrazo pan for BTS 80, 80 F, 80 EMB - 3/4" offset (handed)	_	603.00
TP80 CH	↑Terrazo pan for BTS 80, 80 F, 80 EMB - Center hung or 1-1/2" offset	_	549.00
SC2	Sealing compound	83.00	_
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.		
	per order, setup charge (Net)	121.00	_
	per closer, list add	72.00	_
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" × 3" colorchip samples required. For details, see Finishes Cross Reference , page viii.		
	per order, non-refundable development/ setup charge (Net)	294.00	_
	per closer, list add	72.00	_

Spindle Inserts for Center Hung Single Acting Packages

Item	Description	Painted Add \$	Plated Add \$
80003, 80005, 80010	5/16", 1/2" or 3/4" clearance spindle	N/C	_
	(specify hand)		
80015, 80020, 80025, 80030	7/8", 1-1/8", 1-5/16" or 1-1/2" clearance spindle	27.00	_
	(specify hand)		

Terrazo pans are available stainless steel only.



Accessories

Pivots

Item	Description	Painted Finish \$	Plated Finish \$
3/4" Offset	Hung Intermediate Pivots**		
75220	Full mortise standard intermediate pivot	330.00	330.00
75222	Full mortise intermediate pivot $-$ 20 minute rated fire door	352.00	352.00
75233	Full mortise intermediate pivot $-$ 3 hour rated fire door	371.00	716.00
75240	Full mortise intermediate pivot $-$ 1-3/4" lead-lined doors	496.00	496.00
75242	Full mortise intermediate pivot $-$ 20 minute rated, 1-3/4" lead-lined doors	524.00	524.00
1-1/2" Offse	et Hung Intermediate Pivots**		
15220	Full mortise standard intermediate pivot	496.00	496.00
15222	Full mortise intermediate pivot — 20 minute rated fire door	537.00	537.00
15233	Full mortise intermediate pivot $-$ 3 hour rated fire door	551.00	964.00
Power Trans	fer Pivots		
75200	Through-wire 3/4" offset intermediate pivot — 8 wire**	615.00	615.00
E80622	Through-wire center hung top pivot (2 wire)	671.00	671.00
E80624	Through-wire center hung top pivot (4 wire)	671.00	671.00

Concealed Closers/Pivots

Miscellaneous

Item	Description	List \$
TP80	▲ Terrazo pan for BTS 80, 80 F, 80 EMB — 3/4" offset (Handed)	603.00
TP80CH	Terrazo pan for BTS 80, 80 F, 80 EMB — Center hung or 1-1/2" offset	549.00
SC2	Sealing compound	83.00

Terrazo pans are available stainless steel only.

- Only packages with an "E" or "F" designation in the package description are available in painted finishes. Specify package designation, hand (when required), finish, and options or accessories when ordering.

- Complete package prices are indicated in bold.

 When ordering a package "less components," deduct the list price for the component removed.

 Cover plate not available in painted finish. Cover plate will be plated to match when ordering with painted finishes.
- All packages furnished with all machine screws standard (AMS).

 Lead-lined packages shown are for 1-3/4" thick doors. For lead-lined doors from 2" up to 3" thick, add \$107.00 list to the package price. Example, specify: BTS80/L-3 for a 3" door.



All intermediate pivots are handed.


dormakaba



dormakaba 🚧

BTS75V SERIES

Ordering Guide



Concealed Closers/Pivots





Package	Description	Painted Finish \$	Plated Finish \$
Center Hung, Double Acting	, Aluminum Door and Frame (Non-Handed)		
BTS75VA	Complete package	_	1,671.00
	BTS75V NHO, 74010, 7510, 7422, 8062		
BTS75VA LFP	Complete package, less floor plate	_	1,525.00
Center Hung, Double Acting	, Wood or Steel Door and Frame (Non-handed)		
BTS75VB	Complete Package	_	1,636.00
	BTS75V NHO, 74010, 7510, 7421, 8062		
BTS75VB LFP	Complete package, less floor plate	_	1,490.00
1-1/2" Offset, Single Acting	g, Wood, Steel, or Aluminum Door and Frame (Specify Hand)		
BTS75VC	Complete package	-	2,058.00
	BTS75V NHO, 74010, 7510, 15323, 15120		
BTS75VC LFP	Complete package, less floor plate	_	1,912.00
1-1/2" Offset, Single Acting	g, 20 Minute Rated Fire Door and Frame (Specify Hand)		
BTS75VCE	Complete package	2,099.00	2,099.00
	BTS75V NHO, 74010, 7510, 15323, 15122		
BTS75VCE LFP	Complete package, less floor plate	1,953.00	1,953.00
1-1/2" Offset, Single Acting	g, 3 Hour Rated Fire Door and Frame (Specify Hand)		
BTS75VCF	Complete package	2,133.00	2,485.00
	BTS75V NHO, 74010, 7510, 15323, 15133		
BTS75VCF LFP	Complete package, less floor plate	1,987.00	2,339.00
3/4" Offset, Single Acting,	Wood, Steel, or Aluminum Door and Frame (Specify Hand)		
BTS75VD	Complete Package	_	1,733.00
	BTS75V NHO, 74010, 7510, 75323, 75120		
BTS75VD LFP	Complete package, less floor plate	_	1,587.00
3/4" Offset, Single Acting,	20 Minute Rated Fire Door and Frame (Specify Hand)		
BTS75VE	Complete package	1,759.00	1,759.00
	BTS75V NHO, 74010, 7510, 75323, 75122		
BTS75VE LFP	Complete package, less floor plate	1,613.00	1,613.00
3/4" Offset, Single Acting,	3 Hour Rated Fire Door and Frame (Specify Hand)		
BTS75VF	Complete package	1,806.00	2,026.00
	BTS75V NHO, 74010, 7510, 75323, 75133		
BTS75VF LFP	Complete package, less floor plate	1,660.00	1,880.00
Center Hung, Single Acting,	Aluminum Door and Frame (Specify Hand)		
BTS75VG	Complete package	_	1,670.00
	BTS75V NHO, 80010, 7510, 7422, 8062		
BTS75VG LFP	Complete package, less floor plate	_	1,524.00
Center Hung, Single Acting,	Wood or Steel Door and Frame (Specify Hand)		
BTS75VH	Complete package	_	1,636.00
	BTS75V NHO, 80010, 7510, 7421, 8062		
BTS75VH LFP	Complete package, less floor plate	_	1,490.00



[•] See BTS75V Accessories for intermediate pivots. See BTS Accesssories for individual component list prices.

Package	Description	Painted Finish \$	Plated Finish \$
Independent Hung, or	Hinges, etc. (Non-Handed)		
BTS75VI	Complete package	1,637.00	1,772.00
	BTS75V NHO, 74003, 7510, 7451N-A**		
BTS75VI LFP	Complete package, less floor plate	1,491.00	1,626.00
Independent Hung, 3	Hour Rated Steel and 1-1/2 Hour Rated Wood Fire Doors Hung on H	linges, etc. (Non-Handed)	
BTS75VIF	Complete package	1,637.00	1,899.00
	BTS75V NHO, 74003, 7510, 7451N		
BTS75VIF LFP	Complete package, less floor plate	1,491.00	1,753.00
Independent Hung, or	Pocket Pivots (Non-Handed)		
BTS 75VP	Complete package (priced w/ 3 pivots)	3,132.00	3,570.00
	BTS75V NHO, 74003, 7510, 7451N-A, 75520		
BTS75VP LFP	Complete package, less floor plate	2,986.00	3,424.00
Independent Hung, 3	Hour Rated Steel and 1-1/2 Hour Rated Wood Fire Doors Hung on P	ocket Pivots (Specify Hand)	
BTS75VPF	Complete package (priced w/ 3 pivots)	3,212.00	3,799.00
	BTS75V NHO, 74003, 7510, 7451N, 75523		
BTS75VPF LFP	Complete package, less floor plate	3,066.00	3,653.00

Concealed Closers/Pivots



^{*} Floor closer is painted black only. Cement case is galvanized steel. Spindle is available in zinc plated finish only. Center hung bottom arms are available in zinc plated finish only (7421/7422). Floor plate is only available in plated finishes.

^{**} Bottom arm for painted finish would be 7451N. See BTS Accesssories for individual component list prices. See Options for Less Cement Box.

Options

(List Price 'add' when ordered with complete closer)

Item	Description	Painted Add \$	Plated Add \$
90	90° hold open	67.00	_
105	105° hold open	67.00	_
BF, BF 90	Barrier free for non-fire doors only	N/C	_
AMS	All metal screws	N/C	_
AMSAWS	All metal screws, all wood screws	12.00	16.00
W1	Half wood screws	6.00	7.00
W2	All wood screws	7.00	10.00
74003, 74005, 74007, 74010	5/16", 1/2", 5/8", or 3/4" clearance spindle	N/C	_
74012, 74015, 74020	13/16", 7/8", or 1-1/8" clearance spindle	27.00	_
74025, 74030, 74035	1-5/16", 1-1/2", or 1-11/16" clearance spindle	27.00	_
74040, 74045, 74050	1-7/8", 2-1/16", or 2-5/16" clearance spindle	27.00	_
TP75	▲ Terrazo pan for BTS 75V — 3/4" offset (Handed)	_	575.00
TP75CH	▲ Terrazo pan for BTS 75V — Center hung or 1-1/2" offset	_	523.00
SC2	Sealing compound	83.00	_
LBX	Less cement box	Deduct 24.00	
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.		
	per order, setup charge (Net)	121.00	_
	per closer, list add	72.00	_
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" × 3" colorchip samples required. For details, see Finishes Cross Reference , page viii.		
	per order, non-refundable development/ setup charge (Net)	294.00	_
	per closer, list add	72.00	_

[▲] Terrazo pans are available stainless steel only.

Spindle Inserts for Center Hung Single Acting Packages

Item	Description	Painted Add \$	Plated Add \$
80003, 80005, 80010	5/16", 1/2", or 3/4" clearance spindle (specify hand)	N/C	_
80015, 80020, 80025, 80030	7/8", 1-1/8", 1-5/16", or 1-1/2" clearance spindle (specify hand)	27.00	_



Accessories

Pivots

Item	Description	Painted Finish \$	Plated Finish \$
3/4" Offset	Hung Intermediate Pivots**		
75220	Full mortise standard intermediate pivot	330.00	330.00
75222	Full mortise intermediate pivot $-$ 20 minute rated fire door	352.00	352.00
75233	Full mortise intermediate pivot $-$ 3 hour rated fire door	371.00	716.00
1-1/2" Offse	et Hung Intermediate Pivots**		
15220	Full mortise standard intermediate pivot	496.00	496.00
15222	Full mortise intermediate pivot $-$ 20 minute rated fire door	537.00	537.00
15233	Full mortise intermediate pivot $-$ 3 hour rated fire door	551.00	964.00
Power Trans	fer Pivots		
75200	Through-wire $3/4$ " offset intermediate pivot -8 wire**	615.00	615.00
E80622	Through-wire center hung top pivot (2 wire)	671.00	671.00
E80624	Through-wire center hung top pivot (4 wire)	671.00	671.00

Concealed Closers/Pivots

- Only packages with an "E" or "F" designation in the package description are available in painted finishes. Specify package designation, hand (when required), finish, and options or accessories when ordering.

- Complete package prices are indicated in bold.
 When ordering a package "less components," deduct the list price of the removed component.
 Cover plate not available in painted finish. Cover plate will be plated to match when ordering with painted finishes.
- All packages furnished with all machine screws standard (AMS).
- Package price for P or PF packages includes 3 pocket pivots.
- When BTS75D Package is ordered through Select Service, the BF closer is supplied as the default, unless specified otherwise.




^{**} All intermediate pivots are handed.

dormakaba



ITS96 Series

Ordering Guide



Concealed Closers/Pivots

- All combinations of features and options are not available for all models.
- Please refer to ITS96 Series product brochure for details.

Body	Mounting	Painted Finish \$	Plated Finish \$
Non-Hold Open			
ITS9613	Concealed in door (size 1–3)	542.00	674.00
ITS9625	Concealed in door (size 2–5)	647.00	807.00
Hold Open			
ITS9613 HO	Concealed in door w/hold open (size 1–3)	616.00	747.00
ITS9625 HO	Concealed in door w/hold open (size 2–5)	722.00	879.00

Options

(List Price 'add' when ordered with complete closer)


Item	Description	Painted Add \$	Plated Add \$
INV	Inverted ITS96 (closer in header)	20.00	39.00
BRKT ITS WOOD	Wood frame mounting kit	34.00	_
BRKT ITS METAL	Steel frame mounting kit	34.00	_
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.		
	per order, setup charge (Net)	121.00	_
	per closer, list add	39.00	_
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" × 3" color chip samples required. For details, see Finishes Cross Reference , page viii.		
	per order, non-refundable development/setup charge (Net)	294.00	_
	per closer, list add	39.00	_

- · Standard configuration is painted arm with track channel to match (shown in bold); closer and closer mounting plate are one finish only.
- Plated finish price includes arm plated and track sprayed with complementary finish.
 Minimum door thickness for ITS9625 is 2" when concealed in the door.
 For 1-3/4" thick doors, install ITS9625 in the header (i.e. ITS9625 INV).



RTS88 Series

Ordering Guide



Concealed Closers/Pivots

Package

- · All combinations of features and options are not available for all models.
- Please refer to RTS88 Series product brochure for details.

Package	Description	Painted Finish \$	Plated Finish \$
Center Hung Side	Load, Double or Single Acting, Aluminum Door and Frame (Non-Handed)		
RTS01	Complete package	696.00	_
	RTS88, 8831, 8572		
RTS01 × 8563	Complete package, including 8563 frame cover plate	774.00	_
Center Hung Side	Load, Double or Single Acting, Aluminum Door and Frame (Non-Handed)		
RTS02	Complete package	724.00	_
	RTS88, 8831, 8570		
RTS02 × 8563	Complete package, including 8563 frame cover plate	803.00	_
Center Hung Side	Load, Double or Single Acting, Steel Door and Frame (Non-Handed)		
RTS03	Complete package	1,004.00	1,117.00
	RTS88, 8831, 7471K, 7421, 8575, 8532**		
RTS03 LMC	Complete package, less mounting channel	937.00	1,050.00
Center Hung Side	Load, Double or Single Acting, Wood Door and Steel Frame (Non-Handed)		
RTS04	Complete package	1,099.00	1,213.00
	RTS88, 8832, 7471K, 7421, 8575, 8532**, W1		
RTS04 LMC	Complete package, less mounting channel	1,033.00	1,146.00
Center Hung Side	Load, Double or Single Acting, Wood Door and Frame (Non-Handed)		
RTS05	Complete package	1,028.00	1,146.00
	RTS88, 8832, 7471K, 7421, 8561, W2		
Center Hung Side	Load, Double or Single Acting, Wood Door and Aluminum Frame (Non-Handed)		
RTS06	Complete package	944.00	1,059.00
	RTS88, 8832, 7471K, 7421, W1		
RTS06 × 8563	Complete package, including 8563 frame cover plate	1,022.00	1,138.00
Center Hung End	Load, Double or Single Acting, Aluminum Door and Frame (Non-Handed)		
RTS07	Complete package	837.00	_
	RTS88, 8835, 8857		
RTS07 × 8563	Complete package, including 8563 frame cover plate	916.00	_
Center Hung End	Load, Double or Single Acting, Aluminum Door and Frame (Non-Handed)		
RTS08	Complete package	710.00	_
	RTS88, 8835, 8853		
RTS08 × 8563	Complete package, including 8563 frame cover plate	788.00	_
Center Hung End	Load, Double or Single Acting, Aluminum Door and Frame (Non-Handed)		
RTS09	Complete package	710.00	_
	RTS88, 8835, 8855		
RTS09 × 8563	Complete package, including 8563 frame cover plate	788.00	_
Center Hung End	Load, Double or Single Acting, Aluminum Door and Frame (Non-Handed)		
RTS10	Complete package	710.00	_
	RTS88, 8835, 8852		
RTS10 × 8563	Complete package, including 8563 frame cover plate	788.00	_



[•] See RTS88 Accessories for individual component list prices.

Φ.	
ຶະ	
.€ ∔	
;	
, δ d	į

Package	Description	Painted Finish \$	Plated Finish \$
Center Hung End L	oad, Double or Single Acting, Aluminum Door and Frame (Non-Handed)		
RTS11	Complete package	710.00	_
	RTS88, 8836, 8857		
RTS11 × 8563	Complete package, including 8563 frame cover plate	788.00	_
Center Hung End L	oad, Double or Single Acting, Aluminum Door and Frame (Non-Handed)		
RTS12	Complete package	710.00	_
	RTS88, 8836, 8853		
RTS12 × 8563	Complete package, including 8563 frame cover plate	788.00	-
Center Hung End L	oad, Double or Single Acting, Aluminum Door and Frame (Non-Handed)		
RTS13	Complete package	710.00	-
	RTS88, 8836, 8855		
RTS13 × 8563	Complete package, including 8563 frame cover plate	788.00	-
Center Hung End L	oad, Double or Single Acting, Aluminum Door and Frame (Non-Handed)		
RTS14	Complete package	710.00	-
	RTS88, 8836, 8852		
RTS14 × 8563	Complete package, including 8563 frame cover plate	788.00	-
Center Hung End L	oad, Double or Single Acting, Aluminum Door and Frame (Non-Handed)		
RTS15	Complete package	710.00	-
	RTS88, 8838, 8857		
RTS15 × 8563	Complete package, including 8563 frame cover plate	788.00	-
Center Hung End L	oad, Double or Single Acting, Aluminum Door and Frame (Non-Handed)		
RTS16	Complete package	710.00	-
	RTS88, 8838, 8853		
RTS16 × 8563	Complete package, including 8563 frame cover plate	788.00	_
Center Hung End L	oad, Double or Single Acting, Aluminum Door and Frame (Non-Handed)		
RTS17	Complete package	710.00	-
	RTS88, 8838, 8855		
RTS17 × 8563	Complete package, including 8563 frame cover plate	788.00	_
Center Hung End L	oad, Double or Single Acting, Aluminum Door and Frame (Non-Handed)		
RTS18	Complete package	710.00	_
	RTS88, 8838, 8852		
RTS18 × 8563	Complete package, including 8563 frame cover plate	788.00	_
Center Hung End L	oad, Double or Single Acting, Aluminum Door and Frame (Non-Handed)		
RTS19	Complete package	710.00	-
	RTS88, 8837, 8857		
RTS19 × 8563	Complete package, including 8563 frame cover plate	788.00	-
Center Hung End L	oad, Double or Single Acting, Aluminum Door and Frame (Non-Handed)		
RTS20	Complete package	710.00	-
	RTS88, 8837, 8853		
RTS20 × 8563	Complete package, including 8563 frame cover plate	788.00	
NOTE: See PTS88 Acc	ressories for individual component list prices.		

Concealed Closers/Pivots



Package	Description	Painted Finish \$	Plated Finish \$
Center Hung End Lo	oad, Double or Single Acting, Aluminum Door and Frame (Non-Handed)		
RTS21	Complete package	710.00	_
	RTS88, 8837, 8855		
RTS21 × 8563	Complete package, including 8563 frame cover plate	788.00	_
Center Hung End Lo	oad, Double or Single Acting, Aluminum Door and Frame (Non-Handed)		
RTS22	Complete package	710.00	_
	RTS88, 8837, 8852		
RTS22 × 8563	Complete package, including 8563 frame cover plate	788.00	_
Hinge Hung, Single	Acting, Aluminum Door and Frame (Non-Handed)		
RTS25	Complete package	710.00	_
	RTS88, 8812		
RTS25 × 8563	Complete package, including 8563 frame cover plate	788.00	_
3/4" Offset Pivot H	ung, Single Acting, Aluminum Door and Frame (Non-Handed)		
RTS26	Complete package	710.00	_
	RTS88, 8812		
RTS26 × 8563	Complete package, including 8563 frame cover plate	788.00	_
Hinge or 3/4" Offse	t Pivot Hung, Single Acting, Steel Door and Frame (Non-Handed)		
RTS27	Complete package	837.00	951.00
	RTS88, 8812, 8575, 8532**		
RTS27 LMC	Complete package, less mounting channel	771.00	885.00
Hinge or 3/4" offse	t Pivot Hung, Single Acting, Wood Door and Steel Frame (Non-Handed)		
RTS28	Complete package	839.00	955.00
	RTS88, 8812, 8575, 8532**, W1		
RTS28 LMC	Complete package, less mounting channel	773.00	889.00
Hinge or 3/4" Offse	t Pivot Hung, Single Acting, Wood Door and Frame (Non-Handed)		
RTS29	Complete package	771.00	890.00
	RTS88, 8812, 8561, W2		
Hinge Hung, Single	Acting, Wood Door and Aluminum Frame (Non-Handed)		
RTS30	Complete package	686.00	890.00
	RTS88, 8812, W1		
RTS30 × 8563	Complete package, including 8563 frame cover plate	764.00	_
3/4" Offset Pivot H	ung, Single Acting, Wood Door and Aluminum Frame (Non-Handed)		
RTS31	Complete package	686.00	
	RTS88, 8812, W1		
RTS31 × 8563	Complete package, including 8563 frame cover plate	764.00	_

- See RTS88 Accessories for individual component list prices.
- RTS closer body is always painted aluminum.
- Bottom arm and closer arm are always zinc plated finish.
 Frame mounting channel is always unfinished.
 8563 cover plate is available painted only.



^{**} No. 8532 steel header mounting channel is specifically designed to install the RTS closer into open-throat steel header sections. Typical practice would be to install the mounting channel in the header prior to shipment to the job site.

Options

(List Price 'add' when ordered with complete closer)

Item	Description	Painted Add \$	Plated Add \$
AMS	All metal screws	N/C	_
AMSAWS	All metal screws, all wood screws	12.00	16.00
W1	Half wood screws	6.00	7.00
W2	All wood screws	8.00	10.00
105° NHO Sz 3, 4, BFI, BFE	Closer with 105° bumper without hold open	N/C	_
105° HO Sz 3, 4, BFI, BFE	Closer with 105° bumper and 105° hold open	N/C	_
90° NHO Sz 2, 3, or 4	Closer with 90° bumper without hold open	N/C	_
90° HO Sz 2, 3 or 4	Closer with 90° bumper and 90° hold open	N/C	_
5 mm EXT	3/16" (5 mm) extended spindle (integral part of pinion)	N/C	_
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.		
	per order, setup charge (Net)	121.00	_
	per closer, list add	72.00	_
Designer Color	Designer painted color matched to supplied samples. Three (3) each 2" × 3" color chip samples required. For details, see Finishes Cross Reference, page viii.		
	per order, non-refundable development/ setup charge (Net)	294.00	_
	per closer, list add	72.00	

NOTES:

- Specify package designation, hand (when required), finish, and options or accessories when ordering.
 RTS packages furnished standard with 105° NHO, size 3 closer.
- Complete package prices are indicated in bold.
- When ordering a package "less components," deduct the list price of the component removed.

 Auxiliary limiting stop <u>required</u> for all RTS88 installations, especially those doors experiencing unusual conditions, e.g. excessive wind pressure or abuse.

Accessories

Item	Description	List \$
8836S	Closer arm, 7/8" top rail glass door shoe (zinc plated finish only)	219.00
8511	Slide arm, (8812) cover/applied stop (specify hand and finish)	299.00
8521E	Add-on 1-5/16" spindle extension (finish not required)	69.00
8532	Steel header closer mounting channel (finish not required)	68.00
8820J	Conversion bracket kit to replace Jackson OH closer with RTS88 (Finish not required)	20.00




dormakaba 🚧



LM Series, Heavy-Duty

Ordering Guide



Concealed Closers/Pivots

- · All combinations of features and options are not available for all models.
- Please refer to LM Heavy-Duty Series product brochure for details.

Packages for Doors Weighing up to 440 lb

Center Hung Packages

Description	Painted Finish \$	Plated Finish \$
ninum Door and Frame (Non-handed)		
Complete package	426.00	426.00
7471K, 7422, 8062		
od or Steel Door and Frame (Non-handed)		
Complete package	390.00	390.00
7471K, 7421, 8062		
	Complete package 7471K, 7422, 8062 ad or Steel Door and Frame (Non-handed) Complete package	Complete package 426.00 7471K, 7422, 8062 ad or Steel Door and Frame (Non-handed) Complete package 390.00

NOTE: Bottom arms are available in zinc plated finish only.

3/4" Offset Packages

Package	Description	Painted Finish \$	Plated Finish \$
Single Acting, Wood, Stee	el, or Aluminum Door and Frame (Specify Hand)		
	Complete package	488.00	488.00
OP440	7471K, 75323, 75120		
Single Acting, 20 Minute R	Rated Fire Door and Frame (Specify Hand)		
OP440E	Complete package	512.00	512.00
	7471K, 75323, 75122		
Single Acting, 3 Hour Rate	ed Fire Door and Frame (Specify Hand)		_
OP440F	Complete package	561.00	782.00
	7471K, 75323, 75133		
Single Acting, Wood or St	eel Door and Frame (Specify Hand)		
OPJ350	Complete package	670.00	670.00
	75320, 75120		
Single Acting, Lead-Lined	Door and Frame, 1-3/4" Thick Door (Specify Hand)		
OPL440	Complete package	975.00	975.00
	7471K, 75343, 75140		
Single Acting, Lead-Lined	, 20 Minute Rated Fire Door and Frame, 1-3/4" Thick Door ((Specify Hand)	
OPL440E	Complete package	1,002.00	1,002.00
	7471K, 75343, 75142		
Single Acting, Lead-Line	d, 3 Hour Rated Fire Door and Frame, 1-3/4" Thick Door (Sp	pecify Hand)	
OPL440F	Complete package	1,058.00	1,006.00
	7471K, 75343, 75143		

NOTE: See LM Heavy Duty Accessories for intermediate pivots. See LM Accessories for individual component list prices.



dormakaba 🚧

1-1/2" Offset Packages

Package	Description	Painted Finish \$	Plated Finish \$
Single Acting, Wood, Ste	el, or Aluminum Door and Frame (Specify Hand)		
OP15200	Complete package	813.00	813.00
	7471K, 15323, 15120		
Single Acting, 20 Minute	Rated Fire Door and Frame (Specify Hand)		
OP15200E	Complete package	855.00	855.00
	7471K, 15323, 15122		
Single Acting, 3 Hour Rat	ed Fire Door and Frame (Specify Hand)		
OP15200F	Complete package	890.00	1,242.00
	7471K, 15323, 15133		
NOTE: See LM Heavy Duty A	ccessories for intermediate pivots. See LM Accesssories for individual com	ponent list prices.	

NOTE: See LM Heavy Duty Accessories for intermediate pivots. See LM Accesssories for individual component list prices

Options

(List Price 'add' when ordered with complete closer)

Item	Description	Painted Finish \$	Plated Finish \$
AMS	All metal screws	N/C	_
AMSAWS	All wood screws, all metal screws	12.00	16.00
W1	Half wood screws	6.00	7.00
W2	All wood screws	8.00	10.00
EXT	Extended spindles available in 5 mm increments from 5 mm-45 mm in height (specify height)	47.00	_

Accessories

(Center Hung Pivot)

Item	Description	Painted Finish \$	Plated Finish \$
HD8062	Heavy-duty complete top pivot	482.00	500.00
E80622	Through-wire center hung top pivot (2 wire) fire door	671.00	671.00
E80624	Through-wire center hung top pivot (4 wire)	671.00	671.00



3/4" Offset Hung Intermediate Pivots**

Item	Description	Painted Finish \$	Plated Finish \$
75220	Full mortise standard intermediate pivot	330.00	330.00
75222	Full mortise intermediate pivot — 20 minute rated fire door	352.00	352.00
75233	Full mortise intermediate pivot — 3 hour rated fire door	371.00	716.00
75240	Full mortise intermediate pivot $-$ 1-3/4" lead-lined doors	496.00	496.00
75242	Full mortise intermediate pivot — 20 minute rated 1-3/4" lead-lined doors	524.00	524.00
75243	Full mortise intermediate pivot — 3 hour rated 1-3/4" lead-lined doors	537.00	1,002.00
75200	Through-wire 3/4" offset intermediate pivot — 8 wire**	615.00	615.00

^{**} All intermediate pivots are handed.

1/2" Offset Hung Intermediate Pivots**

Item	Description	Painted Finish \$	Plated Finish \$
15220	Full mortise standard intermediate pivot	496.00	496.00
15222	Full mortise intermediate pivot — 20 minute rated fire door	537.00	537.00
15233	Full mortise intermediate pivot — 3 hour rated fire door	551.00	964.00


^{**} All intermediate pivots are handed.

- Specify package designation, hand (when required), finish, and options or accessories when ordering.
 Complete package prices are indicated in bold.
- When ordering a package "less components," deduct the list price of the component removed.
- Viner of defining a package less components, deduct the list price of the component removed.
 Lead-lined packages shown are for 1-3/4" thick non-fire rated doors. For lead-lined doors up to 3" thick, add \$107.00 list to the package price. Example: OPL800 2-1/2. Others available are 2", 2-1/4", and 3".
 Consult factory for quotes on lead-lined, fire-rated packages for various door thicknesses.
- All pivots furnished with all machine screws standard (AMS).



LM Series, Extra Heavy-Duty

Ordering Guide



Concealed Closers/Pivots

- All combinations of features and options are not available for all models.
- Please refer to LM Heavy-Duty Series product brochure for details.

Packages for Doors Weighing Over 440 lb. to 1,000 lb.

Center Hung Packages

Package	Description	Painted Finish \$	Plated Finish \$
Double or Sing	gle Acting, Wood or Steel Door and Frame (Non-handed)		
CP660	Complete package	947.00	947.00
	7471HD/74005, 7421, 8062		
Double or Sing	gle Acting, Wood or Steel Door and Frame (Non-handed)		
CP1000	Complete package	1,286.00	1,286.00
	7471HD/74005, 7421, HD8062		

3/4" Offset Packages

Package	Description	Painted Finish \$	Plated Finish \$
Single Acting,	Wood, Steel, or Aluminum Door and Frame (Specify Hand)		
OPH750	Complete package	1,047.00	1,047.00
	7471HD/74005, 75323, 75120		
Single Acting,	20 Minute Rated Fire Door and Frame (Specify Hand)		
OPH750E	Complete package	1,071.00	1,071.00
	7471HD/74005, 75323, 75122		
Single Acting,	3 Hour Rated Fire Door and Frame (Specify Hand)		
OPH750F	Complete package	1,119.00	1,339.00
	7471HD/74005, 75323, 75133		
Single Acting, I	Lead-Lined Door and Frame, 1-3/4" Thick Door (Specify Hand)		
OPL800	Complete package	1,532.00	1,532.00
	7471HD/74005, 75343, 75140		
Single Acting, I	Lead-Lined, 20 Minute Rated Fire Door and Frame, 1-3/4" Thick Door (Specify Hand)		
OPL800E	Complete package	1,558.00	1,558.00
	7471HD/74005, 75343, 75142		
Single Acting, I	Lead-Lined, 3 Hour Rated Fire Door and Frame, 1-3/4" Thick Door (Specify Hand)		_
OPL800F	Complete package	1,615.00	1,801.00
	7471HD/74005, 75343, 75143		



1-1/2" Offset Packages

Package	Description	Painted Finish \$	Plated Finish \$
Single Acting, Wood	Steel, or Aluminum Door and Frame (Specify Hand)		_
OP15500	Complete package	1,371.00	1,371.00
	7471HD/74005, 15323, 15120		
Single Acting, 20 Mir	nute Rated Fire Door and Frame (Specify Hand)		
OP15500E	Complete package	1,413.00	1,413.00
	7471HD/74005, 15323, 15122		
Single Acting, 3 Hou	Rated Fire Door and Frame (Specify Hand)		
OP15500F	Complete package	1,447.00	1,800.00
	7471HD/74005, 15323, 15133		

Concealed Closers/Pivots

- See LM Extra-Heavy Duty Accessories for intermediate pivots. See LM Accesssories for individual component list prices.

- Center hung bottom arms are available in zinc plated finish only.
 7471HD floor bearings not available in painted finish. 7471HD is plated to match when ordering with painted finishes.
 See LM Extra Heavy-Duty Accessories for intermediate pivots. See LM Accessories for individual component list prices.

Options

(List Price 'add' when ordered with complete set)

Item	Description	Painted Add \$	Plated Add \$
AMS	All metal screws	N/C	
AMSAWS	All metal screws, all wood screws	12.00	16.00
W1	Half wood screws	6.00	7.00
W2	All wood screws	8.00	10.00
74003	9/16" clearance spindle (when used w/7471HD)	N/C	
74007	7/8" clearance spindle (when used w/7471HD)	N/C	
74010	1" clearance spindle (when used w/7471HD)	N/C	_
74012	1-1/16" clearance spindle (when used w/7471HD)	27.00	
74015	1-1/8" clearance spindle (when used w/7471HD)	27.00	_
74020	1-3/8" clearance spindle (when used w/7471HD)	27.00	
74025	1-9/16" clearance spindle (when used w/7471HD)	27.00	
74030	1-3/4" clearance spindle (when used w/7471HD)	27.00	

Exit Devices

dormakaba 🚧

Accessories

(Center Hung Pivot)

Item	Description	Painted Finish \$	Plated Finish \$
HD8062	Heavy-duty complete top pivot	482.00	500.00
E80622	Through-wire center hung top pivot (2 wire) fire door	671.00	671.00
E80624	Through-wire center hung top pivot (4 wire)	671.00	671.00

3/4" Offset Hung Intermediate Pivots**

Item	Description	Painted Finish \$	Plated Finish \$
75220	Full mortise standard intermediate pivot	330.00	330.00
75222	Full mortise intermediate pivot — 20 minute rated fire door	352.00	352.00
75233	Full mortise intermediate pivot — 3 hour rated fire door	371.00	716.00
75240	Full mortise intermediate pivot $-$ 1-3/4" lead lined doors	496.00	496.00
75242	Full mortise intermediate pivot — 20 minute rated 1-3/4" lead-lined doors	524.00	524.00
75243	Full mortise intermediate pivot — 3 hour rated 1-3/4" lead-lined doors	537.00	1,002.00
75200	Through-wire 3/4" offset intermediate pivot — 8 wire**	615.00	615.00

^{**} All intermediate pivots are handed.

1-1/2" Offset Hung Intermediate Pivots**

Item	Description	Painted Finish \$	Plated Finish \$
15220	Full mortise standard intermediate pivot	496.00	490.00
15222	Full mortise intermediate pivot $-$ 20 minute rated fire door	537.00	537.00
15233	Full mortise intermediate pivot — 3 hour rated fire door	551.00	964.00

^{**} All intermediate pivots are handed.

90° Pocket Pivots


Item	Description	Painted Finish \$	Plated Finish \$
75520	Standard pocket pivot	498.00	601.00
75523	3 hour rated pocket pivot	525.00	634.00

- Specify package designation, hand (when required), finish, and options or accessories when ordering.
 Complete package prices are indicated in bold.
 When ordering a package "less components," deduct the list price of the component removed.
 Lead-lined packages shown are for 1-3/4" thick non-fire rated doors. For lead-lined doors up to 3" thick, add \$107.00 list to the package price. Example: OPL800 2-1/2. Others available are 2", 2-1/4", and 3".
- $\bullet \quad \hbox{Consult factory for quotes on lead-lined, fire-rated packages for various door thicknesses.}\\$
- All pivots furnished with all machine screws standard (AMS).



900/700 Series

Ordering Guide



Stops/Holders

- All combinations of features and options are not available for all models.
- Please refer to 700/900 Series product brochure for details.

700 Series

Standard Duty Surface

Item	Description	Painted Finish \$	Plated Finish \$
701S	Stop only	139.00	277.00
702S	Stop only	139.00	277.00
703S	Stop only	139.00	277.00
701F	Friction stop	139.00	277.00
702F	Friction stop	139.00	277.00
703F	Friction stop	139.00	277.00
701H	Stop/hold	139.00	277.00
702H	Stop/hold	139.00	277.00
703H	Stop/hold	139.00	277.00

Standard Duty Concealed

Item	Description	Painted Finish \$	Plated Finish \$
711S	Stop only	135.00	247.00
712S	Stop only	135.00	247.00
713S	Stop only	135.00	247.00
711F	Friction stop	135.00	247.00
712F	Friction stop	135.00	247.00
713F	Friction stop	135.00	247.00
711H	Stop/hold	135.00	247.00
712H	Stop/hold	135.00	247.00
713H	Stop/hold	135.00	247.00



900 Series

Heavy Duty Surface

Item	Description	Painted Finish \$	Plated Finish \$
901S	Stop only	278.00	473.00
902S	Stop only	278.00	473.00
9035	Stop only	278.00	473.00
901H	Stop/hold	278.00	473.00
902H	Stop/hold	278.00	473.00
903H	Stop/hold	278.00	473.00

Stops/Holders

Heavy Duty Concealed

Description	Painted Finish \$	Plated Finish \$
Stop only	340.00	441.00
Stop only	340.00	441.00
Stop only	340.00	441.00
Stop/hold	340.00	441.00
Stop/hold	340.00	441.00
Stop/hold	340.00	441.00
	Stop only Stop only Stop only Stop/hold Stop/hold	Stop only 340.00 Stop only 340.00 Stop only 340.00 Stop/hold 340.00 Stop/hold 340.00

Options

(List Price 'add')

Item	Description	Painted Finish \$	Plated Finish \$
7090	Pull side mounting bracket (900/700)	58.00	119.00
900RTSCH	Push side mounting bracket for use with RTS center hung closer. Provides mount for surface applied stop mount plate to prevent screws from damaging RTS closer body.	58.00	119.00
902RTSOFF	Push side mounting bracket for 902 stop/holder, used with offset pivots when RTS closer is installed in the header.	58.00	119.00
903RTSOFF	Push side mounting bracket for 903 stop/holder, used with offset pivots and an RTS closer installed in the header.	58.00	119.00
Custom Color	Custom painted finish selected from RAL color pallet book. For details, see Finishes Cross Reference , page viii.		
	per order, setup charge (Net)	121.00	_
	per closer, list add	39.00	_
Designer Color	Designer painted color matched to supplied samples. Three (3) Color each 2" × 3" colorchip samples required. For details, see Finishes Cross Reference, page viii.		
	per order, non-refundable development/setup charge (Net)	294.00	_
	per closer, list add	39.00	_

NOTE: Standard screw pack includes wood and machine screws for the soffit bracket, and sex nuts for the door, as required.





dormakaba




Pull Finishes Cross Reference

	DORMA GMBH Finish #	Closest BHMA Equivalent
Anodized Aluminum Parts		
Clear	101	628
Similar to Stainless Steel	107	670
Dark Bronze	108	710
Black	109	711
Aluminum Color	114	718
Brass		
Polished Brass without Lacquer	503	_
Satin Brass without Lacquer	599	728
Steel or Stainless Steel		
Satin Stainless Steel	700	630
Polished Stainless Steel	701	629
Bronze		
Satin Bronze without Lacquer	600	612
Polished Bronze without Lacquer	601	611
Custom Finish*	999	_

^{*}All Custom Finishes will incur a \$200 net setup fee per purchase order, per color.

TG 138 Ladder Pulls

Ordering Guide





(800) 348 – 226

TG 138 Locking and Non-Locking Ladder Pulls

Locking Ladder	Pull Configuration	ons Sing	le and Back-To-I	Back Locking and Non-Locking Pulls	Standard Finish \$	Custom I	Finish \$
Model	Ref. #	U/M	No. Of Fixing Posts	Description	700	701	999
Back-to-Back Lo	cking Ladder Pull	with T S	mall Format Inte	rchangeable Core (SFIC) Cylinder, BA Core MKD (KD)	3	SO	SO
n. Ga	926.933	Set	3F	L B2B STD 84" 700	1,652.00	2,133.00	_
	926.932	Set	3F	L B2B STD 72" 700	1,610.00	2,077.00	
	926.936	Set	3F	L B2B STD 60" 700	1,572.00	2,028.00	_
	926.930	Set	2F	L B2B STD 49" 700	1,509.00	1,946.00	_
	Single Sided	Locking	Ladder Pull witl	n T Cylinder (SFIC), BA Core MKD (KD), or Thumb-To	urn (TT)		
	926.934	Ea.	2F	L SNG STD 49" CYL 700	860.00	1,103.00	
	926.935	Ea.	2F	L SNG STD 49" TT 700	860.00	1,103.00	_
Back-to-Back N	on-Locking Lado	ler Pull			3	SO	
A	926.923	2 Ea.	3F	NL B2B STD 84" 700	700.00	910.00	924.00
9	926.922	2 Ea.	3F	NL B2B STD 72" 700	661.00	858.00	886.00
fle	926.924	2 Ea.	3F	NL B2B STD 60" 700	620.00	805.00	845.00
	926.920	2 Ea.	2F	NL B2B STD 49" 700	557.00	724.00	782.00
8 8		NOTE:	Specify 2 Ea. for a	back-to-back set,			
	Single Sided	Non-Loc	king Ladder Pul	l			
	926.923	Ea.	3F	NL SNG STD 84" 700	406.00	528.00	541.00
	926.922	Ea.	3F	NL SNG STD 72" 700	384.00	498.00	518.00
	926.924	Ea.	3F	NL SNG STD 60" 700	360.00	468.00	495.00
	926.920	Ea.	2F	NL SNG STD 49" 700	323.00	419.00	457.00
				pecify Fixing Pack and adjust List Price accordingly for er Pulls and all door panel thicknesses greater than 1/2".			

- Default fastener pack addresses 3/8"-3/4" thick glass, except locking ladder pulls, 3/8"-5/8". 3/4" glass for locking pulls requires special 926.911 locking assembly at List \$212.
- Default cylinder for TG 138 L pulls uses SFIC C Cylinder BA Core.
- Other cylinder and keying options available, see Cylinder Types, Keying Options & Keyways.
- 999 Finish is Custom Paint and Powder only, not available on locking pulls.
- SO Special Fabricated/Finish or Special Order; lead time up to 9 weeks.
- 3 Standard or Non-Standard Fabricated; lead time up to 3 business days.

TG 138 Locking and Non-Locking Ladder Pulls Accessories

Mounting	Ref. #	Description	Door Thickness	List \$
	926.937	Strike, Dustproof, Standard 1-1/8" (29 mm)		42.00
	926.890	Locking Post Mounting Pack, Back-to-back, (Non-Locking Post Fasteners not included)	1-3/4" (44 mm)	227.00
	926.909	Mounting Pack, Back-to-back Non-Locking Post	1-3/8" (34 mm) – 1-3/4" (44 mm)	60.00
	926.910	Mounting Pack, SNG Blind, 3 each in pack (Will not project through door)	min. 1-3/4" (44 mm)	29.00
	926.908	Mounting Pack, Single Non-Locking x Sex Nut	3/4" (19 mm) – 3-1/8" (80 mm)	63.00
	926.939	Washer Pack	_	16.00

NOTE: Default cylinder for Locking Ladder pulls uses SFIC T cylinder with temporary construction core in 626 Satin. Other cylinder and keying options available, see next page.

SO Special Fabricated/Finish or Special Order; lead time up to 9 weeks.



TG 138 Cylinder Types, Keying Options, and Keyways

Deduct \$	Description	Option	Cylinder
Deduct 75.00	Lock less cylinder and cylinder ring		L
	linders	able Core Cyli	Interchange
N/C	SFIC — Housing with combinated SFIC construction core installed at thefactory; BA (default), BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BQ, D100 keyway —		С
N/C	Master keyed, Keyed Different (Keyed different to a random combination) or Keyed Alike; BA Core with 1 control key and 2 change keys; Up to 20 days additional lead time for Keyed Alike.	MKD	
Deduct 5.00	SFIC — Housing with keyed temporary SFIC construction core (Core may be returned for a full refund) — \bigodot Keys sold separately		Т
Deduct 45.00	SFIC — Housing with disposable plastic SFIC plug		J
Deduct 37.00	Schlage LFIC - Housing less core		R
	non-interchangeable core)	al Cylinders (n	Convention
Deduct 45.00	Conventional cylinder		D
Deduct 45.00	Keyed differently to a random combination; SC keyway with 2 keys (default)	KD	
Deduct 45.00	Keyed alike in pairs to a random combination; SC keyway with 2 keys	KA2	
Deduct 33.00	Keyed alike (or Keyed to Order - KTO) sets of 3 or more; SC keyway with 2 keys	NSK	
Deduct 45.00	Operated by 1-bit key (sold separately); SC, SE keyway with 2 key blanks	1-Bit SC	
Deduct 45.00	O Operated by 0-bit key (sold separately); D100 keyway — Keys sold separately	0-Bit D-100	
Deduct 33.00	Operated by a key blank; AA, CA, CB, CC, CD, CE, RA, RB, GA, SF, WA, YA, YG keyways with 2 keys	0-Bit	
Deduct 29.00	Master keyed; SC, SE, or D100 keyway — ⊘ Keys sold separately	MKD	
Deduct 27.00	Construction master keyed single cylinder locks — Θ Keys sold separately	СМК	

Ladder Pulls will be supplied with SFIC C cylinder, Option BA MKD (KD).

Denotes keys must be ordered separately.

Cut Keys Ordered Separately					
Part #	Description	List \$			
45101	SFIC Cut Key — Change key, master key, construction master key, or control key; BA, BB, BC, BD, BE, BF BG, BH, BJ, BK, BL, BM, BQ, SC, SE keyways	7.00			
45401	SFIC Cut Key — Change key, master key, or control key; SKC keyways — D100 etc.	11.00			
45404	CONV/LFIC Cut Key $-$ 1-Bit key for operating 1-bit cylinders $-$ SC, SE keyways	5.00			


- Distribution of DORMA SKC keys (listed as D100) is restricted. Call customer service for dormakaba SKC policies.
- See Keys and Key Blanks section for complete list.



Exit Devices

TG 9387 Ladder Pulls

Ordering Guide






Stock TG 9387 Standard Size Non-Locking Ladder Pulls, with Straight Fixing Posts

Stock Pull Handles for Commercial Doors						Finish \$
Model	Ref. #	U/M	No. Of Fixing Posts	Description	on	700
Back-to-B	Back 1-1/4" (32 mm) D	3				
	B2B.905.370	Set	3F	L = 60"	CTC = 37-1/2"	276.00
	B2B.905.371	Set	2F	L = 42"	CTC = 26-1/4"	189.00
	B2B.905.372	Set	2F	L = 36"	CTC = 22-1/2"	172.00
	B2B.905.373	Set	2F	L = 18"	CTC = 11-1/4"	138.00
	B2B.905.374	Set	2F	L = 12"	CTC = 7-1/2"	129.00
Single Sid	ed 1-1/4" (32 mm) Did	meter				3
	SNG.905.370	Ea.	3F	L = 60"	CTC = 37-1/2"	141.00
	SNG.905.371	Ea.	2F	L = 42"	CTC = 26-1/4"	96.00
	SNG.905.372	Ea.	2F	L = 36"	CTC = 22-1/2"	87.00
	SNG.905.373	Ea.	2F	L = 18"	CTC = 11-1/4"	70.00
	SNG.905.374	Ea.	2F	L = 12"	CTC = 7-1/2"	66.00
						List \$
POWDER	All Custom power	der coate	d orders will incl	ude a net ch	arge per purchase order.	225.00

- Prefix Ref. # with (SNG) single or (B2B) back-to-back. Specify part number, pull height, door material, and door thickness. For single pull on wood door, specify roses or blind fasteners.
- Inserts and mounting hardware included in stock pull TG 9387, list price as shown.
- Mounting hardware also available as multi-pack service packs and priced seperately following pulls.

Model Accessories	Ref. #	U/M	Description	List \$
	905.390	Set	Service inserts, reduces post thread from 8 mm-6 mm, used for every mounting post. Bulk pack of 6. Used as service item.	8.00
	905.388	Set	Service mounting pack with finished mounting ROSE used for SNG WOOD mount 1-3/8"-2" (40 mm-51 mm). Bulk pack of 6. Used as service item.	37.00
	905.386	Set	Service mounting pack used for BACK-TO-BACK WOOD mount 1-3/8"-2" (40 mm-51 mm). Bulk pack of 6. Used as service item.	19.00
	905.389	Set	Service mounting pack with BLIND (concealed) fasteners. Used for SNG WOOD mount ≥ 1-3/8" (40 mm). Bulk pack of 6. Used as service item.	19.00

øG	1-1/4" (32)				
øS	1" (25)				
Н	3-3/8" (85)				
3 fixings required	60" (1,524)				
(CTC) Center-to-Center	37-1/2" (953)	26-1/4" (667)	22-1/2" (571)	11-1/4" (286)	7-1/2" (191)
L (Length)	60" (1,524)	42" (1,067)	36" (914)	18" (457)	12" (305)



225.00

TG 9387 Custom Size Non-Locking Ladder Pulls, with Straight Fixing Posts

Pull Handles for Commercial Doors No. Of		Standa	d Finish \$	Custom Finish			
Model	Ref. #	U/M	No. Of Fixing Posts	Description	700	701	999
Back-to-	Back 1-1/4" ((32 mm)	Diameter		so	so	SO
	905.568	Ea.	3F	L = 94-1/2" through 110-3/16"	1,226.00	1,349.00	1,675.00
	905.567	Ea.	3F	L = 74-13/16" through 94-7/16"	1,061.00	1,167.00	1,510.00
	905.566	Ea.	2F	L = 59-1/16" through 74-3/4"	896.00	985.00	1,346.00
	905.565	Ea.	2F	L = 43-5/16" through 59"	731.00	804.00	1,068.00
	905.564	Ea.	2F	L = 27-9/16" through 43-1/4"	565.00	622.00	902.00
	905.563	Ea.	2F	L = 11-13/16" through 27-1/2"	399.00	439.00	737.00
ingle Si	ded 1-1/4" (3	2 mm) [Diameter		SO	so	SO
	905.368	Ea.	3F	L = 94-1/2" through 110-3/16"	725.00	798.00	950.00
	905.367	Ea.	3F	L = 74-13/16" through 94-7/16"	636.00	700.00	860.00
	905.366	Ea.	2F	L = 59-1/16" through 74-3/4"	545.00	600.00	770.00
	905.365	Ea.	2F	L = 43-5/16" through 59"	455.00	501.00	624.00
	905.364	Ea.	2F	L = 27-9/16" through 43-1/4"	366.00	403.00	534.00
	905.363	Ea.	2F	L = 11-13/16" through 27-1/2"	275.00	302.00	444.00
Back-to-	Back 1" (25 n	nm) Diar	meter		SO	so	SO
	905.527	Ea.	3F	L = 94-1/2" through 110-3/16"	1,068.00	1,174.00	1,517.00
	905.526	Ea.	3F	L = 74-13/16" through 94-7/16"	950.00	1,045.00	1,399.00
	905.525	Ea.	3F	L = 59-1/16" through 74-3/4"	832.00	915.00	1,281.00
	905.524	Ea.	2F	L = 43-5/16" through 59"	713.00	786.00	1,050.00
	905.523	Ea.	2F	L = 27-9/16" through 43-1/4"	596.00	656.00	933.00
	905.522	Ea.	2F	L = 11-13/16" through 27-1/2"	478.00	527.00	815.00
ingle Si	ded 1" (25 mi	m) Diam	eter		SO	SO	(\$0)
	905.327	Ea.	3F	L = 94-1/2" through 110-3/16"	692.00	762.00	917.00
	905.326	Ea.	3F	L = 74-13/16" through 94-7/16"	617.00	679.00	842.00
	905.325	Ea.	3F	L = 59-1/16" through 74-3/4"	542.00	596.00	767.00
	905.324	Ea.	2F	L = 43-5/16" through 59"	467.00	514.00	636.00
	905.323	Ea.	2F	L = 27-9/16" through 43-1/4"	391.00	431.00	560.00
	905.322	Ea.	2F	L = 11-13/16" through 27-1/2"	315.00	347.00	483.00
			,				Net Add

NOTE: Specify door thickness to aquire appropriate mounting screwpack.

øG	1" (25)	1-1/4" (32)
øS	11/16" (18)	1" (25)
н	2-15/16" (75)	3-3/8" (85)
3 fixings required	59-1/16" (1,500)	59-1/16" (1,500)


All Custom powder coated orders will include a net charge per purchase order.

NOTES:

POWDER

- When required, 3rd fixing post is centered on L dimension unless otherwise requested. Center distance can be specifically tailored to your requirements.
 Specify door thickness and desired screwpack.
 Top and bottom post location is preset at factory unless specified custom by customer.

SO Special Fabricated/Finish or Special Order; lead time up to 5 weeks.



MANET Non-Locking Ladder Pulls, with straight fixing posts and MANET clamping disks

Pull Handles for	Pull Handles for Commercial		, Back-to-Back (B2B) or Single Sided	Standard Finish \$	Custom Finish \$
Model	Ref. #	U/M	No. Of Fixing Posts	Description	700	999
Back-to-Back					1	so
20-1/2" (S20 mm) (821.276	Ea.	4F	20-1/2" (520 mm) Center-to-Center Length 69-5/16" (1760 mm)	682.00	1,306.00
20-1/2" (520 mm)	821.273	Ea.	3F	20-1/2" (520 mm) Center-to-Center Length 48-13/16" (1240 mm)	567.00	1,201.00
20-1/2" (520 mm) — — — — — — — — — — — — — — — — — —	821.270	Ea.	2F	20-1/2" (520 mm) Center-to-Center Length 28-3/8" (720 mm)	454.00	809.00
5-7/8" (150 mm) (150 mm) (150 mm) (150 mm)	821.267	Ea.	2F	5-7/8" (150 mm) Center-to-Center Length 13-3/4" (350 mm)	331.00	668.00
						Net Add \$
POWDER	All Custom	powder	coated orders w	vill include a net charge per purchase order.		225.00

- Specify door thickness and either wood or glass door material.
- Specify Ref. # 829.991 for 1-3/4" (44 mm) wood door fasteners, no additional charge.
- 1 Non-Fabricated item, ships in 1 business day.
- (so) Special Fabricated/Finish or Special Order; lead time up to 5 weeks.

Pull Handles for Con	nmercial Doors				Standard Finish \$	Custom Finish \$
Model	Ref. #	U/M	No. Of Fixing Posts	Description	700	999
Single Sided					SO	SO
20-1/2"	821.243	Ea.	4F	20-1/2" (520 mm) Center-to-Center Length 69-5/16" (1760 mm)	533.00	758.00
48-13/16" (1240 mm)	821.242	Ea.	3F	20-1/2" (520 mm) Center-to-Center Length 48-13/16" (1240 mm)	433.00	658.00
# 20-1/2" (\$20 mm) # # # # # # # # # # # # # # # # # #	821.241	Ea.	2F	20-1/2" (520 mm) Center-to-Center Length 28-3/8" (720 mm)	301.00	469.00
25-7/8" (150 mm) (350 mm)	821.240	Ea.	2F	5-7/8" (150 mm) Center-to-Center Length 13-3/4" (350 mm)	246.00	415.00
						Net Add \$
POWDER	All Custom	powder	coated orders	will include a net charge per purchase order	er.	225.00

- Specify door thickness and either wood or glass door material.
 Specify Ref. # 829.991 for 1-3/4" (44 mm) wood door fasteners, no additional charge.
- $\ensuremath{\mathfrak{S0}}$ Special Fabricated/Finish or Special Order; lead time up to 5 weeks.

TG 9335 Decorative Pulls, Straight Pull with Mitered Corners/Posts

Pull Handles for Commercial Doors			Standar	Standard Finish \$			
Model	Ref. #	U/M	No. Of Fixing Posts	Description	700	701	999
Back-to-Ba	ack 1-1/4" (32	mm) Dio	ımeter		so	so	so
	905.545	Ea.	3F	CTC = 94-1/2" through 110-3/16"	1,126.00	1,238.00	1,575.00
7	905.544	Ea.	3F	CTC = 74-13/16" through 94-7/16"	969.00	1,065.00	1,418.00
- 11	905.543	Ea.	3F	CTC = 59-1/16" through 74-3/4"	812.00	893.00	1,262.00
- 11	905.542	Ea.	2F	CTC = 43-5/16" through 59"	655.00	720.00	992.00
- 11	905.541	Ea.	2F	CTC = 27-9/16" through 43-1/4"	497.00	546.00	834.00
	905.540	Ea.	2F	CTC = 7-7/8" through 27-1/2"	340.00	373.00	677.00
Single Side	d 1-1/4" (32 ı	mm) Dian	neter		SO	(s0)	(so)
	905.345	Ea.	3F	CTC = 94-1/2" through 110-3/16"	676.00	743.00	900.00
	905.344	Ea.	3F	CTC = 74-13/16" through 94-7/16"	590.00	647.00	814.00
	905.343	Ea.	3F	CTC = 59-1/16" through 74-3/4"	502.00	553.00	727.00
	905.342	Ea.	2F	CTC = 43-5/16" through 59"	416.00	457.00	584.00
	905.341	Ea.	2F	CTC = 27-9/16" through 43-1/4"	330.00	363.00	498.00
	905.340	Ea.	2F	CTC = 7-7/8" through 27-1/2"	245.00	270.00	414.00
Back-to-Ba	ack 1" (25 mm) Diamet	er		so	SO	so
	905.506	Ea.	3F	CTC = 94-1/2" through 110-3/16"	1,422.00	1,564.00	1,872.00
	905.505	Ea.	3F	CTC = 74-13/16" through 94-7/16"	1,258.00	1,384.00	1,708.00
	905.504	Ea.	3F	CTC = 59-1/16" through 74-3/4"	1,096.00	1,206.00	1,545.00
	905.503	Ea.	2F	CTC = 43-5/16" through 59"	933.00	1,026.00	1,270.00
	905.502	Ea.	2F	CTC = 27-9/16" through 43-1/4"	770.00	848.00	1,107.00
	905.501	Ea.	2F	CTC = 8-1/4" through 27-1/2"	607.00	668.00	944.00
Single Side	d 1" (25 mm)	Diamete	r		SO	SO	\$0
	905.306	Ea.	3F	CTC = 94-1/2" through 110-3/16"	834.00	917.00	1,059.00
	905.305	Ea.	3F	CTC = 74-13/16" through 94-7/16"	743.00	817.00	968.00
	905.304	Ea.	3F	CTC = 59-1/16" through 74-3/4"	653.00	718.00	877.00
	905.303	Ea.	2F	CTC = 43-5/16" through 59"	561.00	617.00	729.00
	905.302	Ea.	2F	CTC = 27-9/16" through 43-1/4"	470.00	517.00	639.00
	905.301	Ea.	2F	CTC = 8-1/4" through 27-1/2"	380.00	417.00	548.00
							Net Add \$
POWDER	All Custom	oowder co	oated orders will	include a net charge per purchase order.			225.00

- When required, 3rd fixing post is centered on CTC dimension unless otherwise requested.
- CTC=Center to center of mounting posts.
 Specify door thickness and desired screwpack. See following page for options.

 $\ensuremath{\mathfrak{S0}}$ Special Fabricated/Finish or Special Order; lead time up to 5 weeks.



Exit Devices

TG Decorative Pulls

Pull Handles for Commercial Do	ors			Standar	d Finish \$	Custom Finish \$
Model	Ref. #	U/M	Description	700	701	999
TG 9830 Bowed Pull, 13-3/4" (3	49 mm) Cen	ter-to-C	enter	SO	so	SO
+	905.530	Set	Back-to-Back	671.00	739.00	896.00
1-3/16* (30 mm) 9/16* (15 mm) 1-3/16* (15 mm) 3-11/16* (30 mm)	905.330	Ea.	Single Sided	412.00	453.00	580.00
FG 9304 Curved Pull, Radius Sta L3-3/4" (349 mm) Center-to-Ce		" (32 m	m) Diameter,	\$0	SO	(SO)
20 5, 4 (547 min) Center-to-Ce	905.569	Set	Back-to-Back	340.00	373.00	564.00
	905.369	Ea.	Single Sided	222.00	244.00	390.00
21			Ø 1-1/4" (32 mm)		-	
) cro			R 1-3/4" (44 mm)			
			R1 6-7/8" (175 mm)			
B			B 8-11/16" (220 mm)			
I 8			H 3-3/8" (85 mm)			
			CTC 13-3/4" (350 mm)			
TG 9306 Curved Pull, Sharp/Stro 13-3/4" (349 mm) Center-to-Ce		off, 1-9/	16" (40 mm) Diameter,	(\$0)	<u>so</u>	SO
	905.611	Set	Back-to-Back	752.00	828.00	977.00
	905.411	Ea.	Single Sided	451.00	496.00	620.00
(350			ØGØS 1-9/16" (40 mm)			
# FE ///			R 6-7/8" (175 mm)			
			B 8-3/16" (205 mm)			
øS.			H 3-15/16" (100 mm)			
T			M 1" (24 mm)			
NOTE: Specify door thickness and de	sired screwpa	ck.				
Fixings for TG Handles to Glass	Doors 1-3/8	" (35 mr	n)-3-15/16" (100 mm) Thick		700/701	999
					SO	SO
	905.901	Ea.	Back-to-Back – M6		28.00	30.00
	905.903	Ea.	Back-to-Back – M8		28.00	30.00
	905.907	Ea.	Single Sided – M6		48.00	52.00
	905.906	Ea.	Single Sided – M8		48.00	52.00
Rose Options for TG Pulls						
	905.971	Ea.	1-9/16" (40 mm) Rose – M6		12.00	14.00

1-3/4" (44 mm) Rose – M8

All Custom powder coated orders will include a net charge per purchase order.

SO Special Fabricated/Finish or Special Order; lead time up to 5 weeks.

905.972

Ea.



12.00

14.00

Net Add \$ 225.00

287

POWDER

ARCOS and BEYOND Decorative Pulls

Pulls for Commercio	ıl Doors		,		Standard Finish \$	Custom Finish
/lodel	Ref. #	U/M	No. Of Fixing Posts	Description	114	999
RCOS 15-11/16" ((398 mm) Length	1			SO	so
	826.500	Set	2F	13-3/4" (350 mm) Center-to-Center	383.00	607.00
RCOS 32-1/16" (8	24 mm) Length				so	
	826.510	Set	2F	29-1/2" (750 mm) Center-to-Center	451.00	900.00
					107	999
EYOND, Specify D	oor Thickness				(\$0)	SO
	830.300	Set	2F	17-3/4" (450 mm) Center-to-Center 3/8" (10 mm) or 1/2" (12 mm)	916.00	1,141.00
	830.305	Set	2F	23-5/8" (600 mm) Center-to-Center 3/8" (10 mm) or 1/2" (12 mm)	1,062.00	1,287.00
	830.310	Set	2F	35-7/16" (900 mm) Center-to-Center 3/8" (10 mm) or 1/2" (12 mm)	1,268.00	1,717.00
						Net Add
OWDER	All Custom	nowder co	oated orders will in	 nclude a net charge per purchase order	-	225.0

 $\textbf{NOTE:} \ \mathsf{Specify} \ \mathsf{door} \ \mathsf{thickness} \ \mathsf{and} \ \mathsf{either} \ \mathsf{wood} \ \mathsf{or} \ \mathsf{glass} \ \mathsf{door} \ \mathsf{material}.$

 $\ensuremath{{\bf S0}}$ Special Fabricated/Finish or Special Order; lead time up to 5 weeks.



Exit Devices

Solid and Tubular Pull Handles for Commercial doors

							Finish	es\$		
Model	Ref. #	U/M	Description	101	108	109	503/599	600/601	700	701
Solid and Tubular, Bo	ack-to-Back,	, 10" and	d 12" (Center-to-Center) Handles	1	1	SO	SO)	so	1	S0
	926.001	Set	10" (254 mm) Solid	66.00	69.00	69.00	_	282.00	149.00	149.00
(Doa	926.601	Set	10" (254 mm) Tubular	_	_	_	119.00	_	79.00	79.00
	926.004	Set	12" (305 mm) Solid	69.00	74.00	74.00	202.00	507.00	164.00	164.00
	926.604	Set	12" (305 mm) Tubular	_	_	_	126.00	_	82.00	82.00 1
Solid and Tubular, Si	ngle Sided, 1	LO" and	12" (Center-to-Center) Handles	so	SO	SO	so	so	so	\$0
	926.012	Ea.	10" (254 mm) Solid	39.00	46.00	46.00		_	_	_
© _{©©}	926.612	Ea.	10" (254 mm) Tubular	_	_		_	_	50.00	50.00
	926.016	Ea.	12" (305 mm) Solid	51.00	54.00	54.00	_	_	_	_
	926.616	Ea.	12" (305 mm) Tubular					_	54.00	54.00
Solid and Tubular, Bo	ack-to-Back	Offset,	10" and 12" (Center-to-Center) Handles	SO	SO	<u>so</u>	<u>so</u>	SO	SO	80
	926.622	Set	10" (254 mm) Tubular	_	_	_	_	_	99.00	99.00
	926.009	Set	12" (305 mm) Solid	79.00	87.00	87.00	_	_	_	_
	926.609	Set	12" (305 mm) Tubular	_	_	_	161.00	_	108,00	108.00
Solid and Tubular, Bo	ack-to-Back,	, 10" and	d 12" (Center-to-Center) × 27-3/4" Handles	so	SO	S0	SO	SO	SO	so
George Control of the	926.002	Set	10" × 27-3/4" (254 × 705 mm) Solid	91.00	101.00	101.00	_	_	_	_
3 00	926.602	Set	10" × 27-3/4" (254 × 705 mm) Tubular	_	_	_	_	_	128.00	128.00
).	926.005	Set	12" × 27-3/4" (305 × 705 mm) Solid	87.00 1	97.00 1	97.00	_	_	278.00 1	278.00

Architectural Pulls and Handles

NOTES:

- Tubular handles include a 1-1/4" (32 mm) washer.

926.605

Specify door thickness and either wood or glass door material.
 Call Customer Service for wood door thickness 1-3/8"-2-1/2" fastener information and ordering guidance.

(305 × 705 mm) Tubular

12" × 27-3/4"

- (1) Non-Fabricated item, 2-day lead time.
- (so) Special Fabricated/Finish or Special Order; lead time up to 5 weeks.

PROUDLY DISTRIBUTED BY



289

136.00

172.00

PROUDLY DISTRIBUTED BY



(800) 348 - 2263

dormakaba USA Inc. Tel: 800-523-8483 Fax: 800-274-9724 www.dormakaba.us

dahorders.us@dormakaba.com