


Buy American Act (BAA)

Compliant product guide
May 2014



Allegion

11819 North Pennsylvania Street
Carmel, Indiana 46032
877-671-7011

Allegion Government website

st-govtservices@allegion.com

Government sales contact:

Terry Collins
678-906-2108 Office
404-429-7556 Cell

GSA contract administrator contact:

Megan Dale
678-906-2115 Office
770-687-9973 Cell

GSA sales contact:

Doug Otto
317-810-3301l Office
317-294-0127 Cell

Table of contents

| | | | |
|-----------------------------------------------------|-------|--|--|
| Government supply definitions | 4-5 | | |
| Information required prior to requesting assistance | 6 | | |
| BAA order transmittal cover letter | 7 | | |
| Locks | | | |
| Schlage | | | |
| A Series | 8 | | |
| AL Series | 8 | | |
| B250 Series | 8 | | |
| B500 Series | 8 | | |
| B600/700/800 Series | 8 | | |
| CS200 Series | 8 | | |
| D Series | 8 | | |
| H Series | 8 | | |
| ND Series | 8 | | |
| L Series | 8 | | |
| S Series | 8 | | |
| S200 Series | 8 | | |
| Falcon | | | |
| B Series | 8 | | |
| D100 | 8 | | |
| D200 | 8 | | |
| MA Series | 8 | | |
| T Series | 8 | | |
| W Series | 8 | | |
| X Series | 8 | | |
| Fusion (residential) | | | |
| Handlesets | 8 | | |
| Entry plates | 8 | | |
| Knobs & levers | 8 | | |
| Deadbolts | 8 | | |
| Elite | 8 | | |
| Electronic access control | | | |
| Schlage | | | |
| Cylinders | 9-15 | | |
| AD Series | 16 | | |
| CO Series | 16 | | |
| aptiQ™ readers | 16 | | |
| Biometric hand readers | 17 | | |
| Biomtrics, time & attendance | 17 | | |
| Biomtrics, spares & accessories | 17-18 | | |
| Von Duprin | | | |
| Electric strikes | 19 | | |
| Electric power transfer | 19 | | |
| Schlage | | | |
| Pushbuttons | 20 | | |
| Keyswitches | 20 | | |
| Door position switches | 20 | | |
| Power supplies | 20 | | |
| Power supply, option boards | 21 | | |
| Closers | | | |
| LCN | | | |
| Door closers | 22 | | |
| Automatic operators | 22 | | |
| Fire/life safety | 23 | | |
| Falcon | | | |
| Door closers | 23 | | |
| Automatic operators | 23 | | |
| Exit devices | | | |
| Von Duprin | | | |
| Exit device | 24 | | |
| Mullion/other | 24 | | |
| Falcon | | | |
| Exit device | 24 | | |
| Mullion | 24 | | |
| Auxiliary hardware | | | |
| Glynn-Johnson | | | |
| Overhead holders & stops | 25 | | |
| Push/pull latch | 26 | | |
| Ives | | | |
| Hinges | 26 | | |
| Continuous hinges | 26 | | |
| Pivots | 26 | | |
| Kickplates & push/pull plates | 27 | | |
| Carry bars | 27 | | |
| Invisible latches | 27 | | |
| Coordinators | 27 | | |
| Dust proof strikes | 27 | | |
| Door viewer | 27 | | |
| Flush bolts | 28 | | |
| Filler bars | 28 | | |
| Floor/door stops & holders | 28 | | |
| Lock guards | 28 | | |
| Mounting brackets | 28 | | |
| Roller latches | 29 | | |
| Locking bolts | 29 | | |
| Silencers | 29 | | |
| Wall stops/holders | 29 | | |
| Doors and frames | | | |
| Steelcraft | | | |
| Metal doors | 30 | | |
| Metal frames | 30 | | |
| Architectural stick | 30 | | |
| Falcon | | | |
| Metal door series | 30 | | |
| Up charges | | | |
| Additional costs and order requirements | 31 | | |

This catalog contains products that currently comply with Buy American requirements imposed by the federal government through the Buy American Act (BAA) or meet a clear exception to these Buy American requirements. The catalog is reviewed and updated on a quarterly basis, to verify continued compliance. Please be sure to visit www.allegion.com/us/industries/government for the most current catalog revision.

It is our goal to make it as easy as possible to supply Allegion products for projects subject to Buy American requirements. A brief description of some of the federal requirements can be found below. Please keep in mind that there are exceptions, exemptions and waivers to many of these requirements. Understanding all the factors that can affect a particular product or project can be confusing, which is why Allegion has a Government Services team to assist you. We are often able to provide product solutions based on these factors. Please direct product or project related inquiries by contacting us at st-govtservices@allegion.com.

To obtain product certification forms, e-mail your request to st-govtservices@allegion.com, and your request will be forwarded to the proper location.

All items in this catalog are subject to the prices, terms and conditions listed in the respective current product price books.

What is the BAA?

The Buy American Act establishes a preference for the federal government, when purchasing supplies for use in the United States, to purchase products mined, produced, or manufactured in the United States. For most products, the federal government has created a two-part test examining manufacturing and the cost of domestic components. First, under the basic standard established by the Comptroller General of the United States, manufacturing necessitates that the “completion of the [end product] in the form required for use by the Government be carried out domestically.” As an example, kits assembled and packaged in the United States can be considered manufactured in the United States even where individual components are manufactured in foreign countries. Second, more than 50% of the cost of the components of the end product must be mined, produced or manufactured in the United States. However, where an end product being sold to the federal government is a commercially available off-the-shelf (COTS) item, meaning no modifications are made to the product for sale to the federal government, the components test is waived. Most Allegion products are COTS items and exempt from the components test; products must be manufactured and assembled in the United States.

When could BAA apply?

The BAA applies to federal purchases exceeding \$3,000. However, established trade agreements with numerous countries set maximum thresholds for the application of the BAA when products from qualifying designated WTO countries are offered. When the construction project exceeds \$7,804,000, the federal government must give equal consideration to products substantially transformed in qualifying designated WTO countries. BAA does not apply to purchases made through U.S. General Services Administration Schedule contracts.

What is the ARRA?

The American Recovery and Reinvestment Act of 2009 (ARRA) is an economic stimulus package that prohibits the use of funds for any project involving the construction, alteration, maintenance, or repair of a public building or public work (i.e. a dam or wastewater treatment facility) unless all of the iron, steel and manufactured goods used in the project are produced in the United States. Unlike the BAA, the ARRA is a one part test, “was the iron, steel or manufactured good” produced in the United States?” While the meaning of “produced” is not defined by statute or regulation, it is expected to be applied in a manner similar to the test for manufacturing under the BAA.

When could the ARRA Apply?

Federal contracts

The ARRA requirements apply to all federal contracts for construction, alteration, maintenance, or repair of a building. However, when the federal contract exceeds \$7,804,000 WTO-GPA and \$9,110,318 NAFTA products substantially transformed in qualifying designated countries must receive equal consideration. For example, Falcon brand lock series B and W products are substantially transformed in Taiwan (a qualifying designated WTO country) and are, therefore, eligible for use on federal construction contracts exceeding \$7,804,000.

State contracts

The ARRA requirements apply without limitation to contracts with the following thirteen states, when the state entity uses federal ARRA dollars to fund a construction project for a public building or public work:

| | | |
|----------|----------------|----------------|
| Alabama | Indiana | New Mexico |
| Ohio | West Virginia | Alaska |
| Nevada | North Carolina | South Carolina |
| Georgia | New Jersey | North Dakota |
| Virginia | | |

In cases where ARRA dollars are used to fund the construction project, the remaining 37 states have agreed to give equal consideration to products substantially transformed in qualifying designated countries, including Taiwan. Qualifying contract value must be \$7,804,000 or over.

At this time none of the 50 states recognize or have agreed to participate in the NAFTA Trade Agreement, which includes Mexican products.

Local governments and other governing entities

The ARRA requirements apply to cities and municipalities that contract using ARRA funds. In cases where ARRA dollars are used to fund the construction project, the following entities do not allow the use of product that has been substantially transformed in a qualifying designated country.

| | |
|------------------------------|---------------|
| Boston, MA | Detroit, MI |
| San Antonio, TX | Chicago, IL |
| Indianapolis, IN | Puerto Rico |
| Dallas, TX | Nashville, TN |
| Massachusetts Port Authority | |

The following named entities have agreed to give equal consideration to products substantially transformed in WTO-GPA countries, including Taiwan.
Port Authority of New York and New Jersey
Port of Baltimore

TAA -Trade agreements act establishes an exception to the Buy American Act for end products produced or manufactured in the United States, or substantially transformed in the U.S. or designated end country into a new and different article of commerce with a different name, character, or use; distinct from which it was transformed, per Federal Acquisition Regulations (FARS). As with BAA, there are many exceptions to TAA that may apply.

What is World trade organization (WTO) Government procurement act?

WTO is an established trade agreement with numerous countries setting maximum thresholds for the application of the BAA when products from qualifying designated WTO countries are offered.

When could World Trade Organization (WTO) apply?

When contract value exceeds \$7,804,000, the federal government must give equal consideration to products substantially transformed in qualifying designated WTO countries. Established trade agreements with numerous countries set maximum thresholds for the application of the BAA when products from qualifying designated WTO countries are offered.

NAFTA - The North American free trade agreement is a trade agreement in effect between the United States, Canada & Mexico. The NAFTA agreement provides for preferential tariff treatment for “originating” goods traded within the NAFTA region. Products originating in NAFTA countries may be eligible under the Trade Agreements Act (TAA) as an exception to BAA, based on specific dollar thresholds of \$9,110,318, and applies to Federal construction projects.

Domestic end product – A product that is 1) manufactured in the U.S. and 2) whose cost of components mined, produced or manufactured in the U.S. exceed 50% of the total cost of all components.

FARS - Federal acquisition regulations – A section of the U.S. Code of Federal Regulations detailing purchasing / procurement policies for the federal government.

DFARS - Defense federal acquisition regulations – A section of the U.S. Code of Federal Regulations detailing purchasing / procurement policies for the Department of Defense (DoD).

Construction project – Any federally funded new construction or renovation work involving a General Contractor is generally considered a construction contract. Often, the word “construction” is noted in the contract.

COTS - Commercially available off the shelf – Any item, other than real property, that is of a type customarily used by the general public or non-governmental purposes, and that 1) Has been sold, leased or licensed to the general public; or 2) Has been offered for sale, lease or license to the general public. Does not apply to Mexico end-products, as assembly and packaging is required in the United States.

February 16, 2010 –Canada and the United States have signed an agreement under which the United States has waived the Buy American provisions. Canadian companies can now participate in a number of infrastructure projects being funded under the Recovery Act. The agreement enjoys the full support of Canadian provinces and territories.

Information required prior to requesting assistance

Your request for a BAA certification letter should include the following:

- 1. Project name: _____
- 2. Solicitation # (if applicable): _____
- 3. Total project size (dollar amount): \$_____
- 4. Does the above project total size exceed the \$7.8 M threshold for BAA/WTO? Yes No
- 5. Is the project a DOT FAA (department of transportation or federal aviation authority)? Yes No
- 6. Does the above project total size exceed the \$9.1 M threshold for NAFTA? Yes No
- 7. Federal project: Yes No
- 8. State project: Yes state: _____ No
- 9. City project: Yes No
- 10. HUD project: Yes No
- 11. US EPA project: Yes No
- 12. ARRA funded project: Yes No
- 13. List of specified products
(Attach separate sheet if required. Project take-offs and quote request forms are acceptable for product descriptions)

| | |
|--|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

Submit completed form to: st-govtservices@allegion.com

****Please note this is only a worksheet to help provide and gather all necessary information for Buy American Act certification.****

BAA Order Transmittal Cover Letter



Buy American Act (BAA)

Note that orders requiring BAA compliant products MUST include this cover letter to be properly identified.

Failure to include a BAA Transmittal Cover Sheet or properly marking the order PRODUCTS REQUESTED WITH BAA COMPLIANCE or include the BA/BAA suffix when required could result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund.

Locks

Schlage

| Product | Description | Function | Trim | Finish | COO |
|-------------------------|----------------------|----------|------|--------|------------|
| A Series ••▲ | Grade 2, cylindrical | All | All | All | USA/Mexico |
| AL Series ••▲ | Grade 2, cylindrical | All | All | All | USA/Mexico |
| B250 Series*▲ | Grade 2, deadbolt | All | All | All | USA/Mexico |
| B500 Series ••▲ | Grade 2, deadbolt | All | All | All | USA/Mexico |
| B600/700/800 Series ••▲ | Grade 1, deadbolt | All | All | All | USA/Mexico |
| CS200 Series ••▲ | Interconnected lock | All | All | All | USA/Mexico |
| D Series*▲ | Grade 1, cylindrical | All | All | All | USA |
| H Series ••▲ | Interconnected lock | All | All | All | USA |
| ND Series ••▲ | Grade 1, cylindrical | All | All | All | USA/Mexico |
| L Series ••▲ | Grade 1, mortise | All | All | All | USA/Mexico |
| S Series ••▲ | Grade 2, tubular | All | All | All | USA/Mexico |
| S200 Series ••▲ | Interconnected lock | All | All | All | USA/Mexico |

* Available for complete locks and deadbolts only

▲ See page 31 for additional cost and order requirements

• Products contribute credits toward LEED certification.

Falcon

| Product | Description | Trim | Finish | COO |
|-------------|----------------------------------------|------|--------|--------|
| B Series • | Grade 2, standard duty, cylindrical | All | All | Taiwan |
| D100 • | Grade 1, deadbolt | All | All | Mexico |
| D200 • | Grade 2, deadbolt | All | All | Mexico |
| MA Series • | Grade 1, mortise | All | All | Taiwan |
| T Series • | Grade 1, extra heavy duty, cylindrical | All | All | Mexico |
| W Series • | Grade 2, medium duty, cylindrical | All | All | Taiwan |
| X Series | Grade 1, heavy duty, cylindrical | All | All | Mexico |

• Products contribute credits toward LEED certification.

Falcon locks listed on this page qualify for BAA projects above the qualifying designated country threshold. Other Falcon locks not listed here may qualify for BAA projects above the qualifying designated country threshold. See "When could BAA apply?" on page 4 and 5 for more details.

Residential decorative locks

Fusion

| Product | Description | Function | Trim | Finish | COO |
|-----------------------------------------------|-----------------------------------------------------|----------|------|--------|--------|
| Handlesets | Tubular and mortise | All | All | All | USA |
| Entry plates | Tubular and mortise | All | All | All | USA |
| Knobs and levers (Excludes Elite products) | Keyed entry, interiors (Excludes Elite products) | All | All | All | USA |
| Deadbolts | Various | All | All | All | USA |
| Elite | Handlesets, interiors, keyed | All | All | All | Taiwan |

The products listed meet the requirements of BAA on the published date of this catalog. Please check www.allegion.com/us/industries/government to verify that you are using the most current information.

Cylinders

Schlage

| Product number | Description | Function | COO |
|----------------|-----------------------------------------------------------------------------------------------------|----------------------------------|-----|
| 09-409 | Classic conventional bulk pack cylinder kit | Key-in-knob | USA |
| 09-410 | Classic conventional bulk pack cylinder kit | Rim | USA |
| 09-411 | Classic conventional bulk pack cylinder kit | Full size interchangeable core | USA |
| 09-412 | Classic conventional bulk pack cylinder kit | Mortise (specify length) | USA |
| 09-416 | Conventional bulk pack AL Series tailpieces | Parts | USA |
| 09-418 | Conventional bulk pack D Series knobs tailpieces | Parts | USA |
| 09-484 | Bulk pack of 20-001 mortise cylinders | Mortise | USA |
| 09-485 | Bulk pack of 30-001 mortise cylinders | Mortise | USA |
| 09-751 | Everest conventional bulk pack cylinder kit | Key-in-knob / lever | USA |
| 09-752 | Everest conventional bulk pack cylinder kit | Rim | USA |
| 09-753 | Everest conventional bulk pack cylinder kit | Full size interchangeable core | USA |
| 09-754 | Everest conventional bulk pack cylinder kit | Mortise (specify length) | USA |
| 09-756 | Everest conventional and Primus bulk pack tailpieces A Series except Orbit style knob | Parts | USA |
| 09-757 | Everest conventional and Primus bulk pack tailpieces A Series Orbit style knob | Parts | USA |
| 09-764 | Primus/Primus XP bulk pack cylinder kit | Key-in-knob / lever | USA |
| 09-765 | Primus/Primus XP bulk pack cylinder kit | Rim | USA |
| 09-766 | Primus/Primus XP bulk pack cylinder kit | Full size interchangeable core | USA |
| 09-767 | Primus/Primus XP Everest bulk pack cylinder kit | Mortise (specify length) | USA |
| 09-833 | Primus/Primus XP Classic bulk pack cylinder kit | Key-in-knob | USA |
| 09-834 | Primus/Primus XP Classic bulk pack cylinder kit | Rim | USA |
| 09-835 | Primus/Primus XP Classic bulk pack cylinder kit | Mortise | USA |
| 09-836 | Primus/Primus XP Classic bulk pack cylinder kit | Full size interchangeable core | USA |
| 20-001 | L Series sectional trim conventional L9060 outside | Conventional | USA |
| 20-002 | Mortise cylinder conventional L9060 | Conventional | USA |
| 20-009 | Conventional mortise cylinder for Corbin Russwin master ring | Conventional | USA |
| 20-013 | Cylinders for Adams Rite MS, 4500 and 4700 Series , Lori 4500, CR DL3000 conventional | Conventional | USA |
| 20-021 | Exit devices and aluminum doors conventional cylinder vertical | Conventional | USA |
| 20-022 | Exit devices and aluminum doors conventional cylinder horizontal | Conventional | USA |
| 20-030 | Letter / mail box cylinder Classic and Everest | Classic Everest letter/ mail box | USA |
| 20-033 | Letter / mail box cylinder Classic and Everest | Classic Everest letter/ mail box | USA |
| 20-057 | Interchangeable core rim cylinders for exit devices conventional | Conventional rim | USA |
| 20-059 | Mortise cylinders with straight cam for exit devices housing less core | FSIC housing | USA |
| 20-060 | L series full size IC core Adams Rite 4500, 4700 Series housing less core | FSIC Adams Rite | USA |
| 20-061 | Mortise cylinders with straight cam for exit devices conventional | Conventional | USA |
| 20-062 | Exit device full size IC conventional core for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000 | Adams Rite | USA |
| 20-066 | Exit device full size IC housing less core for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000 | Adams Rite | USA |
| 20-069 | Letter / mail box cylinder Classic and Everest | Letter / mail box | USA |
| 20-079 | Exit device rim cylinder IC core conventional housing less core | Conventional | USA |

The above cylinders are BAA compliant when ordered using restricted keyways and most open keyways. Please consult your sales representative for compliance when using the core open keyways.

The products listed meet the requirements of BAA on the published date of this catalog. Please check www.allegion.com/us/industries/government to verify that you are using the most current information.

Cylinders

Schlage

| Product number | Description | Function | COO |
|----------------|--------------------------------------------------------------------------------------------|--------------|-----|
| 20-090 | L Series cylinder only Adams Rite 4070 Series housing less core | Adams Rite | USA |
| 20-091 | L Series conventional core Adams Rite 4070 Series | Conventional | USA |
| 20-172 | Cabinet locks and padlocks conventional | Door | USA |
| 20-174 | Cabinet locks and padlocks conventional | Drawer | USA |
| 20-500 | L Series sectional trim Primus UL437 L9060 outside | Primus | USA |
| 20-500-XP | L Series sectional trim Primus XP UL437 L9060 outside | Primus XP | USA |
| 20-501 | L Series L&N Primus UL 437 L9060 outside | Primus | USA |
| 20-501-XP | L Series L&N Primus XP UL 437 L9060 outside | Primus XP | USA |
| 20-505 | Primus UL 437 mortise cylinder for Corbin Russwin master ring | Primus | USA |
| 20-505-XP | Primus XP UL 437 mortise cylinder for Corbin Russwin master ring | Primus XP | USA |
| 20-506 | Primus UL 437 cylinder for Adams Rite MS4500, 4700, Lori 4500 and corbin DL3000 | Primus | USA |
| 20-506-XP | Primus XP UL 437 cylinder for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000 | Primus XP | USA |
| 20-508 | Primus UL 437 mortise cylinder for Adams Rite 4070 Series | Primus | USA |
| 20-508-XP | Primus XP UL 437 mortise cylinder for Adams Rite 4070 Series | Primus XP | USA |
| 20-509 | Exit device and aluminum door Primus UL 437 listed cylinder with vertical | Primus | USA |
| 20-509-XP | Exit device and aluminum door Primus XP UL 437 listed cylinder with vertical | Primus XP | USA |
| 20-510 | Exit device and aluminum door Primus UL 437 listed cylinder horizontal | Primus | USA |
| 20-510-XP | Exit device and aluminum door Primus XP UL 437 listed cylinder horizontal | Primus XP | USA |
| 20-515 | L Series L&N Escutcheon Primus UL 437 lockout | Primus | USA |
| 20-515-XP | L Series L&N Escutcheon Primus XP UL 437 lockout | Primus XP | USA |
| 20-516 | Exit device and aluminum door Primus UL 437 listed lockout cylinder horizontal | Primus | USA |
| 20-516-XP | Exit device and aluminum door Primus XP UL 437 listed lockout cylinder horizontal | Primus XP | USA |
| 20-517 | L Series L&N Escutcheon Primus UL 437 lockout | Primus | USA |
| 20-517-XP | L Series L&N Escutcheon Primus XP UL 437 lockout | Primus XP | USA |
| 20-518 | Primus UL 437 lockout cylinder for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000 | Primus | USA |
| 20-518-XP | Primus XP UL 437 lockout cylinder for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000 | Primus XP | USA |
| 20-519 | Primus UL 437 for Sargent 7L, 10, 65 line levers | Primus | USA |
| 20-519-XP | Primus XP UL 437 for Sargent 7L, 10, 65 line levers | Primus XP | USA |
| 20-520 | Primus UL 437 for Sargent 7, 8, 9 line knobs | Primus | USA |
| 20-520-XP | Primus XP UL 437 for Sargent 7, 8, 9 line knobs | Primus XP | USA |
| 20-523 | Primus UL 437 for Yale 5300, 5400, 6200 knobs | Primus | USA |
| 20-523-XP | Primus XP UL 437 for Yale 5300, 5400, 6200 knobs | Primus XP | USA |
| 20-524 | A Series Primus UL 437 listed high security cylinder, non-Orbit style knob | Primus | USA |
| 20-524-XP | A Series Primus XP UL 437 listed high security cylinder, non-Orbit style knob | Primus XP | USA |
| 20-526 | Primus UL 437 for Sargent 6 | Primus | USA |
| 20-526-XP | Primus XP UL 437 for Sargent 6 | Primus XP | USA |
| 20-527 | Primus UL 437 for Corbin Russwin CK4200, UT5200 | Primus | USA |
| 20-527-XP | Primus XP UL 437 for Corbin Russwin CK4200, UT5200 | Primus XP | USA |
| 20-528 | AL Series Primus UL 437 high security cylinder | Primus | USA |
| 20-528-XP | AL Series Primus XP UL 437 high security cylinder | Primus XP | USA |
| 20-529 | B250 Series Primus UL 437 high security cylinder | Primus | USA |
| 20-529-XP | B250 Series Primus XP UL 437 high security cylinder | Primus XP | USA |

The above cylinders are BAA compliant when ordered using restricted keyways and most open keyways. Please consult your sales representative for compliance when using the core open keyways.

The products listed meet the requirements of BAA on the published date of this catalog. Please check www.allegion.com/us/industries/government to verify that you are using the most current information.

Cylinders

Schlage

| Product number | Description | Function | COO |
|----------------|-----------------------------------------------------------------------------|-------------------|-----|
| 20-531 | Primus UL 437 complete cylinder and housing | Primus | USA |
| 20-531-XP | Primus XP UL 437 complete cylinder and housing | Primus XP | USA |
| 20-539 | Primus UL 437 for Corbin Russwin CL3400, CL3600 | Primus | USA |
| 20-539-XP | Primus XP UL 437 for Corbin Russwin CL3400, CL3600 | Primus XP | USA |
| 20-542 | B861, B864 Primus UL 437 | Primus | USA |
| 20-542-XP | B861, B864 Primus XP UL 437 | Primus XP | USA |
| 20-543 | B861, B864 Primus UL 437 | Primus | USA |
| 20-543-XP | B861, B864 Primus XP UL 437 | Primus XP | USA |
| 20-544 | B860, B863 Primus UL 437 | Primus | USA |
| 20-544-XP | B860, B863 Primus XP UL 437 | Primus XP | USA |
| 20-545 | B862 Primus UL 437 | Primus | USA |
| 20-545-XP | B862 Primus XP UL 437 | Primus XP | USA |
| 20-546 | B862 Primus UL 437 | Primus | USA |
| 20-546-XP | B862 Primus XP UL 437 | Primus XP | USA |
| 20-547 | Primus UL 437 for Yale 5300LN, 5400LN, 6400LN levers | Primus | USA |
| 20-547-XP | Primus XP UL 437 for Yale 5300LN, 5400LN, 6400LN levers | Primus XP | USA |
| 20-548 | D Knobs Primus UL 437 listed high security cylinder | Primus | USA |
| 20-548-XP | D Knobs Primus XP UL 437 listed high security cylinder | Primus XP | USA |
| 20-550 | D Series lever Primus UL 437 listed high security cylinder | Primus | USA |
| 20-550-XP | D Series lever Primus XP UL 437 listed high security cylinder | Primus XP | USA |
| 20-552 | S Lever Primus UL 437 listed high security cylinder only | Primus | USA |
| 20-552-XP | S Lever Primus XP UL 437 listed high security cylinder only | Primus XP | USA |
| 20-565 | Cylinders for ND Series locksets Primus UL437 | Primus | USA |
| 20-565-XP | Cylinders for ND Series locksets Primus XP UL 437 | Primus XP | USA |
| 20-572 | Cabinet locks and padlocks Primus UL | Door/ Primus | USA |
| 20-572-XP | Cabinet locks and padlocks Primus XP UL | Door/ Primus XP | USA |
| 20-574 | Cabinet locks and padlocks Primus UL | Drawer/ Primus | USA |
| 20-574-XP | Cabinet locks and padlocks Primus XP UL | Drawer/ Primus XP | USA |
| 20-587 | L Series sectional trim Primus UL 437 | Primus | USA |
| 20-587-XP | L Series sectional trim Primus XP UL 437 | Primus XP | USA |
| 20-589 | L Escutcheon with concealed shell cylinder Primus UL 437 | Primus | USA |
| 20-589-XP | L Escutcheon with concealed shell cylinder Primus XP UL 437 | Primus XP | USA |
| 20-593 | L Series L&N Escutcheon Primus UL 437 | Primus | USA |
| 20-593-XP | L Series L&N Escutcheon Primus XP UL 437 | Primus XP | USA |
| 20-700 | L Series sectional trim Primus lockout L9060 outside | Primus | USA |
| 20-700-XP | L Series sectional trim Primus XP lockout L9060 outside | Primus XP | USA |
| 20-701 | L9060 outside L&N Primus | Primus | USA |
| 20-701-XP | L9060 outside L&N Primus XP | Primus XP | USA |
| 20-705 | Primus mortise cylinder for Corbin Russwin master ring | Primus | USA |
| 20-705-XP | Primus XP mortise cylinder for Corbin Russwin master ring | Primus XP | USA |
| 20-706 | Primus cylinder for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000 | Primus | USA |
| 20-706-XP | Primus XP cylinder for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000 | Primus XP | USA |
| 20-708 | Primus cylinder mortise Adams Rite 4070 Series | Primus | USA |
| 20-708-XP | Primus XP cylinder mortise Adams Rite 4070 Series | Primus XP | USA |
| 20-709 | Exit device and alum door Primus cylinder vertical | Primus | USA |
| 20-709-XP | Exit device and alum door Primus XP cylinder vertical | Primus XP | USA |

The above cylinders are BAA compliant when ordered using restricted keyways and most open keyways. Please consult your sales representative for compliance when using the core open keyways.

The products listed meet the requirements of BAA on the published date of this catalog. Please check www.allegion.com/us/industries/government to verify that you are using the most current information.

Cylinders

Schlage

| Product number | Description | Function | COO |
|----------------|---------------------------------------------------------------------------------------|-----------|-----|
| 20-710 | Exit device and alum door Primus cylinder horizontal | Primus | USA |
| 20-710-XP | Exit device and alum door Primus XP cylinder horizontal | Primus XP | USA |
| 20-715 | L Series L&N Escutcheon Primus lockout | Primus | USA |
| 20-715-XP | L Series L&N Escutcheon Primus XP lockout | Primus XP | USA |
| 20-716 | Exit device and aluminum door Primus lockout cylinder horizontal | Primus | USA |
| 20-716-XP | Exit device and aluminum door Primus XP lockout cylinder horizontal | Primus XP | USA |
| 20-717 | L Series sectional trim Primus lockout | Primus | USA |
| 20-717-XP | L Series sectional trim Primus XP lockout | Primus XP | USA |
| 20-718 | Primus lockout mortise cylinder Adams Rite MS 4500, 4700, Lori 4500, and CR DL3000 | Primus | USA |
| 20-718-XP | Primus XP lockout mortise cylinder Adams Rite MS 4500, 4700, Lori 4500, and CR DL3000 | Primus XP | USA |
| 20-719 | Primus cylinder for Sargent 7L, 10, 65 levers | Primus | USA |
| 20-719-XP | Primus XP cylinder for Sargent 7L, 10, 65 levers | Primus XP | USA |
| 20-720 | Primus cylinder for Sargent 7, 8, 9 levers | Primus | USA |
| 20-720-XP | Primus XP cylinder for Sargent 7, 8, 9 levers | Primus XP | USA |
| 20-722 | L Series Primus core Adams Rite 4070 Series | Primus | USA |
| 20-722-XP | L Series Primus XP core Adams Rite 4070 Series | Primus XP | USA |
| 20-723 | Primus cylinder for Yale 5300, 5400, 6200 knobs | Primus | USA |
| 20-723-XP | Primus XP cylinder for Yale 5300, 5400, 6200 knobs | Primus XP | USA |
| 20-724 | A Series 20-724 Primus cylinder, non-Orbit | Primus | USA |
| 20-724-XP | A Series 20-724 Primus XP cylinder, non-Orbit | Primus | USA |
| 20-726 | Primus for Sargent 6 | Primus | USA |
| 20-726-XP | Primus XP for Sargent 6 | Primus XP | USA |
| 20-727 | Primus cylinder for Corbin Russwin CL3400, CL3600 | Primus | USA |
| 20-727-XP | Primus XP cylinder for Corbin Russwin CL3400, CL3600 | Primus XP | USA |
| 20-728 | AL Series Primus cylinder | Primus | USA |
| 20-728-XP | AL Series 20-728 Primus XP cylinder | Primus XP | USA |
| 20-729 | B250 Series Primus cylinder only | Primus | USA |
| 20-729-XP | B250 Series Primus XP cylinder only | Primus XP | USA |
| 20-731 | B250, B400, Primus cylinder less housing | Primus | USA |
| 20-731-XP | B250, B400, Primus XP cylinder less housing | Primus XP | USA |
| 20-739 | Primus for Corbin Russwin CL3400, CL3600 | Primus | USA |
| 20-739-XP | Primus XP for Corbin Russwin CL3400, CL3600 | Primus XP | USA |
| 20-740 | Primus full size IC core | Primus | USA |
| 20-740-XP | Primus XP full size IC core | Primus XP | USA |
| 20-741 | Primus full size IC core less logo | Primus | USA |
| 20-741-XP | Primus XP full size IC core less logo | Primus XP | USA |
| 20-742 | B761, B764 Primus | Primus | USA |
| 20-742-XP | B761, B764 Primus XP | Primus XP | USA |
| 20-743 | B761, B764 Primus | Primus | USA |
| 20-743-XP | B761, B764 Primus XP | Primus XP | USA |
| 20-744 | B760, B763 Primus | Primus | USA |
| 20-744-XP | B760, B763 Primus XP | Primus XP | USA |
| 20-745 | B762 Primus | Primus | USA |
| 20-745-XP | B762 Primus XP | Primus XP | USA |
| 20-746 | B762 Primus | Primus | USA |
| 20-746-XP | B762 Primus XP | Primus XP | USA |

The above cylinders are BAA compliant when ordered using restricted keyways and most open keyways. Please consult your sales representative for compliance when using the core open keyways.

The products listed meet the requirements of BAA on the published date of this catalog. Please check www.allegion.com/us/industries/government to verify that you are using the most current information.

Cylinders

Schlage

| Product number | Description | Function | COO |
|----------------|--------------------------------------------------------------------------------------------------|--------------|-----|
| 20-747 | Primus CYL for Yale 5300LN, 5400LN, 6400LN levers | Primus | USA |
| 20-747-XP | Primus XP cylinder for Yale 5300LN, 5400LN, 6400LN levers | Primus XP | USA |
| 20-748 | D Knobs Primus cylinder | Primus | USA |
| 20-748-XP | D Knobs Primus XP cylinder | Primus XP | USA |
| 20-750 | D Lever Primus cylinder | Primus | USA |
| 20-750-XP | D Lever Primus XP cylinder | Primus XP | USA |
| 20-752 | S Lever Primus cylinder | Primus | USA |
| 20-752-XP | S Lever Primus XP cylinder | Primus XP | USA |
| 20-757 | Exit device interchangeable core rim cylinders Primus | Primus | USA |
| 20-757-XP | Exit device interchangeable core rim cylinders Primus XP | Primus XP | USA |
| 20-763 | Mortise cylinders with straight cam for exit devices Primus | Primus | USA |
| 20-763-XP | Mortise cylinders with straight cam for exit devices Primus XP | Primus XP | USA |
| 20-765 | ND Series locksets Primus | Primus | USA |
| 20-765-XP | ND Series locksets Primus XP | Primus XP | USA |
| 20-766 | Exit device full size IC Primus core for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000 | Primus | USA |
| 20-766-XP | Exit device full size IC Primus XP core for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000 | Primus XP | USA |
| 20-771 | Mortise cylinders with straight cam for exit devices Primus | Primus | USA |
| 20-771-XP | Mortise cylinders with straight cam for exit devices Primus XP | Primus XP | USA |
| 20-772 | Cabinet locks and padlocks Primus | Primus | USA |
| 20-772-XP | Cabinet locks and padlocks Primus XP | Primus XP | USA |
| 20-774 | Cabinet locks and padlocks | Primus | USA |
| 20-774-XP | Cabinet locks and padlocks | Primus XP | USA |
| 20-776 | Primus L Series core full size IC | Primus | USA |
| 20-776-XP | Primus XP L Series core full size IC | Primus XP | USA |
| 20-782 | L&N Escutcheon L9060 outside Primus core | Primus | USA |
| 20-782-XP | L&N Escutcheon L9060 outside Primus XP core | Primus XP | USA |
| 20-783 | L9060 Primus core rose trim | Primus | USA |
| 20-783-XP | L9060 Primus XP core rose trim | Primus XP | USA |
| 20-787 | L Series sectional trim Primus | Primus | USA |
| 20-787-XP | L Series sectional trim Primus XP | Primus XP | USA |
| 20-789 | L Escutcheon with concealed shell cylinder Primus | Primus | USA |
| 20-789-XP | L Escutcheon with concealed shell cylinder Primus XP | Primus XP | USA |
| 20-793 | L Series L&N Escutcheon Primus | Primus | USA |
| 20-793-XP | L Series L&N Escutcheon Primus XP | Primus XP | USA |
| 20-798 | Primus core L Series mortise full size IC | Primus | USA |
| 20-798-XP | Primus XP core L Series mortise full size IC | Primus XP | USA |
| 21-002 | B Series knobs 6 pin conventional | Conventional | USA |
| 21-003 | A Series 21-003 conventional hotel function (A85) with indicator, non-Orbit | Conventional | USA |
| 21-020 | AL Series 6 pin conventional cylinder standard | Conventional | USA |
| 21-021 | AL Series conventional hotel function AL85 with occupancy indicator | Conventional | USA |
| 22-001 | B100, B250, B400, 5 point cylinder only | Conventional | USA |
| 22-002 | B250 series 6 pin conventional cylinder only | Conventional | USA |
| 22-003 | B500 conventional single cylinder | Conventional | USA |
| 22-004 | B500 conventional single cylinder | Conventional | USA |
| 22-017 | 5 Pin cylinder outside housing | Conventional | USA |

The above cylinders are BAA compliant when ordered using restricted keyways and most open keyways. Please consult your sales representative for compliance when using the core open keyways.

The products listed meet the requirements of BAA on the published date of this catalog. Please check www.allegion.com/us/industries/government to verify that you are using the most current information.

Cylinders

Schlage

| Product number | Description | Function | COO |
|----------------|-----------------------------------------------------------------------------------------------------|-----------------------------|-----|
| 22-018 | 5 Pin cylinder inside housing | Conventional | USA |
| 22-019 | B250 6 pin conventional cylinder outside housing | Conventional | USA |
| 22-020 | 6 Pin cylinder inside housing | Conventional | USA |
| 22-062 | B250 IC core housing less core | Conventional | USA |
| 22-642 | B600, 700, 800 conventional cylinder housing not included | Conventional | USA |
| 22-643 | B600, 700, 800 conventional cylinder housing not included | Conventional | USA |
| 22-644 | B600, 700, 800 conventional cylinder housing not included | Conventional | USA |
| 22-645 | B600, 700, 800 conventional cylinder housing not included | Conventional | USA |
| 22-646 | B600, 700, 800 conventional cylinder housing not included | Conventional | USA |
| 23-000 | ND Series locksets hotel function | Conventional | USA |
| 23-001 | D Knobs 6 pin conventional cylinder (standard) | Conventional | USA |
| 23-003 | D Knobs conventional hotel function (D85) with occupancy indicator | Conventional | USA |
| 23-003 -098 | D Knobs conventional hotel function (D85) with indicator, 2 1/2" door | Conventional | USA |
| 23-013 | D Levers 6 pin conventional cylinder (standard) | Conventional | USA |
| 23-014 | D Levers conventional hotel function (D85) with occupancy indicator | Conventional | USA |
| 23-030 | Full size IC core conventional | Conventional | USA |
| 23-031 | Full size IC core conventional less logo | Conventional | USA |
| 23-065 | ND Series locksets 6 pin conventional cylinder (standard) | Conventional | USA |
| 24-119 | Conventional cylinder for Sargent 7L, 10, 65 levers | Conventional | USA |
| 24-120 | Conventional cylinder for Sargent 7, 8, 9 knobs | Conventional | USA |
| 24-123 | Conventional cylinder for Yale 5300, 5400, 6200 knobs | Conventional | USA |
| 24-126 | Conventional cylinder for Sargent 6 | Conventional | USA |
| 24-127 | Conventional cylinder for Corbin Russwin ck4200, ut5200 | Conventional | USA |
| 24-139 | Conventional cylinder for Corbin Russwin CL3400, CL3600 | Conventional | USA |
| 24-147 | Conventional cylinder for Yale 5300LN, 5400LN, 6400LN levers | Conventional | USA |
| 26-021 | L9060P L&N outside conventional | Conventional | USA |
| 26-023 | L9080P Outside L Escutcheon conventional | Conventional | USA |
| 26-072 | Conventional cylinder for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000 | Conventional | USA |
| 26-073 | Conventional mortise cylinder Adams Rite 4070 Series | Conventional | USA |
| 26-091 | Exit device conventional mortise cylinders straight cam | Conventional | USA |
| 26-094 | Exit device conventional mortise cylinders straight cam housing less core | Conventional | USA |
| 26-098 | Exit device full size IC conventional core for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000 | Conventional | USA |
| 30-001 | L Series sectional trim conventional | Conventional | USA |
| 30-002 | L Series sectional trim conventional L9485, L9486 hotel function | Conventional | USA |
| 30-004 | L Escutcheon with concealed shell cylinder conventional | Conventional | USA |
| 30-005 | L9485, L9486 hotel function L&N conventional L Escutcheon | Conventional | USA |
| 30-007 | L&N Escutcheon L Series mortise locks housing less core full size IC | Conventional | USA |
| 30-008 | L Series full size IC core L&N Escutcheon conventional | Conventional | USA |
| 30-010 | L9485, L9486 hotel function L&N Escutcheon conventional | Conventional | USA |
| 30-016 | L Series mortise cylinder only housing less core full size IC | Conventional | USA |
| 30-021 | L Series L&N Escutcheon conventional | Conventional | USA |
| 30-022 | L9485, L9486 hotel function L&N conventional | Conventional | USA |
| 30-030 | L9060p outside L&N Escutcheon conventional | Conventional | USA |
| 30-032 | L9060 outside housing less core mortise cylinder | Conventional | USA |
| 30-120 | Full size IC core conventional for hotel function | Conventional (specify hand) | USA |
| 30-121 | Full size IC core less log for L9485, L9486 hotel | Conventional | USA |
| 30-137 | L Series sectional trim L9485, L9486 housing less core | Conventional | USA |

The above cylinders are BAA compliant when ordered using restricted keyways and most open keyways. Please consult your sales representative for compliance when using the core open keyways.

The products listed meet the requirements of BAA on the published date of this catalog. Please check www.allegion.com/us/industries/government to verify that you are using the most current information.

Cylinders

Schlage

| Product number | Description | Function | COO |
|----------------|---------------------------------------------------------------------------------------------------|----------------------------|-----|
| 30-138 | L Series sectional trim conventional | Conventional | USA |
| 30-140 | L Series sectional trim L9485, L9486 hotel function conventional | Conventional | USA |
| 40-500 | Ul 437 Primus / Primus XP multiple tail piece key-in-knob/lever | Primus | USA |
| 40-500-XP | Ul 437 Primus / Primus XP multiple tail piece key-in-knob/lever | Primus XP | USA |
| 40-700 | Primus / Primus XP multiple tail piece key-in-knob/lever | Primus | USA |
| 40-700-XP | Primus / Primus XP multiple tail piece key-in-knob/lever | Primus XP | USA |
| 80-036 | Small format interchangeable core, 7 pin, restricted, uncombined | Everest® B / Everest 29™ R | USA |
| 80-037 | Small format interchangeable core, 7 pin, restricted, combined | Everest® B / Everest 29™ R | USA |
| 80-101 | L Series sectional trim SFIC housing less core | SFIC | USA |
| 80-102 | Exit device SFIC mortise cylinder housing less core | SFIC | USA |
| 80-103 | Exit device housing less core for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000 | Adams Rite | USA |
| 80-104 | L&N Escutcheon L9060 outside mortise locks SFIC housing less core | SFIC | USA |
| 80-105 | Exit device SFIC housing less core for Adams Rite 4070 Series deadlocks | SFIC | USA |
| 80-108 | L&N Escutcheon L9060 outside mortise locks SFIC housing less core | SFIC | USA |
| 80-109 | L Series sectional trim SFIC construction keyed disposable | SFIC | USA |
| 80-110 | Exit device mortise cylinder disposable | Disposable const. Core | USA |
| 80-111 | Exit device disposable construction core for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000 | Adams Rite | USA |
| 80-112 | L Series sectional trim SFIC construction keyed disposable | SFIC | USA |
| 80-113 | Exit device SFIC disposable construction core for Adams Rite 4070 Series deadlocks | SFIC | USA |
| 80-115 | L&N Escutcheon L9060 outside mortise locks SFIC construction keyed disposable | SFIC | USA |
| 80-116 | Exit device SFIC disposable construction core | SFIC | USA |
| 80-129 | Exit device SFIC less core | SFIC | USA |
| 80-131 | L&N Escutcheon L Series sectional trim SFIC construction keyed | SFIC | USA |
| 80-132 | Exit device SFIC mortise cylinder keyed construction core | SFIC | USA |
| 80-133 | Exit device keyed construction core for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000 | Construction core | USA |
| 80-134 | L&N Escutcheon L Series sectional trim SFIC construction keyed | SFIC | USA |
| 80-135 | Exit device SFIC keyed construction core for Adams Rite 4070 Series deadlocks | SFIC | USA |
| 80-138 | L&N Escutcheon L9060 outside mortise locks SFIC construction keyed | SFIC | USA |
| 80-159 | Exit device SFIC keyed construction core | SFIC | USA |
| 80-301 | L Series sectional trim SFIC Everest restricted | Everest® B / Everest 29™ R | USA |
| 80-302 | Exit device mortise cylinder everest restricted | Everest® B / Everest 29™ R | USA |
| 80-303 | Exit device Everest restricted core for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000 | Everest® B / Everest 29™ R | USA |
| 80-304 | L&N Escutcheon L9060 outside mortise locks SFIC Everest restricted | Everest® B / Everest 29™ R | USA |
| 80-305 | Exit device SFIC everest restricted for Adams Rite 4070 deadlocks | Everest® B / Everest 29™ R | USA |
| 80-308 | L&N Escutcheon L Series mortise locks SFIC Everest restricted | Everest® B / Everest 29™ R | USA |
| 80-329 | Exit device SFIC core Everest restricted | Everest® B / Everest 29™ R | USA |

The above cylinders are BAA compliant when ordered using restricted keyways and most open keyways. Please consult your sales representative for compliance when using the core open keyways.

Electronic access control

Schlage

| Electronic locks | Description | Function | Finish | COO |
|------------------|-------------------------------------------------------------------------------------------------------|----------|--------|-----------------|
| AD-401 *▲ | The ONLY FIPS 201/PIV compliant wireless integrated reader & lock available today! Networked wireless | All | All | USA/Mexico |
| PIM400 ▲● | Panel interface module for AD-400 wireless locks | All | -- | USA†/ Mexico |
| AD-301 *▲ | Networked hardwired | All | All | USA/Mexico |
| PIB300-2D ▲● | Panel interface board for AD-300/301 hardwired locks - Wiegand integrations only | All | -- | USA†/ Mexico |
| RLBD | Dry contact board for either PIM400-TD2 or PIB300-2D | All | -- | USA†/ Mexico |
| AD-400 ● | Networked wireless - 900 MHz, secure encrypted data transmission | All | All | USA†/ Mexico |
| AD-300 ▲● | Networked hardwired - direct RS-485 connection or Wiegand or clock & data | All | All | USA†/ Mexico |
| AD-250 ▲● | Offline - rights on cards | All | All | USA†/ Mexico |
| AD-200 ▲● | Offline - rights on lock | All | All | USA†/ Mexico |
| AD-201 ▲●* | Offline - rights on lock | All | All | USA†/ Mexico |
| CO-250 ● | Offline; user access rights stored on magnetic stripe card | All | All | Mexico |
| CO-200 ● | Offline; user access rights stored in lock | All | All | Mexico |
| CO-100 ● | Offline; keypad only, manually programmable only | All | All | Mexico |
| WPR-400 * | Wireless portable reader - 900 MHZ, secure encrypted data transmission | All | -- | USA†/ Mexico |
| ECK400 | Elevator kit includes ANT400-REM-I/O, WRI400, PIM400-TD2, 593-PI | All | -- | USA†/ Mexico |
| GCK400 | Wireless gate kit includes WRI400, PIM400-TD2, ANT-REM-I/O, MGB+MCA5, 593-PI | All | -- | USA†/ Mexico |
| WRI400 | Wireless reader interface for traditional hardwired openings | All | -- | USA†/ Mexico |
| TK400 | Wireless test kit for testing signal strength at WAPM | All | -- | USA†/ Mexico |
| REPTR400 | Wireless Repeater to extend the distance from WAPM to PIM | All | -- | USA†/ Mexico |
| ANT400 | Antenna for PIMs used with wireless AD devices | All | -- | Israel |
| CT5000 | Standalone controller | All | -- | USA†/ Mexico |
| HHD | Hand Held Device | All | -- | Korea |

- Products contribute credits toward LEED certification.
- † Complete locks only.
- * FIPS 201-1/PIV compliant.
- ▲ See page 31 for additional cost and order requirements.

aptiQ™

| Networked reader | Description | Finish | COO |
|------------------|--------------------------------------------------------------|--------|-----|
| PR10 | Proximity mini-mullion reader | All | USA |
| SM10** | Smart mini-mullion reader | All | USA |
| MT11** | Multi-technology mullion reader | All | USA |
| MT15** | Multi-technology single gang reader | All | USA |
| MTK15** | Multi-technology single gang reader with keypad | All | USA |
| MTMS15** | Multi-technology single gang reader with Magswipe | All | USA |
| MTMSK15** | Multi-technology single gang reader with keypad and Magswipe | All | USA |

** FIPS 201-1 Compliant. By default, readers are configured with 75 bit format. Configuration to other approved output formats is available.

The products listed meet the requirements of BAA on the published date of this catalog. Please check www.allegion.com/us/industries/government to verify that you are using the most current information.

Electronic access control

Schlage

| Access Control | Description | COO |
|----------------|-------------------|-----|
| HK-2 | HandKey II Reader | USA |
| HK-CR | HandKey CR Reader | USA |

| Time & attendance | Description | COO |
|-------------------|----------------------------------------------------------------------------------------------|-----|
| GT-400 | GT-400 Time and attendance reader | USA |
| HP-1000 | HandPunch time and attendance reader with memory for 50 users | USA |
| HP-1000-E | HandPunch time and attendance reader with Ethernet and memory for 100 users | USA |
| HP-1000-E-XL | HandPunch time and attendance reader with Ethernet and memory for 100 users, break compliant | USA |
| HP-1000-XL | HandPunch time and attendance reader with memory for 50 users, break compliant | USA |
| HP-2000 | HandPunch time and attendance reader with memory for 512 users | USA |
| HP-2000-XL | HandPunch time and attendance reader with memory for 512 users, break compliant | USA |
| HP-3000 | HandPunch time and attendance reader with memory for 512 users | USA |
| HP-3000-E | HandPunch time and attendance reader with Ethernet and memory for 512 users | USA |
| HP-3000-E-XL | HandPunch Time and Attendance Reader with Ethernet and memory for 530 users, break compliant | USA |
| HP-3000-XL | HandPunch time and attendance reader with memory for 530 users, break compliant | USA |
| HP-4000 | HandPunch time and attendance reader with memory for 530 users | USA |
| HP-4000-S | HandPunch time and attendance reader with memory for 530 users, includes handheld scanner | USA |

Spares & accessories

| E Series | Description | COO |
|----------|-------------------------------------------|-----|
| KP-105 | Blank front cover plate. Replaces key pad | USA |
| KP-201 | Auxiliary keypad Wiegand output only | USA |
| S-EBD | Back door assembly | USA |
| S-KP-OUT | Keypad for outdoor environments | USA |
| S-PC-E06 | Main pcb version 6 | USA |
| S-PL-E20 | Replacement platen | USA |
| S-RW-DOR | HP-RW assembly with hardware | USA |
| WM-200 | Recessed wall mount kit | USA |
| WM-201 | Surface wall mount kit | USA |

| F Series | Description | COO |
|----------------|---------------------------------------------------------------------------|-----|
| BR-100 | 5V Relay | USA |
| DC-200 | Data Converter for 4 wire system, USB to RS-422 (HP only) | USA |
| EN-200 | Ethernet Communication module 10baseT | USA |
| FX-ENCL | Polyethylene with UV Resist Outdoor Enclosure (supersedes model # HURCNE) | USA |
| HN-2-T1 | HandNet Tier One: Up to 5 HandKeys | USA |
| HN-2-T2 | HandNet Tier Two: Up to 25 HandKeys | USA |
| HN-2-T3 | HandNet Tier Three: Unlimited HandKeys | USA |
| MD-500 | Internal 14.4K Baud dial-up modem | USA |
| S-PC-1KE-RB | Spare main board for HP-1000-E | USA |
| S-PC-1KE-XL-RB | Spare main board for HP-1000-E-XL | USA |
| S-PC-1K-RB | Spare main board for HP-1000 | USA |
| S-PC-1K-XL-RB | Spare main board for HP-1000-XL | USA |
| S-PC-2K-RB | Spare main board for HP-2000 | USA |
| S-PC-2K-XL-RB | Spare main board for HP-2000-XL | USA |
| S-PC-3K-RB | Spare main board for HP-3000 | USA |
| S-PC-3K-XL-RB | Spare main board for HP-3000-XL | USA |
| S-PC-4K-RB | Spare main board for HP-4000 | USA |
| S-PC-HK2-RB | HandKey II Main PCB battery backup ready | USA |
| S-PC-HKCR-RB | HandKey CR Main PCB battery backup ready | USA |
| S-PL-F | Platen overlay with antimicrobial and blue hand outline | USA |
| S-PL-F30 | Complete platen assembly with antimicrobial and blue hand outline | USA |

Electronic access control

| F Series (cont.) | Description | COO |
|-------------------------|--------------------------------------------------------|------------|
| S-TP-1000 | HP-1000 Top panel assembly | USA |
| S-TP-1000-E | HP-1000-E Top panel assembly | USA |
| S-TP-1000-E-XL | HP-1000-E-XL Top panel assembly | USA |
| S-TP-1000-XL | HP-1000-XL Top panel assembly | USA |
| S-TP-2000 | HP-2000 Top panel assembly | USA |
| S-TP-2000-XL | HP-2000-XL Top panel assembly | USA |
| S-TP-3000 | HP-3000 Top panel assembly | USA |
| S-TP-3000-XL | HP-3000-XL Top panel assembly | USA |
| S-TP-4000 | HP-4000 Top panel assembly | USA |
| S-TP-CR | HandKey CR Top panel assembly | USA |
| S-TP-HK | ID3D-R Top panel assembly | USA |
| S-TP-HK2 | HandKey II Top panel assembly | USA |
| S-TP-HP | HandPunch Top panel assembly | USA |
| TM-100 | Table-top secure mount for F Series | USA |
| TX-ENCL | Metal watertight enclosure (supersedes model # TSNAMI) | USA |

| G Series | Description | COO |
|-----------------|----------------------------------------------------|------------|
| GX-ENCL | Polyethylene with UV resist outdoor enclosure | USA |
| S-CP-BLUE | Replacement set (2) of caps for G HandPunch - BLUE | USA |
| S-CP-GRAY | Replacement set (2) of caps for G HandPunch | USA |

Related Spares, Options & Accessories listed below **MUST** be ordered and installed in the HandReaders in order to meet BAA compliance

| F Series | Description | COO |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------------|------------|
| BB-200 | Operational battery backup with power management board for reader with serial numbers below 1345000 | USA |
| BB-250 | Battery Backup available only at the time of initial purchase | USA |
| EM-813-F3 | HK and HP-3000 Memory expansion to 64,768 users (non field upgradeable) | USA |
| EM-815-F3 | HP-3000XL & HP-4000 Memory expansion to 12,879 users (non field upgradeable) | USA |
| EM-823-F3 | HK and HP-3000 Memory expansion to 129,536 users (non field upgradeable) | USA |
| EM-825-F3 | HP-3000XL & HP-4000 Memory expansion to 25,758 users (non field upgradeable) | USA |
| EM-833-F3 | HK and HP-3000 Memory expansion to 194,304 users (non field upgradeable) | USA |
| EM-835-F3 | HP-3000XL & HP-4000 Memory expansion to 38,637 users (non field upgradeable) | USA |
| EM-843-F3 | HK and HP-3000 Memory expansion to 259,072 users (non field upgradeable) | USA |
| EM-845-F3 | HP-3000XL & HP-4000 Memory expansion to 51,516 users (non field upgradeable) | USA |
| ICLASS | Internally installed iCLASS reader with external clear acrylic card holder | USA |
| INT-HTR | “Outdoor platen heater. Factory option only, not available for field installation Includes 24 VDC power supply to operate HandReader” | USA |
| PROX | Externally mounted HID ProxPoint RF Reader | USA |
| PS-110 | Power supply. 120 VAC to 13.5 VDC with connector | USA |
| PS-220 | Power supply. 220 VAC to 13.5 VDC with connector | USA |
| SC-100 | Integrated side mounted Mifare smart card reader with external clear acrylic card holder | USA |

| G Series | Description | COO |
|-----------------|----------------------------------------------------------------------------------------------------------------------------------------|------------|
| BB-300 | Operational battery backup with power management board | USA |
| GT-BCR | Integrated barcode reader for GT 400 | USA |
| INT-HTR-G | Outdoor platen heater. Factory option only, not available for field installation Includes 24 VDC power supply to operate HandReader | USA |
| MTR-G | Integrated multitechnology reader for GT 400 | USA |
| PS-110 | Power supply. 120 VAC to 13.5 VDC with connector | USA |

The products listed meet the requirements of BAA on the published date of this catalog. Please check www.allegion.com/us/industries/government to verify that you are using the most current information.

Electronic access control

Von Duprin

| Electric strike | Description | Finish | COO |
|-----------------|----------------------------------------|--------|-----|
| 6111 • | Rim strike 6" | All | USA |
| 6112 | Rim strike 9" | All | USA |
| 6113 | Rim strike 6" | All | USA |
| 6114 | Rim night latch strike 7 1/2" | All | USA |
| 6121 | Rim night latch strike 9 1/8" | All | USA |
| 6210 | Mortise lock strike 4 7/8" | All | USA |
| 6211 • | Mortise/Cylindrical lock strike 4 7/8" | All | USA |
| 6211AL | Mortise/Cylindrical lock strike 4 7/8" | All | USA |
| 6211WF • | Mortise/Cylindrical lock strike 4 7/8" | All | USA |
| 6212 | Mortise/Cylindrical lock strike 4 7/8" | All | USA |
| 6212WF | Mortise/Cylindrical lock strike 4 7/8" | All | USA |
| 6213 | Mortise/Cylindrical lock strike 6" | All | USA |
| 6214 | Mortise/Cylindrical lock strike 9" | All | USA |
| 6215 | Mortise/Cylindrical lock strike 9" | All | USA |
| 6216 | Mortise lock strike 9" | All | USA |
| 6221 | Mortise/Cylindrical lock strike 6" | All | USA |
| 6222 | Mortise/Cylindrical lock strike 9" | All | USA |
| 6223 | Mortise/Cylindrical lock strike 6" | All | USA |
| 6224 | Mortise/Cylindrical lock strike 9" | All | USA |
| 6224AL | Mortise/Cylindrical lock strike 9" | All | USA |
| 6225 | Mortise/Cylindrical lock strike 9" | All | USA |
| 6226 | Mortise/Cylindrical lock strike 9" | All | USA |
| 6300 | Rim strike | All | USA |

| Electric power transfer | Description | Finish | COO |
|-------------------------|--------------------------|-------------|-----|
| EPT-2BAA ▲ | EPT - Two 18 gauge wires | SP28, SP313 | USA |
| EPT-10BAA ▲ | EPT - Ten 24 gauge wires | SP28, SP313 | USA |
| 788 Series | 3/8" Armored door cords | - | USA |
| 798 Series | 1/2" Armored door cords | - | USA |

- ▲ See page 31 for additional cost and order requirements.
- Products contribute credits toward LEED certification.

The products listed meet the requirements of BAA on the published date of this catalog. Please check www.allegion.com/us/industries/government to verify that you are using the most current information.

Electronic access control

Schlage

| Pushbuttons | Description | Finish | COO |
|-------------|------------------------------------|--------|-----|
| 621 Series | 1 1/4" Heavy duty pushbuttons | - | USA |
| 623 Series | 1 5/8" Heavy duty pushbuttons | - | USA |
| 625 Series | 2 3/4" Heavy duty pushbuttons | - | USA |
| 630 Series | 1 1/4" Extreme duty pushbuttons | - | USA |
| 700 Series | 700 Series entry level pushbuttons | - | USA |

| Keyswitches | Description | Finish | COO |
|-------------|-----------------------------------|--------|-----|
| 650 Series | 653 Series heavy duty keyswitches | - | USA |

| Door position switch | Description | Finish | COO |
|----------------------|-----------------------------|--------|-----|
| 674-OH | Overhead door floor mount | - | USA |
| 679-05 | Wood door and frame | - | USA |
| 679-05HM | Hollow metal door and frame | - | USA |
| 679-05WD | Wood door and metal frame | - | USA |
| 7764 | Concealed/Flush mount - UL | - | USA |
| 7766 | Surface mount - UL | - | USA |

| Power Supplies | Description | Finish | COO |
|----------------|---------------------|--------|-----|
| PS902BAA •▲ | Power supply, 2 Amp | - | USA |
| PS904BAA •▲ | Power supply, 4 Amp | - | USA |
| PS906BAA •▲ | Power supply, 6 Amp | - | USA |

PS900 Option boards listed below **MUST** be ordered with power supply in order to meet BAA compliance

| | |
|----------------|------------------------------------------------------------------------------------------------------------------|
| 900-4R-4 ▲ | 4 independently controlled relays |
| 900-4R FA-4 ▲ | 4 Independently controlled relays with FA |
| 900-2Q-2 ▲ | 2 Relay board specifically for controlling Von Duprin exit devices |
| 900-2Q FA-2 ▲ | 2 Relay Board Specifically for Controlling Von Duprin exit devices |
| 900-4RL-4 ▲ | 4 Relay board with integrated logic for controlling security interlocks, auto operators, and time delays |
| 900-4RL FA-4 ▲ | 4 Relay board with integrated logic for controlling security interlocks, auto operators, and time delays with FA |
| 900-8F ▲ | 8 Fuse protected outputs |
| 900-8F FA ▲ | 8 Fuse protected outputs with FA |
| 900-8P ▲ | 8 PTC protected outputs |
| 900-8P FA ▲ | 8 PTC protected outputs with FA |
| 900-BBK ▲ | Battery backup kit (includes two 7A/hr batteries) |
| 900-BB ▲ | Battery backup board only |
| 900-BAT ▲ | Backup battery pack (includes two 7A/hr batteries) |
| 900-FA ▲ | Fire alarm relay (EIR) module |
| 900-KL ▲ | Key lock |

- ▲ See page 31 for additional cost and order requirements.
- Products contribute credits toward LEED certification.

The products listed meet the requirements of BAA on the published date of this catalog. Please check www.allegion.com/us/industries/government to verify that you are using the most current information.

Electronic access control

Von Duprin

| Power supplies | Description | Finish | COO |
|----------------|---------------------|--------|-----|
| PS914BAA • ▲ | Power supply, 4 Amp | – | USA |

PS900 Option boards listed below MUST be ordered with power supply in order to meet BAA compliance

| | |
|----------------|------------------------------------------------------------------------------------------------------------------|
| 900-4R-4 ▲ | 4 Independently controlled relays |
| 900-4R FA-4 ▲ | 4 Independently controlled relays with FA |
| 900-2Q-2 ▲ | 2 Relay board specifically for controlling Von Duprin exit devices |
| 900-2Q FA-2 ▲ | 2 Relay board specifically for controlling Von Duprin exit devices |
| 900-4RL-4 ▲ | 4 Relay board with integrated logic for controlling security interlocks, auto operators, and time delays |
| 900-4RL FA-4 ▲ | 4 Relay board with integrated logic for controlling security interlocks, auto operators, and time delays with FA |
| 900-8F ▲ | 8 Fuse protected outputs |
| 900-8F FA ▲ | 8 Fuse protected outputs with FA |
| 900-8P ▲ | 8 PTC protected outputs |
| 900-8P FA ▲ | 8 PTC protected outputs with FA |
| 900-BBK ▲ | Battery backup kit (includes two 7A/hr batteries) |
| 900-BB ▲ | Battery backup board only |
| 900-BAT ▲ | Backup battery pack of two 7A/hr batteries |
| 900-FA ▲ | Fire alarm relay (EIR) module |
| 900-KL ▲ | Key lock |

- ▲ See page 31 for additional cost and order requirements.
- Products contribute credits toward LEED certification.

The products listed meet the requirements of BAA on the published date of this catalog. Please check www.allegion.com/us/industries/government to verify that you are using the most current information.

Closers

LCN

| Door Closers | Description | Arm | Screw pack | Finish | COO |
|----------------|----------------------------------------------------------------------|-----|------------|--------|-----|
| 1261 ♦♦ | Mounts hinge side, top jamb and parallel arm - non-sized | All | All | All | USA |
| 1461 ♦♦ | Mounts hinge side, top jamb and parallel arm - non-sized | All | All | All | USA |
| 2010 ♦ | Concealed (in header) mount, sized cylinder | All | All | All | USA |
| 2030 Series ♦ | Concealed (in header) mount, sized cylinder | All | All | All | USA |
| 2210 ♦ | High security, concealed (in header) mount | All | All | All | USA |
| 3030 ♦ | Series concealed (in door) mount, sized cylinder | All | All | All | USA |
| 3130 Series ♦ | Series concealed (in door) mount, sized cylinder | All | All | All | USA |
| 4010 Series ♦♦ | Hinge side mount, size 6 or non-sized cylinders | All | All | All | USA |
| 4020 Series ♦ | Top jamb mount, size 6 or non-sized cylinders | All | All | All | USA |
| 4031 ♦♦ | Mounts hinge side, top jamb and parallel arm - non-sized | All | All | All | USA |
| 4040XP ♦♦ | Mounts hinge side, top jamb and parallel arm - non-sized | All | All | All | USA |
| 4110 Series ♦♦ | Parallel arm mount, size 6 or non-sized cylinders | All | All | All | USA |
| 4210 Series ♦ | Series high security, push side mount, size 6 or non-sized cylinders | All | All | All | USA |
| 4510 Series ♦ | Series high security, push side mount, size 6 or non-sized cylinders | All | All | All | USA |
| 5010 ♦ | Concealed (in header) mount, sized cylinder | All | All | All | USA |
| 5030 Series ♦ | Concealed (in header) mount, sized cylinder | All | All | All | USA |
| 6030 ♦ | Concealed (in narrow header) double action sized cylinder | All | All | All | USA |

♦ Products contribute credits toward LEED certification.

♦ Extended lead times apply to specific finishes.

Add an additional 2 weeks for custom RAL finishes and 4 weeks for Plated finishes to standard lead time.

Automatic operators

| | Description | Arm | Screw pack | Finish | Co |
|---------------|-------------------------------------------------------------------------------|-----|------------|--------|-----|
| 2610 Series ♦ | Pneumatic auto equalizer, concealed mount, sized cylinder | All | All | All | USA |
| 2810 Series ♦ | Senior swing - single door, overhead concealed mount | All | All | All | USA |
| 2850 Series ♦ | Senior swing - simultaneous pair, overhead concealed mount | All | All | All | USA |
| 2860 Series ♦ | Senior swing - independent pair, overhead concealed mount | All | All | All | USA |
| 4630 Series ♦ | Electric auto equalizer - top jamb (pull side) mount, non-sized | All | All | All | USA |
| 4640 Series ♦ | Electric auto equalizer - top jamb (push side) mount, non-sized | All | All | All | USA |
| 4810 Series ♦ | Pneumatic auto equalizer - top jamb (pull side) mount, non-sized | All | All | All | USA |
| 4820 Series ♦ | Pneumatic auto equalizer - top jamb (push side) mount, non-sized | All | All | All | USA |
| 4840 Series ♦ | Pneumatic auto equalizer - parallel arm (pull side) mount, non-sized | All | All | All | USA |
| 9130 Series ♦ | Benchmark - single door, surface (pull side) mount | All | All | All | USA |
| 9140 Series ♦ | Benchmark - single door, surface (push side) mount | All | All | All | USA |
| 9150 Series ♦ | Benchmark - pair door, surface (push side) mount | All | All | All | USA |
| 9530 Series ♦ | Senior swing - single door, surface (pull side) mount | All | All | All | USA |
| 9540 Series ♦ | Senior swing - single door, surface (push side) mount | All | All | All | USA |
| 9550 Series ♦ | Senior swing - simultaneous pair, surface (pull, push or double egress) mount | All | All | All | USA |
| 9560 Series ♦ | Senior swing - independent pair, surface (pull, push or double egress) mount | All | All | All | USA |

♦ Extended lead times apply to specific finishes.

Add an additional 2 weeks for custom RAL finishes and 4 weeks for Plated finishes to standard lead time.

The products listed meet the requirements of BAA on the published date of this catalog. Please check www.allegion.com/us/industries/government to verify that you are using the most current information.

Closers

LCN (continued)

| Fire/life safety | Description | Arm | Screw pack | Finish | COO |
|------------------|-----------------------------------------------|-----|------------|--------|-----|
| 3130SE ♦ | Concealed mounted - sized cylinder | All | All | All | USA |
| 4040SE Series ♦ | Hinge side mount, non-sized cylinders | All | All | All | USA |
| 4310ME Series ♦ | Electronic release with multi point hold open | All | All | All | USA |
| 4410ME Series ♦ | Electronic release with multi point hold open | All | All | All | USA |

- ♦ Extended lead times apply to specific finishes.
Add an additional 2 weeks for custom RAL finishes and 4 weeks for Plated finishes to standard lead time.

Falcon

| Door closers | Description | Screw pack | Finish | COO |
|-----------------|---------------------------------------------------------------|------------|--------------|--------|
| SC60 Series • | Mounts hinge side, top jamb or parallel arm, adjustable sizes | All | All Standard | Taiwan |
| SC70 Series • | Mounts hinge side, top jamb or parallel arm, adjustable sizes | All | All Standard | Taiwan |
| SC80 Series • | Mounts hinge side, top jamb or parallel arm, adjustable sizes | All | All Standard | Taiwan |
| SC90 Series • | Mounts hinge side, top jamb or parallel arm, fixed sizes | All | All Standard | Taiwan |
| OHC100 Series • | Overhead concealed | All | All Standard | Taiwan |

- Products contribute credits toward LEED certification.

Automatic operators

| Description | Arm | Screw pack | Finish | COO |
|-------------|-----|------------|--------|-----|
| 8230 Series | All | All | All | USA |
| 8240 Series | All | All | All | USA |

- Falcon closers listed on this page qualify for BAA projects above the qualifying designated country threshold.
Other Falcon locks not listed here may qualify for BAA projects above the qualifying designated country threshold.

The products listed meet the requirements of BAA on the published date of this catalog.
Please check www.allegion.com/us/industries/government to verify that you are using the most current information.

Exit devices

Von Duprin

| Exit Device | Description | Type | Function | Trim | Finish | COO |
|--------------------|------------------------------------------------------------------------------------------------------------------------------|------------|----------|------|--------|-----|
| 22 Series • | Rim, surface vertical rod | Exit, fire | All | All | All | USA |
| 33A/35A Series • | Rim, surface vertical rod, concealed vertical rod | Exit, fire | All | All | All | USA |
| 55 Series • | Rim, concealed vertical rod, wood door concealed vertical rod, mortise lock | Exit, fire | All | All | All | USA |
| 88 Series • | Rim, surface vertical rod, concealed vertical rod, mortise lock | Exit, fire | All | All | All | USA |
| 94/95 Series • | Concealed vertical rod, mortise lock | Exit, fire | All | All | All | USA |
| 98/99 Series • | Rim, surface vertical rod, concealed vertical rod, Wood door concealed vertical rod, Surface three point latch, mortise lock | Exit, fire | All | All | | USA |
| XP98/99 Series • ‡ | Rim | Exit, fire | All | All | All | USA |

| Mullions / Other | Description | Finish | COO |
|------------------|------------------------------------------------------------------------------|----------------|-----|
| 2670 GUARD-X | Exit alarm lock | US28, 313, 315 | USA |
| 4954 | Steel mullion - prepped for (2) 299 strikes | SP28, SP313 | USA |
| KR4954 | Steel mullion w/keyed removable option - prepped for (2) 299 strikes | SP28, SP313 | USA |
| 9954 | Steel mullion - prepped for (2) 499f or 268 strikes | SP28, SP313 | USA |
| KR9954 | Steel mullion w/keyed removable option - prepped for (2) 499f or 268 strikes | SP28, SP313 | USA |
| 576A | Mortise lock strike, 55/88/98/9975, pairs 1-3/4" dr - optional | All | USA |

Falcon

| Exit device | Description | Type | Function | Trim | Finish | COO |
|------------------|--------------------------------------|------------|----------|------|--------|-----|
| 19-R Series • | Rim, non-handed | Exit, fire | All | All | All | USA |
| 19-V Series • | Reversible vertical rod | Exit, fire | All | All | All | USA |
| 24-R Series • | Rim, narrow stile | Exit, fire | All | All | All | USA |
| 24-V Series • | Surface vertical rod, narrow stile | Exit, fire | All | All | All | USA |
| 24-C Series • | Concealed vertical rod, narrow stile | Exit, fire | All | All | All | USA |
| 24-CWDC Series • | Wood door concealed vertical rod | Exit, fire | All | All | All | USA |
| 25-R Series | Rim, wide stile | Exit, fire | All | All | All | USA |
| 25-V Series • | Surface vertical rod, wide stile | Exit, fire | All | All | All | USA |
| 25-M Series • ‡ | Mortise, wide stile | Exit, fire | All | All | All | USA |
| 25-C Series • | Concealed vertical rod, wide stile | Exit, fire | All | All | All | USA |
| 25-CWDC Series • | Wood door concealed vertical rod | Exit, fire | All | All | All | USA |
| XX-R Series • | Rim, single point | Exit, fire | All | All | All | USA |
| XX-V Series • | Reversible vertical rod | Exit, fire | All | All | All | USA |
| XX-C Series • | Reversible concealed vertical rod | Exit, fire | All | All | All | USA |
| XX-M Series • | Reversible mortise | Exit, fire | All | All | All | USA |
| 1490 Series • | Pushpad, hurricane rated | Exit | All | All | All | USA |
| 1590 Series • | Rim, pushpad | Exit | All | All | All | USA |
| 1690 Series • | Concealed vertical rod | Exit | All | All | All | USA |
| 1790 Series • | Rim | Exit | All | All | All | USA |
| 1990 • | Concealed vertical rod, cross bar | Exit | All | All | All | USA |
| 2090 • | Rim, cross bar | Exit | All | All | All | USA |
| 2390 • | Mid-panel, concealed vertical rod | Exit | All | All | All | USA |

| Mullion | Description | Finish | COO |
|-----------|-------------------------------------|--------|-----|
| 2923 | For use with all rim devices | Prime | USA |
| 4023 | For use with all rim devices | Prime | USA |
| KR-4023 | Keyed removable option | Prime | USA |
| F4023 | For use with fire rated rim devices | Prime | USA |
| KR-F-4023 | Keyed removable option | Prime | USA |

- Products contribute credits toward LEED certification.
- ‡ Meets A.T.F.P. Bomb blast criteria. Approved under ASTM F1642 test method.

Auxiliary hardware

Glynn-Johnson

Overhead holders & stops

All overhead holders and stops by Glynn-Johnson meet BAA requirements with a country of origin of USA. The list below displays the most common items.

| 70 Series | Description | Finish | COO |
|-----------|---------------------------------------------------|--------|-----|
| 704H • | 70 Series, size 4, hold-open - heavy-duty surface | US26D | USA |
| 704S • | 70 Series, size 4, stop-only - heavy-duty surface | US26D | USA |

| 81 Series heavy-duty surface | Description | Finish | CoO |
|------------------------------|---------------------------------------------------|--------|-----|
| 814H • | 81 Series, size 4, hold-open - heavy-duty surface | US32D | USA |
| 814S • | 81 Series, size 4, stop-only - heavy-duty surface | US32D | USA |

| 90 Series | Description | Finish | COO |
|-----------|---------------------------------------------------|--------|-----|
| 903H • | 90 Series, size 3, hold-open - heavy-duty surface | US32D | USA |
| 904H • | 90 Series, size 4, hold-open - heavy-duty surface | US32D | USA |
| 905H • | 90 Series, size 5, hold-open - heavy-duty surface | US32D | USA |
| 906H • | 90 Series, size 6, hold-open - heavy-duty surface | US32D | USA |
| 903S • | 90 Series, size 3, stop-only - heavy-duty surface | US32D | USA |
| 904S • | 90 Series, size 4, stop-only - heavy-duty surface | US32D | USA |
| 905S • | 90 Series, size 5, stop-only - heavy-duty surface | US32D | USA |
| 906S • | 90 Series, size 6, stop-only - heavy-duty surface | US32D | USA |

| 100 Series | Description | Finish | COO |
|--------------|--------------------------------------------------------------------|--------|-----|
| 103H, 104H • | 70 Series, size 4, hold-open - heavy-duty surface | US32D | USA |
| 105H, 106H • | 100 Series, size 5 or 6, hold-open - heavy-duty concealed | US32D | USA |
| 103S, 104S • | 100 Series, size 3 or 4, stop-only - heavy-duty concealed | US32D | USA |
| 105S, 106S • | 100 Series, size 5 or 6, stop-only - heavy-duty concealed | US32D | USA |
| 106F • | 100 Series, size 5 or 6, friction hold-open - heavy-duty concealed | US32D | USA |
| 106HP • | 100 Series, size 5 or 6, internal hold-open - heavy-duty concealed | US32D | USA |

| 410 Series | Description | Finish | COO |
|------------|-------------------------------------------------------|--------|-----|
| 413H • | 410 Series, size 3, hold-open - medium-duty concealed | US32D | USA |
| 414H • | 410 Series, size 4, hold-open - medium-duty concealed | US32D | USA |
| 413S • | 410 Series, size 3, stop-only - medium-duty concealed | US32D | USA |
| 414S • | 410 Series, size 4, stop-only - medium-duty concealed | US32D | USA |

| 450 Series | Description | Finish | COO |
|------------|----------------------------------------------------|------------|-----|
| 451H • | 450 Series, size 1, hold-open- medium-duty surface | US32D | USA |
| 452H • | 450 Series, size 2, hold-open- medium-duty surface | US32D | USA |
| 453H • | 450 Series, size 3, hold-open- medium-duty surface | US32D, 652 | USA |
| 454H • | 450 Series, size 4, hold-open- medium-duty surface | US32D, 652 | USA |
| 455H • | 450 Series, size 5, hold-open- medium-duty surface | US32D, 652 | USA |
| 451S • | 450 Series, size 1, stop-only- medium-duty surface | US32D, 652 | USA |
| 452S • | 450 Series, size 2, stop-only- medium-duty surface | US32D, 652 | USA |
| 453S • | 450 Series, size 3, stop-only- medium-duty surface | US32D, 652 | USA |
| 454S • | 450 Series, size 4, stop-only- medium-duty surface | US32D, 652 | USA |
| 455S • | 450 Series, size 5, stop-only- medium-duty surface | US32D, 652 | USA |

- Products contribute credits toward LEED certification.

The products listed meet the requirements of BAA on the published date of this catalog. Please check www.allegion.com/us/industries/government to verify that you are using the most current information.

Auxiliary hardware

Glynn-Johnson

| Push/Pull latch | Description | Finish | COO |
|-------------------|------------------------------------|--------|-----|
| HL6-2 • | Push/Pull latch | All | USA |
| HL6-5 • | Push/Pull latch - 5" backset | All | USA |
| HL6-9000 Series • | Push/Pull mortise lock combination | All | USA |

Ives

| Hinges | Description | Finish | COO |
|--------------------------|----------------------------------------------------------------|----------|--------|
| BAA 5BB1 4.5 x 4.5 | Five knuckle, ball bearing, standard weight | 630, 652 | Taiwan |
| BAA 5BB1 4.5 x 4.5 NRP | Five knuckle, ball bearing, standard weight, non-removable pin | 630, 652 | Taiwan |
| BAA 5BB1 4.5 x 4.5 TW8 | Five knuckle, ball bearing, standard weight - 8" through-wire | 630, 652 | Taiwan |
| BAA 5BB1HW 4.5 x 4.5 | Five knuckle, ball bearing, heavy weight | 630, 652 | Taiwan |
| BAA 5BB1HW 4.5 x 4.5 NRP | Five knuckle, ball bearing, heavy weight, non-removable pin | 630, 652 | Taiwan |
| BAA 5BB1HW 4.5 x 4.5 TW8 | Five knuckle, ball bearing, heavy weight - 8" through-wire | 630, 652 | Taiwan |
| BAA 5BB1HW 5 x 4.5 | Five knuckle, ball bearing, heavy weight | 630, 652 | Taiwan |
| BAA 5BB1HW 5 x 4.5 NRP | Five knuckle, ball bearing, heavy weight, non-removable pin | 630, 652 | Taiwan |
| BAA 5BB1HW 5 x 4.5 TW8 | Five knuckle, ball bearing, heavy weight, 8" through-wire | 652 | Taiwan |
| BAA 5BB1HWBSC 4.5 | Five knuckle, ball bearing, heavy weight, swing clear | 652 | Taiwan |

| Continuous hinges | Description | Finish | COO |
|-------------------|------------------------------------------------------------|-------------|--------|
| 600** | Concealed hinge - pin and barrel | USP | Canada |
| 602** | Full surface, flush mount - pin and barrel | USP | Canada |
| 611** | Swing clear - pin and barrel | USP | Canada |
| 700** | Concealed hinge - pin and barrel | US32D | Canada |
| 702** | Full surface, flush mount - pin and barrel | US32D | Canada |
| 705** | Concealed hinge - pin and barrel | US32D | Canada |
| 711** | Swing clear, flush mount, surface hinge - pin and barrel | US32D | Canada |
| 715** | Concealed hinge, flush mounted, half wrap - pin and barrel | US32D | Canada |
| 045HD* • • | Heavy duty, half surface - geared | US28, 313AN | USA |
| 046HD* • • | Heavy duty, half surface - geared | US28, 313AN | USA |
| 053HD* • • | Heavy duty, half surface - geared | US28, 313AN | USA |
| 054HD* • • | Heavy duty, half surface - geared | US28, 313AN | USA |
| 112HD* • | Heavy duty, full mortise - geared | US28, 313AN | USA |
| 157XY* • | Heavy duty, full mortise - geared | US28, 313AN | USA |
| 210HD* • • | Heavy duty, full surface, swing clear - geared | US28, 313AN | USA |
| 224HD* • • | Heavy duty, full mortise - geared | US28, 313AN | USA |

* Standard Lengths include: 83", 85", 95", 120". Custom lengths and all options also available. (i.e. EPT cut-out)

• Products contribute credits toward LEED certification.

* Lead time may be extended up to 4 weeks.

| Pivots | Description | Finish | COO |
|---------------------|---------------------------------------------|--------------------|--------|
| 7212-7212V-7222 INT | Intermediate pivot for 7212, 7212v and 7222 | SP28, SP313, US26D | Taiwan |
| 7215 Pivot set | ¾" Offset pivots, jamb-mounted bottom | SP28, SP313, US26D | Taiwan |
| 7215-7226-7227 INT | Intermediate pivot for 7215, 7226 and 7227 | SP28, SP313, US26D | Taiwan |
| 7222 Pivot set | ¾" Offset pivots, floor-mounted bottom | SP28, SP313, US26D | Taiwan |
| 7253 Pivot set | Center-hung pivot set | SP28, SP313, US26D | Taiwan |
| 7255 Pivot set | Center-hung pivot set | SP28, SP313, US26D | Taiwan |
| 7259 BTM | Bottom pivot for 7259 | US26D | USA |

Note: Ives hinges listed on this page qualify for BAA projects above the qualifying designated country threshold. Other Ives hinges not listed here may qualify for BAA/ARRA projects above the qualifying designated country threshold. See "When could BAA/ARRA apply?" on page 4 and 5 for more details.

The products listed meet the requirements of BAA on the published date of this catalog. Please check www.allegion.com/us/industries/government to verify that you are using the most current information.

Auxiliary hardware

Ives

Kickplates & push/pull

| Plates | Description | Finish | COO |
|-----------|-----------------------|--------|-----|
| 8190-0 | 90° Offset door pull | US32D | USA |
| 8200 • | Push plate | All | USA |
| 8302-10 • | Pull plate - 10" grip | All | USA |
| 8302-8 • | Pull plate - 8" grip | All | USA |
| 8311-5 • | Pull plate - 5" grip | All | USA |
| 8400 • | Kickplate - all sizes | All | USA |

| Carry bars | Description | Finish | COO |
|------------|-------------|--------|-----|
| CB1 | Carry Bar | USP | USA |

| Invisible latches | Description | Finish | COO |
|-------------------|------------------------------------------------|--------|--------|
| CL11 • | Invisible latch, 7/16" x 1 1/4" x 1 7/8" | US26D | Taiwan |
| CL12 • | Invisible latch, 9/16" x 1 1/4" x 2 1/4" | US26D | Taiwan |
| CL14 • | Auxiliary pusher for invisible latches | US26D | USA |
| CL21A • | Four-way catch — full size doors w/ hook plate | US26D | Taiwan |
| CL22 • | Three-way catch | US26D | Taiwan |

| Coordinators | Description | Finish | COO |
|--------------|-----------------------------------------|--------|--------|
| COR7G | Gravity arm coordinator - 7" projection | US26D | Taiwan |
| COR32 | Coordinator - 32" overall length | US28 | USA |
| COR42 | Coordinator - 42" overall length | US28 | USA |
| COR52 | Coordinator - 52" overall length | US28 | USA |
| COR60 | Coordinator - 60" overall length | US28 | USA |
| COR72 | Coordinator - 72" overall length | US28 | USA |

| Dust proof strikes | Description | Finish | COO |
|--------------------|------------------------------------|--------|--------|
| DP1 • | Dust-proof strike - threshold only | US26D | Taiwan |
| DP2 • | Dust-proof strike | US28 | Taiwan |

| Door Viewer | Description | Finish | COO |
|-------------|----------------------------------------------|--------|--------|
| U701 • | UL Listed Door Viewer - Fits 2 1/8" - 2 5/8" | All | Taiwan |

- Products contribute credits toward LEED certification.

The products listed meet the requirements of BAA on the published date of this catalog. Please check www.allegion.com/us/industries/government to verify that you are using the most current information.

Auxiliary hardware

Ives

| Flush bolts | Description | Finish | COO |
|-------------|-----------------------------------------------------------|--------|-----|
| FB31P • | Automatic flush bolt — pair metal | US32D | USA |
| FB32 • | Automatic flush bolt w/ aux. Fire latch metal | US32D | USA |
| FB41P • | Automatic flush bolt — pair wood | US32D | USA |
| FB42 • | Automatic flush bolt w/ aux. Fire latch wood | US32D | USA |
| FB51P • | Constant latching top flush bolt — pair metal | US32D | USA |
| FB52 • | Constant latching top flush bolt w/ aux. Fire latch metal | US32D | USA |
| FB61P • | Constant latching top flush bolt — pair wood | US32D | USA |
| FB62 • | Constant latching top flush bolt w/ aux. Fire latch wood | US32D | USA |

| Filler bars | Description | Finish | COO |
|-------------|---------------------------------|--------|-----|
| FL20 • | Filler bar — 20" overall length | US28 | USA |
| FL32 • | Filler bar — 32" overall length | US28 | USA |
| FL44 • | Filler bar — 44" overall length | US28 | USA |

| Floor/door stops & holders | Description | Finish | COO |
|----------------------------|------------------------------------------------------------------|------------------|--------|
| FS1153 • | Plunger-type door holder — 1 ⁵ / ₈ " throw | US28 | Taiwan |
| FS1154 • | Plunger-type door holder — 1 ¹ / ₄ " throw | US10, US26D, US3 | Taiwan |
| FS18L • | Security floor stop — 3 ¹ / ₂ " bumper | | Taiwan |
| FS18S • | Security floor stop | | Taiwan |
| FS40 • | Automatic floor type holder — 1/2" door to floor clearance | US26D | Taiwan |
| FS544-4" • | Kick down door holder — iron | SP10, SP28, SP4 | Taiwan |
| FS555-5" • | Kick down door holder — iron | SP10, SP28, SP4 | Taiwan |

| Lock Guards | Description | Finish | COO |
|-------------|------------------------------|-------------|-----|
| LG1 • | Lock guard with security pin | US2G, US32D | USA |
| LG10 • | Lock guard | US32D | USA |
| LG13 • | Lock guard | US32D | USA |
| LG14 • | Lock guard | US32D | USA |

| Mounting brackets | Description | Finish | COO |
|-------------------|----------------------------------------------------------------|-------------|--------|
| MB1 | Mounting bracket — stops over 2 ¹ / ₂ " | USP | USA |
| MB2 | Mounting bracket — stops up to 2 ¹ / ₂ " | USP | USA |
| RL1152 • | Combination roller latch/applied stop | US26, US26D | Taiwan |

• Products contribute credits toward LEED certification.

The products listed meet the requirements of BAA on the published date of this catalog. Please check www.allegion.com/us/industries/government to verify that you are using the most current information.

Auxiliary hardware

Ives

| Roller latches | Description | Finish | COO |
|-----------------------|-------------------------------------------|-------------------------|------------|
| RL30 • | Roller latch | US10B, US26, US26D, US3 | Taiwan |
| RL36 • | Roller latch, light-duty, mortise | US32D | Taiwan |
| RL38 • | Roller latch, light-duty, surface mounted | US32D | Taiwan |

| Locking bolts | Description | Finish | COO |
|----------------------|-------------------------------------------|---------------|------------|
| SB1630B | 8" Steel bottom bolt | US2G | Taiwan |
| SB1630BL-1289 | 8" Locking bottom bolt | US2G | USA |
| SB1630BL-1360 | 8" Locking bottom bolt | US2G | USA |
| SB1630T | 8" Steel top bolt | US2G | Taiwan |
| SB1630TB | 8" Steel bolt with top and bottom strikes | US2G | Taiwan |
| SB1630TL-1289 | 8" Locking top bolt | US2G | USA |
| SB1630TL-1360 | 8" Locking top bolt | US2G | USA |

| Silencers | Description | Finish | Co |
|------------------|---------------------------------|---------------|-----------|
| SR64 | Door silencers for metal frames | Gray / Tan | USA |
| SR65 | Door silencers for wood frames | Gray | USA |

| Wall stops/holders | Description | Finish | Co |
|---------------------------|----------------------------------------|---------------|-----------|
| WS11 • | Wall stop for drywall mounting drywall | US26D | Taiwan |
| WS40 • | Automatic holder and stop universal | US26D | Taiwan |
| WS45 • | Automatic holder and stop universal | US26D | Taiwan |

• Products contribute credits toward LEED certification.

The products listed meet the requirements of BAA on the published date of this catalog. Please check www.allegion.com/us/industries/government to verify that you are using the most current information.

Doors and frames

Steelcraft

| Metal Doors | Description | Gauge | COO |
|----------------------|----------------------------|-----------------|-----|
| L Series • ‡ | Laminated core | 14, 16, 18 & 20 | USA |
| LS Series • | Stainless steel | 14, 16 & 18 | USA |
| SL Series • | Square edge laminated core | 18 & 20 | USA |
| B Series • ‡ | Steel stiffened core | 14, 16 & 18 | USA |
| T Series • | Temperature rise | 14, 16, 18 & 20 | USA |
| CE Series • | Embossed panel | 16, 18 & 20 | USA |
| A14 Series • | Full glass | 14 | USA |
| H Series • | Hurricane rated | 14 & 16 | USA |
| Paladin™ PW Series • | Tornado resistant | 14 | USA |
| GRAINTECH™ Series • | Embossed wood grain panels | 16 & 18 | USA |
| INPACT™ Series | Integrated door system | 16 & 18 | USA |

| Metal frames | Description | Gauge | COO |
|----------------------|---------------------|-------------|-----|
| F Series • | Flush frame | 12, 14 & 16 | USA |
| FS Series | Stainless steel | 14 & 16 | USA |
| FN Series • | Flush frame | 14 & 16 | USA |
| MU Series • | Multi use frame | 14 & 16 | USA |
| FE & DE Series • | Double egress frame | 14 & 16 | USA |
| DW Series • | Drywall frame | 14 & 16 | USA |
| K Series • | Drywall frame | 14 & 16 | USA |
| Paladin™ FP Series • | Tornado resistant | 14 | USA |

| Architectural stick | Description | Gauge | COO |
|---------------------|-----------------|---------|-----|
| F Series • | Flush frame | 14 & 16 | USA |
| MU Series • | Multi use frame | 14 & 16 | USA |
| FN Series • | Flush frame | 14 & 16 | USA |

Falcon

| Metal doors | Description | Gauge | COO |
|-------------|-------------|-------|-----|
| SZ Series | Flush door | 18 | USA |

• Products contribute credits toward LEED certification.

‡ Meets A.T.F.P. Bomb blast criteria when used with Schlage or Falcon Grade 1 cylindrical or mortise locks only. Approved under ASTM F 1642 test method.

The products listed meet the requirements of BAA on the published date of this catalog. Please check www.allegion.com/us/industries/government to verify that you are using the most current information.

Additional costs and order requirements

Locks

| Schlage | Up charge | BAA transmittal required | Note on order |
|---------------------|---------------|--------------------------|------------------------------------------|
| A Series | \$25 per lock | x | |
| AL Series | \$25 per lock | x | |
| B250 Series | \$12 per lock | x | |
| B500 Series | \$12 per lock | x | |
| B600/700/800 Series | \$12 per lock | x | |
| CS200 Series | \$25 per lock | x | Clearly mark order |
| D Series | \$25 per lock | x | “Products requested with BAA compliance” |
| H Series | \$25 per lock | x | |
| ND Series | \$25 per lock | x | |
| L Series | \$25 per lock | x | |
| S Series | \$25 per lock | x | |
| S200 Series | \$25 per lock | x | |

Electronic locks, readers & accessories

| Schlage | Up charge | BAA transmittal required | Note on order |
|-----------------------|----------------|--------------------------|------------------------------------------------------------------|
| AD Series* | \$100 per lock | x | Clearly mark order “Products requested with BAA compliance” |
| Power Supplies | \$30 per PS | x | Must be clearly ordered with BAA suffix to ensure BAA compliance |
| PIM* | \$25 per PIM | x | Clearly mark order “Products requested with BAA compliance” |
| PIB* | \$25 per PIB | x | Clearly mark order “Products requested with BAA compliance” |
| Von Duprin | | | Note on order |
| Power Supplies | \$32 per PS | x | Must be clearly ordered with BAA suffix to ensure BAA compliance |
| Power Transfers (EPT) | N/C per EPT | x | |

* Up charges only apply when ordering products that must have Country of Origin of USA and the project does not meet any thresholds where Trade Agreement Act (TAA) exceptions apply. See pg 4 & 5 for more details or contact st-govtservices@allegion.com for more information.

See page 6 and 7 for BAA Transmittal Cover Sheet and order instructions.

About Allegion

Allegion (NYSE: ALLE) creates peace of mind by pioneering safety and security. As a \$2 billion provider of security solutions for homes and businesses, Allegion employs more than 8,000 people and sells products in more than 120 countries across the world. Allegion comprises 27 global brands, including strategic brands CISA®, Interflex®, LCN®, Schlage® and Von Duprin®.

For more, visit www.allegion.com

aptiQ ■ LCN ■ **SCHLAGE** ■ STEELCRAFT ■ VON DUPRIN