

Product Comparisons

Grade 2 Bored Locks

ASSA ABLOY

Brought to you by ASSA ABLOY Group brands:
ARROW | CORBIN RUSSWIN | SARGENT | YALE

The global leader in
door opening solutions



Architectural Hardware

		Corbin Russwin	SARGENT		Competitors		
ANSI/ BHMA No.		CL3800 Series	7 Line	6500 Line	Schlage AL Series	Stanley/Best 7KC Series	
Features	ANSI/BHMA Certified Grade 2	A156.2	Yes	Yes	Yes	Yes	Yes
	UL Listed (3 Hour)	–	Yes	Yes	Yes	Yes	Yes
	Warranty	–	5 Years	5 Years	1 Year	3 Years	Unknown
	Buy American Act	–	Yes	Yes	Yes	Unknown	Unknown
	Windstorm Certified	–	Yes	Yes	Yes	No	No
	Door Thickness	–	1 3/8" - 2 1/4"	1 3/8" - 1 3/4"	1 3/8" - 1 3/4"	1 3/8" - 2"	1 3/8" - 2"
	Through-bolts	–	Yes	Yes	Yes	Yes	Yes
	Backset	–	2 3/8", 2 3/4", 3 3/4", 5"	2 3/8", 2 3/4"	2 3/8", 2 3/4"	2 3/8", 2 3/4", 3 3/4", 5"	2 3/8", 2 3/4", 3 3/4", 5"
	Field Reversible Handing	–	Yes	Yes	Yes	Yes	Yes
	Latchbolt Throw	–	1/2"	1/2"	1/2"	1/2"	1/2"
	Number of Mechanical Functions	–	18	10	8	10	7
	Number of Finishes	–	12	12	6	9	6
	Lever Designs	–	3	5	3	4	3
	Free Wheeling Levers	–	Yes	No	No	No	No
	Other Manufacturer Keyways	–	Yes	Yes	Yes	Yes	Yes
	Security or Patented Keying	–	Yes	Yes	Yes	Yes	Yes
SFIC	–	Yes	Yes	Yes	Yes	Yes	

		Corbin Russwin	SARGENT	Competitors			
Finishes	Bright Brass, Clear Coated	605	Yes	Yes	Yes	Yes	
	Satin Brass, Clear Coated	606	Yes	Yes	Yes	Yes	
	Satin Brass, Blackened, Satin Relieved, Clear Coated	609	No	No	No	Yes	No
	Bright Bronze, Clear Coated	611	Yes	Yes	No	No	No
	Satin Bronze, Clear Coated	612	Yes	Yes	Yes	Yes	Yes
	Oil Rubbed Bronze	613	Yes	Yes	Yes	Yes	Yes
	Dark Oxidized Satin Bronze – equivalent	613E	Yes	Yes	Yes	Yes	No
	Dark Oxidized Satin Bronze, Clear Coated	614	Yes	Yes	No	No	No
	Bright Nickel Plated, Clear Coated	618	Yes	Yes	No	No	No
	Satin Nickel Plated, Clear Coated	619	Yes	Yes	No	Yes	No
	Statuary Dark Bronze	624	No	Yes	No	No	No
	Bright Chrome Plated	625	Yes	Yes	Yes	Yes	Yes
	Satin Chrome Plated	626	Yes	Yes	Yes	Yes	Yes
	Black Oxidized Bronze, Oil Rubbed	722	Yes	No	No	No	No
	MicroShield® Antimicrobial Coating	–	Yes	Yes	No	Yes	No

			Corbin Russwin	SARGENT		Competitors		
ANSI/ BHMA No.			CL3800 Series	7 Line	6500 Line	Schlage AL Series	Stanley/Best 7KC Series	
Functions	No Cylinder	Passage or Closet Latch	F75	CL3810	7U15	65U15	AL10S	7KC-N
		Privacy, Bedroom or Bath	F76B	CL3820	7U65	65U65	AL40S	7KC-L
		Patio or Privacy	F77B	CL3840	-	-	-	-
		Exit Latch	F89	CL3840NT	-	-	-	-
		Communicating Passage	F111	CL3880	7G15-3	65G15-3	AL25D	7KC-Y
		Hospital Privacy	-	-	7U68	-	AL44S	-
		Passage x Thumbpiece	-	CL3890	-	-	-	-
		Dummy – Trim One Side	-	CL3850	7U93	65U93	AL170	7KC-1DT
		Dummy – Trim Both Sides	-	CL3870	7U94/ 7U94-2	65U94	-	-
	Single Cylinder	Entry – Push Button Always Releases (Except When Closing Door)	F82B	CL3861	-	-	AL50PD	-
		Classroom	F84	CL3855	7G37	65G37	AL70PD	7KC-R
		Storeroom or Closet	F86	CL3857	7G04	65G04	AL80PD	7KC-D
		Service Station	F92	CL3893	-	-	-	-
		Hotel	F93	-	-	-	AL85PD	-
		Entry – Outside Lever May be Retained in Locked Position	F109	CL3851	7G05	65G05	AL53PD	7KC-AB
		Communicating Classroom	F113	CL3881	-	-	-	-
	Double Cylinder	Closet/Storeroom x Thumbpiece	-	CL3891	-	-	-	-
		Communicating – Key Both Sides. Locks or Unlocks Each Side Independently	F80	CL3862	-	-	-	-
Utility, Asylum or Institutional		F87	CL3832	-	-	-	-	
Apartment	F88	CL3872	-	-	-	-		

Commercial Hardware

	ANSI/ BHMA No.	Arrow		Yale		Competitors				
		MLX Series	RL Series	5300LN Series	4600LN Series	Cal-Royal SL/XP Series	Cal-Royal SG Series	Dorma CL700 Series	Dorma C500 Series	
Features	ANSI/BHMA Certified Grade 2	A156.2	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
	UL Listed (3 Hour)	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
	Warranty	-	10 Years	5 Years	5 Years	3 Years	Unknown	Unknown	5 Years	Limited
	Buy American Act	-	Yes	Yes	Yes	Yes	Yes	Yes	No	No
	Windstorm Certified	-	No	No	Yes	Yes	SL only	No	No	No
	Door Thickness	-	1 3/8" - 1 3/4"	1 3/8" - 1 3/4"	1 3/8" - 2 1/4"	1-3/8" - 1-3/4"	1 3/8" - 1 3/4"	1 3/8" - 1 3/4"	1 3/8" - 1 7/8"	1 3/8" - 1 11/16"
	Through-bolts	-	Yes	Yes	Yes	Optional	Optional	No	Yes	Yes
	Backset	-	2 3/4", 3 3/4", 5"	2 3/8", 2 3/4"	2 3/8", 2 3/4", 3 3/4", 5"	2 3/4", 2 3/8"	2 3/8", 2 3/4", 3 3/4", 5"	2 3/8", 2 3/4", 3 3/4", 5"	2 3/8", 2 3/4", 3 3/4"	2 3/8", 2 3/4"
	Field Reversible Handing	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Electrified Functions	-	No	No	Yes (4)	No	No	No	No	No
	Electrified Options (Request to Exit)	-	No	No	No	No	No	No	No	No
	Latchbolt Throw	-	1/2"	1/2"	1/2"	1/2"	1/2"	1/2"	1/2"	1/2"
	Number of Mechanical Functions	-	6	7	19	8	SL-7; XP-6	7	10	10
	Number of Finishes	-	3	6	13	8	7	6	6	6
	Lever Designs	-	1	2	3	3	SL-2; XP-1	3	3	2
	Free Wheeling Levers	-	Yes	No	Yes	No	No	No	No	No
Other Manufacturer Keyways	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	
Security or Patented Keying	-	No	No	Yes	Yes	No	No	Yes	Yes	
SFIC	-	Yes	Yes	Yes	Yes	SL-Yes; XP-No	No	Yes	Yes	

Finishes	Bright Brass, Clear Coated	605	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
	Satin Brass, Clear Coated	606	No	Yes	Yes	Yes	Yes	Yes	Yes	
	Satin Brass, Blackened, Satin Relieved, Clear Coated	609	No	No	Yes	No	Yes	No	No	
	Satin Bronze, Clear Coated	612	No	Yes	Yes	Yes	Yes	Yes	No	
	Oil Rubbed Bronze	613	No	Yes	Yes	No	Yes	Yes	Yes	
	Dark Oxidized Satin Bronze - equivalent	613E	No	Yes	Yes	Yes	No	No	No	
	Dark Oxidized Satin Bronze, Clear Coated	614	Yes	No	No	No	No	No	No	
	Satin Bronze, Blackened, Satin Relieved, Clear Coated	616	No	No	Yes	No	No	No	No	
	Satin Nickel Plated, Clear Coated	619	No	No	Yes	No	Yes	Yes	No	Yes
	Satin Nickel Plated, Blackened, Satin Relieved, Clear Coated	620	No	No	Yes	No	No	Yes	No	No
	Bright Chrome Plated	625	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Satin Chrome Plated	626	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Black Powder Coat	693	No	No	Yes	No	No	No	No	No
	Black Oxidized Bronze, Oil Rubbed	722	No	No	Yes	No	No	No	No	No
MicroShield® Antimicrobial Coating	-	No	No	Yes	No	No	No	No	No	

Competitors									
Falcon W Series	Falcon B Series	Hager 3500 Series	Hager 2500 Series	Marks 75 Series	PDQ GP Series	PDQ SD Series	Stanley QCL200 Series	ANSI/BHMA No.	

Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	A156.2	ANSI/BHMA Certified Grade 2
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	-	UL Listed (3 Hour)
10 Years	10 Years	Lifetime	Lifetime	Lifetime	8 Years	5 Years	Lifetime	-	Warranty
Unknown	Unknown	Unknown	Unknown	Unknown	Yes	Yes	Unknown	-	Buy American Act
No	No	Yes	No	No	Yes	Unknown	Pending	-	Windstorm Certified
1 3/8" - 1 3/4"	1 3/8" - 2"	1 3/8" - 2"	1 3/8" - 2"	1 3/8" - 1 7/8"	1 3/8" - 1 3/4"	1 3/8" - 1 3/4"	1 3/8" - 2"	-	Door Thickness
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Yes	-	Through-bolts
2 3/8", 2 3/4"	2 3/8", 2 3/4"	2 3/8", 2 3/4", 3 3/4", 5"	2 3/8", 2 3/4"	2 3/8", 2 3/4", 3 3/4", 5"	2 3/8", 2 3/4", 2 3/4", 5"	2 3/8", 2 3/4"	2 3/8", 2 3/4"	-	Backset
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	-	Field Reversible Handing
No	No	No	No	No	No	No	No	-	Electrified Functions
No	No	No	No	No	No	No	No	-	Electrified Options (Request to Exit)
1/2"	1/2"	1/2"	1/2"	1/2"	1/2"	1/2"	1/2"	-	Latchbolt Throw
10	9	11	9	21	10	8	7	-	Number of Mechanical Functions
5	5	6	3	6	6	3	5	-	Number of Finishes
2	2	3	2	4	2	5	2	-	Lever Designs
No	No	Yes	No	Yes	No	No	Yes	-	Free Wheeling Levers
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	-	Other Manufacturer Keyways
Yes	Yes	No	No	Yes	Yes	Yes	No	-	Security or Patented Keying
No	No	Yes	Yes	Yes	Yes	Yes	No	-	SFIC

Features

Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	605	Bright Brass, Clear Coated
Yes	Yes	Yes	No	Yes	Yes	No	No	606	Satin Brass, Clear Coated
No	No	No	No	No	No	No	No	609	Satin Brass, Blackened, Satin Relieved, Clear Coated
No	No	Yes	No	Yes	Yes	No	No	612	Satin Bronze, Clear Coated
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	613	Oil Rubbed Bronze
No	No	No	No	No	No	No	No	613E	Dark Oxidized Satin Bronze - equivalent
No	No	No	No	No	No	No	No	614	Dark Oxidized Satin Bronze, Clear Coated
No	No	No	No	No	No	No	No	616	Satin Bronze, Blackened, Satin Relieved, Clear Coated
No	No	No	No	No	No	No	Yes	619	Satin Nickel Plated, Clear Coated
No	No	No	No	No	No	No	No	620	Satin Nickel Plated, Blackened, Satin Relieved, Clear Coated
Yes	Yes	Yes	No	Yes	Yes	No	Yes	625	Bright Chrome Plated
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	626	Satin Chrome Plated
No	No	No	No	No	No	No	No	693	Black Powder Coat
No	No	No	No	No	No	No	No	722	Black Oxidized Bronze, Oil Rubbed
No	No	No	No	Yes	Yes	Yes	No	-	MicroShield® Antimicrobial Coating

Finishes

Commercial Hardware *continued*

	ANSI/ BHMA No.	Arrow		Yale		Competitors				
		MLX Series	RL Series	5300LN Series	4600LN Series	Cal-Royal SL/XP Series	Cal-Royal SG Series	Dorma CL700 Series	Dorma C500 Series	
No Cylinder	Passage or Closet Latch	F75	MLX01	RL01	5301LN	4601LN	SL30 / XP30	SG30	CL710	C510
	Privacy, Bedroom or Bath	F76B	MLX72	RL02	5302LN	4602LN	SL20 / XP20	SG20	CL740	C540
	Patio or Privacy	F77B	-	-	5303LN	-	-	-	CL730	C540
	Exit	F83	-	-	-	-	-	-	-	-
	Exit Latch	F89	-	-	5309LN	-	-	-	CL712	-
	Communicating Passage	F111	-	RL03	5328LN	4628LN	SL50 / XP50	SG50	CL725	C525
	Hospital Privacy	-	-	-	5325LN	-	-	-	-	-
	Dummy – Trim One Side	-	MLX08	RL08	355LN	4655LN	SL40 / XP40	SG40	CL701	C501
	Dummy – Trim Both Sides	-	-	-	355LN-D	-	-	-	-	-
	Single Cylinder	Entry – Outside Lever May be Retained in Locked Position	F81	-	-	-	-	-	-	-
Entry – Push Button Always Releases (Except When Closing Door)		F82B	-	-	5304LN	4604LN	SL01 only	-	CL750	C550
Classroom		F84	MLX87	RL17	5308LN	4608LN	SL03 / XP03	SG03	CL770	C570
Storeroom or Closet		F86	MLX82	RL12	5305LN	4605LN	-	SG05	CL780	C580
Corridor		F90	-	-	5322LN	-	-	-	-	-
Service Station		F92	-	-	5306LN	-	-	-	-	-
Hotel		F93	-	-	-	-	-	-	-	-
Entry – Outside Lever May be Retained in Locked Position		F109	MLX81	RL11	5307LN	4607LN	SL00 / XP00	SG00	CL753	C553
Communicating Storeroom		F112	-	-	5339LN	-	-	-	-	-
Communicating Classroom		F113	-	-	5329LN	-	-	-	-	-
Double Cylinder	Communicating – Key Both Sides. Locks or Unlocks Each Side Independently	F80	-	-	5321LN	-	-	-	-	-
	Utility, Asylum or Institutional	F87	-	-	5330LN	-	-	-	-	-
	Apartment	F88	-	-	-	-	-	-	-	C555
	Intruder Classroom	F110	-	-	5318LN	-	-	-	-	-
Fail Safe	Basic Function – Single Cylinder x Outside Lever Unlocked	-	-	-	5390LN	-	-	-	-	-
	No Cylinder x Outside Lever Unlocked	-	-	-	5380LN	-	-	-	-	-
Fail Secure	Basic Function – Single Cylinder x Outside Lever Locked	-	-	-	5391LN	-	-	-	-	-
	No Cylinder x Outside Lever Locked	-	-	-	5381LN	-	-	-	-	-

Competitors									ANSI/ BHMA No.	
Falcon W Series	Falcon B Series	Hager 3500 Series	Hager 2500 Series	Marks 75 Series	PDQ GP Series	PDQ SD Series	Stanley QCL200 Series			
W101	B101	3510	2510	N	GP126	SD126	QCL230	F75	Passage or Closet Latch	No Cylinder
W301	B301	3540	2540	L	GP176	SD176	QCL240	F76B	Privacy, Bedroom or Bath	
W201	-	-	-	P	-	-	-	F77B	Patio or Privacy	
-	-	-	-	AQ	-	-	-	F83	Exit	
-	-	-	-	FQ	-	-	-	F89	Exit Latch	
W161	B161	3525	2525	NB	GP125	SD125	QCL235	F111	Communicating Passage	Hospital Privacy
-	-	-	-	-	-	-	-	-	-	
W12	B12	3517	2517	DO	GP211	SD211	QCL220	-	Dummy – Trim One Side	Dummy – Trim Both Sides
-	-	3527	2527	DT	GP205	-	-	-	-	
-	-	-	-	A	-	-	-	F81	Entry – Outside Lever May be Retained in Locked Position	Single Cylinder
W501	B501	3550	2550	B	GP182	SD182	-	F82B	Entry – Push Button Always Releases (Except When Closing Door)	
W561	B561	3570	2570	S	GP148	SD148	QCL260	F84	Classroom	
W581	B581	3580	2580	F	GP115	SD115	QCL270	F86	Storeroom or Closet	
-	-	3573	-	T	-	-	-	F90	Corridor	
-	-	-	-	BS	-	-	-	F92	Service Station	
-	-	-	-	H	-	-	-	F93	Hotel	
W511 & W711	B511	3553	2553	AB	GP116	SD116	QCL250	F109	Entry – Outside Lever May be Retained in Locked Position	
-	-	-	-	FB	-	-	-	F112	Communicating Storeroom	
-	B341	3579	-	SB	GP150	-	-	F113	Communicating Classroom	
-	-	-	-	DC	-	-	-	F80	Communicating – Key Both Sides. Locks or Unlocks Each Side Independently	Double Cylinder
-	-	-	-	DW	-	-	-	F87	Utility, Asylum or Institutional	
-	-	-	-	DA	-	-	-	F88	Apartment	
-	-	-	-	-	-	-	-	F110	Intruder Classroom	
-	-	-	-	-	-	-	-	-	Basic Function – Single Cylinder x Outside Lever Unlocked	Fail Safe
-	-	-	-	-	-	-	-	-	No Cylinder x Outside Lever Unlocked	
-	-	-	-	-	-	-	-	-	Basic Function – Single Cylinder x Outside Lever Locked	Fail Secure
-	-	-	-	-	-	-	-	-	No Cylinder x Outside Lever Locked	

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience

ASSA ABLOY

Disclaimer: This is a comparison for like product. This is not a legal or binding document. Consult manufacturers catalog for special detail and accuracy. N/A or unknown means either Not Available or information has not been located.

Arrow
1-800-839-3157
www.arrowlock.com

Corbin Russwin
1-888-607-5703
www.corbinrusswin.com

SARGENT
1-800-727-5477
www.sargentlock.com

Yale
1-800-438-1951
www.yalelocks.com

ASSA ABLOY Door Security Solutions

110 Sargent Drive
New Haven, CT 06511
www.assaabloydss.com
1.800.DSS.EZ4U (377.3948)

Copyright © 2015, ASSA ABLOY Door Security Solutions, an ASSA ABLOY Group company. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Door Security Solutions is prohibited.