

Rockwood Locking Door Pull System

The global leader in door opening solutions

ASSA ABLOY



Features

- Key operated from outside; turn piece on inside
- Multiple locking options: down, up or both
- Bolt location: 2" from face of door to centerline of bolt
- Bolt has 13/16" travel with fine adjustment
- Horizontal push/pull bar option
- Dummy versions available



Technical Specifications

Materials:

- Stainless Steel

System:

- LP3301/DP3301 Model Options:
 - DBU (Half Height Dead Bolt Up)
 - DBD (Half Height Dead Bolt Down)
 - FHU (Full Height Bolt Up)
 - FHD (Full Height Bolt Down)
- Horizontal push/pull bar available on DBU and DBD models only; specify PMPB
- Pull Projection: 2⁵/₈"
- Cylinder Projection: 3¹/₂"
- Grip Diameter: 1¹/₄"
- Center-to-Center and Overall Length: Please specify
- Mounting Hardware: Back-to-back (BTB)

Door Specifications:

- For glass doors 3/8" to 7/8" thick
(other thicknesses available upon request)

Thumbturn Options:

- Large Thumbturn; specify ADA
- Standard Thumbturn (as shown in image above)


Finish Options:

- Satin Stainless Steel (US32D/630)
- Bright Stainless Steel (US32/629)
- Extra Dark Bronze Equivalent (314E)


Cylinder Options:

Description	Code
Small format interchangeable core housing, 7-pin (SFIC)	02
Small format interchangeable core housing w/ plastic construction core, 7-pin (SFIC)	03
Customer Supplied Cylinder	05
Dummy Cylinder	07
Privacy Function - keyless locking function	08


Top Strike Options:




LPS01
3/4" x 1 1/2" x 3"




LPS02
3/4" x 2 1/2" x 3"
Rubber Stop




LPS03
1/20" x 1 1/8" x 2 1/4"



LPS04
1 1/4" dia. x 4 1/2"




LPS05
1 1/4" sq. x 4 1/2"



LPS06
2" dia.


Bottom Strike Option:




570 Dustproof Strike
Face Plate: 1 3/8" x 2 7/8"

Model Options


DBD - Dead Bolt Down, Half Height




DBDPMPB Dead Bolt Down with Horizontal Bar




DBU - Dead Bolt Up, Half Height



DBUPMPB Dead Bolt Up with Horizontal Bar



FHD/FHU Dead Bolt Up or Down, Full Height



*Recommended height for ADA



ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience

ASSA ABLOY

ASSA ABLOY Glass Solutions
300 Main Street
Rockwood, PA 15557
CustomerService.GlassSolutions@assaabloy.com
PH: 855-594-6989
www.assaabloyglass.us

Copyright © 2017, ASSA ABLOY Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Inc. is prohibited.

04/17 3305F