SS		Protecting		
555		Protecting MIAMI-DADE NOA RAT		E NOA RATEI
	Ecuritech' Theent II	For Over A Decade!	Effective ?	1/1/17
Model	Multi-Point Deadbolt Exit Lock Description	2017 List		
1 SINGLE DOOR A		1 022 00		
TEL-100 TEL-110	Manual relock, no alarm	1,023.00 1,292.00		
TEL-1120	Manual relock packed with battery alarm Manual relock packed with hardwire alarm	1,292.00		
TEL-200	Self relock, no alarm	1,089.00		
TEL-210	Self relock, no alarm Self relock packed with battery alarm	1,350.00		
TEL-220	Self relock packed with bardwire alarm	1,617.00		
TEL-200F	Self relock, FIRE RATED, add alarm kit below	1,254.00		
Keved Exterior	Frim Models (TEL-200 or TEL-200F Only) ORDER HANDED			
	Add KLT suffix to include trim at time of ordering (-LHR or -RHR)	422.00		
🦘 -КDТ	Add KDT suffix to include electric trim at time of ordering (-LHR or -RHR)	595.00		
	Additional Entry Options on Page 2			
DELAYED EGRE	SS SYSTEM			
TEL-DES	Trident Self-Locking + Delayed Egress System (Lock Included)	2,432.00		
TEL-DES-KLST		2,132.00		
(-hand)	Trident Self-Locking + Delayed Egress System (Lock Included) with keyed lever trim with delayed egress shunt switch			
(-nanu)	with keyed level thin with delayed egress shuft switch	3,075.00		
DELAYED EGRE	SS KIT			
DELAYED EGRE TEL-DEK	SS KIT Retrofit Elements For Existing Self Locking Trident Locks Only	1,371.00		
TEL-DEK	Retrofit Elements For Existing Self Locking Trident Locks Only	1,371.00		
TEL-DEK		1,371.00		
TEL-DEK	Retrofit Elements For Existing Self Locking Trident Locks Only PLICATION: KIT, ONE ACTIVE DOOR & ONE INACTIVE DOOR Inactive door package used with above single door locks. Includes door	959.00		
TEL-DEK PAIR DOOR API	Retrofit Elements For Existing Self Locking Trident Locks Only PLICATION: KIT, ONE ACTIVE DOOR & ONE INACTIVE DOOR Inactive door package used with above single door locks. Includes door reinforcer/strike & 3-point keyed lock for inactive door only. Not for use where			
TEL-DEK PAIR DOOR API	Retrofit Elements For Existing Self Locking Trident Locks Only PLICATION: KIT, ONE ACTIVE DOOR & ONE INACTIVE DOOR Inactive door package used with above single door locks. Includes door reinforcer/strike & 3-point keyed lock for inactive door only. Not for use where both doors need to be active. Includes removable-core rim cylinder for 3-point			
TEL-DEK PAIR DOOR API	Retrofit Elements For Existing Self Locking Trident Locks Only PLICATION: KIT, ONE ACTIVE DOOR & ONE INACTIVE DOOR Inactive door package used with above single door locks. Includes door reinforcer/strike & 3-point keyed lock for inactive door only. Not for use where			
TEL-DEK PAIR DOOR API TEL-IAL	Retrofit Elements For Existing Self Locking Trident Locks Only PLICATION: KIT, ONE ACTIVE DOOR & ONE INACTIVE DOOR Inactive door package used with above single door locks. Includes door reinforcer/strike & 3-point keyed lock for inactive door only. Not for use where both doors need to be active. Includes removable-core rim cylinder for 3-point keyed lock.			
TEL-DEK PAIR DOOR API TEL-IAL PAIR DOOR API	Retrofit Elements For Existing Self Locking Trident Locks Only LICATION: KIT, ONE ACTIVE DOOR & ONE INACTIVE DOOR Inactive door package used with above single door locks. Includes door reinforcer/strike & 3-point keyed lock for inactive door only. Not for use where both doors need to be active. Includes removable-core rim cylinder for 3-point keyed lock. LICATION WITH MULLION			
TEL-DEK PAIR DOOR API TEL-IAL PAIR DOOR API Use 2 TEL-100s or	Retrofit Elements For Existing Self Locking Trident Locks Only LICATION: KIT, ONE ACTIVE DOOR & ONE INACTIVE DOOR Inactive door package used with above single door locks. Includes door reinforcer/strike & 3-point keyed lock for inactive door only. Not for use where both doors need to be active. Includes removable-core rim cylinder for 3-point keyed lock. LICATION WITH MULLION TEL-200s (one for each door)			
TEL-DEK PAIR DOOR API TEL-IAL PAIR DOOR API Use 2 TEL-1005 or PAIR DOOR API	Retrofit Elements For Existing Self Locking Trident Locks Only LICATION: KIT, ONE ACTIVE DOOR & ONE INACTIVE DOOR Inactive door package used with above single door locks. Includes door reinforcer/strike & 3-point keyed lock for inactive door only. Not for use where both doors need to be active. Includes removable-core rim cylinder for 3-point keyed lock. LICATION WITH MULLION TEL-200s (one for each door) LICATION: BOTH DOORS ACTIVE	959.00		
TEL-DEK PAIR DOOR API TEL-IAL PAIR DOOR API Use 2 TEL-100s or PAIR DOOR API TEL-300	Retrofit Elements For Existing Self Locking Trident Locks Only PLICATION: KIT, ONE ACTIVE DOOR & ONE INACTIVE DOOR Inactive door package used with above single door locks. Includes door reinforcer/strike & 3-point keyed lock for inactive door only. Not for use where both doors need to be active. Includes removable-core rim cylinder for 3-point keyed lock. PLICATION WITH MULLION TEL-200s (one for each door) PLICATION: BOTH DOORS ACTIVE Manual relock, both doors active, no alarm	959.00		
TEL-DEK PAIR DOOR API TEL-IAL PAIR DOOR API Use 2 TEL-100s on PAIR DOOR API TEL-300 TEL-310	Retrofit Elements For Existing Self Locking Trident Locks Only PLICATION: KIT, ONE ACTIVE DOOR & ONE INACTIVE DOOR Inactive door package used with above single door locks. Includes door reinforcer/strike & 3-point keyed lock for inactive door only. Not for use where both doors need to be active. Includes removable-core rim cylinder for 3-point keyed lock. PLICATION WITH MULLION TEL-200s (one for each door) PLICATION: BOTH DOORS ACTIVE Manual relock, both doors active, no alarm Manual relock, both doors active, packed with battery alarm	959.00 1,733.00 2,000.00		
TEL-DEK PAIR DOOR API TEL-IAL PAIR DOOR API Use 2 TEL-100s of PAIR DOOR API TEL-300 TEL-310 TEL-320	Retrofit Elements For Existing Self Locking Trident Locks Only PLICATION: KIT, ONE ACTIVE DOOR & ONE INACTIVE DOOR Inactive door package used with above single door locks. Includes door reinforcer/strike & 3-point keyed lock for inactive door only. Not for use where both doors need to be active. Includes removable-core rim cylinder for 3-point keyed lock. PLICATION WITH MULLION TEL-200s (one for each door) PLICATION: BOTH DOORS ACTIVE Manual relock, both doors active, no alarm Manual relock, both doors active, packed with battery alarm Manual relock, both doors active, packed with hardwire alarm	959.00 1,733.00 2,000.00 2,265.00		
TEL-DEK PAIR DOOR API TEL-IAL PAIR DOOR API Use 2 TEL-100s of PAIR DOOR API TEL-300 TEL-310 TEL-320 TEL-400	Retrofit Elements For Existing Self Locking Trident Locks Only CLICATION: KIT, ONE ACTIVE DOOR & ONE INACTIVE DOOR Inactive door package used with above single door locks. Includes door reinforcer/strike & 3-point keyed lock for inactive door only. Not for use where both doors need to be active. Includes removable-core rim cylinder for 3-point keyed lock. CLICATION WITH MULLION TEL-200s (one for each door) CLICATION: BOTH DOORS ACTIVE Manual relock, both doors active, no alarm Manual relock, both doors active, packed with hardwire alarm Self relock, both doors active, no alarm	959.00 1,733.00 2,000.00 2,265.00 1,982.00		
TEL-DEKPAIR DOOR APITEL-IALPAIR DOOR APIUse 2 TEL-100s ofPAIR DOOR APITEL-300TEL-310TEL-320TEL-400TEL-410	Retrofit Elements For Existing Self Locking Trident Locks Only PLICATION: KIT, ONE ACTIVE DOOR & ONE INACTIVE DOOR Inactive door package used with above single door locks. Includes door reinforcer/strike & 3-point keyed lock for inactive door only. Not for use where both doors need to be active. Includes removable-core rim cylinder for 3-point keyed lock. PLICATION WITH MULLION TEL-200s (one for each door) PLICATION: BOTH DOORS ACTIVE Manual relock, both doors active, no alarm Manual relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm	959.00 1,733.00 2,000.00 2,265.00 1,982.00 2,250.00		
TEL-DEKPAIR DOOR APITEL-IALPAIR DOOR APIUse 2 TEL-100s orPAIR DOOR APITEL-300TEL-310TEL-310TEL-400TEL-410TEL-420	Retrofit Elements For Existing Self Locking Trident Locks Only LICATION: KIT, ONE ACTIVE DOOR & ONE INACTIVE DOOR Inactive door package used with above single door locks. Includes door reinforcer/strike & 3-point keyed lock for inactive door only. Not for use where both doors need to be active. Includes removable-core rim cylinder for 3-point keyed lock. LICATION WITH MULLION TEL-200s (one for each door) LICATION: BOTH DOORS ACTIVE Manual relock, both doors active, no alarm Manual relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm	959.00 1,733.00 2,000.00 2,265.00 1,982.00 2,250.00 2,251.00		
TEL-DEKPAIR DOOR APITEL-IALPAIR DOOR APIUse 2 TEL-100s ofPAIR DOOR APITEL-300TEL-310TEL-320TEL-400TEL-410	Retrofit Elements For Existing Self Locking Trident Locks Only PLICATION: KIT, ONE ACTIVE DOOR & ONE INACTIVE DOOR Inactive door package used with above single door locks. Includes door reinforcer/strike & 3-point keyed lock for inactive door only. Not for use where both doors need to be active. Includes removable-core rim cylinder for 3-point keyed lock. PLICATION WITH MULLION TEL-200s (one for each door) PLICATION: BOTH DOORS ACTIVE Manual relock, both doors active, no alarm Manual relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm	959.00 1,733.00 2,000.00 2,265.00 1,982.00 2,250.00		
TEL-DEK PAIR DOOR API TEL-IAL PAIR DOOR API Use 2 TEL-100s of PAIR DOOR API TEL-300 TEL-310 TEL-320 TEL-400 TEL-420 TEL-420	Retrofit Elements For Existing Self Locking Trident Locks Only PLICATION: KIT, ONE ACTIVE DOOR & ONE INACTIVE DOOR Inactive door package used with above single door locks. Includes door reinforcer/strike & 3-point keyed lock for inactive door only. Not for use where both doors need to be active. Includes removable-core rim cylinder for 3-point keyed lock. PLICATION WITH MULLION TEL-200s (one for each door) PLICATION: BOTH DOORS ACTIVE Manual relock, both doors active, no alarm Manual relock, both doors active, packed with battery alarm Manual relock, both doors active, no alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, FIRE RATED, both door active, add alarm kit below	959.00 1,733.00 2,000.00 2,265.00 1,982.00 2,250.00 2,251.00		
TEL-DEKPAIR DOOR APITEL-IALPAIR DOOR APIUse 2 TEL-100s onPAIR DOOR APITEL-300TEL-310TEL-310TEL-420TEL-400TEL-420TEL-400F	Retrofit Elements For Existing Self Locking Trident Locks Only LICATION: KIT, ONE ACTIVE DOOR & ONE INACTIVE DOOR Inactive door package used with above single door locks. Includes door reinforcer/strike & 3-point keyed lock for inactive door only. Not for use where both doors need to be active. Includes removable-core rim cylinder for 3-point keyed lock. LICATION WITH MULLION TEL-200s (one for each door) LICATION: BOTH DOORS ACTIVE Manual relock, both doors active, no alarm Manual relock, both doors active, packed with battery alarm Manual relock, both doors active, packed with hardwire alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, FIRE RATED, both door active, add alarm kit below	959.00 1,733.00 2,000.00 2,265.00 1,982.00 2,250.00 2,251.00 2,313.00		
TEL-DEKPAIR DOOR APITEL-IALPAIR DOOR APIUse 2 TEL-100s orPAIR DOOR APITEL-300TEL-310TEL-310TEL-400TEL-400TEL-400TEL-400	Retrofit Elements For Existing Self Locking Trident Locks Only PLICATION: KIT, ONE ACTIVE DOOR & ONE INACTIVE DOOR Inactive door package used with above single door locks. Includes door reinforcer/strike & 3-point keyed lock for inactive door only. Not for use where both doors need to be active. Includes removable-core rim cylinder for 3-point keyed lock. PLICATION WITH MULLION TEL-200s (one for each door) PLICATION: BOTH DOORS ACTIVE Manual relock, both doors active, no alarm Manual relock, both doors active, packed with battery alarm Manual relock, both doors active, no alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, both doors active, packed with battery alarm Self relock, FIRE RATED, both door active, add alarm kit below	959.00 1,733.00 2,000.00 2,265.00 1,982.00 2,250.00 2,251.00		

	2017 Trident Pricing				
OUTSIDE ENTRY OPTIONS					
Model	Description	2017 List			
OUTSIDE EN	TRY OPTIONS (can be added in field)				
Keyed Thumb	turn trim for manual locking models, on NEW full anti-pry plate fo	r exterior trim	models silv	ver finish	
TEL-MTT-AP	Thumbturn operation for TEL-100 series (cyl. by others)	476.00	l mouers, sin		
TEL-MTH-AP	Thumbturn operation & handle for TEL-100 series (cyl. by others)	725.00			
	multipleation a native for the too series (cyl. by others)	725.00			ļ
Keyed Thumb	turn trim for manual locking models, on individual trim plate, blac	k finish]		
e TEL-MTT	Thumbturn operation for TEL-100 series (cyl. by others)	422.00			
e TEL-MTH	Thumbturn operation & handle for TEL-100 series (cyl. by others)	672.00			
Keyed lever tri	im for self-locking models, on NEW full anti-pry plate for exterior t	rim models, s	ilver finish		
TEL-KLT-AP	Lever trim for TEL-200 series (order handed)	476.00			
TEL-KDT-AP	Lever trim with key and DC release for TEL-200 (order handed)	643.00			
TEL-KRT-AP	Lever trim with key and DC release for TEL-200 (fail-safe) (order handed)	696.00			
Keyed lever tr	im for self-locking models, on individual trim plate, black finish				
e TEL-KLT	Lever trim for TEL-200 series (order handed)	422.00			
e TEL-KDT	Lever trim with key and DC release for TEL-200 (order handed) (Previously named TEL-KLT-ED)	589.00			
e TEL-KRT	Lever trim with key and DC release for TEL-200 (fail-safe) (order handed)	643.00			
	The KLT, KDT and KRT Models Are Handed: Designate -LHR or -RHR				
Keyed lever tr	im for delayed egress models, on NEW full anti-pry plate for exteri	or trim mode	ls, silver finis	sh	
TEL-KLST	Lever trim for TEL-DES series (order handed)	643.00			
TEL-KDST	Lever trim with key and DC release for TEL-DES (order handed)	810.00			
		-			
Cylinders for T					
TEL-MC1	Mortise cylinder standard keyway, no special keying	32.00			
TEL-RC1	Removable core mortise cylinder change and operating keys	112.00			
TEL-RC2	Removable core rim cylinder change and operating keys	112.00			
	CAM Information				
IAL:	Removable Core rim cyl. provided with IAL lockset (contact factory	for others)			
Alarms:	Mortise cylinders (required with alarm - works with any cam); Orde		r by others		
Trim:	Mortise cylinders (required with diarm - works with any cam), or a Mortise cylinders (required with trim - cloverleaf cam recommende			others	
	ons and solutions available: Please contact the factory with reque				
Replacemen	t (Service) Lever Trim Units				
TEL-KLT-RB	Replacement keyed lever trim only (black finish); w/o anti-pry plate	422.00			
TEL-KLT-RS TEL-KDT-RB	Replacement keyed lever trim only (silver finish); w/o anti-pry plate Replacement key/dc lever trim only (black finish); w/o anti-pry plate	422.00 589.00	4		
TEL-KDT-RS	Replacement key/dc lever trim only (black finish); w/o anti-pry plate Replacement key/dc lever trim only (silver finish); w/o anti-pry plate	589.00	1		
		00.00			

LARGER, THICKER, INTEGRATED KEY CONTROLLED TRIM AND FULL SIZE ANTI-PRY PLATE Models Ending in "-AP"



Important Cylinder & Cam Information: Mortise cylinder for alarms & keyed entry options are not provided, unless ordered as a separate item.



TRIM CYLINDER & CAM INFO Cloverleaf cam is recommended for onehand operation on all outside entry options. Cylinders 1" or longer can be used.

ALARM CYLINDER & CAM INFO: A10 & A20 alarms will work with all mortise cylinder lengths and cams.

CYLINDER USAGE CHART				
Model	Туре	Cam		
ALARMED MODELS				
TEL-*00	None	n/a		
TEL-*10	Mortise	Any		
TEL-*20	Mortise	Any		
KEYED ENTRY MODELS				
All	Mortise	Cloverleaf		

as of 11/23/16

	2017Trident Pricing					
	OTHER KITS AND FIELD INSTALLED OPTIONS					
Model	Description	2017 List				
	LD INSTALLED OPTIONS	2017 Eist		_		
TEL-HSB1	Additional bolt for hinge side provides five point locking	52.00				
TEL-HSB3	HSB mounted on an extender plate to bypass f/s cont. hinge	90.00				
TEL-E12	Armored alarm cable extension for oversize doors	28.00				
TEL-EK12	12" Upper extension for TEL-300 for over height doors	81.00				
TEL-EP2	24" Paddle extension with end guard	128.00				
TEL-EP4	18" Paddle extension with end guard	128.00				
Option for shippin	ng lock to lock installer and power supply to another (typically electrician)				
TEL-220-XPS	Self relock with hardwire alarm less power supply	1,368.00				
TEL-501	Separate power supply for above (shipped in own box)	249.00				
Option for providi	ing signal from lock for use with alarm by others:					
TEL-SSO	Alarm connector & armored cable for doors up to 36"	76.00				
TEL-SS5	Alarm connector & armored cable for doors up to 48"	95.00				
TEL-PSK	PS2 Power Supply & board to upgrade A10 to direct power	263.00				
TEL-SS53	Alarm Connector & armored cable for doors up to 48" with J Box	117.00				
	g electrified exterior trim wire across the door within armored cable					
TEL-TCH	Alarm connector, housing & armored cable for doors up to 36"	105.00				
	pplications where inactive leaf lock provided by others					
TEL-DDA	Inactive door strike/reinforcer kit (no locks)	287.00				
Additional Option						
TEL-EP1	24" Extended paddle	88.00				
TEL-EP3	18" Extended paddle	88.00				
TEL-SSK1	Security screw set for alarm box with opening tool	7.00				
Spacial factor in	stalled entions which cannot be field applied					
(ADD)-CT	stalled options which cannot be field applied	122.00				
(ADD)-CT (ADD)-CW	Digital counter	132.00				
(ADD)-CW (ADD)-RO	Lock prepped for concealed wire (8' lead) Remote alarm output on A10 or A20 (for secondary signal)	85.00 132.00				
(ADD)-RO	Remote alarm output on A 10 or A20 (for secondary signal) Remote siren on A20 (for mounting away from door)	450.00				
TEL-AM1	Integrated door monitor switch for battery alarm	368.00				
TEL-AM1 TEL-AM2	Integrated door monitor switch for hardwire alarm	628.00				
	integrated door monitor switch for hardwire didiffi	020.00				

Pricing Notes: 10% Surcharge for orders rushed under 48 hours 15% Surcharge for orders rushed under 24 hours Drop ship fee applies to large orders with multiple ship to addresses

6

